



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:59 AM GMT

PDB ID : 3GR4
Title : Activator-Bound Structure of Human Pyruvate Kinase M2
Authors : Hong, B.; Dimov, S.; Tempel, W.; Auld, D.; Thomas, C.; Boxer, M.; Jianq, J.-K.; Skoumbourdis, A.; Min, S.; Southall, N.; Arrowsmith, C.H.; Edwards, A.M.; Bountra, C.; Weigelt, J.; Bochkarev, A.; Inglese, J.; Park, H.; Structural Genomics Consortium (SGC)
Deposited on : 2009-03-24
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2475 (1.60-1.60)
Clashscore	102246	2732 (1.60-1.60)
Ramachandran outliers	100387	2654 (1.60-1.60)
Sidechain outliers	100360	2653 (1.60-1.60)
RSRZ outliers	91569	2479 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	550	<div> <div>5%</div> <div>87%</div> <div>7%</div> <div>6%</div> </div>
1	B	550	<div> <div>7%</div> <div>86%</div> <div>6%</div> <div>8%</div> </div>
1	C	550	<div> <div>2%</div> <div>89%</div> <div>•</div> <div>6%</div> </div>
1	D	550	<div> <div>4%</div> <div>87%</div> <div>6%</div> <div>7%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FBP	C	541	-	-	-	X
3	TLA	B	538	-	-	-	X
3	TLA	C	534	-	-	-	X
3	TLA	D	543	-	-	-	X
4	DYY	A	550[A]	-	-	-	X
4	DYY	A	550[B]	-	-	-	X
4	DYY	D	550[A]	-	-	-	X
4	DYY	D	550[B]	-	-	-	X
5	UNX	A	532	-	-	-	X
5	UNX	A	534	-	-	-	X
5	UNX	A	535	-	-	-	X
5	UNX	B	532	-	-	-	X
5	UNX	B	533	-	-	-	X
5	UNX	B	534	-	-	-	X
5	UNX	B	535	-	-	-	X
5	UNX	B	536	-	-	-	X
5	UNX	C	532	-	-	-	X
5	UNX	D	532	-	-	-	X
5	UNX	D	533	-	-	-	X
5	UNX	D	534	-	-	-	X
5	UNX	D	535	-	-	-	X
6	ADP	A	538	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 16503 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase isozymes M1/M2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	519	Total	C	N	O	S	0	2	0
			3885	2453	676	731	25			
1	B	505	Total	C	N	O	S	0	3	0
			3754	2361	663	706	24			
1	C	515	Total	C	N	O	S	0	4	0
			3847	2430	672	721	24			
1	D	509	Total	C	N	O	S	0	4	0
			3808	2398	679	706	25			

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	EXPRESSION TAG	UNP P14618
A	-17	GLY	-	EXPRESSION TAG	UNP P14618
A	-16	SER	-	EXPRESSION TAG	UNP P14618
A	-15	SER	-	EXPRESSION TAG	UNP P14618
A	-14	HIS	-	EXPRESSION TAG	UNP P14618
A	-13	HIS	-	EXPRESSION TAG	UNP P14618
A	-12	HIS	-	EXPRESSION TAG	UNP P14618
A	-11	HIS	-	EXPRESSION TAG	UNP P14618
A	-10	HIS	-	EXPRESSION TAG	UNP P14618
A	-9	HIS	-	EXPRESSION TAG	UNP P14618
A	-8	SER	-	EXPRESSION TAG	UNP P14618
A	-7	SER	-	EXPRESSION TAG	UNP P14618
A	-6	GLY	-	EXPRESSION TAG	UNP P14618
A	-5	LEU	-	EXPRESSION TAG	UNP P14618
A	-4	VAL	-	EXPRESSION TAG	UNP P14618
A	-3	PRO	-	EXPRESSION TAG	UNP P14618
A	-2	ARG	-	EXPRESSION TAG	UNP P14618
A	-1	GLY	-	EXPRESSION TAG	UNP P14618
A	0	SER	-	EXPRESSION TAG	UNP P14618
B	-18	MET	-	EXPRESSION TAG	UNP P14618
B	-17	GLY	-	EXPRESSION TAG	UNP P14618

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-16	SER	-	EXPRESSION TAG	UNP P14618
B	-15	SER	-	EXPRESSION TAG	UNP P14618
B	-14	HIS	-	EXPRESSION TAG	UNP P14618
B	-13	HIS	-	EXPRESSION TAG	UNP P14618
B	-12	HIS	-	EXPRESSION TAG	UNP P14618
B	-11	HIS	-	EXPRESSION TAG	UNP P14618
B	-10	HIS	-	EXPRESSION TAG	UNP P14618
B	-9	HIS	-	EXPRESSION TAG	UNP P14618
B	-8	SER	-	EXPRESSION TAG	UNP P14618
B	-7	SER	-	EXPRESSION TAG	UNP P14618
B	-6	GLY	-	EXPRESSION TAG	UNP P14618
B	-5	LEU	-	EXPRESSION TAG	UNP P14618
B	-4	VAL	-	EXPRESSION TAG	UNP P14618
B	-3	PRO	-	EXPRESSION TAG	UNP P14618
B	-2	ARG	-	EXPRESSION TAG	UNP P14618
B	-1	GLY	-	EXPRESSION TAG	UNP P14618
B	0	SER	-	EXPRESSION TAG	UNP P14618
C	-18	MET	-	EXPRESSION TAG	UNP P14618
C	-17	GLY	-	EXPRESSION TAG	UNP P14618
C	-16	SER	-	EXPRESSION TAG	UNP P14618
C	-15	SER	-	EXPRESSION TAG	UNP P14618
C	-14	HIS	-	EXPRESSION TAG	UNP P14618
C	-13	HIS	-	EXPRESSION TAG	UNP P14618
C	-12	HIS	-	EXPRESSION TAG	UNP P14618
C	-11	HIS	-	EXPRESSION TAG	UNP P14618
C	-10	HIS	-	EXPRESSION TAG	UNP P14618
C	-9	HIS	-	EXPRESSION TAG	UNP P14618
C	-8	SER	-	EXPRESSION TAG	UNP P14618
C	-7	SER	-	EXPRESSION TAG	UNP P14618
C	-6	GLY	-	EXPRESSION TAG	UNP P14618
C	-5	LEU	-	EXPRESSION TAG	UNP P14618
C	-4	VAL	-	EXPRESSION TAG	UNP P14618
C	-3	PRO	-	EXPRESSION TAG	UNP P14618
C	-2	ARG	-	EXPRESSION TAG	UNP P14618
C	-1	GLY	-	EXPRESSION TAG	UNP P14618
C	0	SER	-	EXPRESSION TAG	UNP P14618
D	-18	MET	-	EXPRESSION TAG	UNP P14618
D	-17	GLY	-	EXPRESSION TAG	UNP P14618
D	-16	SER	-	EXPRESSION TAG	UNP P14618
D	-15	SER	-	EXPRESSION TAG	UNP P14618
D	-14	HIS	-	EXPRESSION TAG	UNP P14618
D	-13	HIS	-	EXPRESSION TAG	UNP P14618

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	-12	HIS	-	EXPRESSION TAG	UNP P14618
D	-11	HIS	-	EXPRESSION TAG	UNP P14618
D	-10	HIS	-	EXPRESSION TAG	UNP P14618
D	-9	HIS	-	EXPRESSION TAG	UNP P14618
D	-8	SER	-	EXPRESSION TAG	UNP P14618
D	-7	SER	-	EXPRESSION TAG	UNP P14618
D	-6	GLY	-	EXPRESSION TAG	UNP P14618
D	-5	LEU	-	EXPRESSION TAG	UNP P14618
D	-4	VAL	-	EXPRESSION TAG	UNP P14618
D	-3	PRO	-	EXPRESSION TAG	UNP P14618
D	-2	ARG	-	EXPRESSION TAG	UNP P14618
D	-1	GLY	-	EXPRESSION TAG	UNP P14618
D	0	SER	-	EXPRESSION TAG	UNP P14618

- Molecule 2 is SUGAR (BETA-FRUCTOSE-1,6-DIPHOSPHATE) (three-letter code: FBP) (formula: $C_6H_{14}O_{12}P_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		
2	B	1	Total	C	O	P	0	0
			20	6	12	2		
2	C	1	Total	C	O	P	0	0
			6	1	4	1		
2	D	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is L(+)-TARTARIC ACID (three-letter code: TLA) (formula: $C_4H_6O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			10	4	6		
3	B	1	Total	C	O	0	0
			10	4	6		
3	B	1	Total	C	O	0	0
			10	4	6		
3	C	1	Total	C	O	0	0
			10	4	6		
3	C	1	Total	C	O	0	0
			10	4	6		
3	D	1	Total	C	O	0	0
			10	4	6		
3	D	1	Total	C	O	0	0
			10	4	6		

- Molecule 4 is 1-[(2,6-DIFLUOROPHENYL)SULFONYL]-4-(2,3-DIHYDRO-1,4-BENZODIOXIN-6-YLSULFONYL)PIPERAZINE (three-letter code: DYY) (formula: $C_{18}H_{18}F_2N_2O_6S_2$).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total 60	C 36	F 4	N 4	O 12	S 4	0	1
4	D	1	Total 60	C 36	F 4	N 4	O 12	S 4	0	1

- Molecule 5 is UNKNOWN ATOM OR ION (three-letter code: UNX) (formula: X).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	6	Total X 6 6	0	0
5	A	6	Total X 6 6	0	0
5	D	4	Total X 4 4	0	0
5	C	2	Total X 2 2	0	0

- Molecule 6 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{10}\text{P}_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			18	5	1	10	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	245	Total	O	0	0
			245	245		
7	B	237	Total	O	0	0
			237	237		
7	C	228	Total	O	0	0
			228	228		
7	D	207	Total	O	0	0
			207	207		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyruvate kinase isozymes M1/M2




• Molecule 1: Pyruvate kinase isozymes M1/M2



• Molecule 1: Pyruvate kinase isozymes M1/M2



● Molecule 1: Pyruvate kinase isozymes M1/M2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.28Å 153.21Å 93.14Å 90.00° 102.91° 90.00°	Depositor
Resolution (Å)	30.00 – 1.60 29.27 – 1.60	Depositor EDS
% Data completeness (in resolution range)	96.3 (30.00-1.60) 96.3 (29.27-1.60)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.59 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.5.0088, coot, molprobity, prodrgr	Depositor
R, R_{free}	0.208 , 0.231 0.212 , 0.235	Depositor DCC
R_{free} test set	2916 reflections (1.05%)	DCC
Wilson B-factor (Å ²)	22.0	Xtriage
Anisotropy	0.041	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 52.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 280370 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	16503	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.02% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: UNX, TLA, FBP, DYY, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.71	1/3960 (0.0%)	0.67	2/5367 (0.0%)
1	B	0.68	0/3819	0.65	0/5177
1	C	0.68	0/3920	0.65	0/5315
1	D	0.66	0/3877	0.65	0/5255
All	All	0.68	1/15576 (0.0%)	0.65	2/21114 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	56	ARG	CB-CG	-5.28	1.38	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	43	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	A	73	ARG	NE-CZ-NH1	5.57	123.08	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3885	0	3853	30	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3754	0	3664	28	0
1	C	3847	0	3821	24	0
1	D	3808	0	3728	29	0
2	A	20	0	10	0	0
2	B	20	0	10	0	0
2	C	6	0	0	0	0
2	D	20	0	10	0	0
3	A	10	0	4	0	0
3	B	20	0	8	0	0
3	C	20	0	8	0	0
3	D	20	0	8	0	0
4	A	60	0	36	9	0
4	D	60	0	36	8	0
5	A	6	0	0	0	0
5	B	6	0	0	0	0
5	C	2	0	0	0	0
5	D	4	0	0	0	0
6	A	18	0	8	0	0
7	A	245	0	0	0	0
7	B	237	0	0	0	0
7	C	228	0	0	0	0
7	D	207	0	0	0	0
All	All	16503	0	15204	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:418[B]:GLU:HG3	1:D:418:GLU:HG2	1.58	0.83
1:D:74:LEU:HD11	1:D:87:THR:HG21	1.69	0.73
1:A:526:ARG:HD3	1:C:515:TRP:CD2	2.24	0.72
1:C:27:LEU:HD13	4:D:550[A]:DYY:CAO	2.20	0.72
1:A:16:GLN:HG2	1:A:40:ILE:HG23	1.77	0.67
1:B:418[B]:GLU:OE2	1:D:418:GLU:OE2	2.14	0.66
1:D:121:THR:HG22	1:D:159:LEU:CD2	2.28	0.64
1:C:397:GLU:O	1:C:401:LEU:HD13	1.98	0.63
1:C:466:TYR:HB2	1:C:469:ILE:HD12	1.83	0.61
1:D:472:VAL:HG11	1:D:496:VAL:HG11	1.82	0.60
1:C:395:PHE:CZ	1:C:399:ARG:HD2	2.37	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:472:VAL:HG11	1:A:496:VAL:HG11	1.85	0.59
1:B:121:THR:HG22	1:B:159:LEU:CD2	2.32	0.59
1:B:418[B]:GLU:HG3	1:D:418:GLU:CG	2.29	0.59
1:B:185:VAL:HA	1:B:195:THR:HG22	1.83	0.58
1:D:26:PHE:CE1	4:D:550[B]:DYY:HAI	2.39	0.57
1:A:27:LEU:HD13	4:A:550[A]:DYY:CAO	2.34	0.57
1:B:453:VAL:HG21	1:B:493:ALA:HB2	1.87	0.57
1:B:121:THR:HG22	1:B:159:LEU:HD21	1.87	0.56
1:A:13:ILE:HD11	1:A:22:MET:SD	2.45	0.56
1:A:26:PHE:CE1	4:A:550[A]:DYY:HAI	2.41	0.55
1:B:488:LEU:HD23	1:B:488:LEU:C	2.28	0.54
1:D:121:THR:O	1:D:206:LYS:HA	2.08	0.54
1:D:488:LEU:HD23	1:D:488:LEU:C	2.28	0.54
1:A:418:GLU:OE2	1:C:418:GLU:OE2	2.26	0.53
1:C:401:LEU:HD11	1:D:25:THR:HG21	1.91	0.53
1:C:476:ASP:OD2	1:C:488:LEU:HD21	2.08	0.53
1:D:74:LEU:HD11	1:D:87:THR:CG2	2.38	0.53
1:A:319:ARG:HD3	1:A:401:LEU:HD13	1.90	0.53
1:B:508:VAL:CG2	1:B:527:VAL:CG1	2.87	0.52
1:D:27:LEU:HD13	4:D:550[B]:DYY:CAO	2.40	0.52
1:C:416:ALA:HB2	1:C:512:LEU:HD21	1.91	0.52
1:A:148:TYR:CD1	1:A:156:ILE:HD13	2.45	0.52
4:A:550[A]:DYY:HAL	1:B:397:GLU:OE1	2.10	0.51
1:C:26:PHE:CE1	4:D:550[A]:DYY:HAI	2.45	0.51
1:D:121:THR:HG22	1:D:159:LEU:HD21	1.92	0.51
1:B:508:VAL:HG21	1:B:527:VAL:CG1	2.40	0.51
1:A:416:ALA:HB2	1:A:512:LEU:HD21	1.93	0.51
1:B:221:VAL:HG12	1:B:226:ILE:HG13	1.93	0.51
1:B:15:THR:HG22	1:B:38:PRO:HG2	1.93	0.51
1:A:189:GLY:HA3	1:A:192:PHE:CZ	2.46	0.50
1:A:272:GLU:HG2	1:A:293:ALA:HB3	1.93	0.50
1:D:26:PHE:CD1	4:D:550[B]:DYY:HAI	2.47	0.50
4:A:550[B]:DYY:HAI	1:B:26:PHE:CE1	2.45	0.50
1:A:74:LEU:HD11	1:A:88:ILE:HG13	1.93	0.50
1:D:16:GLN:HG3	1:D:18:LEU:HG	1.93	0.49
1:A:27:LEU:HD23	1:B:401:LEU:HD12	1.95	0.49
1:C:488:LEU:C	1:C:488:LEU:HD23	2.33	0.49
1:A:526:ARG:HD3	1:C:515:TRP:CG	2.48	0.49
1:A:412:THR:HG22	1:A:512:LEU:HD22	1.93	0.49
1:B:508:VAL:CG2	1:B:527:VAL:HG13	2.43	0.49
1:B:16:GLN:HG3	1:B:40:ILE:HG23	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:27:LEU:HD13	4:A:550[A]:DYY:HAOA	1.94	0.48
1:C:401:LEU:HD22	1:D:27:LEU:HD23	1.96	0.48
1:B:472:VAL:HG11	1:B:496:VAL:HG11	1.96	0.48
1:B:112:LEU:C	1:B:112:LEU:HD23	2.34	0.47
1:A:526:ARG:HD3	1:C:515:TRP:CE3	2.49	0.47
1:A:134:LEU:HD11	1:A:203:LEU:HD22	1.95	0.47
1:C:414[B]:VAL:HG22	1:C:444:TYR:CE2	2.50	0.47
1:B:418[B]:GLU:HG3	1:D:418:GLU:CB	2.44	0.47
4:A:550[B]:DYY:CAO	1:B:27:LEU:HD13	2.45	0.47
1:C:414[B]:VAL:HG22	1:C:444:TYR:CZ	2.50	0.47
1:D:466:TYR:HB2	1:D:469:ILE:HD12	1.96	0.47
1:C:26:PHE:CG	4:D:550[B]:DYY:HAT	2.50	0.47
1:D:103:ILE:HD13	1:D:492:PHE:CE1	2.50	0.46
1:B:405:THR:O	1:D:423:CYS:HA	2.15	0.46
1:D:497:GLY:HA3	1:D:503:PHE:CZ	2.51	0.45
4:A:550[B]:DYY:OAS	4:A:550[B]:DYY:FBC	2.24	0.45
1:B:407:ASP:OD1	1:B:409[B]:THR:OG1	2.33	0.45
1:B:497:GLY:HA3	1:B:503:PHE:CZ	2.51	0.45
1:B:145:ASP:OD2	1:B:147:ALA:HB3	2.16	0.45
1:A:497:GLY:HA3	1:A:503:PHE:CZ	2.52	0.45
1:B:409[A]:THR:HG23	1:B:522:THR:HB	1.99	0.44
1:A:418:GLU:CG	1:C:414[B]:VAL:HG12	2.47	0.43
1:B:453:VAL:CG2	1:B:493:ALA:HB2	2.47	0.43
1:A:175:TYR:HB3	1:A:179:GLY:HA2	2.00	0.43
1:D:453:VAL:HG21	1:D:493:ALA:HB2	2.00	0.43
1:A:26:PHE:CG	4:A:550[B]:DYY:HAT	2.54	0.43
1:B:418[B]:GLU:CG	1:D:418:GLU:HG2	2.39	0.42
1:C:27:LEU:HD13	4:D:550[A]:DYY:HAO	1.99	0.42
1:C:27:LEU:HD13	4:D:550[A]:DYY:HAOA	2.00	0.42
1:C:40:ILE:O	1:C:383:ARG:HD2	2.19	0.42
1:D:503:PHE:CD1	1:D:530:VAL:HG21	2.55	0.41
1:A:136:LYS:HG2	1:A:137:GLY:N	2.35	0.41
1:A:397:GLU:OE1	4:A:550[B]:DYY:HAL	2.20	0.41
1:A:189:GLY:HA3	1:A:192:PHE:CE2	2.56	0.41
1:D:453:VAL:CG2	1:D:493:ALA:HB2	2.50	0.41
1:D:409:THR:HG21	1:D:440:GLN:OE1	2.20	0.41
1:C:401:LEU:N	1:C:401:LEU:HD12	2.36	0.41
1:D:440:GLN:O	1:D:443:ARG:HG2	2.21	0.41
1:C:328:THR:HG22	1:C:329:GLN:HG3	2.03	0.40
1:D:288:ASP:O	1:D:323:PRO:HD2	2.21	0.40
1:C:463:ALA:HB1	1:C:469:ILE:HG21	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:159:LEU:HD22	1:D:209:VAL:HG21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	519/550 (94%)	510 (98%)	8 (2%)	1 (0%)	52	28
1	B	500/550 (91%)	492 (98%)	7 (1%)	1 (0%)	52	28
1	C	515/550 (94%)	505 (98%)	9 (2%)	1 (0%)	52	28
1	D	507/550 (92%)	496 (98%)	10 (2%)	1 (0%)	52	28
All	All	2041/2200 (93%)	2003 (98%)	34 (2%)	4 (0%)	52	28

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	328	THR
1	C	328	THR
1	D	328	THR
1	B	328	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	399/452 (88%)	397 (100%)	2 (0%)	92	85
1	B	376/452 (83%)	374 (100%)	2 (0%)	92	85
1	C	391/452 (86%)	389 (100%)	2 (0%)	92	85
1	D	381/452 (84%)	380 (100%)	1 (0%)	94	90
All	All	1547/1808 (86%)	1540 (100%)	7 (0%)	92	85

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	296	ASP
1	A	528	VAL
1	B	260	GLU
1	B	508	VAL
1	C	296	ASP
1	C	339	ARG
1	D	178	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	19	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 34 ligands modelled in this entry, 18 are unknown - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	ADP	A	538	-	15,18,29	0.60	0	21,28,45	1.58	4 (19%)
2	FBP	A	541	-	18,20,20	0.91	1 (5%)	21,32,32	0.72	1 (4%)
3	TLA	A	542	-	3,9,9	0.53	0	6,12,12	1.29	1 (16%)
4	DYY	A	550[A]	-	31,33,33	2.21	6 (19%)	44,50,50	2.29	9 (20%)
4	DYY	A	550[B]	-	31,33,33	2.84	6 (19%)	44,50,50	2.58	12 (27%)
3	TLA	B	538	-	3,9,9	0.54	0	6,12,12	1.03	1 (16%)
2	FBP	B	541	-	18,20,20	0.86	1 (5%)	21,32,32	0.90	1 (4%)
3	TLA	B	542	-	3,9,9	0.91	0	6,12,12	1.71	2 (33%)
3	TLA	C	534	-	3,9,9	0.90	0	6,12,12	1.44	1 (16%)
2	FBP	C	541	-	5,5,20	0.80	0	5,7,32	0.84	0
3	TLA	C	542	-	3,9,9	0.72	0	6,12,12	1.52	1 (16%)
2	FBP	D	541	-	18,20,20	0.93	1 (5%)	21,32,32	0.91	1 (4%)
3	TLA	D	542	-	3,9,9	0.54	0	6,12,12	1.16	1 (16%)
3	TLA	D	543	-	3,9,9	0.74	0	6,12,12	1.05	1 (16%)
4	DYY	D	550[A]	-	31,33,33	2.41	6 (19%)	44,50,50	2.26	8 (18%)
4	DYY	D	550[B]	-	31,33,33	2.65	6 (19%)	44,50,50	2.58	12 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ADP	A	538	-	-	0/12/28/32	0/1/1/3
2	FBP	A	541	-	-	0/13/32/32	0/1/1/1
3	TLA	A	542	-	-	0/4/12/12	0/0/0/0
4	DYY	A	550[A]	-	-	0/24/41/41	0/4/4/4
4	DYY	A	550[B]	-	-	0/24/41/41	0/4/4/4
3	TLA	B	538	-	-	0/4/12/12	0/0/0/0
2	FBP	B	541	-	-	0/13/32/32	0/1/1/1
3	TLA	B	542	-	-	0/4/12/12	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TLA	C	534	-	-	0/4/12/12	0/0/0/0
2	FBP	C	541	-	-	0/1/3/32	0/0/0/1
3	TLA	C	542	-	-	0/4/12/12	0/0/0/0
2	FBP	D	541	-	-	0/13/32/32	0/1/1/1
3	TLA	D	542	-	-	0/4/12/12	0/0/0/0
3	TLA	D	543	-	-	0/4/12/12	0/0/0/0
4	DYY	D	550[A]	-	-	0/24/41/41	0/4/4/4
4	DYY	D	550[B]	-	-	0/24/41/41	0/4/4/4

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	541	FBP	O2-C2	2.70	1.45	1.41
2	D	541	FBP	O2-C2	2.71	1.45	1.41
2	A	541	FBP	O2-C2	3.22	1.46	1.41
4	D	550[A]	DYY	SAF-NAG	4.00	1.69	1.63
4	A	550[A]	DYY	SAF-NAG	4.03	1.69	1.63
4	D	550[B]	DYY	OAJ-SAW	4.46	1.49	1.43
4	A	550[A]	DYY	OAJ-SAW	4.55	1.49	1.43
4	A	550[A]	DYY	OAS-SAF	4.68	1.49	1.43
4	A	550[B]	DYY	OAJ-SAW	4.73	1.49	1.43
4	D	550[B]	DYY	OAB-SAF	4.95	1.49	1.43
4	A	550[B]	DYY	OAB-SAF	4.98	1.49	1.43
4	A	550[B]	DYY	OAS-SAF	5.11	1.50	1.43
4	D	550[B]	DYY	OBD-SAW	5.13	1.50	1.43
4	D	550[A]	DYY	OAS-SAF	5.14	1.50	1.43
4	A	550[A]	DYY	OBD-SAW	5.15	1.50	1.43
4	D	550[A]	DYY	OAJ-SAW	5.20	1.50	1.43
4	A	550[A]	DYY	OAB-SAF	5.24	1.50	1.43
4	A	550[A]	DYY	SAW-NAV	5.27	1.71	1.63
4	D	550[B]	DYY	OAS-SAF	5.43	1.50	1.43
4	D	550[A]	DYY	OAB-SAF	5.44	1.50	1.43
4	D	550[A]	DYY	OBD-SAW	5.58	1.50	1.43
4	A	550[B]	DYY	OBD-SAW	5.65	1.50	1.43
4	D	550[B]	DYY	SAF-NAG	5.75	1.71	1.63
4	D	550[A]	DYY	SAW-NAV	6.30	1.72	1.63
4	A	550[B]	DYY	SAF-NAG	6.80	1.73	1.63
4	D	550[B]	DYY	SAW-NAV	8.25	1.75	1.63
4	A	550[B]	DYY	SAW-NAV	8.95	1.76	1.63

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	550[A]	DYY	OAJ-SAW-OB	-6.63	108.03	119.47
4	A	550[B]	DYY	OAJ-SAW-OB	-6.09	108.96	119.47
4	A	550[B]	DYY	OAS-SAF-OAB	-5.99	109.13	119.47
4	D	550[B]	DYY	OAJ-SAW-OB	-5.97	109.17	119.47
4	D	550[B]	DYY	OAS-SAF-OAB	-5.89	109.30	119.47
4	D	550[A]	DYY	OAJ-SAW-OB	-5.59	109.83	119.47
4	D	550[A]	DYY	OAS-SAF-OAB	-5.49	110.00	119.47
4	A	550[A]	DYY	OAS-SAF-OAB	-5.42	110.11	119.47
6	A	538	ADP	O5'-PA-O1A	-3.86	94.64	109.62
4	D	550[B]	DYY	CAU-NAV-SAW	-3.75	109.91	117.12
4	D	550[B]	DYY	CAH-NAG-CAT	-3.64	107.77	112.20
4	A	550[B]	DYY	CAH-NAG-CAT	-3.12	108.41	112.20
3	B	542	TLA	C1-C2-C3	-2.99	107.21	113.35
4	A	550[B]	DYY	CAT-NAG-SAF	-2.91	111.52	117.12
4	A	550[B]	DYY	CAU-NAV-CAI	-2.86	108.72	112.20
4	A	550[B]	DYY	CAU-NAV-SAW	-2.81	111.72	117.12
3	C	542	TLA	C1-C2-C3	-2.80	107.60	113.35
4	D	550[A]	DYY	CAH-NAG-CAT	-2.80	108.80	112.20
4	D	550[B]	DYY	CAU-CAT-NAG	-2.65	106.86	109.02
4	A	550[A]	DYY	CAH-NAG-CAT	-2.54	109.11	112.20
3	A	542	TLA	C4-C3-C2	-2.47	108.29	113.35
3	B	542	TLA	C4-C3-C2	-2.42	108.39	113.35
3	D	542	TLA	C1-C2-C3	-2.36	108.51	113.35
4	D	550[B]	DYY	OAJ-SAW-NAV	-2.34	104.38	106.69
4	D	550[B]	DYY	CAU-NAV-CAI	-2.34	109.36	112.20
4	A	550[B]	DYY	OAS-SAF-CAE	-2.33	104.32	108.80
4	A	550[A]	DYY	CAU-NAV-SAW	-2.31	112.67	117.12
3	B	538	TLA	C1-C2-C3	-2.17	108.91	113.35
3	C	534	TLA	C1-C2-C3	-2.16	108.91	113.35
3	D	543	TLA	C4-C3-C2	-2.16	108.92	113.35
4	D	550[A]	DYY	CAU-NAV-CAI	-2.11	109.64	112.20
2	D	541	FBP	O4-C4-C3	2.08	118.61	112.01
2	A	541	FBP	O6P-P2-O5P	2.09	115.34	107.38
4	A	550[A]	DYY	OAB-SAF-NAG	2.20	108.86	106.69
6	A	538	ADP	C3'-C2'-C1'	2.25	105.92	101.40
2	B	541	FBP	O6-P2-O4P	2.27	112.93	107.14
4	A	550[A]	DYY	OAJ-SAW-NAV	2.73	109.39	106.69
4	D	550[A]	DYY	OAS-SAF-NAG	2.79	109.45	106.69
6	A	538	ADP	O2A-PA-O5'	2.86	122.89	108.46
4	A	550[B]	DYY	OAB-SAF-NAG	2.90	109.56	106.69
6	A	538	ADP	O5'-C5'-C4'	3.11	120.59	109.12
4	A	550[B]	DYY	OB	3.30	109.95	106.69
4	D	550[B]	DYY	OAB-SAF-NAG	3.54	110.19	106.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	550[B]	DYY	OBD-SAW-NAV	4.01	110.65	106.69
4	A	550[B]	DYY	CAR-CAE-CAD	4.16	119.63	116.46
4	D	550[B]	DYY	CAR-CAE-CAD	4.18	119.65	116.46
4	A	550[A]	DYY	CAR-CAE-CAD	4.27	119.72	116.46
4	D	550[A]	DYY	CAR-CAE-CAD	4.70	120.05	116.46
4	D	550[A]	DYY	CAE-SAF-NAG	5.81	114.77	102.61
4	A	550[A]	DYY	CAE-SAF-NAG	6.31	115.81	102.61
4	D	550[B]	DYY	CAE-SAF-NAG	6.37	115.94	102.61
4	A	550[A]	DYY	CAX-SAW-NAV	6.82	115.72	107.32
4	D	550[A]	DYY	CAX-SAW-NAV	7.00	115.95	107.32
4	A	550[B]	DYY	CAE-SAF-NAG	7.16	117.59	102.61
4	D	550[B]	DYY	CAX-SAW-NAV	7.68	116.78	107.32
4	A	550[B]	DYY	CAX-SAW-NAV	7.99	117.17	107.32

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	550[A]	DYY	4	0
4	A	550[B]	DYY	5	0
4	D	550[A]	DYY	4	0
4	D	550[B]	DYY	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	519/550 (94%)	0.14	27 (5%) 31 28	13, 23, 48, 60	0
1	B	505/550 (91%)	0.20	36 (7%) 19 17	13, 23, 59, 81	0
1	C	515/550 (93%)	-0.07	12 (2%) 64 62	13, 22, 40, 62	0
1	D	509/550 (92%)	0.07	23 (4%) 37 34	14, 23, 46, 65	0
All	All	2048/2200 (93%)	0.09	98 (4%) 34 31	13, 23, 49, 81	0

All (98) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	13	ILE	11.5
1	C	404	ILE	10.0
1	A	13	ILE	8.1
1	A	404	ILE	7.5
1	D	147	ALA	6.2
1	C	403	PRO	6.0
1	B	132	VAL	5.7
1	B	147	ALA	5.0
1	B	123	LEU	4.7
1	B	140	LEU	4.7
1	B	185	VAL	4.6
1	A	403	PRO	4.6
1	D	132	VAL	4.3
1	C	515	TRP	4.2
1	A	217	ASP	4.1
1	D	404	ILE	4.0
1	D	402	ALA	4.0
1	B	192	PHE	4.0
1	B	194	VAL	3.9
1	A	137	GLY	3.9
1	B	180	LEU	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	190	ALA	3.8
1	B	125	LYS	3.7
1	D	148	TYR	3.6
1	B	170	VAL	3.6
1	B	197	VAL	3.6
1	A	192	PHE	3.5
1	B	14	GLN	3.5
1	A	171	GLY	3.4
1	C	213	GLY	3.3
1	D	144	LEU	3.3
1	D	192	PHE	3.3
1	A	139	THR	3.2
1	B	155	ASN	3.2
1	A	482	TRP	3.1
1	C	147	ALA	3.1
1	C	424	CYS	3.0
1	D	14	GLN	2.9
1	B	198	GLU	2.9
1	A	156	ILE	2.9
1	D	191	ASP	2.8
1	A	148	TYR	2.8
1	C	521	PHE	2.8
1	B	171	GLY	2.8
1	D	122	GLY	2.8
1	D	401	LEU	2.8
1	B	41	THR	2.7
1	D	48	ILE	2.7
1	A	521	PHE	2.7
1	B	195	THR	2.7
1	C	165	CYS	2.7
1	D	146	ASN	2.7
1	A	480	GLU	2.6
1	B	404	ILE	2.6
1	B	203	LEU	2.6
1	C	14	GLN	2.6
1	B	156	ILE	2.6
1	D	124	ILE	2.6
1	A	424	CYS	2.6
1	C	517	PRO	2.6
1	B	401	LEU	2.5
1	A	138	ALA	2.5
1	D	40	ILE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	40	ILE	2.5
1	B	292	VAL	2.5
1	B	18	LEU	2.4
1	B	159	LEU	2.4
1	D	149	MET	2.4
1	B	142	ILE	2.4
1	A	14	GLN	2.4
1	B	145	ASP	2.3
1	D	156	ILE	2.3
1	A	190	ALA	2.3
1	A	517	PRO	2.3
1	B	100	SER	2.3
1	A	40	ILE	2.3
1	B	181	ILE	2.3
1	A	516	ARG	2.2
1	A	134	LEU	2.2
1	A	401	LEU	2.2
1	D	123	LEU	2.2
1	C	477	PRO	2.2
1	D	159	LEU	2.2
1	B	131	GLU	2.2
1	A	197	VAL	2.2
1	A	470[A]	PHE	2.2
1	B	424	CYS	2.2
1	B	183	LEU	2.2
1	B	138	ALA	2.2
1	D	470[A]	PHE	2.1
1	B	205	SER	2.1
1	D	170	VAL	2.1
1	A	402	ALA	2.1
1	A	198	GLU	2.1
1	A	22	MET	2.1
1	D	202	SER	2.0
1	D	325	ILE	2.0
1	B	148	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	UNX	C	532	1/1	0.44	1.49	239.14	2,2,2,2	1
5	UNX	B	532	1/1	-0.34	1.83	182.83	3,3,3,3	1
5	UNX	D	535	1/1	0.24	1.79	176.60	2,2,2,2	1
5	UNX	A	532	1/1	0.07	2.12	170.03	2,2,2,2	1
5	UNX	B	535	1/1	0.48	2.99	169.76	2,2,2,2	1
5	UNX	D	534	1/1	0.13	3.02	140.71	2,2,2,2	1
5	UNX	D	532	1/1	0.33	2.35	130.40	2,2,2,2	1
5	UNX	B	533	1/1	0.55	2.51	120.06	2,2,2,2	1
5	UNX	B	534	1/1	0.04	2.91	110.47	2,2,2,2	1
5	UNX	A	535	1/1	0.35	2.35	109.72	2,2,2,2	1
5	UNX	A	534	1/1	0.05	1.42	90.73	2,2,2,2	1
5	UNX	D	533	1/1	-0.46	1.23	89.33	2,2,2,2	1
5	UNX	B	536	1/1	-0.27	2.74	87.94	2,2,2,2	1
6	ADP	A	538	18/27	0.80	0.26	10.04	19,25,26,28	18
3	TLA	B	538	10/10	0.91	0.18	7.60	34,35,36,36	0
3	TLA	D	543	10/10	0.82	0.22	5.96	46,48,51,52	0
4	DYY	D	550[B]	30/30	0.87	0.17	4.85	29,36,40,41	30
4	DYY	D	550[A]	30/30	0.87	0.17	4.54	30,38,44,45	30
4	DYY	A	550[B]	30/30	0.91	0.14	3.61	32,38,43,44	30
4	DYY	A	550[A]	30/30	0.91	0.14	3.55	24,35,38,39	30
3	TLA	C	534	10/10	0.90	0.10	2.82	22,24,28,29	0
2	FBP	C	541	6/20	0.80	0.18	2.44	42,45,47,48	0
3	TLA	D	542	10/10	0.85	0.14	1.72	32,34,36,36	0
3	TLA	C	542	10/10	0.88	0.13	1.61	23,32,37,39	0
2	FBP	A	541	20/20	0.95	0.15	0.56	21,29,33,35	0
3	TLA	B	542	10/10	0.89	0.10	-0.21	26,30,30,31	0
3	TLA	A	542	10/10	0.93	0.09	-0.40	22,26,28,30	0
2	FBP	D	541	20/20	0.98	0.05	-0.82	13,15,17,18	0
2	FBP	B	541	20/20	0.97	0.06	-1.06	15,19,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	UNX	C	533	1/1	0.12	1.88	-	2,2,2,2	1
5	UNX	A	537	1/1	0.22	1.42	-	2,2,2,2	1
5	UNX	A	533	1/1	0.02	2.72	-	2,2,2,2	1
5	UNX	B	537	1/1	0.31	1.41	-	2,2,2,2	1
5	UNX	A	536	1/1	0.59	2.08	-	2,2,2,2	1

6.5 Other polymers [i](#)

There are no such residues in this entry.