



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 11:59 PM GMT

PDB ID : 6GST
Title : FIRST-SPHERE AND SECOND-SPHERE ELECTROSTATIC EFFECTS IN
THE ACTIVE SITE OF A CLASS MU GLUTATHIONE TRANSFERASE
Authors : Xiao, G.; Ji, X.; Armstrong, R.N.; Gilliland, G.L.
Deposited on : 1996-01-26
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	217	
1	B	217	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 4096 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MU CLASS GLUTATHIONE S-TRANSFERASE OF ISOENZYME 3-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	217	Total	C	N	O	S	0	0	0
			1818	1177	303	327	11			
1	B	217	Total	C	N	O	S	0	0	0
			1818	1177	303	327	11			

- Molecule 2 is GLUTATHIONE (three-letter code: GSH) (formula: $C_{10}H_{17}N_3O_6S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	B	1	Total	C	N	O	S	0	0
			20	10	3	6	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	229	Total 229	O 229	0	0
3	B	191	Total 191	O 191	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: MU CLASS GLUTATHIONE S-TRANSFERASE OF ISOENZYME 3-3



• Molecule 1: MU CLASS GLUTATHIONE S-TRANSFERASE OF ISOENZYME 3-3



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	88.24Å 69.44Å 81.28Å 90.00° 106.01° 90.00°	Depositor
Resolution (Å)	6.00 – 2.20	Depositor
% Data completeness (in resolution range)	75.0 (6.00-2.20)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	GPRLSA	Depositor
R, R_{free}	0.149 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4096	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GSH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.98	0/1867	1.98	45/2515 (1.8%)
1	B	1.00	1/1867 (0.1%)	2.06	51/2515 (2.0%)
All	All	0.99	1/3734 (0.0%)	2.02	96/5030 (1.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	0	3
All	All	0	8

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	100	GLU	CD-OE1	-6.37	1.18	1.25

All (96) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	81	ARG	NE-CZ-NH1	27.36	133.98	120.30
1	A	144	ARG	NE-CZ-NH1	24.49	132.54	120.30
1	A	186	ARG	NE-CZ-NH1	20.09	130.35	120.30
1	B	81	ARG	NE-CZ-NH2	-20.09	110.26	120.30
1	B	67	ARG	NE-CZ-NH1	16.43	128.51	120.30
1	B	77	ARG	NE-CZ-NH2	-15.40	112.60	120.30
1	B	144	ARG	NE-CZ-NH2	-15.34	112.63	120.30
1	A	77	ARG	NE-CZ-NH1	14.61	127.60	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	144	ARG	NE-CZ-NH2	-13.00	113.80	120.30
1	A	107	ARG	NE-CZ-NH2	11.91	126.26	120.30
1	A	42	ARG	NE-CZ-NH2	-11.86	114.37	120.30
1	A	17	ARG	NE-CZ-NH1	11.82	126.21	120.30
1	A	42	ARG	NE-CZ-NH1	11.72	126.16	120.30
1	B	93	ARG	NE-CZ-NH1	-11.03	114.78	120.30
1	B	144	ARG	NE-CZ-NH1	10.65	125.63	120.30
1	A	175	ASP	CB-CG-OD2	-10.33	109.00	118.30
1	B	95	ARG	CD-NE-CZ	10.12	137.77	123.60
1	A	67	ARG	NE-CZ-NH2	-10.04	115.28	120.30
1	B	42	ARG	NE-CZ-NH1	10.01	125.31	120.30
1	A	77	ARG	CD-NE-CZ	9.83	137.36	123.60
1	B	100	GLU	CG-CD-OE1	8.94	136.19	118.30
1	B	77	ARG	NE-CZ-NH1	8.91	124.75	120.30
1	B	67	ARG	CD-NE-CZ	8.66	135.72	123.60
1	A	161	ASP	CB-CG-OD1	8.40	125.86	118.30
1	A	186	ARG	NE-CZ-NH2	-8.39	116.11	120.30
1	B	9	VAL	CA-CB-CG1	8.39	123.48	110.90
1	A	156	ASP	CB-CG-OD1	8.37	125.83	118.30
1	B	40	TYR	CB-CG-CD1	8.27	125.97	121.00
1	B	166	TYR	CB-CG-CD1	8.14	125.89	121.00
1	B	93	ARG	NH1-CZ-NH2	8.09	128.30	119.40
1	B	10	ARG	NE-CZ-NH2	-8.00	116.30	120.30
1	B	40	TYR	CB-CG-CD2	-7.92	116.25	121.00
1	A	95	ARG	NE-CZ-NH1	7.80	124.20	120.30
1	B	42	ARG	NE-CZ-NH2	-7.76	116.42	120.30
1	A	182	ASP	CB-CG-OD1	7.60	125.14	118.30
1	B	151	LYS	CB-CA-C	7.52	125.44	110.40
1	B	100	GLU	OE1-CD-OE2	-7.41	114.41	123.30
1	A	211	LEU	CA-CB-CG	7.13	131.69	115.30
1	B	93	ARG	NE-CZ-NH2	-7.13	116.74	120.30
1	B	105	ASP	CB-CG-OD1	7.12	124.71	118.30
1	A	31	ARG	NE-CZ-NH1	7.08	123.84	120.30
1	B	31	ARG	NE-CZ-NH2	-6.87	116.86	120.30
1	B	118	ASP	CB-CG-OD2	-6.87	112.12	118.30
1	A	150	ASP	CB-CG-OD1	-6.78	112.19	118.30
1	B	67	ARG	NH1-CZ-NH2	-6.72	112.00	119.40
1	A	33	ALA	N-CA-CB	-6.71	100.71	110.10
1	A	182	ASP	CB-CG-OD2	-6.61	112.35	118.30
1	A	175	ASP	CB-CG-OD1	6.55	124.19	118.30
1	A	99	VAL	CG1-CB-CG2	-6.53	100.45	110.90
1	A	118	ASP	CB-CG-OD2	-6.49	112.46	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	91	GLU	OE1-CD-OE2	6.32	130.89	123.30
1	B	55	ASP	CB-CG-OD2	-6.27	112.66	118.30
1	B	136	LEU	CA-CB-CG	6.17	129.50	115.30
1	A	91	GLU	CG-CD-OE2	-6.17	105.96	118.30
1	B	161	ASP	CB-CG-OD2	6.15	123.84	118.30
1	B	17	ARG	CD-NE-CZ	-6.14	115.01	123.60
1	A	186	ARG	NH1-CZ-NH2	-6.12	112.66	119.40
1	A	93	ARG	NE-CZ-NH1	-6.09	117.25	120.30
1	B	95	ARG	CG-CD-NE	6.06	124.53	111.80
1	B	2	MET	CG-SD-CE	-6.05	90.52	100.20
1	B	90	GLU	CG-CD-OE1	6.04	130.38	118.30
1	B	118	ASP	CB-CG-OD1	6.02	123.72	118.30
1	B	77	ARG	CD-NE-CZ	5.93	131.90	123.60
1	A	97	ASP	O-C-N	-5.90	113.26	122.70
1	A	6	TYR	CB-CG-CD2	5.80	124.48	121.00
1	A	77	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	A	95	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	A	36	ASP	CB-CG-OD1	-5.70	113.17	118.30
1	A	92	GLU	OE1-CD-OE2	5.70	130.14	123.30
1	B	105	ASP	CB-CG-OD2	-5.70	113.17	118.30
1	A	144	ARG	NH1-CZ-NH2	-5.69	113.14	119.40
1	B	91	GLU	CG-CD-OE2	-5.65	107.00	118.30
1	A	123	LYS	CB-CG-CD	5.59	126.13	111.60
1	B	29	GLU	CB-CA-C	-5.54	99.32	110.40
1	B	40	TYR	CA-CB-CG	5.52	123.88	113.40
1	A	88	GLU	CG-CD-OE2	-5.49	107.33	118.30
1	A	46	LEU	CB-CA-C	5.47	120.59	110.20
1	A	107	ARG	NH1-CZ-NH2	-5.46	113.39	119.40
1	B	110	LEU	CB-CA-C	5.43	120.52	110.20
1	A	202	TYR	CB-CG-CD1	5.35	124.21	121.00
1	B	194	SER	CB-CA-C	5.35	120.27	110.10
1	B	47	ASN	N-CA-CB	5.33	120.19	110.60
1	B	166	TYR	CB-CG-CD2	-5.30	117.82	121.00
1	B	44	GLN	CB-CA-C	5.23	120.85	110.40
1	B	132	GLU	CB-CA-C	5.23	120.86	110.40
1	B	91	GLU	CG-CD-OE1	5.19	128.69	118.30
1	B	114	CYS	CA-CB-SG	-5.18	104.67	114.00
1	A	153	THR	CA-C-O	-5.17	109.24	120.10
1	A	1	PRO	N-CA-CB	-5.17	96.92	102.60
1	B	47	ASN	CA-C-O	-5.05	109.49	120.10
1	B	28	GLU	CA-CB-CG	5.04	124.49	113.40
1	A	92	GLU	CG-CD-OE2	-5.03	108.24	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	197	MET	N-CA-CB	-5.02	101.57	110.60
1	B	121	LYS	CB-CA-C	-5.01	100.38	110.40
1	A	19	LEU	CB-CG-CD1	5.01	119.52	111.00
1	B	17	ARG	NE-CZ-NH1	5.00	122.80	120.30

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	144	ARG	Sidechain
1	A	165	GLN	Mainchain
1	A	178	PRO	Mainchain
1	A	186	ARG	Sidechain
1	A	42	ARG	Sidechain
1	B	144	ARG	Sidechain
1	B	161	ASP	Mainchain
1	B	17	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1818	0	1805	44	0
1	B	1818	0	1805	57	1
2	A	20	0	15	0	0
2	B	20	0	15	0	0
3	A	229	0	0	5	0
3	B	191	0	0	6	0
All	All	4096	0	3640	101	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:123:LYS:HG2	1:B:127:LEU:HD21	1.39	1.03
1:A:95:ARG:HH22	1:A:144:ARG:HH21	1.06	0.92
1:B:125:GLU:HA	1:B:128:LYS:HE3	1.55	0.88
1:A:140:PHE:O	1:A:144:ARG:NH2	2.06	0.88
1:A:95:ARG:HH22	1:A:144:ARG:NH2	1.73	0.87
1:B:212:ALA:HB3	1:B:216:ASN:HB3	1.58	0.84
1:A:95:ARG:NH2	1:A:144:ARG:HH21	1.76	0.83
1:A:8:ASN:H	1:A:8:ASN:HD22	1.32	0.76
1:B:108:MET:O	1:B:112:MET:HG2	1.88	0.73
1:A:135:LYS:NZ	1:A:139:GLU:OE2	2.21	0.73
1:A:8:ASN:N	1:A:8:ASN:HD22	1.86	0.72
1:A:95:ARG:NH2	1:A:144:ARG:HE	1.87	0.72
1:B:95:ARG:NH2	1:B:144:ARG:HE	1.89	0.71
1:B:170:GLU:HB3	1:B:173:CYS:HB3	1.73	0.71
1:A:95:ARG:NH2	1:A:144:ARG:NH2	2.34	0.71
1:B:216:ASN:HD22	1:B:217:LYS:N	1.91	0.69
1:A:37:ALA:HB1	1:A:38:PRO:HA	1.74	0.68
1:A:144:ARG:HD2	1:A:149:GLY:HA2	1.77	0.67
1:B:91:GLU:O	1:B:95:ARG:HG3	1.96	0.65
1:B:8:ASN:H	1:B:8:ASN:HD22	1.45	0.65
1:B:216:ASN:C	1:B:216:ASN:HD22	2.02	0.61
1:A:123:LYS:N	1:A:124:PRO:HD2	2.17	0.60
1:A:106:ASN:ND2	1:A:137:TYR:OH	2.30	0.60
1:A:104:MET:O	1:A:108:MET:HG2	2.01	0.60
1:A:116:ASN:OD1	1:A:118:ASP:HB2	2.02	0.59
1:B:93:ARG:HD3	3:B:345:HOH:O	2.01	0.59
1:A:115:TYR:HE1	1:A:211:LEU:HB2	1.67	0.59
1:B:35:GLY:O	1:B:40:TYR:HA	2.04	0.57
1:B:127:LEU:HD22	1:B:169:PHE:HE1	1.70	0.56
1:B:19:LEU:HD22	1:B:23:THR:HG23	1.88	0.56
1:A:13:THR:HG23	1:A:16:ILE:HD12	1.86	0.56
1:B:8:ASN:N	1:B:8:ASN:HD22	2.02	0.56
1:A:70:THR:O	1:A:71:GLN:HB2	2.06	0.56
1:A:167:HIS:NE2	1:A:171:PRO:O	2.39	0.56
1:A:95:ARG:NH2	1:A:144:ARG:NE	2.54	0.56
1:B:24:ASP:HB2	1:B:192:LYS:NZ	2.22	0.55
1:B:127:LEU:HD13	1:B:170:GLU:OE2	2.07	0.55
1:A:8:ASN:ND2	1:A:8:ASN:H	2.01	0.55
1:B:172:LYS:HD2	1:B:175:ASP:OD2	2.07	0.54
1:B:113:LEU:O	1:B:116:ASN:HB3	2.08	0.54
1:B:118:ASP:CG	1:B:121:LYS:HD2	2.30	0.52
1:B:125:GLU:OE2	1:B:128:LYS:NZ	2.27	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:118:ASP:O	1:B:121:LYS:HB2	2.10	0.51
1:B:132:GLU:HG3	3:B:306:HOH:O	2.10	0.50
1:A:15:PRO:HG2	3:A:233:HOH:O	2.13	0.48
1:A:45:TRP:CZ2	1:A:49:LYS:HG3	2.48	0.48
1:B:19:LEU:HD21	1:B:85:LEU:HD13	1.96	0.48
1:B:132:GLU:OE2	1:B:135:LYS:HE3	2.13	0.48
1:B:113:LEU:HD22	1:B:126:PHE:CG	2.49	0.48
1:A:119:PHE:HB2	1:A:213:GLN:HG3	1.96	0.48
1:B:2:MET:HE1	3:B:250:HOH:O	2.14	0.47
1:B:168:ILE:HG22	1:B:214:TRP:HZ2	1.79	0.47
1:A:39:ASP:OD1	1:A:39:ASP:N	2.47	0.46
1:A:68:LYS:C	1:A:69:ILE:HG13	2.35	0.46
1:A:58:ASN:ND2	3:A:320:HOH:O	2.40	0.46
1:B:123:LYS:HB3	1:B:124:PRO:CD	2.46	0.46
1:A:116:ASN:HA	1:A:117:PRO:HD2	1.79	0.45
1:B:130:ILE:N	1:B:131:PRO:CD	2.79	0.45
1:B:209:SER:OG	1:B:211:LEU:HB2	2.17	0.45
1:A:161:ASP:O	1:A:165:GLN:HG3	2.16	0.45
1:B:114:CYS:O	1:B:213:GLN:HG2	2.17	0.45
1:B:10:ARG:HB3	1:B:207:ILE:HA	1.99	0.45
1:B:107:ARG:O	1:B:111:ILE:HG13	2.17	0.45
1:B:19:LEU:HD22	1:B:23:THR:CG2	2.47	0.45
1:A:173:CYS:SG	1:A:174:LEU:HD13	2.56	0.45
1:A:95:ARG:NH2	1:A:144:ARG:CZ	2.80	0.44
1:B:119:PHE:CB	1:B:213:GLN:HG3	2.47	0.44
1:A:67:ARG:NE	3:A:374:HOH:O	2.45	0.44
1:B:162:ILE:HD12	1:B:162:ILE:HA	1.82	0.44
1:B:34:MET:CE	1:B:40:TYR:HB3	2.48	0.43
1:B:2:MET:HE1	1:B:25:SER:HB3	1.99	0.43
1:A:152:VAL:HG23	3:A:268:HOH:O	2.18	0.43
1:A:153:THR:OG1	1:A:155:VAL:HG22	2.17	0.43
1:A:123:LYS:N	1:A:124:PRO:CD	2.80	0.43
1:B:95:ARG:NH2	1:B:144:ARG:NE	2.64	0.42
1:B:116:ASN:HA	1:B:117:PRO:HD3	1.81	0.42
1:B:208:PHE:HB3	1:B:212:ALA:HB2	2.01	0.42
1:B:125:GLU:O	1:B:129:THR:HG23	2.20	0.42
1:A:145:PRO:O	1:A:186:ARG:NH1	2.53	0.42
1:A:111:ILE:HG12	1:A:208:PHE:CE1	2.54	0.42
1:B:191:LYS:O	1:B:191:LYS:HE3	2.20	0.41
1:B:124:PRO:HA	3:B:357:HOH:O	2.19	0.41
1:B:95:ARG:NH1	3:B:312:HOH:O	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:128:LYS:O	1:B:131:PRO:HD2	2.21	0.41
1:B:19:LEU:CD2	1:B:23:THR:HG23	2.50	0.41
1:A:113:LEU:HD22	1:A:126:PHE:CG	2.55	0.41
1:B:161:ASP:O	1:B:165:GLN:HG3	2.20	0.41
1:A:191:LYS:HZ1	1:A:192:LYS:HZ1	1.67	0.41
1:A:205:THR:HA	1:A:206:PRO:C	2.40	0.41
1:B:216:ASN:C	1:B:216:ASN:ND2	2.73	0.41
1:B:47:ASN:ND2	3:B:294:HOH:O	2.53	0.41
1:B:188:GLU:HG2	1:B:197:MET:SD	2.61	0.41
1:B:208:PHE:CB	1:B:212:ALA:HB2	2.51	0.41
1:A:205:THR:HB	1:A:206:PRO:HA	2.03	0.41
1:B:142:GLY:O	1:B:179:ASN:ND2	2.51	0.41
1:A:47:ASN:HB3	3:A:331:HOH:O	2.20	0.40
1:B:175:ASP:OD1	1:B:181:LYS:NZ	2.48	0.40
1:A:35:GLY:O	1:A:210:LYS:HD2	2.22	0.40
1:B:14:HIS:N	1:B:15:PRO:CD	2.84	0.40
1:B:24:ASP:CB	1:B:192:LYS:NZ	2.84	0.40
1:A:10:ARG:HG3	1:A:14:HIS:HB2	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:ARG:NH1	1:B:67:ARG:NH1[2_555]	2.04	0.16

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	215/217 (99%)	210 (98%)	4 (2%)	1 (0%)	34	35
1	B	215/217 (99%)	205 (95%)	8 (4%)	2 (1%)	21	19

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	430/434 (99%)	415 (96%)	12 (3%)	3 (1%)	26	25

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	212	ALA
1	A	40	TYR
1	B	124	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/197 (100%)	186 (94%)	11 (6%)	26	29
1	B	197/197 (100%)	180 (91%)	17 (9%)	13	12
All	All	394/394 (100%)	366 (93%)	28 (7%)	18	19

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	PRO
1	A	8	ASN
1	A	19	LEU
1	A	30	LYS
1	A	46	LEU
1	A	123	LYS
1	A	143	LYS
1	A	152	VAL
1	A	162	ILE
1	A	204	SER
1	A	211	LEU
1	B	8	ASN
1	B	19	LEU
1	B	26	SER
1	B	42	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	67	ARG
1	B	113	LEU
1	B	127	LEU
1	B	129	THR
1	B	132	GLU
1	B	151	LYS
1	B	162	ILE
1	B	170	GLU
1	B	191	LYS
1	B	200	SER
1	B	210	LYS
1	B	211	LEU
1	B	216	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	47	ASN
1	A	106	ASN
1	B	8	ASN
1	B	47	ASN
1	B	122	GLN
1	B	216	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GSH	A	218	-	13,19,19	1.55	3 (23%)	15,24,24	3.13	5 (33%)
2	GSH	B	218	-	13,19,19	1.84	4 (30%)	15,24,24	3.05	7 (46%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GSH	A	218	-	-	0/18/24/24	0/0/0/0
2	GSH	B	218	-	-	0/18/24/24	0/0/0/0

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	218	GSH	CG1-CD1	-2.58	1.46	1.51
2	B	218	GSH	CG1-CD1	-2.18	1.47	1.51
2	A	218	GSH	CB1-CG1	-2.06	1.45	1.52
2	B	218	GSH	C2-N3	-2.04	1.29	1.33
2	A	218	GSH	CB2-CA2	2.30	1.55	1.53
2	B	218	GSH	CA2-N2	2.70	1.51	1.45
2	B	218	GSH	CB2-CA2	4.09	1.57	1.53

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	218	GSH	CA3-N3-C2	-8.18	111.09	122.34
2	B	218	GSH	CA2-CB2-SG2	-6.63	106.01	114.16
2	A	218	GSH	CA2-CB2-SG2	-5.41	107.51	114.16
2	B	218	GSH	CB2-CA2-N2	-4.40	105.22	111.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	218	GSH	OE1-CD1-CG1	-3.87	115.31	121.98
2	B	218	GSH	C2-CA2-N2	-2.93	103.02	111.26
2	B	218	GSH	O2-C2-CA2	-2.91	113.93	120.36
2	A	218	GSH	O2-C2-CA2	-2.27	115.33	120.36
2	A	218	GSH	OE1-CD1-N2	2.08	126.54	123.01
2	B	218	GSH	CA3-N3-C2	2.14	125.28	122.34
2	B	218	GSH	OE1-CD1-N2	4.72	131.01	123.01
2	A	218	GSH	CB1-CG1-CD1	5.06	125.28	113.27

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.