



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:01 AM GMT

PDB ID : 3GWB  
Title : Crystal structure of peptidase M16 inactive domain from *Pseudomonas fluorescens*. Northeast Structural Genomics target PIR293L  
Authors : Seetharaman, J.; Chen, Y.; Fang, F.; Xiao, R.; Everett, J.K.; Acton, T.B.; Rost, B.; Montelione, G.T.; Tong, L.; Hunt, J.F.; Northeast Structural Genomics Consortium (NESG)  
Deposited on : 2009-03-31  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	434	<div> <div>4%</div> <div>70%</div> <div>24%</div> <div>• 5%</div> </div>
1	B	434	<div> <div>5%</div> <div>69%</div> <div>25%</div> <div>• 5%</div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6636 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptidase M16 inactive domain family protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	412	Total	C	N	O	Se	0	0	0
			3074	1941	529	590	14			
1	B	412	Total	C	N	O	Se	0	0	0
			3078	1945	529	590	14			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	428	GLU	-	EXPRESSION TAG	UNP Q4K4B6
A	429	HIS	-	EXPRESSION TAG	UNP Q4K4B6
A	430	HIS	-	EXPRESSION TAG	UNP Q4K4B6
A	431	HIS	-	EXPRESSION TAG	UNP Q4K4B6
A	432	HIS	-	EXPRESSION TAG	UNP Q4K4B6
A	433	HIS	-	EXPRESSION TAG	UNP Q4K4B6
A	434	HIS	-	EXPRESSION TAG	UNP Q4K4B6
B	428	GLU	-	EXPRESSION TAG	UNP Q4K4B6
B	429	HIS	-	EXPRESSION TAG	UNP Q4K4B6
B	430	HIS	-	EXPRESSION TAG	UNP Q4K4B6
B	431	HIS	-	EXPRESSION TAG	UNP Q4K4B6
B	432	HIS	-	EXPRESSION TAG	UNP Q4K4B6
B	433	HIS	-	EXPRESSION TAG	UNP Q4K4B6
B	434	HIS	-	EXPRESSION TAG	UNP Q4K4B6


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	228	Total	O	0	0
			228	228		
2	B	256	Total	O	0	0
			256	256		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peptidase M16 inactive domain family protein



- Molecule 1: Peptidase M16 inactive domain family protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	119.67Å 64.84Å 114.97Å 90.00° 96.39° 90.00°	Depositor
Resolution (Å)	50.00 – 1.90 33.83 – 1.89	Depositor EDS
% Data completeness (in resolution range)	77.5 (50.00-1.90) 93.4 (33.83-1.89)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.06 (at 1.89Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, $R_{free}$	0.204 , 0.240 0.217 , 0.253	Depositor DCC
$R_{free}$ test set	2806 reflections (5.04%)	DCC
Wilson B-factor (Å <sup>2</sup> )	16.4	Xtriage
Anisotropy	0.169	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 53.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 128080 reflections	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	6636	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.32% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.46	0/3113	0.59	0/4184
1	B	0.46	0/3117	0.66	2/4189 (0.0%)
All	All	0.46	0/6230	0.63	2/8373 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	280	GLY	N-CA-C	12.98	145.54	113.10
1	B	279	GLY	N-CA-C	5.10	125.85	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3074	0	3091	90	0
1	B	3078	0	3096	97	0
2	A	228	0	0	10	0
2	B	256	0	0	7	0
All	All	6636	0	6187	182	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:280:GLY:O	1:B:286:MSE:HE3	1.64	0.96
1:A:141:GLU:HA	1:A:144:LYS:HE2	1.50	0.90
1:B:404:MSE:HA	1:B:404:MSE:HE2	1.51	0.90
1:A:324:GLU:OE2	1:A:424:GLN:HG3	1.74	0.88
1:A:246:PRO:HG2	1:B:246:PRO:HB3	1.55	0.88
1:B:230:ILE:H	1:B:307:GLN:NE2	1.74	0.84
1:A:143:GLN:HG2	1:A:149:LYS:HD2	1.62	0.81
1:B:190:LYS:HG2	1:B:227:LEU:HD21	1.65	0.78
1:A:296:THR:HG21	1:A:299:VAL:CG2	2.13	0.77
1:B:35:MSE:SE	1:B:100:ARG:HH21	2.18	0.77
1:B:112:LEU:HD13	1:B:213:ILE:HD12	1.67	0.76
1:B:141:GLU:O	1:B:144:LYS:HG2	1.87	0.75
1:A:112:LEU:HD13	1:A:213:ILE:HD12	1.68	0.75
1:A:296:THR:HG21	1:A:299:VAL:HG23	1.68	0.74
1:B:269:VAL:HG12	1:B:404:MSE:HE3	1.72	0.72
1:B:15:GLN:NE2	1:B:207:ARG:HG3	2.05	0.71
1:B:113:LYS:O	1:B:117:GLU:HG3	1.92	0.70
1:B:270:SER:O	1:B:274:GLN:HG3	1.94	0.68
1:B:149:LYS:O	1:B:153:LEU:HD13	1.94	0.68
1:A:321:GLU:O	1:A:322:MSE:HE2	1.94	0.67
1:B:147:PRO:HG3	1:B:245:PHE:CD2	2.30	0.66
1:B:41:ILE:N	1:B:41:ILE:HD12	2.10	0.66
1:A:318:THR:HG21	1:A:326:THR:HG21	1.76	0.66
1:B:348:ASP:O	1:B:352:ARG:HG3	1.95	0.66
1:A:177:PRO:HB2	1:A:178:PRO:HD3	1.79	0.65
1:A:425:LYS:N	1:A:426:PRO:HD3	2.12	0.65
1:A:249:GLN:HE21	1:A:317:GLN:HG2	1.62	0.64
1:B:128:SER:O	1:B:132:ILE:HG12	1.97	0.64
1:A:41:ILE:N	1:A:41:ILE:HD12	2.13	0.64
1:B:254:LEU:HD22	1:B:415:ILE:HG12	1.79	0.63
1:A:396:THR:OG1	1:A:398:GLU:HG2	1.99	0.63
1:B:249:GLN:NE2	1:B:319:ARG:HD3	2.15	0.62
1:A:287:SER:O	1:A:291:GLU:HB3	1.99	0.62
1:B:163:HIS:HE1	1:B:231:GLU:O	1.82	0.62
1:B:39:ARG:NH1	2:B:436:HOH:O	2.32	0.61
1:A:246:PRO:HG2	1:B:246:PRO:CB	2.29	0.59
1:B:404:MSE:HA	1:B:404:MSE:CE	2.27	0.59
1:A:112:LEU:CD1	1:A:213:ILE:HD12	2.33	0.59
1:B:261:ARG:HG2	1:B:378:TYR:CD2	2.39	0.58
1:B:247:SER:O	1:B:420:PRO:HG3	2.04	0.57
1:B:15:GLN:HE22	1:B:207:ARG:HG3	1.67	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:28:VAL:HG23	1:A:372:LEU:HD11	1.87	0.57
1:B:230:ILE:H	1:B:307:GLN:HE21	1.51	0.57
1:A:250:THR:OG1	1:A:323:SER:HB3	2.04	0.57
1:B:287:SER:HA	1:B:291:GLU:HB3	1.87	0.57
1:A:347:LEU:HG	1:A:351:LYS:HD2	1.86	0.56
1:A:293:ARG:NH2	1:A:329:LEU:HD11	2.20	0.56
1:A:425:LYS:N	1:A:426:PRO:CD	2.68	0.56
1:B:230:ILE:H	1:B:307:GLN:HE22	1.50	0.56
1:A:235:GLU:OE1	1:A:257:LEU:HD12	2.06	0.55
1:A:250:THR:HG23	1:A:320:ALA:HA	1.88	0.55
1:A:289:VAL:HG12	1:A:296:THR:HG22	1.89	0.54
1:B:271:LEU:HD12	1:B:274:GLN:OE1	2.07	0.54
1:A:163:HIS:HE1	1:A:231:GLU:O	1.89	0.54
1:A:73:GLY:O	1:A:77:GLN:HG3	2.08	0.54
1:A:362:THR:OG1	1:B:77:GLN:NE2	2.41	0.54
1:A:49:ASP:OD2	1:A:167:HIS:HE1	1.91	0.54
1:A:163:HIS:CD2	1:A:165:TYR:H	2.26	0.53
1:B:181:LEU:HD12	1:B:181:LEU:H	1.74	0.53
1:A:48:GLN:NE2	1:A:230:ILE:HD11	2.24	0.53
1:A:100:ARG:HH11	1:A:100:ARG:HB2	1.73	0.53
1:A:209:ASP:O	1:A:213:ILE:HG12	2.08	0.53
1:B:409:ASN:HB3	1:B:412:LYS:CG	2.39	0.53
1:A:424:GLN:HG2	2:A:662:HOH:O	2.09	0.53
1:B:112:LEU:CD1	1:B:213:ILE:HD12	2.39	0.53
1:A:425:LYS:O	1:A:425:LYS:HG2	2.09	0.53
1:A:295:LEU:O	1:A:318:THR:HG22	2.07	0.53
1:B:153:LEU:HD12	2:B:655:HOH:O	2.08	0.52
1:A:324:GLU:CD	1:A:424:GLN:HG3	2.29	0.52
1:A:303:PHE:C	1:A:305:PRO:HD3	2.30	0.52
1:B:57:LEU:CD2	1:B:136:MSE:HE2	2.40	0.51
1:B:318:THR:HG21	1:B:326:THR:HG21	1.92	0.51
1:A:153:LEU:O	1:A:157:LYS:HG3	2.09	0.51
1:B:176:ILE:HB	1:B:177:PRO:HD3	1.92	0.51
1:B:196:ASN:ND2	1:B:227:LEU:H	2.09	0.51
1:B:163:HIS:CD2	1:B:165:TYR:H	2.27	0.51
1:B:255:ALA:HB2	1:B:313:MSE:HG2	1.92	0.51
1:B:246:PRO:O	1:B:247:SER:HB2	2.11	0.51
1:A:128:SER:O	1:A:132:ILE:HG12	2.11	0.50
1:A:29:GLU:HG3	1:A:205:LEU:O	2.10	0.50
1:A:160:TYR:HB3	1:A:163:HIS:HB3	1.93	0.50
1:B:249:GLN:HE22	1:B:319:ARG:HD3	1.76	0.50

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:132:ILE:HG22	1:B:136:MSE:HE3	1.92	0.49
1:A:163:HIS:HD2	1:A:165:TYR:H	1.60	0.49
1:B:209:ASP:O	1:B:213:ILE:HG12	2.12	0.49
1:B:396:THR:HG23	1:B:399:GLN:HE21	1.78	0.49
1:A:30:ALA:HB1	1:A:32:GLU:OE1	2.12	0.49
1:B:409:ASN:HB3	1:B:412:LYS:HG3	1.94	0.49
1:A:167:HIS:HD2	2:A:534:HOH:O	1.95	0.49
1:A:100:ARG:NH1	1:A:100:ARG:HB2	2.29	0.48
1:B:80:GLU:HG3	2:B:634:HOH:O	2.13	0.48
1:A:146:ASN:CG	1:A:149:LYS:HG3	2.33	0.48
1:B:385:LEU:O	1:B:389:MSE:HG2	2.13	0.48
1:B:28:VAL:HG23	1:B:372:LEU:HD11	1.96	0.48
1:B:254:LEU:HD21	1:B:327:LEU:CD1	2.43	0.48
1:B:253:MSE:C	1:B:254:LEU:HD23	2.34	0.48
1:B:284:ARG:HD3	1:B:346:GLU:OE2	2.14	0.48
1:B:44:ALA:HB2	1:B:191:ALA:HB1	1.95	0.48
1:A:343:THR:OG1	1:A:346:GLU:HG3	2.14	0.47
1:A:261:ARG:HG2	1:A:378:TYR:CD2	2.49	0.47
1:B:181:LEU:HD12	1:B:181:LEU:N	2.30	0.47
1:B:254:LEU:CD2	1:B:415:ILE:HG23	2.44	0.47
1:A:363:ALA:HB3	1:A:368:ILE:HD11	1.96	0.47
1:B:197:VAL:HG22	1:B:198:VAL:N	2.29	0.47
1:B:154:GLU:OE1	1:B:154:GLU:HA	2.15	0.47
1:B:286:MSE:O	1:B:290:ARG:HB3	2.14	0.47
1:A:408:LEU:HD22	2:A:660:HOH:O	2.14	0.47
1:B:351:LYS:HB3	1:B:393:GLN:OE1	2.14	0.47
1:A:290:ARG:HE	1:B:134:ASN:ND2	2.13	0.47
1:A:147:PRO:HG3	1:A:245:PHE:CD2	2.50	0.46
1:B:133:LYS:NZ	1:B:179:ILE:HB	2.30	0.46
1:A:270:SER:O	1:A:274:GLN:HG3	2.15	0.46
1:A:129:LEU:O	1:A:133:LYS:HG3	2.15	0.46
1:B:223:LYS:HD2	2:B:522:HOH:O	2.16	0.46
1:B:289:VAL:HG12	1:B:296:THR:HG22	1.97	0.46
1:A:321:GLU:CD	1:A:425:LYS:HE3	2.36	0.46
1:A:322:MSE:CE	1:A:425:LYS:HB3	2.46	0.46
1:B:163:HIS:HD2	1:B:165:TYR:H	1.64	0.46
1:B:242:HIS:HD2	1:B:417:SER:OG	1.99	0.46
1:B:343:THR:OG1	1:B:346:GLU:HG3	2.16	0.46
1:A:109:GLU:HB2	1:A:110:PRO:HD3	1.97	0.46
1:B:254:LEU:HD21	1:B:327:LEU:HD11	1.98	0.45
1:B:259:ILE:HD13	1:B:269:VAL:HG21	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:317:GLN:NE2	1:B:145:GLN:HE22	2.15	0.45
1:A:396:THR:OG1	1:A:399:GLN:HG3	2.16	0.45
1:A:268:ALA:HA	1:A:395:LEU:HD13	1.99	0.45
1:B:280:GLY:O	1:B:286:MSE:CE	2.52	0.45
1:B:41:ILE:N	1:B:41:ILE:CD1	2.80	0.45
1:A:129:LEU:HD22	1:A:181:LEU:HD23	1.99	0.45
1:B:147:PRO:HG3	1:B:245:PHE:CE2	2.52	0.45
1:B:68:ALA:HA	2:B:551:HOH:O	2.17	0.45
1:A:321:GLU:OE2	1:A:425:LYS:HE3	2.16	0.44
1:B:132:ILE:CG2	1:B:136:MSE:HE3	2.47	0.44
1:B:287:SER:O	1:B:291:GLU:HB3	2.17	0.44
1:A:41:ILE:N	1:A:41:ILE:CD1	2.81	0.44
1:A:254:LEU:HD12	1:A:254:LEU:N	2.32	0.44
1:B:213:ILE:HD11	2:B:495:HOH:O	2.17	0.44
1:A:256:GLN:NE2	2:A:660:HOH:O	2.50	0.44
1:A:253:MSE:HE2	1:A:313:MSE:SE	2.68	0.44
1:B:356:GLY:O	1:B:357:SER:HB3	2.17	0.44
1:A:91:TYR:HB2	2:A:530:HOH:O	2.17	0.44
1:A:153:LEU:HD23	2:A:533:HOH:O	2.17	0.43
1:B:269:VAL:HG12	1:B:404:MSE:CE	2.46	0.43
1:A:250:THR:HG22	1:A:419:GLY:HA3	1.99	0.43
1:B:149:LYS:HE3	1:B:153:LEU:HD11	2.00	0.43
1:A:250:THR:CG2	1:A:320:ALA:HA	2.49	0.43
1:B:356:GLY:O	1:B:357:SER:CB	2.66	0.43
1:B:352:ARG:HH11	1:B:352:ARG:HG2	1.84	0.43
1:B:160:TYR:HB3	1:B:163:HIS:HB3	2.02	0.42
1:B:321:GLU:HG2	2:B:534:HOH:O	2.18	0.42
1:A:144:LYS:HA	1:A:150:LEU:HD21	2.00	0.42
1:B:15:GLN:HE21	1:B:207:ARG:HH11	1.67	0.42
1:B:57:LEU:HD13	1:B:170:ASP:HA	2.01	0.42
1:A:179:ILE:HA	1:A:183:GLN:OE1	2.20	0.42
1:A:321:GLU:OE1	1:A:425:LYS:HE3	2.20	0.42
1:A:426:PRO:HG2	2:A:448:HOH:O	2.20	0.42
1:A:72:VAL:HG13	1:A:73:GLY:N	2.33	0.42
1:B:35:MSE:HE3	1:B:35:MSE:HB2	1.90	0.42
1:B:245:PHE:CD1	1:B:246:PRO:HD2	2.54	0.42
1:A:299:VAL:HG22	1:A:316:LEU:CB	2.48	0.42
1:A:177:PRO:CB	1:A:178:PRO:HD3	2.44	0.42
1:A:100:ARG:HD3	2:A:592:HOH:O	2.18	0.42
1:A:296:THR:CG2	1:A:299:VAL:HG23	2.46	0.41
1:A:40:LEU:C	1:A:41:ILE:HD12	2.39	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:32:GLU:CD	1:B:32:GLU:H	2.24	0.41
1:B:306:MSE:HE3	1:B:310:GLY:HA2	2.02	0.41
1:A:366:ALA:O	1:A:369:VAL:HG12	2.20	0.41
1:A:106:ASP:OD2	1:A:107:LYS:HE3	2.21	0.41
1:B:84:ALA:HB1	1:B:99:LEU:HD11	2.02	0.41
1:A:268:ALA:HA	1:A:395:LEU:CD1	2.51	0.41
1:A:363:ALA:CB	1:A:368:ILE:HD11	2.50	0.41
1:B:347:LEU:O	1:B:350:ALA:HB3	2.20	0.41
1:B:131:ARG:O	1:B:135:GLN:HG3	2.21	0.41
1:A:33:LEU:O	1:A:204:ASP:HB2	2.21	0.40
1:B:132:ILE:O	1:B:136:MSE:HG3	2.21	0.40
1:B:202:VAL:HG21	1:B:368:ILE:HG22	2.02	0.40
1:B:306:MSE:HE2	1:B:311:PRO:HD2	2.03	0.40
1:A:344:GLN:NE2	2:A:446:HOH:O	2.40	0.40
1:A:299:VAL:HG22	1:A:316:LEU:HB2	2.03	0.40
1:B:254:LEU:HD22	1:B:415:ILE:HG23	2.03	0.40
1:A:364:SER:HB2	2:A:498:HOH:O	2.21	0.40
1:A:281:PHE:HD1	1:A:286:MSE:HE3	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	408/434 (94%)	398 (98%)	8 (2%)	2 (0%)	34	21
1	B	408/434 (94%)	397 (97%)	10 (2%)	1 (0%)	52	42
All	All	816/868 (94%)	795 (97%)	18 (2%)	3 (0%)	39	27

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	247	SER
1	A	246	PRO
1	A	425	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	316/322 (98%)	311 (98%)	5 (2%)	70	66
1	B	316/322 (98%)	309 (98%)	7 (2%)	60	53
All	All	632/644 (98%)	620 (98%)	12 (2%)	65	59

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	LEU
1	A	249	GLN
1	A	293	ARG
1	A	362	THR
1	A	389	MSE
1	B	12	LEU
1	B	77	GLN
1	B	101	SER
1	B	154	GLU
1	B	207	ARG
1	B	316	LEU
1	B	379	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	GLN
1	A	88	ASN
1	A	163	HIS
1	A	167	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	249	GLN
1	A	273	ASN
1	A	317	GLN
1	A	331	GLN
1	A	344	GLN
1	A	391	GLN
1	A	405	ASN
1	B	15	GLN
1	B	77	GLN
1	B	134	ASN
1	B	145	GLN
1	B	163	HIS
1	B	183	GLN
1	B	196	ASN
1	B	242	HIS
1	B	249	GLN
1	B	273	ASN
1	B	307	GLN
1	B	317	GLN
1	B	371	GLN
1	B	399	GLN
1	B	405	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	398/434 (91%)	0.53	16 (4%) 42 46	7, 19, 35, 49	0
1	B	398/434 (91%)	0.54	21 (5%) 30 33	7, 18, 34, 46	0
All	All	796/868 (91%)	0.54	37 (4%) 36 39	7, 19, 34, 49	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	281	PHE	10.4
1	B	280	GLY	9.8
1	A	361	SER	6.9
1	A	362	THR	5.1
1	B	12	LEU	4.6
1	B	355	ALA	4.3
1	A	425	LYS	3.9
1	B	357	SER	3.8
1	B	428	GLU	3.8
1	B	279	GLY	3.7
1	A	356	GLY	3.6
1	A	142	TYR	3.6
1	B	356	GLY	3.5
1	A	355	ALA	3.4
1	A	354	LEU	3.3
1	B	142	TYR	3.1
1	A	246	PRO	2.9
1	B	354	LEU	2.7
1	A	247	SER	2.5
1	B	390	ARG	2.5
1	B	348	ASP	2.4
1	A	12	LEU	2.4
1	B	393	GLN	2.4
1	A	291	GLU	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	392	SER	2.4
1	A	230	ILE	2.3
1	B	235	GLU	2.2
1	B	349	ASP	2.2
1	A	348	ASP	2.2
1	B	411	ASP	2.2
1	A	353	GLU	2.1
1	A	245	PHE	2.1
1	B	353	GLU	2.1
1	B	262	ASP	2.1
1	B	395	LEU	2.0
1	B	174	LYS	2.0
1	A	77	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.