



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:13 AM GMT

PDB ID : 3HIE
Title : Structure of the membrane-binding domain of the Sec3 subunit of the Exocyst complex
Authors : Baek, K.; Dominguez, R.
Deposited on : 2009-05-19
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	171	<div> <div>73%19%6%</div> </div>
1	B	171	<div> <div>65%24%6%5%</div> </div>
1	C	171	<div> <div>4%70%20%5%</div> </div>
1	D	171	<div> <div>7%63%25%5%8%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PO4	A	1	-	-	X	X
2	PO4	B	2	-	-	X	X

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5651 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Exocyst complex component SEC3.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	161	Total	C	N	O	S	Se	0	6	0
			1356	870	230	253	2	1			
1	B	163	Total	C	N	O	S	Se	0	1	0
			1355	867	233	252	2	1			
1	C	164	Total	C	N	O	S	Se	0	0	0
			1360	867	237	253	2	1			
1	D	158	Total	C	N	O	S	Se	0	1	0
			1321	845	229	244	2	1			

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	105	Total 105	O 105	0	0
3	B	59	Total 59	O 59	0	0
3	C	26	Total 26	O 26	0	0
3	D	59	Total 59	O 59	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Exocyst complex component SEC3




- Molecule 1: Exocyst complex component SEC3



- Molecule 1: Exocyst complex component SEC3



- Molecule 1: Exocyst complex component SEC3





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	40.70Å 68.49Å 68.04Å 89.90° 82.17° 71.79°	Depositor
Resolution (Å)	38.74 – 2.00 38.74 – 2.00	Depositor EDS
% Data completeness (in resolution range)	93.5 (38.74-2.00) 92.9 (38.74-2.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.20 (at 2.00Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.202 , 0.248 0.198 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	41.9	Xtriage
Anisotropy	0.042	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 49.8	EDS
Estimated twinning fraction	0.007 for -h,-h+k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 43604 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5651	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.16	0/1403	0.66	0/1891
1	B	1.06	0/1388	0.59	0/1873
1	C	0.60	0/1390	0.60	0/1874
1	D	0.50	0/1351	0.56	0/1817
All	All	0.88	0/5532	0.60	0/7455

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1356	0	1374	37	0
1	B	1355	0	1355	51	0
1	C	1360	0	1367	52	0
1	D	1321	0	1333	39	0
2	A	5	0	0	6	0
2	B	5	0	0	8	0
3	A	105	0	0	1	0
3	B	59	0	0	4	0
3	C	26	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	59	0	0	2	0
All	All	5651	0	5429	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:101:THR:HG23	1:C:103:GLU:N	1.36	1.35
1:C:219:GLN:NE2	1:D:225:VAL:HG23	1.48	1.24
1:C:101:THR:CG2	1:C:103:GLU:H	1.51	1.22
1:A:167:GLY:HA3	2:A:1:PO4:O4	1.36	1.22
1:C:101:THR:OG1	1:C:103:GLU:HG3	1.38	1.21
1:C:101:THR:CG2	1:C:103:GLU:HB2	1.76	1.13
1:C:98:ASP:HB3	1:C:101:THR:CG2	1.80	1.11
1:A:225:VAL:HG13	1:A:226:PRO:HD2	1.34	1.09
1:C:98:ASP:CB	1:C:101:THR:HG22	1.83	1.07
1:B:167:GLY:HA3	2:B:2:PO4:O1	1.56	1.06
1:B:228:LEU:HD22	1:B:228:LEU:H	1.17	1.04
1:C:101:THR:HG21	1:C:103:GLU:HB2	1.06	1.02
1:A:103:GLU:HB3	1:A:104:PRO:CD	1.92	0.99
1:B:228:LEU:CD2	1:B:228:LEU:H	1.76	0.98
1:C:101:THR:HG21	1:C:103:GLU:CB	1.92	0.98
1:C:101:THR:CG2	1:C:103:GLU:CB	2.42	0.97
1:A:103:GLU:HB3	1:A:104:PRO:HD2	1.45	0.95
1:D:87:LYS:HE2	1:D:87:LYS:HA	1.49	0.95
1:D:77:PHE:HD1	1:D:77:PHE:O	1.48	0.94
1:C:206:ARG:HG2	1:C:206:ARG:HH11	1.28	0.93
1:B:147:ASN:ND2	1:B:150:LEU:HD12	1.83	0.93
1:C:98:ASP:HB3	1:C:101:THR:HG22	0.94	0.92
1:C:219:GLN:HE21	1:D:225:VAL:HG23	1.18	0.92
1:C:101:THR:HG1	1:C:103:GLU:HG3	1.23	0.91
1:C:219:GLN:HE21	1:D:225:VAL:CG2	1.84	0.89
1:A:167:GLY:CA	2:A:1:PO4:O4	2.21	0.89
1:A:226:PRO:HG2	1:A:228:LEU:CD2	2.02	0.88
1:C:219:GLN:NE2	1:D:225:VAL:CG2	2.37	0.88
1:A:226:PRO:HG2	1:A:228:LEU:HD21	1.58	0.85
1:A:217:TYR:OH	1:B:238:LEU:HD11	1.76	0.84
1:B:147:ASN:ND2	1:B:150:LEU:CD1	2.39	0.84
1:D:77:PHE:CD1	1:D:77:PHE:O	2.30	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:ARG:NE	2:A:1:PO4:O1	2.10	0.83
1:D:77:PHE:CD1	1:D:77:PHE:C	2.47	0.83
1:C:78:LEU:HB2	3:C:250:HOH:O	1.79	0.83
1:C:101:THR:HG23	1:C:103:GLU:CA	2.09	0.82
1:A:226:PRO:CG	1:A:228:LEU:HD21	2.12	0.79
1:C:206:ARG:HH11	1:C:206:ARG:CG	1.95	0.79
1:D:95:SER:O	1:D:96:ARG:HB2	1.84	0.77
1:C:101:THR:HG23	1:C:103:GLU:CB	2.13	0.76
1:D:87:LYS:HE2	1:D:87:LYS:CA	2.09	0.76
1:C:101:THR:HG23	1:C:103:GLU:H	0.64	0.74
1:C:101:THR:OG1	1:C:103:GLU:CG	2.30	0.74
1:B:228:LEU:N	1:B:228:LEU:CD2	2.45	0.74
1:A:155:LYS:HE3	2:A:1:PO4:O2	1.87	0.74
1:B:228:LEU:N	1:B:228:LEU:HD22	1.97	0.73
1:B:116:GLU:OE1	1:B:155:LYS:NZ	2.21	0.73
1:C:206:ARG:HG2	1:C:206:ARG:NH1	1.89	0.73
1:C:219:GLN:HE22	1:D:225:VAL:HG23	1.52	0.72
1:B:147:ASN:HB3	1:B:150:LEU:HB2	1.72	0.72
1:B:147:ASN:HD22	1:B:150:LEU:HD12	1.55	0.71
1:B:157:ARG:NE	2:B:2:PO4:O3	2.22	0.70
1:D:76:ASN:O	1:D:77:PHE:C	2.30	0.70
1:A:225:VAL:CG1	1:A:226:PRO:HD2	2.16	0.70
1:B:156:ALA:CA	2:B:2:PO4:O4	2.40	0.69
1:B:167:GLY:CA	2:B:2:PO4:O1	2.36	0.69
1:C:130:LYS:O	1:C:133:ASN:ND2	2.27	0.68
1:D:218:ILE:HG23	1:D:225:VAL:HG21	1.76	0.68
1:C:130:LYS:HG2	1:C:132:GLU:HG2	1.74	0.68
1:D:96:ARG:H	1:D:105:PRO:HG3	1.58	0.67
1:B:87:LYS:NZ	3:B:281:HOH:O	2.25	0.67
1:C:119:LYS:C	1:C:121:PRO:HD3	2.15	0.67
1:D:85:ASP:O	1:D:89:ILE:HG13	1.94	0.67
1:B:98:ASP:OD2	1:B:99:HIS:N	2.30	0.65
1:C:160:SER:O	1:C:162:GLY:N	2.30	0.65
1:C:161:ASP:OD1	1:C:161:ASP:N	2.30	0.65
1:B:130:LYS:HG2	1:B:132:GLU:OE1	1.97	0.64
1:C:114:ILE:HD13	1:C:139:LEU:HD13	1.80	0.63
1:A:226:PRO:HG2	1:A:228:LEU:HD22	1.79	0.63
1:B:147:ASN:CG	1:B:150:LEU:HD12	2.18	0.63
1:A:161:ASP:OD2	1:A:161:ASP:N	2.29	0.62
1:C:160:SER:C	1:C:162:GLY:N	2.48	0.62
1:C:78:LEU:N	3:C:263:HOH:O	2.33	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:101:THR:CB	1:C:103:GLU:HG3	2.29	0.61
1:C:160:SER:O	1:C:161:ASP:C	2.36	0.61
1:D:86:ARG:NH1	3:D:282:HOH:O	2.30	0.60
1:B:147:ASN:CB	1:B:150:LEU:HD12	2.32	0.60
1:A:156:ALA:CA	2:A:1:PO4:O3	2.51	0.59
1:B:84:ARG:HD2	3:B:284:HOH:O	2.01	0.59
1:A:105:PRO:O	1:A:145:PRO:HG3	2.03	0.59
1:A:226:PRO:HB2	1:A:228:LEU:CD1	2.33	0.58
1:C:101:THR:CG2	1:C:103:GLU:CG	2.82	0.58
1:B:76:ASN:O	1:B:76:ASN:CG	2.42	0.58
1:A:225:VAL:HG13	1:A:226:PRO:CD	2.22	0.57
1:D:87:LYS:HB3	1:D:87:LYS:NZ	2.19	0.57
1:C:147:ASN:HB3	1:C:150:LEU:HB2	1.86	0.57
1:A:226:PRO:CG	1:A:228:LEU:CD2	2.76	0.57
1:A:103:GLU:HB3	1:A:104:PRO:HD3	1.86	0.57
1:A:228:LEU:HD13	1:A:228:LEU:H	1.69	0.56
1:B:225:VAL:O	1:B:228:LEU:HD21	2.05	0.56
1:C:120:PHE:N	1:C:121:PRO:HD3	2.21	0.56
1:C:98:ASP:CB	1:C:101:THR:CG2	2.61	0.55
1:B:156:ALA:C	2:B:2:PO4:O4	2.45	0.55
1:B:156:ALA:HA	2:B:2:PO4:O4	2.06	0.54
1:A:226:PRO:HB2	1:A:228:LEU:HD13	1.88	0.54
1:A:177:ARG:HG2	1:A:179[B]:GLU:HG2	1.89	0.54
1:C:81:GLN:HG2	1:C:82:TYR:N	2.19	0.53
1:A:234[B]:SER:HB2	1:B:232:ASP:OD2	2.08	0.53
1:D:161:ASP:N	1:D:161:ASP:OD1	2.29	0.52
1:B:225:VAL:HG12	1:B:227:GLU:OE1	2.09	0.52
1:A:216:LEU:O	1:A:220:THR:HG23	2.10	0.52
1:A:156:ALA:HA	2:A:1:PO4:O3	2.11	0.51
1:D:88:ALA:O	1:D:92:CYS:SG	2.56	0.51
1:C:160:SER:C	1:C:162:GLY:H	2.13	0.51
1:C:101:THR:CG2	1:C:103:GLU:HG3	2.39	0.51
1:B:202:SER:OG	1:B:205:GLU:OE2	2.20	0.51
1:B:157:ARG:HH21	2:B:2:PO4:P	2.34	0.51
1:D:142:SER:O	1:D:151:ILE:HG23	2.10	0.51
1:C:133:ASN:HA	1:C:135:LYS:NZ	2.26	0.51
1:C:80:GLU:O	1:C:81:GLN:C	2.46	0.51
1:D:95:SER:O	1:D:96:ARG:CB	2.57	0.51
1:D:130:LYS:HG3	3:D:276:HOH:O	2.11	0.50
1:D:137:ARG:O	1:D:138:LEU:HD12	2.12	0.50
1:B:128:ASP:O	1:B:128:ASP:OD2	2.30	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:83[B]:GLU:CD	1:B:86:ARG:HH11	2.15	0.49
1:D:158:GLU:C	1:D:159:ASN:O	2.47	0.49
1:B:98:ASP:OD2	1:B:98:ASP:C	2.51	0.49
1:D:216:LEU:O	1:D:220:THR:HG23	2.13	0.49
1:C:153:ILE:HD11	1:C:172:LEU:HD12	1.95	0.49
1:B:238:LEU:O	3:B:247:HOH:O	2.20	0.48
1:C:80:GLU:HA	1:C:80:GLU:OE1	2.13	0.48
1:A:159:ASN:ND2	1:A:165:GLN:OE1	2.46	0.48
1:A:217:TYR:OH	3:A:263:HOH:O	2.20	0.48
1:B:147:ASN:ND2	1:B:150:LEU:HD11	2.26	0.47
1:B:87:LYS:HB3	1:B:87:LYS:HE2	1.62	0.47
1:B:105:PRO:O	1:B:145:PRO:HG3	2.14	0.47
1:A:217:TYR:OH	1:B:238:LEU:CD1	2.57	0.47
1:D:233:LEU:HD23	1:D:233:LEU:C	2.35	0.47
1:D:89:ILE:O	1:D:93:CYS:HB2	2.14	0.47
1:A:229:VAL:HA	1:B:238:LEU:HD23	1.96	0.47
1:C:177:ARG:HG3	1:D:237:TYR:HB3	1.97	0.46
1:B:120:PHE:CZ	1:B:126:PRO:HG2	2.50	0.46
1:B:233:LEU:C	1:B:233:LEU:HD23	2.37	0.45
1:B:216:LEU:O	1:B:220:THR:HG23	2.17	0.45
1:C:114:ILE:HG13	1:C:137:ARG:HB2	1.97	0.45
1:D:78:LEU:CD2	1:D:81:GLN:HE21	2.30	0.45
1:D:105:PRO:O	1:D:145:PRO:HG3	2.16	0.44
1:B:228:LEU:N	1:B:228:LEU:HD23	2.32	0.44
1:D:78:LEU:HD23	1:D:81:GLN:HE21	1.82	0.44
1:D:80:GLU:O	1:D:81:GLN:C	2.55	0.44
1:A:230:ASN:HD21	1:B:239:ASP:HB2	1.82	0.44
1:A:96:ARG:O	1:A:105:PRO:HB3	2.18	0.44
1:C:101:THR:CG2	1:C:103:GLU:N	2.30	0.44
1:C:136:LYS:O	1:C:137:ARG:HD3	2.18	0.43
1:D:78:LEU:O	1:D:79:ALA:C	2.56	0.43
1:A:96:ARG:HA	1:A:97:PRO:HD3	1.66	0.43
1:B:177:ARG:HB3	1:B:191:THR:HB	2.01	0.43
1:D:231:TRP:CD1	1:D:231:TRP:C	2.92	0.43
1:B:177:ARG:HD2	3:B:245:HOH:O	2.19	0.43
1:D:165:GLN:O	1:D:165:GLN:HG2	2.19	0.43
1:B:120:PHE:CE2	1:B:126:PRO:HD3	2.53	0.43
1:D:81:GLN:OE1	1:D:113:ARG:NH2	2.52	0.43
1:C:114:ILE:HD12	1:C:198:TRP:CD1	2.53	0.42
1:D:86:ARG:HG3	1:D:108:TYR:CZ	2.54	0.42
1:B:120:PHE:CD2	1:B:126:PRO:HD3	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:151:ILE:HD12	1:B:220:THR:CG2	2.49	0.42
1:C:233:LEU:C	1:C:233:LEU:HD23	2.40	0.42
1:B:96:ARG:HB2	1:B:97:PRO:HD2	2.01	0.42
1:A:103:GLU:CB	1:A:104:PRO:CD	2.70	0.41
1:B:125:PRO:HA	1:B:126:PRO:HD3	1.92	0.41
1:A:231:TRP:CD1	1:A:231:TRP:C	2.93	0.41
1:C:158:GLU:HB2	1:C:164:PHE:CE1	2.55	0.41
1:D:79:ALA:O	1:D:82:TYR:HB3	2.21	0.41
1:A:225:VAL:CG1	1:A:226:PRO:CD	2.92	0.40
1:B:157:ARG:HE	2:B:2:PO4:P	2.41	0.40
1:D:83:GLU:O	1:D:84:ARG:C	2.56	0.40
1:A:139:LEU:HA	1:A:139:LEU:HD12	1.87	0.40
1:B:86:ARG:HG3	1:B:108:TYR:CZ	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	163/171 (95%)	160 (98%)	3 (2%)	0	100	100
1	B	160/171 (94%)	155 (97%)	5 (3%)	0	100	100
1	C	162/171 (95%)	157 (97%)	4 (2%)	1 (1%)	30	22
1	D	155/171 (91%)	145 (94%)	9 (6%)	1 (1%)	30	22
All	All	640/684 (94%)	617 (96%)	21 (3%)	2 (0%)	46	41

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	159	ASN
1	C	161	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	156/159 (98%)	140 (90%)	16 (10%)	9	5
1	B	153/159 (96%)	130 (85%)	23 (15%)	3	1
1	C	153/159 (96%)	130 (85%)	23 (15%)	3	1
1	D	149/159 (94%)	129 (87%)	20 (13%)	5	2
All	All	611/636 (96%)	529 (87%)	82 (13%)	5	2

All (82) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	76	ASN
1	A	78	LEU
1	A	84	ARG
1	A	128[A]	ASP
1	A	128[B]	ASP
1	A	130	LYS
1	A	139	LEU
1	A	144	LYS
1	A	146	ASN
1	A	151	ILE
1	A	161	ASP
1	A	168	ARG
1	A	182	LEU
1	A	192	MSE
1	A	228	LEU
1	A	231	TRP
1	B	76	ASN
1	B	77	PHE
1	B	80	GLU
1	B	83[A]	GLU
1	B	83[B]	GLU
1	B	87	LYS
1	B	90	ILE
1	B	96	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	98	ASP
1	B	130	LYS
1	B	131	LEU
1	B	132	GLU
1	B	139	LEU
1	B	168	ARG
1	B	182	LEU
1	B	190	LEU
1	B	192	MSE
1	B	204	LYS
1	B	225	VAL
1	B	228	LEU
1	B	229	VAL
1	B	231	TRP
1	B	239	ASP
1	C	78	LEU
1	C	81	GLN
1	C	87	LYS
1	C	133	ASN
1	C	135	LYS
1	C	139	LEU
1	C	144	LYS
1	C	147	ASN
1	C	149	LYS
1	C	150	LEU
1	C	157	ARG
1	C	160	SER
1	C	161	ASP
1	C	168	ARG
1	C	171	GLN
1	C	193	SER
1	C	194	LYS
1	C	204	LYS
1	C	206	ARG
1	C	211	LYS
1	C	217	TYR
1	C	231	TRP
1	C	238	LEU
1	D	77	PHE
1	D	78	LEU
1	D	84	ARG
1	D	87	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	91	ASN
1	D	95	SER
1	D	119	LYS
1	D	136	LYS
1	D	139	LEU
1	D	144	LYS
1	D	147	ASN
1	D	157	ARG
1	D	161	ASP
1	D	168	ARG
1	D	190	LEU
1	D	192	MSE
1	D	222	GLU
1	D	229	VAL
1	D	231	TRP
1	D	235	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	76	ASN
1	A	230	ASN
1	B	147	ASN
1	B	201	ASN
1	B	230	ASN
1	C	133	ASN
1	C	146	ASN
1	C	201	ASN
1	C	219	GLN
1	D	107	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	A	1	-	4,4,4	1.82	1 (25%)	6,6,6	0.30	0
2	PO4	B	2	-	4,4,4	1.76	1 (25%)	6,6,6	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PO4	A	1	-	-	0/0/0/0	0/0/0/0
2	PO4	B	2	-	-	0/0/0/0	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	PO4	P-O3	-2.23	1.45	1.53
2	B	2	PO4	P-O4	-2.09	1.45	1.53

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	PO4	6	0
2	B	2	PO4	8	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	160/171 (93%)	-0.32	2 (1%) 79 80	20, 40, 80, 116	0
1	B	162/171 (94%)	-0.41	2 (1%) 81 81	31, 51, 84, 123	0
1	C	163/171 (95%)	-0.02	6 (3%) 45 47	33, 65, 108, 138	0
1	D	157/171 (91%)	0.07	12 (7%) 17 18	31, 64, 130, 153	0
All	All	642/684 (93%)	-0.17	22 (3%) 49 50	20, 54, 108, 153	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	77	PHE	4.9
1	C	131	LEU	4.8
1	A	103	GLU	4.4
1	D	76	ASN	4.3
1	D	78	LEU	4.3
1	C	132	GLU	4.0
1	C	80	GLU	3.9
1	A	102	GLY	3.6
1	B	147	ASN	3.1
1	D	87	LYS	3.0
1	D	160	SER	3.0
1	D	84	ARG	2.9
1	C	101	THR	2.7
1	C	84	ARG	2.6
1	D	89	ILE	2.6
1	D	161	ASP	2.4
1	B	99	HIS	2.4
1	D	94	PHE	2.4
1	D	90	ILE	2.4
1	C	81	GLN	2.2
1	D	82	TYR	2.1
1	D	91	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	PO4	B	2	5/5	0.88	0.41	20.71	47,47,47,47	5
2	PO4	A	1	5/5	0.94	0.35	13.89	40,40,40,40	5

6.5 Other polymers [i](#)

There are no such residues in this entry.