



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:52 PM GMT

PDB ID : 1HON
Title : STRUCTURE OF GUANINE NUCLEOTIDE (GPPCP) COMPLEX OF
ADENYLOSUCCINATE SYNTHETASE FROM ESCHERICHIA COLI AT
PH 6.5 AND 25 DEGREE CELSIUS
Authors : Poland, B.W.; Hou, Z.; Bruns, C.; Fromm, H.J.; Honzatko, R.B.
Deposited on : 1996-04-26
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	431	<div> <div>55%</div> <div>59% 35% 6%</div> </div>
1	B	431	<div> <div>18%</div> <div>65% 30% .</div> </div>

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 9338 atoms, of which 2282 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ADENYLOSUCCINATE SYNTHETASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	431	Total	C	H	N	O	S	0	0	0
			4069	2092	748	576	640	13			
1	B	431	Total	C	H	N	O	S	0	0	0
			4069	2092	748	576	640	13			

- Molecule 2 is AMINOPHOSPHONIC ACID-GUANYLATE ESTER (three-letter code: GNH) (formula: $C_{10}H_{16}N_6O_{10}P_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	P	0	0
			42	10	14	6	10	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	195	Total	H	O	0	0
			585	390	195		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	191	Total	H	O	0	0
			573	382	191		


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ADENYLOSUCCINATE SYNTHETASE



• Molecule 1: ADENYLOSUCCINATE SYNTHETASE





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.60 Å 92.91 Å 119.00 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.30 4.98 – 2.28	Depositor EDS
% Data completeness (in resolution range)	(Not available) (15.00-2.30) 79.4 (4.98-2.28)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.82 (at 2.27 Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.186 , 0.230 0.294 , 0.338	Depositor DCC
R_{free} test set	2287 reflections (8.52%)	DCC
Wilson B-factor (Å ²)	12.5	Xtriage
Anisotropy	0.447	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.47 , 67.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 26828 reflections	Xtriage
F_o, F_c correlation	0.79	EDS
Total number of atoms	9338	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows:

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GNH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	0/3379	0.88	3/4577 (0.1%)
1	B	0.49	0/3379	0.76	1/4577 (0.0%)
All	All	0.60	0/6758	0.82	4/9154 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
All	All	0	3

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	360	LEU	O-C-N	-18.23	93.53	122.70
1	A	343	LEU	CA-CB-CG	5.89	128.86	115.30
1	A	60	LEU	CA-CB-CG	5.33	127.55	115.30
1	A	32	ARG	NE-CZ-NH1	5.23	122.91	120.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	276	GLY	Mainchain
1	A	296	GLU	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	360	LEU	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3321	748	3326	133	5
1	B	3321	748	3326	102	2
2	A	28	14	14	1	0
3	A	195	390	0	9	6
3	B	191	382	0	6	5
All	All	7056	2282	6666	227	12

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (227) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:118:GLU:HB2	1:A:129:THR:H	1.25	0.98
1:B:43:LEU:HD22	1:B:47:GLY:HA3	1.57	0.86
1:A:92:PRO:HB2	1:A:95:GLU:HG2	1.59	0.84
1:B:304:ARG:NH1	1:B:304:ARG:HA	1.93	0.84
1:A:256:PRO:HD2	1:B:323:SER:OG	1.78	0.84
1:A:42:THR:HG22	2:A:432:GNH:O2B	1.78	0.83
1:A:21:ASP:HB3	1:A:419:ARG:NH2	1.94	0.83
1:A:273:VAL:HA	1:A:304:ARG:O	1.82	0.79
1:B:327:PHE:HE2	1:B:406:THR:HG21	1.50	0.76
1:A:118:GLU:HB2	1:A:129:THR:N	2.02	0.75
1:A:301:THR:H	1:A:305:ARG:HH22	1.34	0.74
1:A:25:GLU:HG2	1:A:61:ARG:CZ	2.19	0.73
1:A:156:THR:O	1:A:160:LYS:HG3	1.88	0.72
1:A:312:THR:HB	1:A:344:CYS:O	1.89	0.72
1:B:114:ASP:HB3	1:B:130:GLY:HA2	1.72	0.72
1:B:20:VAL:HG13	1:B:219:MET:HE1	1.72	0.72
1:A:277:PRO:HB3	1:A:365:TRP:HB3	1.72	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:226:THR:HG23	1:B:244:THR:HG22	1.73	0.70
1:A:118:GLU:HB3	1:A:129:THR:OG1	1.93	0.69
1:A:24:THR:HG22	1:A:61:ARG:HE	1.56	0.69
1:A:296:GLU:HB3	1:A:305:ARG:HD2	1.75	0.68
1:A:25:GLU:HG2	1:A:61:ARG:NH2	2.09	0.67
1:B:349:MET:SD	1:B:368:VAL:HG12	2.35	0.67
1:A:319:VAL:HA	1:A:324:LEU:HD12	1.79	0.65
1:A:19:ILE:HD13	1:A:19:ILE:N	2.11	0.65
1:B:298:GLY:HA3	1:B:305:ARG:CZ	2.27	0.64
1:B:273:VAL:HG22	1:B:305:ARG:HG2	1.80	0.64
1:A:162:LYS:O	1:A:166:GLU:HG3	1.98	0.64
1:A:118:GLU:HG2	1:A:127:GLY:CA	2.28	0.63
1:B:206:ASP:O	1:B:210:GLN:HG2	1.98	0.63
1:A:14:GLU:O	1:A:330:THR:HG21	1.99	0.63
1:A:280:THR:HG23	1:A:372:TYR:OH	1.98	0.63
1:A:426:ARG:HD3	1:A:431:ALA:HB2	1.81	0.62
1:A:94:ARG:HA	1:A:200:MET:CE	2.30	0.62
1:A:118:GLU:HG2	1:A:127:GLY:HA3	1.82	0.62
1:A:114:ASP:OD1	1:A:128:THR:HG22	2.00	0.61
1:A:21:ASP:HB3	1:A:419:ARG:HH21	1.64	0.61
1:B:97:LEU:HD23	1:B:200:MET:CE	2.30	0.61
1:B:400:LYS:O	1:B:404:GLU:HG3	2.00	0.61
1:A:271:THR:HG22	1:A:307:THR:HG22	1.82	0.61
1:A:16:LYS:HE3	3:A:559:HOH:O	2.01	0.61
1:A:92:PRO:HB2	1:A:95:GLU:CG	2.31	0.60
1:B:28:LYS:O	1:B:28:LYS:HD3	2.01	0.60
1:B:304:ARG:CZ	1:B:304:ARG:HA	2.31	0.60
1:A:280:THR:O	1:A:280:THR:HG22	2.02	0.60
1:A:20:VAL:HG13	1:A:219:MET:CE	2.32	0.59
1:A:280:THR:HG22	1:A:309:TRP:H	1.68	0.59
1:A:176:TYR:O	1:A:177:LYS:HB2	2.02	0.59
1:A:365:TRP:O	1:A:368:VAL:HG22	2.01	0.59
1:A:66:SER:O	1:A:97:LEU:HD12	2.03	0.59
1:A:397:ASN:HA	1:A:400:LYS:HZ3	1.67	0.58
1:A:329:LEU:HD21	1:A:332:LEU:HD13	1.86	0.58
1:A:24:THR:CG2	1:A:61:ARG:HG3	2.33	0.58
1:B:107:LEU:H	1:B:110:HIS:HD2	1.51	0.58
1:B:14:GLU:HB3	1:B:265:ILE:HG22	1.84	0.58
1:A:152:PHE:CE1	1:A:198:THR:HB	2.38	0.58
1:A:172:LEU:HA	1:A:176:TYR:HB2	1.86	0.57
1:A:131:ARG:HH11	1:A:131:ARG:HG2	1.70	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:399:ILE:HG23	1:B:410:ILE:HD12	1.86	0.57
1:A:366:LYS:HG3	3:A:463:HOH:O	2.02	0.57
1:A:131:ARG:NH1	1:A:131:ARG:HG2	2.19	0.57
1:B:37:HIS:CE1	1:B:131:ARG:HG3	2.40	0.57
1:B:285:GLU:HA	1:B:288:GLU:HB2	1.87	0.56
1:A:24:THR:HG22	1:A:61:ARG:HG3	1.87	0.56
1:A:426:ARG:HH11	1:A:426:ARG:CG	2.19	0.56
1:A:426:ARG:HG3	1:A:426:ARG:NH1	2.20	0.56
1:A:73:VAL:HG21	1:A:133:ILE:HG12	1.87	0.56
1:A:32:ARG:HG2	1:A:56:PRO:HG3	1.88	0.56
1:B:271:THR:HA	1:B:306:ARG:O	2.06	0.56
1:A:348:ARG:HB3	1:A:369:GLU:HB3	1.88	0.56
1:B:216:ASP:HA	3:B:579:HOH:O	2.05	0.55
1:A:323:SER:HB3	1:B:255:GLY:HA3	1.88	0.55
1:A:160:LYS:O	1:A:164:VAL:HG23	2.07	0.55
1:B:298:GLY:HA3	1:B:305:ARG:NH2	2.22	0.55
1:A:142:ALA:O	1:A:143:ARG:HB2	2.07	0.55
1:A:170:PHE:HZ	1:B:174:ASN:O	1.90	0.55
1:A:131:ARG:HA	3:A:481:HOH:O	2.07	0.55
1:A:343:LEU:HD11	1:A:401:ARG:HB3	1.89	0.54
1:A:242:ASN:ND2	1:B:250:THR:HG23	2.22	0.54
1:B:27:ALA:O	1:B:64:VAL:HG22	2.07	0.54
1:A:94:ARG:HA	1:A:200:MET:HE1	1.90	0.54
1:A:28:LYS:HE2	1:A:29:TYR:CZ	2.42	0.54
1:A:329:LEU:HB2	1:A:410:ILE:HD13	1.89	0.54
1:B:109:TYR:HA	1:B:181:VAL:HG21	1.90	0.54
1:B:397:ASN:HA	1:B:400:LYS:HZ2	1.73	0.53
1:B:299:ALA:HB1	1:B:303:ARG:HG3	1.89	0.53
1:A:298:GLY:HA3	1:A:302:GLY:O	2.09	0.53
1:B:45:ILE:O	1:B:46:ASN:HB2	2.08	0.53
1:A:347:TYR:HD2	1:A:359:PRO:HD3	1.74	0.53
1:B:43:LEU:HB3	1:B:47:GLY:HA3	1.91	0.52
1:B:126:ILE:HD12	1:B:126:ILE:N	2.24	0.52
1:B:262:VAL:HG12	1:B:324:LEU:HD23	1.91	0.52
1:B:169:ASN:O	1:B:173:VAL:HG22	2.08	0.52
1:A:25:GLU:CG	1:A:61:ARG:NH2	2.71	0.52
1:A:426:ARG:HG3	1:A:426:ARG:HH11	1.74	0.52
1:A:4:VAL:O	1:A:219:MET:HA	2.10	0.52
1:B:28:LYS:C	1:B:28:LYS:HD3	2.30	0.52
1:A:280:THR:HG22	1:A:309:TRP:N	2.24	0.52
1:A:20:VAL:HG13	1:A:219:MET:HE3	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:406:THR:HG23	1:B:408:VAL:H	1.75	0.52
1:A:94:ARG:HG2	1:A:200:MET:CE	2.39	0.52
1:B:263:LEU:HD11	1:B:328:CYS:HB2	1.92	0.51
1:A:161:LEU:O	1:A:165:MET:HG3	2.11	0.51
1:A:301:THR:HG22	1:A:303:ARG:NH2	2.25	0.51
1:A:37:HIS:CD2	1:A:37:HIS:H	2.28	0.51
1:A:94:ARG:HA	1:A:200:MET:HE2	1.93	0.51
1:A:107:LEU:H	1:A:110:HIS:HD2	1.59	0.51
1:B:269:TYR:HB2	1:B:308:GLY:O	2.11	0.50
1:A:89:ARG:N	1:A:89:ARG:HD3	2.25	0.50
1:A:154:LYS:HD3	1:A:191:MET:SD	2.51	0.50
1:A:289:PHE:O	1:A:293:GLN:HB2	2.11	0.50
1:B:97:LEU:HD23	1:B:200:MET:HE2	1.94	0.50
1:A:193:VAL:O	1:A:194:ALA:C	2.47	0.50
1:B:43:LEU:CD2	1:B:47:GLY:HA3	2.37	0.50
1:A:396:LEU:O	1:A:400:LYS:HG3	2.11	0.50
1:B:217:PHE:HB3	1:B:429:PHE:CE1	2.45	0.50
1:B:50:THR:HG21	1:B:85:GLU:OE1	2.12	0.50
1:A:220:PHE:CD2	1:A:248:VAL:HG13	2.47	0.49
1:B:304:ARG:HH11	1:B:304:ARG:HA	1.75	0.49
1:B:37:HIS:CD2	1:B:37:HIS:H	2.30	0.49
1:A:175:TYR:HB2	1:B:170:PHE:CE2	2.48	0.49
1:A:279:PRO:HG2	1:A:311:ASP:OD2	2.12	0.48
1:A:129:THR:CG2	1:A:130:GLY:N	2.75	0.48
1:A:73:VAL:CG2	1:A:133:ILE:HG12	2.42	0.48
1:B:419:ARG:HH11	1:B:419:ARG:HB2	1.77	0.48
1:B:311:ASP:HA	1:B:344:CYS:HB3	1.94	0.48
1:A:128:THR:O	1:A:129:THR:O	2.30	0.48
1:A:426:ARG:NH1	1:A:426:ARG:CG	2.77	0.48
1:B:430:ASP:O	1:B:431:ALA:HB2	2.13	0.48
1:A:303:ARG:H	1:A:303:ARG:HE	1.62	0.48
1:B:126:ILE:HG22	1:B:126:ILE:O	2.13	0.48
1:B:116:ALA:HA	1:B:119:LYS:HE3	1.95	0.48
1:A:386:LYS:NZ	1:A:421:GLU:HG3	2.29	0.48
1:A:120:ALA:O	1:A:122:GLY:N	2.46	0.47
1:A:360:LEU:C	1:A:362:ALA:H	2.17	0.47
1:B:184:GLN:HE22	1:B:187:LEU:HD23	1.78	0.47
1:A:336:ASP:OD1	1:A:382:THR:HB	2.14	0.47
1:A:383:PHE:CE1	1:A:417:PRO:HD2	2.50	0.47
1:B:360:LEU:O	1:B:361:ALA:C	2.50	0.47
1:B:209:ASP:O	1:B:213:GLN:HG2	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:133:ILE:O	1:A:136:ALA:HB3	2.13	0.47
1:B:85:GLU:O	1:B:89:ARG:HG2	2.15	0.47
1:B:6:VAL:HG22	1:B:263:LEU:HD23	1.97	0.46
1:A:230:ILE:HD13	1:A:240:SER:O	2.16	0.46
1:A:172:LEU:O	1:A:177:LYS:N	2.49	0.46
1:B:83:MET:O	1:B:87:GLU:HG3	2.16	0.46
1:A:118:GLU:OE1	1:A:119:LYS:HD2	2.15	0.46
3:A:557:HOH:O	1:B:249:ALA:HB1	2.15	0.46
1:B:161:LEU:O	1:B:165:MET:HG3	2.15	0.46
1:A:392:PRO:HG2	1:A:395:ALA:CB	2.45	0.46
1:B:124:LYS:NZ	1:B:124:LYS:HB2	2.31	0.45
1:A:92:PRO:O	1:A:95:GLU:HG2	2.16	0.45
1:B:32:ARG:HD3	3:B:508:HOH:O	2.14	0.45
1:B:154:LYS:HD2	1:B:191:MET:SD	2.57	0.45
1:A:171:GLN:HG3	3:A:530:HOH:O	2.16	0.45
1:A:347:TYR:HB3	1:A:349:MET:CE	2.46	0.45
1:B:67:ILE:HD11	1:B:207:LEU:HD21	1.98	0.45
1:A:355:VAL:HG13	1:A:357:THR:H	1.81	0.45
1:B:28:LYS:HE2	1:B:63:ASN:O	2.17	0.45
1:B:14:GLU:CB	1:B:265:ILE:HG22	2.46	0.45
1:B:107:LEU:H	1:B:110:HIS:CD2	2.31	0.44
1:A:32:ARG:HD3	3:A:574:HOH:O	2.17	0.44
1:A:80:MET:CE	1:A:193:VAL:HG11	2.47	0.44
1:A:384:GLY:HA2	1:A:421:GLU:HG2	1.99	0.44
1:A:128:THR:HG23	3:A:486:HOH:O	2.17	0.44
1:A:101:GLU:HA	1:A:148:VAL:HB	1.98	0.44
1:A:173:VAL:CG2	1:A:180:ALA:HB2	2.48	0.44
1:A:262:VAL:HG12	1:A:324:LEU:HD23	1.99	0.44
1:A:282:LEU:HD13	1:A:286:THR:HB	1.99	0.44
1:B:64:VAL:HG12	1:B:65:THR:N	2.31	0.44
1:B:45:ILE:HG21	3:B:585:HOH:O	2.17	0.44
1:A:242:ASN:ND2	1:B:250:THR:CG2	2.80	0.44
1:B:303:ARG:HA	1:B:303:ARG:HD3	1.82	0.44
1:B:364:ASP:O	1:B:368:VAL:HG13	2.17	0.43
1:A:28:LYS:NZ	1:A:214:ARG:HH22	2.15	0.43
1:A:88:ASP:C	1:A:90:GLY:H	2.22	0.43
1:B:121:ARG:HG3	3:B:608:HOH:O	2.17	0.43
1:A:196:ILE:HD11	3:A:512:HOH:O	2.17	0.43
1:B:20:VAL:O	1:B:24:THR:HG23	2.18	0.43
1:B:151:LEU:HA	1:B:151:LEU:HD23	1.79	0.43
1:A:20:VAL:HG13	1:A:219:MET:HE1	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:118:GLU:HG2	1:B:127:GLY:HA3	1.99	0.43
1:B:322:ASN:O	1:B:323:SER:C	2.57	0.43
1:A:146:LEU:HD22	1:A:157:PHE:CE1	2.54	0.43
1:A:267:LYS:HG2	1:A:330:THR:HG22	1.99	0.43
1:A:411:ASP:O	1:A:425:LEU:N	2.52	0.43
1:A:113:LEU:HD13	1:A:172:LEU:HD21	2.01	0.43
1:A:111:VAL:HG13	1:A:115:ASN:ND2	2.34	0.43
1:B:364:ASP:O	1:B:365:TRP:C	2.55	0.43
1:B:131:ARG:HG2	1:B:133:ILE:HD12	2.01	0.43
1:B:160:LYS:HE3	3:B:538:HOH:O	2.18	0.43
1:B:64:VAL:CG1	1:B:65:THR:N	2.82	0.42
1:B:68:ILE:HB	1:B:99:LEU:HD23	2.00	0.42
1:B:359:PRO:C	1:B:360:LEU:O	2.57	0.42
1:A:285:GLU:HA	1:A:285:GLU:OE1	2.18	0.42
1:B:24:THR:HG22	1:B:30:VAL:HG21	2.00	0.42
1:B:214:ARG:NH1	1:B:216:ASP:OD2	2.51	0.42
1:B:317:ARG:HH21	1:B:358:THR:HG22	1.85	0.42
1:A:301:THR:C	1:A:305:ARG:HH21	2.22	0.42
1:A:396:LEU:HD23	1:A:399:ILE:HD12	2.02	0.42
1:B:426:ARG:HD3	1:B:426:ARG:HH11	1.69	0.42
1:A:375:MET:HA	1:A:376:PRO:HD3	1.82	0.42
1:A:4:VAL:HG22	1:A:261:TYR:HB3	2.02	0.42
1:B:48:GLU:HB2	1:B:49:LYS:H	1.70	0.42
1:A:80:MET:HE2	1:A:193:VAL:HG11	2.02	0.42
1:B:418:ASP:HB3	1:B:421:GLU:HG3	2.02	0.42
1:B:319:VAL:HA	1:B:324:LEU:HD12	2.01	0.41
1:A:255:GLY:HA3	1:B:323:SER:HB3	2.02	0.41
1:B:107:LEU:N	1:B:110:HIS:HD2	2.18	0.41
1:B:348:ARG:HB2	1:B:371:ILE:HD11	2.02	0.41
1:A:261:TYR:CD1	1:A:428:PRO:HB3	2.56	0.41
1:B:419:ARG:NH1	1:B:419:ARG:HB2	2.35	0.41
1:B:143:ARG:NH2	3:B:434:HOH:O	2.54	0.41
1:B:47:GLY:HA2	1:B:60:LEU:HD11	2.02	0.41
1:A:257:ARG:HD2	3:A:446:HOH:O	2.20	0.41
1:A:282:LEU:HG	1:A:308:GLY:HA2	2.02	0.41
1:A:206:ASP:OD1	1:B:320:GLN:NE2	2.53	0.41
1:A:59:ILE:CD1	1:A:96:ARG:HB2	2.51	0.41
1:A:5:VAL:HA	1:A:220:PHE:HB2	2.03	0.40
1:B:397:ASN:CA	1:B:400:LYS:HZ2	2.34	0.40
1:A:115:ASN:O	1:A:116:ALA:C	2.58	0.40
1:A:84:LYS:HA	1:A:84:LYS:HD2	1.85	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:380:GLU:CD	1:B:380:GLU:H	2.25	0.40
1:B:128:THR:O	1:B:128:THR:HG23	2.20	0.40
1:B:411:ASP:O	1:B:425:LEU:N	2.51	0.40
1:B:427:ASP:HA	1:B:428:PRO:HD3	1.77	0.40
1:B:4:VAL:HG22	1:B:261:TYR:HB3	2.04	0.40

All (12) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:499:HOH:H1	3:B:537:HOH:O[1_565]	1.03	0.57
1:A:155:GLU:OE1	1:A:299:ALA:O[3_644]	1.72	0.48
1:A:155:GLU:OE2	1:A:299:ALA:O[3_644]	1.80	0.40
3:A:499:HOH:H1	3:B:537:HOH:H1[1_565]	1.24	0.36
1:A:155:GLU:CD	1:A:299:ALA:O[3_644]	1.86	0.34
3:A:537:HOH:O	3:A:604:HOH:H2[3_644]	1.30	0.30
3:A:499:HOH:O	3:B:537:HOH:O[1_565]	1.94	0.26
1:A:46:ASN:OD1	1:B:123:ALA:CB[3_654]	2.09	0.11
3:A:500:HOH:O	3:B:521:HOH:H2[2_565]	1.50	0.10
3:A:495:HOH:O	3:A:502:HOH:H2[3_654]	1.57	0.03
1:A:188:ASP:O	1:A:292:LYS:HZ3[3_644]	1.59	0.01
1:B:354:GLU:O	3:B:499:HOH:H1[4_555]	1.59	0.01

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	429/431 (100%)	366 (85%)	55 (13%)	8 (2%)	10	8
1	B	429/431 (100%)	391 (91%)	29 (7%)	9 (2%)	9	7
All	All	858/862 (100%)	757 (88%)	84 (10%)	17 (2%)	9	7

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	129	THR
1	A	362	ALA
1	B	48	GLU
1	B	361	ALA
1	A	122	GLY
1	B	299	ALA
1	A	120	ALA
1	A	297	PHE
1	A	301	THR
1	A	427	ASP
1	B	40	GLY
1	B	427	ASP
1	B	122	GLY
1	B	298	GLY
1	A	392	PRO
1	B	127	GLY
1	B	44	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	353/353 (100%)	319 (90%)	34 (10%)	10	12
1	B	353/353 (100%)	323 (92%)	30 (8%)	13	16
All	All	706/706 (100%)	642 (91%)	64 (9%)	12	13

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LEU
1	A	34	GLN
1	A	43	LEU
1	A	56	PRO
1	A	57	SER
1	A	62	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	81	LYS
1	A	89	ARG
1	A	96	ARG
1	A	113	LEU
1	A	146	LEU
1	A	164	VAL
1	A	165	MET
1	A	177	LYS
1	A	207	LEU
1	A	230	ILE
1	A	266	LEU
1	A	267	LYS
1	A	292	LYS
1	A	297	PHE
1	A	300	THR
1	A	303	ARG
1	A	310	LEU
1	A	312	THR
1	A	330	THR
1	A	333	ASP
1	A	342	LYS
1	A	343	LEU
1	A	348	ARG
1	A	369	GLU
1	A	382	THR
1	A	387	ASP
1	A	401	ARG
1	A	426	ARG
1	B	7	LEU
1	B	13	ASP
1	B	19	ILE
1	B	26	ARG
1	B	28	LYS
1	B	34	GLN
1	B	45	ILE
1	B	48	GLU
1	B	49	LYS
1	B	62	GLU
1	B	63	ASN
1	B	85	GLU
1	B	179	GLU
1	B	193	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	200	MET
1	B	205	SER
1	B	239	THR
1	B	292	LYS
1	B	301	THR
1	B	304	ARG
1	B	310	LEU
1	B	320	GLN
1	B	330	THR
1	B	358	THR
1	B	364	ASP
1	B	374	THR
1	B	379	SER
1	B	382	THR
1	B	406	THR
1	B	426	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2	ASN
1	A	37	HIS
1	A	110	HIS
1	A	210	GLN
1	A	242	ASN
1	A	397	ASN
1	B	37	HIS
1	B	63	ASN
1	B	110	HIS
1	B	184	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	GNH	A	432	-	23,30,30	1.70	7 (30%)	25,47,47	2.52	8 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GNH	A	432	-	-	0/9/32/32	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	432	GNH	PB-O2B	-3.10	1.48	1.56
2	A	432	GNH	C2'-C3'	-2.22	1.47	1.53
2	A	432	GNH	C4-N3	-2.13	1.32	1.35
2	A	432	GNH	PA-O2A	-2.03	1.46	1.54
2	A	432	GNH	C6-N1	2.09	1.39	1.36
2	A	432	GNH	PB-O3A	2.25	1.61	1.59
2	A	432	GNH	O4'-C1'	4.38	1.46	1.41

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	432	GNH	C4'-O4'-C1'	-3.09	106.33	109.72
2	A	432	GNH	N2-C2-N3	-2.76	116.77	120.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	432	GNH	PA-O3A-PB	-2.53	125.63	132.73
2	A	432	GNH	O3'-C3'-C2'	-2.15	104.82	111.83
2	A	432	GNH	C2'-C1'-N9	-2.07	111.12	114.29
2	A	432	GNH	N1-C2-N3	2.81	125.54	121.79
2	A	432	GNH	O4'-C1'-N9	4.57	117.66	108.10
2	A	432	GNH	C6-N1-C2	8.45	124.97	120.20

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	432	GNH	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	431/431 (100%)	2.53	238 (55%)	0 0	5, 20, 50, 74	0
1	B	431/431 (100%)	1.45	79 (18%)	2 2	5, 16, 49, 69	0
All	All	862/862 (100%)	1.99	317 (36%)	0 0	5, 18, 50, 74	0

All (317) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	301	THR	10.3
1	A	46	ASN	10.1
1	A	47	GLY	9.2
1	A	301	THR	9.1
1	B	44	VAL	8.9
1	A	125	ALA	8.8
1	A	123	ALA	8.7
1	B	122	GLY	8.3
1	A	300	THR	7.9
1	B	361	ALA	7.7
1	B	123	ALA	7.6
1	B	45	ILE	7.6
1	B	126	ILE	7.6
1	A	120	ALA	7.2
1	B	129	THR	7.1
1	B	362	ALA	7.1
1	A	50	THR	6.9
1	A	298	GLY	6.8
1	A	379	SER	6.7
1	B	124	LYS	6.6
1	A	126	ILE	6.5
1	A	352	GLY	6.5
1	A	45	ILE	6.4
1	A	127	GLY	6.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	300	THR	6.3
1	A	350	PRO	6.3
1	A	44	VAL	6.3
1	B	125	ALA	6.1
1	B	303	ARG	6.0
1	B	128	THR	6.0
1	A	420	THR	5.9
1	B	298	GLY	5.9
1	A	92	PRO	5.9
1	A	119	LYS	5.8
1	A	118	GLU	5.8
1	A	390	GLY	5.7
1	A	90	GLY	5.6
1	B	302	GLY	5.5
1	A	129	THR	5.5
1	A	49	LYS	5.5
1	A	418	ASP	5.3
1	A	304	ARG	5.2
1	A	381	SER	5.2
1	A	365	TRP	5.1
1	A	387	ASP	5.1
1	A	86	LEU	5.1
1	A	376	PRO	5.1
1	B	49	LYS	5.0
1	A	297	PHE	5.0
1	A	364	ASP	5.0
1	A	337	GLY	5.0
1	A	291	CYS	4.9
1	A	383	PHE	4.9
1	B	366	LYS	4.8
1	B	46	ASN	4.8
1	A	121	ARG	4.8
1	B	364	ASP	4.7
1	A	289	PHE	4.7
1	A	88	ASP	4.7
1	B	360	LEU	4.7
1	A	124	LYS	4.7
1	A	303	ARG	4.6
1	A	391	LEU	4.6
1	B	389	SER	4.5
1	B	120	ALA	4.5
1	A	240	SER	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	285	GLU	4.5
1	A	17	GLY	4.5
1	A	302	GLY	4.5
1	A	360	LEU	4.4
1	A	295	ASN	4.4
1	B	304	ARG	4.4
1	B	47	GLY	4.3
1	A	361	ALA	4.3
1	A	357	THR	4.2
1	A	286	THR	4.2
1	A	198	THR	4.1
1	A	385	VAL	4.1
1	A	180	ALA	4.0
1	A	292	LYS	4.0
1	A	60	LEU	4.0
1	A	355	VAL	4.0
1	B	349	MET	4.0
1	A	156	THR	4.0
1	A	299	ALA	3.9
1	B	363	ASP	3.9
1	A	359	PRO	3.9
1	A	290	LEU	3.9
1	A	417	PRO	3.9
1	A	195	ASP	3.9
1	A	334	VAL	3.9
1	A	384	GLY	3.9
1	A	346	ALA	3.9
1	A	339	LYS	3.8
1	A	393	GLN	3.8
1	B	350	PRO	3.8
1	A	75	SER	3.8
1	A	128	THR	3.8
1	A	280	THR	3.7
1	A	332	LEU	3.7
1	A	415	THR	3.7
1	A	116	ALA	3.7
1	A	80	MET	3.7
1	A	294	GLY	3.7
1	A	27	ALA	3.7
1	A	367	GLY	3.7
1	A	89	ARG	3.7
1	A	79	LEU	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	83	MET	3.7
1	A	399	ILE	3.7
1	A	51	VAL	3.7
1	A	396	LEU	3.6
1	B	121	ARG	3.6
1	A	268	ALA	3.6
1	A	63	ASN	3.6
1	A	39	ALA	3.6
1	A	152	PHE	3.6
1	A	95	GLU	3.6
1	A	42	THR	3.6
1	A	394	ALA	3.6
1	A	58	GLY	3.6
1	B	235	TYR	3.6
1	A	181	VAL	3.5
1	A	351	ASP	3.5
1	A	398	TYR	3.5
1	A	57	SER	3.5
1	A	309	TRP	3.5
1	A	194	ALA	3.5
1	B	299	ALA	3.5
1	A	135	PRO	3.4
1	A	424	ILE	3.4
1	A	416	GLY	3.4
1	B	431	ALA	3.4
1	A	108	ASP	3.4
1	A	184	GLN	3.4
1	A	106	ILE	3.4
1	A	419	ARG	3.4
1	A	329	LEU	3.3
1	A	20	VAL	3.3
1	A	22	LEU	3.3
1	A	368	VAL	3.3
1	B	420	THR	3.3
1	B	365	TRP	3.3
1	A	388	ARG	3.3
1	A	94	ARG	3.2
1	A	356	THR	3.2
1	A	293	GLN	3.2
1	A	62	GLU	3.2
1	A	122	GLY	3.2
1	A	378	TRP	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	333	ASP	3.2
1	A	155	GLU	3.1
1	A	78	ALA	3.1
1	A	414	SER	3.1
1	A	227	LEU	3.1
1	A	179	GLU	3.1
1	A	400	LYS	3.1
1	A	25	GLU	3.0
1	A	172	LEU	3.0
1	A	335	LEU	3.0
1	A	422	THR	3.0
1	A	173	VAL	3.0
1	B	388	ARG	3.0
1	A	43	LEU	3.0
1	A	307	THR	3.0
1	A	362	ALA	3.0
1	A	380	GLU	3.0
1	A	330	THR	3.0
1	B	273	VAL	3.0
1	B	374	THR	3.0
1	B	368	VAL	3.0
1	A	193	VAL	2.9
1	A	305	ARG	2.9
1	B	38	ASN	2.9
1	B	50	THR	2.9
1	A	64	VAL	2.9
1	A	217	PHE	2.9
1	B	356	THR	2.9
1	A	363	ASP	2.9
1	A	392	PRO	2.8
1	B	417	PRO	2.8
1	B	61	ARG	2.8
1	A	413	ILE	2.8
1	A	48	GLU	2.8
1	A	41	HIS	2.8
1	A	188	ASP	2.8
1	B	118	GLU	2.8
1	A	158	ALA	2.8
1	A	273	VAL	2.8
1	B	43	LEU	2.8
1	A	395	ALA	2.8
1	B	283	PHE	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	352	GLY	2.8
1	A	296	GLU	2.8
1	A	389	SER	2.7
1	A	157	PHE	2.7
1	A	199	SER	2.7
1	A	236	PRO	2.7
1	A	142	ALA	2.7
1	A	167	TYR	2.7
1	A	237	TYR	2.7
1	A	111	VAL	2.7
1	B	143	ARG	2.7
1	A	397	ASN	2.7
1	A	29	TYR	2.7
1	B	48	GLU	2.6
1	A	66	SER	2.6
1	A	15	GLY	2.6
1	B	39	ALA	2.6
1	A	19	ILE	2.6
1	A	153	ASP	2.6
1	A	374	THR	2.6
1	B	127	GLY	2.6
1	A	170	PHE	2.6
1	A	76	PRO	2.6
1	A	4	VAL	2.6
1	A	178	ALA	2.6
1	A	278	PHE	2.6
1	A	287	GLY	2.6
1	A	377	GLY	2.6
1	A	269	TYR	2.6
1	A	183	TYR	2.5
1	A	372	TYR	2.5
1	A	115	ASN	2.5
1	A	192	ALA	2.5
1	A	238	VAL	2.5
1	A	182	ASP	2.5
1	A	371	ILE	2.5
1	A	382	THR	2.5
1	B	239	THR	2.5
1	A	275	ALA	2.5
1	A	423	MET	2.5
1	A	93	VAL	2.5
1	A	288	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	392	PRO	2.5
1	A	24	THR	2.5
1	A	186	VAL	2.5
1	B	63	ASN	2.4
1	A	241	SER	2.4
1	A	338	LEU	2.4
1	B	241	SER	2.4
1	B	192	ALA	2.4
1	A	59	ILE	2.4
1	A	91	ILE	2.4
1	A	187	LEU	2.3
1	A	191	MET	2.3
1	A	55	ILE	2.3
1	A	61	ARG	2.3
1	A	162	LYS	2.3
1	A	213	GLN	2.3
1	B	236	PRO	2.3
1	A	84	LYS	2.3
1	A	146	LEU	2.3
1	A	208	LEU	2.3
1	A	340	GLU	2.3
1	A	284	ASP	2.3
1	A	345	VAL	2.3
1	B	176	TYR	2.3
1	A	177	LYS	2.3
1	A	149	GLY	2.3
1	B	367	GLY	2.3
1	A	375	MET	2.3
1	B	91	ILE	2.3
1	A	314	ALA	2.3
1	B	178	ALA	2.3
1	B	259	VAL	2.3
1	A	386	LYS	2.3
1	A	349	MET	2.3
1	A	190	THR	2.2
1	A	431	ALA	2.2
1	B	109	TYR	2.2
1	A	117	ARG	2.2
1	A	225	GLY	2.2
1	A	175	TYR	2.2
1	A	141	VAL	2.2
1	A	97	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	154	LYS	2.2
1	B	181	VAL	2.2
1	A	87	GLU	2.1
1	B	112	ALA	2.1
1	A	201	VAL	2.1
1	A	104	PRO	2.1
1	A	370	PRO	2.1
1	B	279	PRO	2.1
1	B	152	PHE	2.1
1	A	52	LEU	2.1
1	A	9	THR	2.1
1	A	26	ARG	2.1
1	A	239	THR	2.1
1	B	351	ASP	2.1
1	B	180	ALA	2.1
1	A	369	GLU	2.1
1	B	170	PHE	2.1
1	A	224	GLN	2.1
1	A	137	TYR	2.1
1	A	176	TYR	2.1
1	B	271	THR	2.1
1	A	1	GLY	2.1
1	A	331	LYS	2.1
1	A	189	ASP	2.1
1	A	430	ASP	2.1
1	B	381	SER	2.1
1	A	373	GLU	2.1
1	A	427	ASP	2.1
1	A	341	VAL	2.1
1	B	286	THR	2.0
1	B	307	THR	2.0
1	A	77	ALA	2.0
1	B	418	ASP	2.0
1	A	196	ILE	2.0
1	A	230	ILE	2.0
1	B	354	GLU	2.0
1	A	130	GLY	2.0
1	A	421	GLU	2.0
1	B	159	GLU	2.0
1	B	359	PRO	2.0
1	B	370	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	GNH	A	432	28/28	0.69	0.36	0.47	0,21,28,29	42

6.5 Other polymers [i](#)

There are no such residues in this entry.