



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:13 AM GMT

PDB ID : 3HO7  
Title : Crystal structure of OxyR from Porphyromonas gingivalis  
Authors : Svintradze, D.V.; Wright, H.T.; Lewis, J.P.  
Deposited on : 2009-06-01  
Resolution : 1.58 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4131 (1.60-1.56)
Ramachandran outliers	100387	4021 (1.60-1.56)
Sidechain outliers	100360	4018 (1.60-1.56)
RSRZ outliers	91569	3823 (1.60-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	232	
1	B	232	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3952 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called OxyR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	220	Total	C	N	O	S	0	0	0
			1767	1120	315	321	11			
1	B	220	Total	C	N	O	S	0	0	0
			1767	1120	315	321	11			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	309	HIS	-	EXPRESSION TAG	UNP Q7MXD3
A	310	HIS	-	EXPRESSION TAG	UNP Q7MXD3
A	311	HIS	-	EXPRESSION TAG	UNP Q7MXD3
A	312	HIS	-	EXPRESSION TAG	UNP Q7MXD3
B	309	HIS	-	EXPRESSION TAG	UNP Q7MXD3
B	310	HIS	-	EXPRESSION TAG	UNP Q7MXD3
B	311	HIS	-	EXPRESSION TAG	UNP Q7MXD3
B	312	HIS	-	EXPRESSION TAG	UNP Q7MXD3


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	212	Total	O	0	0
			212	212		
2	B	206	Total	O	0	0
			206	206		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: OxyR



#### • Molecule 1: OxyR



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	55.82Å 55.80Å 56.71Å 110.63° 102.82° 114.63°	Depositor
Resolution (Å)	26.94 – 1.58 27.21 – 1.60	Depositor EDS
% Data completeness (in resolution range)	83.6 (26.94-1.58) 68.2 (27.21-1.60)	Depositor EDS
$R_{merge}$	0.03	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.20 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.5.0066	Depositor
R, $R_{free}$	0.219 , 0.245 0.266 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	29.1	Xtriage
Anisotropy	0.188	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 40.0	EDS
Estimated twinning fraction	0.513 for H, K, L 0.487 for K, H, -H-K-L 0.226 for k,h,-h-k-l 0.000 for l,-h-k-l,h 0.000 for -h-k-l,l,k	Xtriage
Reported twinning fraction	0.513 for H, K, L 0.487 for K, H, -H-K-L	Depositor
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.53$ , $\langle L^2 \rangle = 0.37$	Xtriage
Outliers	0 of 54438 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	3952	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.72% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.28	0/1803	0.42	0/2436
1	B	0.24	0/1803	0.41	0/2436
All	All	0.26	0/3606	0.41	0/4872

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1767	0	1784	110	0
1	B	1767	0	1784	108	0
2	A	212	0	0	15	0
2	B	206	0	0	27	0
All	All	3952	0	3568	214	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

All (214) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:182:ARG:HD2	2:B:326:HOH:O	1.38	1.19

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:279:ARG:HH11	1:B:279:ARG:CG	1.70	1.05
1:A:262:MET:HE2	1:A:264:ARG:HH12	0.90	1.04
1:A:262:MET:CE	1:A:264:ARG:HH12	1.72	1.01
1:A:262:MET:HE2	1:A:264:ARG:NH1	1.73	1.01
1:B:182:ARG:HA	2:B:447:HOH:O	1.65	0.95
1:A:104:TYR:CE1	1:A:245:THR:OG1	2.20	0.93
1:A:262:MET:HE3	1:A:264:ARG:HH22	1.32	0.92
1:A:306:HIS:HD2	2:A:330:HOH:O	1.52	0.92
1:A:104:TYR:CD1	1:A:245:THR:OG1	2.23	0.89
1:B:277:TYR:HA	2:B:462:HOH:O	1.75	0.86
1:B:98:LEU:HD13	1:B:146:ILE:HA	1.55	0.86
1:B:182:ARG:CB	2:B:447:HOH:O	2.22	0.85
1:B:179:ASP:HB2	2:B:355:HOH:O	1.77	0.85
1:B:279:ARG:HH11	1:B:279:ARG:HG2	1.41	0.84
1:A:221:SER:O	1:B:125:SER:HA	1.76	0.84
1:B:98:LEU:HD11	1:B:146:ILE:HG22	1.61	0.82
1:A:121:GLU:OE1	1:A:123:HIS:HE1	1.62	0.81
1:B:182:ARG:HB3	2:B:447:HOH:O	1.78	0.81
1:A:131:ARG:HD2	2:A:340:HOH:O	1.79	0.81
1:B:302:GLN:HG3	2:B:452:HOH:O	1.81	0.80
1:B:279:ARG:HG3	1:B:279:ARG:HH11	1.43	0.80
1:B:115:LYS:HB3	1:B:115:LYS:NZ	1.96	0.80
1:A:182:ARG:HD2	1:A:185:GLU:OE1	1.82	0.80
1:A:98:LEU:HD13	1:A:145:ILE:O	1.82	0.79
1:A:143:MET:HB3	1:A:271:LEU:HD21	1.64	0.79
1:B:279:ARG:NH1	1:B:279:ARG:CG	2.42	0.78
1:B:188:PRO:HB3	1:B:210:MET:HE3	1.67	0.77
1:B:206:ARG:HD2	1:B:207:PHE:CE2	2.19	0.76
1:A:206:ARG:HD2	1:A:207:PHE:CE2	2.21	0.75
1:A:112:ILE:HG22	1:A:289:LEU:HD22	1.68	0.75
1:B:135:SER:HB3	1:B:141:ILE:HG12	1.68	0.75
1:A:121:GLU:OE1	1:A:123:HIS:CE1	2.40	0.74
1:B:179:ASP:HB2	2:B:314:HOH:O	1.88	0.73
1:A:123:HIS:HB3	2:B:39:HOH:O	1.88	0.73
1:A:115:LYS:HD2	2:A:464:HOH:O	1.89	0.72
1:B:187:ASN:N	2:B:364:HOH:O	2.22	0.72
1:B:115:LYS:HB3	1:B:115:LYS:HZ3	1.54	0.71
1:B:279:ARG:HG2	1:B:279:ARG:NH1	2.05	0.71
1:A:207:PHE:HA	1:A:210:MET:HE3	1.71	0.70
1:B:182:ARG:CA	2:B:447:HOH:O	2.27	0.70
1:B:180:VAL:HG12	1:B:259:PRO:HG2	1.74	0.70

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:230:ARG:CZ	2:B:422:HOH:O	2.40	0.70
1:B:98:LEU:CD1	1:B:146:ILE:HA	2.23	0.69
1:A:262:MET:HE3	1:A:264:ARG:NH2	2.05	0.68
1:B:115:LYS:CB	1:B:115:LYS:NZ	2.57	0.68
1:A:207:PHE:O	1:A:210:MET:HG2	1.93	0.68
1:A:156:GLU:OE2	1:A:283:ARG:NH2	2.26	0.68
1:B:225:MET:HE1	1:B:242:PRO:HD3	1.76	0.66
1:B:102:ALA:HB3	1:B:103:PRO:HD3	1.77	0.66
1:A:106:LEU:HA	1:A:109:VAL:HG22	1.76	0.66
1:B:262:MET:HE2	1:B:264:ARG:NH1	2.11	0.66
1:A:112:ILE:CG2	1:A:289:LEU:HD22	2.25	0.66
1:B:182:ARG:HH11	1:B:185:GLU:CD	1.99	0.65
1:B:189:HIS:CE1	1:B:215:GLU:HB2	2.32	0.65
1:B:198:HIS:HB3	1:B:204:LEU:HD12	1.79	0.64
1:A:97:VAL:HG22	1:A:145:ILE:HD12	1.80	0.64
1:B:170:SER:HB2	1:B:235:GLY:HA2	1.79	0.64
1:A:164:GLU:HG2	1:A:266:VAL:HG12	1.80	0.64
1:A:247:GLU:CD	1:A:247:GLU:H	2.01	0.63
1:A:182:ARG:NH2	2:A:348:HOH:O	2.30	0.63
1:A:206:ARG:CG	1:A:207:PHE:CE2	2.82	0.63
1:A:131:ARG:CD	2:A:340:HOH:O	2.42	0.62
1:B:90:THR:HG22	1:B:90:THR:O	1.98	0.62
1:B:215:GLU:C	1:B:216:ARG:HG3	2.19	0.62
1:A:206:ARG:HG2	1:A:207:PHE:CD2	2.34	0.62
1:B:262:MET:HE2	1:B:264:ARG:HH12	1.64	0.62
1:A:178:GLN:HG3	1:A:182:ARG:HE	1.65	0.60
1:A:115:LYS:HB3	1:A:115:LYS:NZ	2.16	0.60
1:B:109:VAL:HG12	1:B:293:ALA:CB	2.33	0.59
1:B:262:MET:HE3	1:B:264:ARG:HH22	1.68	0.59
1:B:98:LEU:HD13	1:B:145:ILE:O	2.03	0.59
1:B:228:PHE:HZ	2:B:334:HOH:O	1.85	0.59
1:B:106:LEU:HA	1:B:109:VAL:HG22	1.84	0.59
1:A:262:MET:CE	1:A:264:ARG:NH1	2.47	0.59
1:A:98:LEU:HD13	1:A:146:ILE:HA	1.85	0.58
1:A:206:ARG:CG	1:A:207:PHE:CD2	2.86	0.58
1:B:193:LEU:HD12	1:B:213:LEU:HD21	1.84	0.58
1:B:249:LEU:O	1:B:254:LYS:HE3	2.01	0.58
1:B:262:MET:HE3	1:B:264:ARG:NH2	2.18	0.58
1:B:280:ARG:H	1:B:280:ARG:HD2	1.69	0.58
1:B:164:GLU:HA	1:B:266:VAL:HG12	1.87	0.57
1:A:164:GLU:HG3	1:A:305:GLN:NE2	2.20	0.57

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:225:MET:CE	1:B:242:PRO:HD3	2.34	0.56
1:A:182:ARG:HD3	1:A:185:GLU:CD	2.26	0.56
1:B:90:THR:CG2	1:B:90:THR:O	2.53	0.55
1:B:137:LEU:HA	1:B:274:ARG:HH11	1.72	0.55
1:B:109:VAL:HG12	1:B:293:ALA:HB2	1.89	0.55
1:A:206:ARG:CD	1:A:207:PHE:CE2	2.88	0.55
1:B:108:ARG:HD3	1:B:293:ALA:O	2.06	0.54
1:A:306:HIS:CD2	2:A:330:HOH:O	2.40	0.54
1:A:127:MET:HB3	1:A:131:ARG:HB2	1.89	0.54
1:A:189:HIS:CE1	1:A:215:GLU:HB2	2.42	0.54
1:A:194:LEU:HD23	1:A:228:PHE:CE2	2.42	0.54
1:B:115:LYS:CB	1:B:115:LYS:HZ2	2.21	0.54
1:A:266:VAL:HG22	1:A:307:LEU:HA	1.90	0.54
1:A:130:SER:HA	2:A:487:HOH:O	2.08	0.54
1:B:135:SER:CB	1:B:141:ILE:HG12	2.36	0.53
1:A:226:GLU:O	1:A:230:ARG:HG2	2.08	0.53
1:A:182:ARG:HB2	1:A:185:GLU:HB2	1.91	0.53
1:A:113:TRP:CD1	1:A:117:LEU:HD12	2.45	0.52
1:B:250:SER:O	1:B:254:LYS:HG3	2.10	0.52
1:A:182:ARG:CD	1:A:185:GLU:CD	2.78	0.52
1:B:220:TYR:CD1	2:B:334:HOH:O	2.62	0.51
1:A:102:ALA:HB3	1:A:103:PRO:HD3	1.92	0.51
1:B:285:GLN:O	1:B:289:LEU:HG	2.10	0.51
1:B:104:TYR:OH	1:B:225:MET:HG2	2.11	0.51
1:A:194:LEU:HB3	2:A:321:HOH:O	2.10	0.51
1:A:178:GLN:HA	1:A:178:GLN:NE2	2.26	0.50
1:B:213:LEU:O	1:B:216:ARG:HD2	2.10	0.50
1:B:251:PRO:HG3	2:B:391:HOH:O	2.11	0.50
1:A:96:ALA:HA	1:A:125:SER:O	2.12	0.50
1:B:205:VAL:HG13	1:B:206:ARG:N	2.27	0.50
1:A:221:SER:O	1:B:125:SER:CA	2.55	0.49
1:A:174:PRO:O	1:A:177:GLU:HG2	2.10	0.49
1:A:188:PRO:O	1:A:216:ARG:NH1	2.45	0.49
1:A:216:ARG:HA	2:B:503:HOH:O	2.11	0.49
1:A:121:GLU:CD	1:A:123:HIS:HE1	2.14	0.49
1:A:122:ILE:O	1:B:218:THR:HA	2.11	0.49
1:B:188:PRO:HB3	1:B:210:MET:CE	2.39	0.49
1:A:186:VAL:HG21	1:A:207:PHE:CE1	2.48	0.49
1:B:238:ILE:HD12	2:B:364:HOH:O	2.12	0.49
1:B:91:GLY:O	1:B:120:LEU:HD12	2.12	0.49
1:A:273:VAL:HG23	1:A:274:ARG:O	2.14	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:HIS:ND1	1:A:215:GLU:O	2.47	0.48
1:A:216:ARG:NE	2:A:452:HOH:O	2.45	0.48
1:A:182:ARG:CD	1:A:185:GLU:OE1	2.55	0.48
1:B:182:ARG:NH1	1:B:185:GLU:OE2	2.39	0.48
1:B:97:VAL:O	1:B:126:GLU:HA	2.13	0.47
1:A:113:TRP:CG	1:A:117:LEU:HD12	2.48	0.47
1:B:99:PRO:HD3	1:B:127:MET:O	2.14	0.47
1:B:230:ARG:NE	1:B:233:GLU:OE1	2.43	0.47
1:A:131:ARG:CG	2:A:340:HOH:O	2.63	0.47
1:A:116:GLU:HG2	1:A:289:LEU:HD21	1.95	0.47
1:B:220:TYR:HB3	2:B:334:HOH:O	2.14	0.47
1:A:104:TYR:OH	1:A:225:MET:HG2	2.14	0.47
1:A:164:GLU:CG	1:A:305:GLN:HE21	2.28	0.47
1:B:166:LEU:O	1:B:240:PHE:HA	2.14	0.47
1:B:158:ASP:OD2	1:B:287:ILE:HD11	2.14	0.47
1:B:115:LYS:HB3	1:B:115:LYS:HZ2	1.80	0.47
1:A:217:GLN:HG2	1:A:218:THR:N	2.29	0.47
1:A:246:VAL:HA	1:A:249:LEU:CD1	2.44	0.46
1:A:147:ALA:HB1	1:A:267:ARG:HD2	1.97	0.46
1:B:182:ARG:O	1:B:183:THR:C	2.53	0.46
1:B:188:PRO:HB2	1:B:213:LEU:HA	1.98	0.46
1:A:266:VAL:O	1:A:307:LEU:HD12	2.15	0.46
1:A:182:ARG:HD3	1:A:185:GLU:OE2	2.15	0.46
1:B:259:PRO:HG2	2:B:350:HOH:O	2.16	0.46
1:A:178:GLN:CG	1:A:182:ARG:HE	2.28	0.45
1:B:230:ARG:HH21	1:B:233:GLU:CD	2.18	0.45
1:B:206:ARG:CD	1:B:207:PHE:CE2	2.97	0.45
1:A:247:GLU:CD	1:A:247:GLU:N	2.69	0.45
1:B:225:MET:CE	1:B:242:PRO:CD	2.94	0.45
1:A:110:PHE:HB2	1:A:111:PRO:HD3	1.97	0.45
1:B:110:PHE:N	1:B:111:PRO:CD	2.79	0.45
1:B:243:GLN:NE2	2:B:488:HOH:O	2.49	0.45
1:A:207:PHE:CD1	1:A:210:MET:CE	3.00	0.45
1:B:98:LEU:HA	1:B:127:MET:O	2.17	0.44
1:A:164:GLU:HG3	1:A:305:GLN:HE21	1.80	0.44
1:B:309:HIS:CD2	2:B:482:HOH:O	2.71	0.44
1:A:157:ASP:OD1	1:A:270:ARG:NE	2.44	0.44
1:B:168:TYR:HB3	1:B:239:THR:HG22	1.99	0.44
1:B:163:GLU:OE1	1:B:267:ARG:NH2	2.48	0.44
1:A:98:LEU:CD1	1:A:146:ILE:HA	2.46	0.44
1:A:163:GLU:OE2	1:A:244:LEU:HG	2.17	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:284:GLU:HA	2:B:442:HOH:O	2.18	0.44
1:B:298:MET:HG2	2:B:450:HOH:O	2.17	0.44
1:B:242:PRO:HG2	1:B:245:THR:OG1	2.17	0.44
1:B:90:THR:N	1:B:119:GLY:O	2.51	0.44
1:B:90:THR:HG22	1:B:120:LEU:HD13	2.00	0.44
1:A:103:PRO:O	1:A:107:PRO:HG2	2.18	0.44
1:B:220:TYR:CB	2:B:334:HOH:O	2.65	0.43
1:A:108:ARG:NH1	2:A:439:HOH:O	2.47	0.43
1:A:246:VAL:HA	1:A:249:LEU:HD12	2.00	0.43
1:B:171:ARG:HA	1:B:176:PHE:CD1	2.53	0.43
1:A:230:ARG:CZ	2:A:350:HOH:O	2.67	0.43
1:B:110:PHE:HB2	1:B:111:PRO:HD3	2.00	0.43
1:A:287:ILE:O	1:A:291:ARG:HG3	2.19	0.43
1:B:276:ASP:O	1:B:277:TYR:C	2.57	0.43
1:A:114:LYS:HA	1:B:217:GLN:OE1	2.18	0.43
1:A:201:ARG:NH2	2:A:412:HOH:O	2.51	0.43
1:B:250:SER:HB2	1:B:251:PRO:HD2	2.01	0.43
1:A:97:VAL:O	1:A:126:GLU:HA	2.19	0.42
1:A:166:LEU:HD22	1:A:259:PRO:HA	2.01	0.42
1:A:284:GLU:HG3	2:A:333:HOH:O	2.20	0.42
1:A:191:LEU:HD21	1:A:193:LEU:HD21	2.02	0.42
1:B:244:LEU:HD23	1:B:244:LEU:HA	1.86	0.42
1:A:95:ILE:HD11	1:A:145:ILE:HG13	2.02	0.42
1:B:296:SER:HA	1:B:299:HIS:CE1	2.55	0.42
1:B:220:TYR:CD2	1:B:228:PHE:HE1	2.38	0.41
1:A:102:ALA:N	1:A:103:PRO:CD	2.83	0.41
1:A:255:GLU:HG2	2:A:368:HOH:O	2.19	0.41
1:A:186:VAL:HG21	1:A:207:PHE:HE1	1.85	0.41
1:A:164:GLU:CD	1:A:305:GLN:HE21	2.20	0.41
1:B:225:MET:HE3	1:B:242:PRO:CD	2.50	0.41
1:A:129:THR:O	1:A:133:LEU:HG	2.20	0.41
1:A:150:ALA:O	1:A:151:GLU:C	2.59	0.41
1:B:206:ARG:CG	1:B:207:PHE:N	2.83	0.41
1:B:104:TYR:HB2	2:B:381:HOH:O	2.20	0.41
1:A:260:PHE:HB2	1:A:265:PRO:HD2	2.02	0.41
1:A:115:LYS:CB	1:A:115:LYS:NZ	2.82	0.41
1:A:161:TYR:CE1	1:A:269:VAL:HG21	2.56	0.41
1:A:128:GLN:H	1:A:131:ARG:NH2	2.18	0.41
1:B:303:THR:HA	2:B:387:HOH:O	2.21	0.41
1:A:115:LYS:HB3	1:A:115:LYS:HZ2	1.87	0.40
1:A:98:LEU:HD11	1:A:146:ILE:HG22	2.03	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:PHE:CD1	1:A:210:MET:HE3	2.55	0.40
1:B:194:LEU:HD12	1:B:198:HIS:CE1	2.56	0.40
1:B:108:ARG:O	2:B:346:HOH:O	2.22	0.40
1:A:136:LEU:HD22	1:A:273:VAL:HA	2.04	0.40
1:A:206:ARG:HG3	1:A:207:PHE:CE2	2.56	0.40
1:A:238:ILE:CG2	1:A:239:THR:N	2.84	0.40
1:B:231:LEU:O	1:B:236:GLN:HB2	2.22	0.40
1:B:163:GLU:OE2	1:B:244:LEU:HB2	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	218/232 (94%)	212 (97%)	6 (3%)	0	100	100
1	B	218/232 (94%)	211 (97%)	7 (3%)	0	100	100
All	All	436/464 (94%)	423 (97%)	13 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	194/206 (94%)	188 (97%)	6 (3%)	47	17

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	194/206 (94%)	188 (97%)	6 (3%)	47	17
All	All	388/412 (94%)	376 (97%)	12 (3%)	47	17

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	115	LYS
1	A	116	GLU
1	A	170	SER
1	A	220	TYR
1	A	247	GLU
1	A	271	LEU
1	B	115	LYS
1	B	170	SER
1	B	220	TYR
1	B	247	GLU
1	B	279	ARG
1	B	280	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	123	HIS
1	A	178	GLN
1	B	178	GLN
1	B	275	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

There are no ligands in this entry.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	220/232 (94%)	1.46	45 (20%) <b>1</b> <b>1</b>	22, 33, 43, 47	0
1	B	220/232 (94%)	1.16	32 (14%) <b>3</b> <b>3</b>	21, 32, 43, 49	0
All	All	440/464 (94%)	1.31	77 (17%) <b>2</b> <b>2</b>	21, 32, 43, 49	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	278	SER	6.9
1	A	303	THR	6.3
1	A	309	HIS	6.1
1	A	120	LEU	5.4
1	B	213	LEU	4.9
1	A	119	GLY	4.9
1	A	211	LYS	4.4
1	A	214	HIS	4.3
1	A	122	ILE	3.9
1	B	211	LYS	3.6
1	A	155	LEU	3.6
1	A	90	THR	3.5
1	A	91	GLY	3.5
1	A	282	LEU	3.4
1	A	273	VAL	3.4
1	B	309	HIS	3.4
1	A	137	LEU	3.3
1	A	213	LEU	3.3
1	B	193	LEU	3.3
1	A	95	ILE	3.2
1	A	136	LEU	3.2
1	A	277	TYR	3.2
1	B	214	HIS	3.2
1	A	219	ALA	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	215	GLU	3.1
1	B	205	VAL	3.0
1	B	215	GLU	3.0
1	A	133	LEU	3.0
1	A	271	LEU	2.9
1	B	280	ARG	2.9
1	B	209	GLN	2.9
1	A	210	MET	2.8
1	B	210	MET	2.8
1	A	275	GLN	2.7
1	B	119	GLY	2.7
1	A	289	LEU	2.7
1	A	144	ALA	2.6
1	A	115	LYS	2.6
1	B	110	PHE	2.6
1	A	143	MET	2.6
1	A	109	VAL	2.6
1	A	165	PHE	2.5
1	A	152	THR	2.5
1	A	175	LEU	2.5
1	A	186	VAL	2.5
1	B	114	LYS	2.5
1	B	118	ALA	2.5
1	A	132	CYS	2.5
1	A	276	ASP	2.5
1	B	300	LYS	2.4
1	B	246	VAL	2.4
1	B	175	LEU	2.4
1	B	200	PHE	2.3
1	B	138	SER	2.3
1	B	90	THR	2.3
1	A	209	GLN	2.2
1	B	180	VAL	2.2
1	A	93	LEU	2.2
1	A	141	ILE	2.2
1	A	195	ASP	2.2
1	A	286	LEU	2.2
1	B	181	ILE	2.2
1	A	216	ARG	2.2
1	B	269	VAL	2.2
1	B	256	LEU	2.2
1	B	101	ILE	2.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	241	ILE	2.1
1	A	118	ALA	2.1
1	B	109	VAL	2.1
1	A	139	GLY	2.1
1	A	308	ALA	2.1
1	B	162	TYR	2.1
1	B	220	TYR	2.0
1	B	244	LEU	2.0
1	A	146	ILE	2.0
1	B	278	SER	2.0
1	B	303	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.