



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:56 PM GMT

PDB ID : 1HXY  
Title : CRYSTAL STRUCTURE OF STAPHYLOCOCCAL ENTEROTOXIN H IN  
COMPLEX WITH HUMAN MHC CLASS II  
Authors : Petersson, K.; Hakansson, M.; Nilsson, H.; Forsberg, G.; Svensson, L.A.; Liljas,  
A.; Walse, B.  
Deposited on : 2001-01-17  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	182	<div> <div>2%</div> <div> <div></div> <div>59%</div> <div>38%</div> <div>...</div> </div> </div>
2	B	190	<div> <div>3%</div> <div> <div></div> <div>56%</div> <div>35%</div> <div>5%</div> </div> </div>
3	C	13	<div> <div></div> <div> <div></div> <div>62%</div> <div>38%</div> </div> </div>
4	D	213	<div> <div>3%</div> <div> <div></div> <div>64%</div> <div>33%</div> <div>.</div> </div> </div>

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 4828 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DR ALPHA CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	180	Total	C	N	O	S	0	0	0
			1475	955	240	275	5			

- Molecule 2 is a protein called HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DR-1 BETA CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	180	Total	C	N	O	S	0	0	0
			1463	924	261	272	6			

- Molecule 3 is a protein called HEMAGGLUTININ.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	13	Total	C	N	O	0	0	0
			106	69	18	19			

- Molecule 4 is a protein called ENTEROTOXIN H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	212	Total	C	N	O	S	0	0	0
			1695	1066	278	348	3			

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	1	Total	Zn	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	23	Total 23	O 23	0	0
6	B	30	Total 30	O 30	0	0
6	C	5	Total 5	O 5	0	0
6	D	30	Total 30	O 30	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DR ALPHA CHAIN




#### • Molecule 2: HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DR-1 BETA CHAIN



#### • Molecule 3: HEMAGGLUTININ



#### • Molecule 4: ENTEROTOXIN H



T213	R108	V109	I110	W115	G118	I119	R127	Q136	E137	L138	D139	I140	K141	L142	R143	K144	S157	L163	I164	E165	F166	D167	M168	K169	T170	P171	R172	D173	Y174	S175	F176	D177	D180	L181	K182	D186	T189	D190	K191	I192	Y193	E194	D195	W196	K197	K200	D203	I204
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	123.62Å 122.84Å 48.51Å 90.00° 100.13° 90.00°	Depositor
Resolution (Å)	30.00 – 2.60 29.32 – 2.60	Depositor EDS
% Data completeness (in resolution range)	96.0 (30.00-2.60) 96.2 (29.32-2.60)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.80 (at 2.61Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.202 , 0.258 0.203 , 0.257	Depositor DCC
$R_{free}$ test set	1075 reflections (5.09%)	DCC
Wilson B-factor (Å <sup>2</sup> )	38.7	Xtriage
Anisotropy	0.394	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 49.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 21813 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4828	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.51% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.45	0/1520	0.69	1/2072 (0.0%)
2	B	0.43	0/1500	0.65	0/2037
3	C	0.45	0/107	0.74	0/141
4	D	0.38	0/1721	0.63	0/2320
All	All	0.42	0/4848	0.66	1/6570 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	92	LEU	CA-CB-CG	5.24	127.34	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1475	0	1408	69	0
2	B	1463	0	1382	69	1
3	C	106	0	119	15	0
4	D	1695	0	1617	60	0
5	D	1	0	0	0	0
6	A	23	0	0	3	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	30	0	0	7	0
6	C	5	0	0	0	0
6	D	30	0	0	6	0
All	All	4828	0	4526	188	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (188) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:LYS:NZ	1:A:126:LYS:HB3	1.84	0.93
1:A:90:THR:HB	6:A:193:HOH:O	1.69	0.93
1:A:77:SER:O	1:A:80:THR:HG23	1.72	0.90
2:B:11:LEU:HD23	3:C:313:THR:HG22	1.58	0.86
3:C:307:LYS:HE3	6:D:611:HOH:O	1.77	0.85
4:D:39:LYS:HA	6:D:614:HOH:O	1.77	0.84
2:B:113:ASN:ND2	2:B:114:LEU:H	1.83	0.77
2:B:71:ARG:HH12	3:C:311:GLN:HG3	1.51	0.76
2:B:36:GLU:OE2	2:B:39:ARG:HD2	1.86	0.76
4:D:76:ALA:H	4:D:136:GLN:NE2	1.84	0.75
2:B:81:HIS:CD2	3:C:309:VAL:HG23	2.22	0.74
6:B:203:HOH:O	3:C:309:VAL:HB	1.88	0.74
1:A:123:ARG:HG3	1:A:161:TYR:CE2	2.23	0.74
2:B:18:PHE:HB2	2:B:23:ARG:HB2	1.70	0.72
2:B:3:THR:HG21	6:B:216:HOH:O	1.89	0.72
1:A:122:LEU:HD11	1:A:164:ARG:NH1	2.05	0.72
4:D:118:GLY:HA2	6:D:611:HOH:O	1.88	0.72
2:B:97:PRO:HB3	2:B:122:PHE:HB3	1.73	0.71
4:D:108:ARG:NH1	4:D:110:ILE:HG12	2.07	0.70
4:D:76:ALA:H	4:D:136:GLN:HE21	1.40	0.69
2:B:71:ARG:NH1	3:C:311:GLN:HG3	2.06	0.69
1:A:126:LYS:HB3	1:A:126:LYS:HZ3	1.56	0.69
1:A:92:LEU:HD12	1:A:92:LEU:H	1.57	0.69
1:A:126:LYS:HZ2	1:A:126:LYS:HB3	1.57	0.68
1:A:4:GLU:HG3	2:B:19:ASN:H	1.57	0.68
4:D:52:ASP:CB	4:D:85:ILE:HD11	2.24	0.68
1:A:92:LEU:H	1:A:92:LEU:CD1	2.09	0.66
1:A:98:GLU:HG3	1:A:101:GLU:OE1	1.96	0.65
3:C:309:VAL:HG22	4:D:115:TRP:HZ2	1.61	0.65
1:A:16:PRO:HD2	2:B:6:ARG:HD3	1.79	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:111:LYS:HG2	1:A:140:ARG:NH2	2.13	0.64
1:A:180:PHE:HE1	1:A:182:ALA:HB2	1.62	0.64
1:A:55:GLU:OE1	1:A:57:GLN:HB2	1.98	0.64
1:A:41:THR:HG21	1:A:54:PHE:O	1.99	0.62
1:A:92:LEU:HD12	1:A:92:LEU:N	2.14	0.62
1:A:180:PHE:CE1	1:A:182:ALA:HB2	2.34	0.61
4:D:189:ILE:O	4:D:192:ILE:HG23	2.01	0.61
4:D:29:ASN:ND2	4:D:70:ASN:HB3	2.15	0.61
2:B:3:THR:CG2	6:B:216:HOH:O	2.46	0.61
4:D:60:ALA:HA	6:D:614:HOH:O	2.00	0.60
2:B:180:VAL:HG12	6:B:202:HOH:O	2.01	0.60
3:C:309:VAL:HG22	4:D:115:TRP:CZ2	2.35	0.60
4:D:52:ASP:OD2	4:D:88:ASN:HB3	2.02	0.60
4:D:93:LEU:HD23	4:D:94:TYR:N	2.16	0.60
4:D:9:LEU:HD22	4:D:181:LEU:HD12	1.84	0.60
1:A:147:LYS:NZ	1:A:149:HIS:HE1	2.00	0.60
4:D:94:TYR:HD2	4:D:194:GLU:HB3	1.67	0.59
2:B:67:LEU:HD23	2:B:67:LEU:C	2.23	0.59
1:A:17:ASP:O	1:A:18:GLN:HB2	2.01	0.58
1:A:138:LEU:HB2	1:A:146:ARG:HB2	1.85	0.58
2:B:11:LEU:CD2	3:C:313:THR:HG22	2.31	0.58
1:A:108:PHE:HB2	6:B:217:HOH:O	2.04	0.57
1:A:77:SER:O	1:A:80:THR:CG2	2.48	0.57
2:B:65:LYS:O	2:B:69:GLU:HG2	2.05	0.57
1:A:118:ASN:HB3	1:A:166:GLU:HB2	1.86	0.57
2:B:21:THR:HG23	2:B:21:THR:O	2.03	0.57
2:B:36:GLU:O	2:B:50:VAL:CG2	2.53	0.56
1:A:147:LYS:HZ2	1:A:149:HIS:HE1	1.53	0.56
4:D:182:LYS:HD2	6:D:610:HOH:O	2.04	0.56
2:B:50:VAL:HG23	2:B:51:THR:HG23	1.85	0.56
4:D:109:VAL:HG22	4:D:127:ARG:HG2	1.87	0.56
1:A:44:ARG:O	1:A:45:LEU:HD23	2.05	0.56
4:D:182:LYS:HA	6:D:610:HOH:O	2.05	0.56
2:B:25:ARG:HD2	2:B:43:ASP:OD2	2.06	0.56
4:D:6:LYS:NZ	4:D:157:SER:OG	2.38	0.55
4:D:163:LEU:HD12	4:D:176:PHE:O	2.07	0.55
4:D:195:ASP:OD2	4:D:197:LYS:HB2	2.07	0.55
2:B:28:GLU:HB3	2:B:40:PHE:HB3	1.89	0.54
4:D:54:ARG:NH2	4:D:85:ILE:HG23	2.22	0.54
2:B:176:GLU:HG2	2:B:183:PRO:HG3	1.88	0.54
4:D:108:ARG:HH12	4:D:110:ILE:HG12	1.72	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:142:ASP:OD1	1:A:144:LEU:HB2	2.08	0.53
1:A:103:ASN:HB3	1:A:153:PHE:CE1	2.44	0.53
1:A:92:LEU:HD21	6:B:217:HOH:O	2.07	0.53
4:D:34:GLU:HB3	4:D:42:ILE:HB	1.91	0.53
4:D:94:TYR:CD2	4:D:194:GLU:HB3	2.45	0.52
1:A:39:LYS:HG2	1:A:60:LEU:HD11	1.92	0.52
2:B:52:GLU:OE1	2:B:55:ARG:HD2	2.10	0.51
4:D:12:LEU:HD11	4:D:16:ASN:HD21	1.75	0.51
2:B:29:ARG:HG2	2:B:29:ARG:HH11	1.74	0.51
4:D:191:LYS:O	4:D:194:GLU:HG2	2.11	0.51
2:B:29:ARG:HG2	2:B:29:ARG:NH1	2.26	0.51
2:B:113:ASN:HD22	2:B:114:LEU:H	1.58	0.51
2:B:78:TYR:HA	6:B:203:HOH:O	2.11	0.51
1:A:92:LEU:N	1:A:92:LEU:CD1	2.73	0.51
2:B:70:GLN:HE22	3:C:311:GLN:HE22	1.59	0.50
2:B:174:GLN:HG3	2:B:185:THR:HG22	1.93	0.50
1:A:92:LEU:HD13	1:A:106:ILE:HB	1.91	0.50
1:A:38:LYS:HD3	1:A:40:GLU:CD	2.31	0.50
2:B:71:ARG:NH1	3:C:311:GLN:CG	2.75	0.50
2:B:57:ASP:CG	3:C:316:LEU:HD22	2.31	0.50
2:B:24:VAL:CG1	2:B:75:VAL:HG13	2.42	0.50
4:D:93:LEU:HD23	4:D:93:LEU:C	2.32	0.50
1:A:90:THR:CG2	1:A:108:PHE:HB3	2.42	0.49
4:D:35:ILE:HA	4:D:40:ASP:O	2.13	0.49
1:A:122:LEU:HD11	1:A:164:ARG:HH12	1.74	0.49
4:D:16:ASN:HB3	4:D:186:ASP:OD1	2.12	0.49
1:A:107:CYS:HB2	1:A:121:TRP:CH2	2.48	0.49
1:A:3:GLU:HB2	2:B:18:PHE:CD2	2.47	0.49
1:A:147:LYS:NZ	1:A:149:HIS:CE1	2.81	0.49
1:A:38:LYS:O	1:A:39:LYS:HB2	2.13	0.49
2:B:93:ARG:O	2:B:94:ARG:NH1	2.46	0.49
1:A:77:SER:O	1:A:78:ASN:HB2	2.13	0.48
1:A:111:LYS:HG2	1:A:140:ARG:CZ	2.42	0.48
2:B:29:ARG:HH11	2:B:29:ARG:CG	2.26	0.48
1:A:176:LYS:HD3	1:A:176:LYS:HA	1.69	0.48
4:D:29:ASN:HB2	4:D:100:ASN:OD1	2.13	0.48
2:B:113:ASN:ND2	2:B:114:LEU:N	2.58	0.48
4:D:139:ASP:O	4:D:143:ARG:HG3	2.13	0.48
4:D:142:ILE:CG2	4:D:164:ILE:HD13	2.44	0.48
4:D:186:ASP:HB3	4:D:190:ASP:OD2	2.14	0.48
2:B:116:VAL:HG22	2:B:160:MET:HG2	1.96	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:87:GLU:HG2	2:B:92:GLN:NE2	2.29	0.48
1:A:90:THR:HG23	1:A:108:PHE:HB3	1.96	0.47
2:B:152:ASP:O	2:B:153:TRP:HB2	2.14	0.47
1:A:62:ASN:ND2	3:C:313:THR:HG23	2.29	0.47
1:A:76:ARG:NH1	2:B:57:ASP:OD2	2.39	0.47
4:D:29:ASN:C	4:D:29:ASN:ND2	2.68	0.47
4:D:106:GLN:HB2	4:D:106:GLN:HE21	1.52	0.47
4:D:192:ILE:HD11	4:D:193:TYR:CZ	2.50	0.47
1:A:50:ARG:HG2	1:A:51:PHE:CE1	2.49	0.47
1:A:26:PHE:HB2	1:A:31:ILE:HD11	1.97	0.47
4:D:200:LYS:HD3	4:D:203:ASP:OD2	2.15	0.47
1:A:12:PHE:C	1:A:12:PHE:CD1	2.89	0.47
1:A:4:GLU:OE1	2:B:19:ASN:HA	2.14	0.46
1:A:4:GLU:HB2	2:B:17:PHE:O	2.15	0.46
2:B:99:VAL:HG12	2:B:186:VAL:HG11	1.96	0.46
4:D:52:ASP:HB2	4:D:85:ILE:HD11	1.96	0.46
4:D:65:LYS:O	4:D:69:LYS:NZ	2.41	0.46
1:A:122:LEU:HA	1:A:126:LYS:O	2.15	0.46
1:A:16:PRO:CD	2:B:6:ARG:HD3	2.46	0.46
4:D:35:ILE:HG22	4:D:36:SER:N	2.30	0.46
2:B:101:VAL:HG23	2:B:186:VAL:CG1	2.46	0.46
4:D:170:THR:O	4:D:172:ARG:N	2.47	0.45
2:B:3:THR:HG22	2:B:4:ARG:H	1.81	0.45
2:B:97:PRO:CB	2:B:122:PHE:HB3	2.44	0.45
4:D:108:ARG:NH2	4:D:204:ILE:O	2.50	0.45
2:B:39:ARG:HD3	2:B:50:VAL:CG1	2.46	0.45
4:D:39:LYS:NZ	4:D:39:LYS:HB2	2.32	0.45
2:B:13:PHE:CD2	3:C:311:GLN:HG2	2.52	0.45
2:B:81:HIS:O	2:B:85:VAL:HG23	2.17	0.45
2:B:127:ILE:HD11	2:B:175:VAL:CG1	2.46	0.44
1:A:76:ARG:HH12	2:B:57:ASP:CG	2.21	0.44
1:A:147:LYS:HZ2	1:A:149:HIS:CE1	2.35	0.44
4:D:52:ASP:CG	4:D:85:ILE:HD11	2.38	0.44
2:B:101:VAL:CG2	2:B:186:VAL:HG13	2.47	0.44
2:B:53:LEU:O	2:B:56:PRO:HD2	2.18	0.43
2:B:177:HIS:CD2	2:B:178:PRO:HD2	2.53	0.43
4:D:76:ALA:N	4:D:136:GLN:NE2	2.59	0.43
2:B:131:TRP:CD1	2:B:161:LEU:HB2	2.53	0.43
1:A:123:ARG:HD3	6:A:196:HOH:O	2.17	0.43
1:A:73:MET:HG3	2:B:9:TRP:CZ3	2.54	0.43
2:B:98:LYS:HE3	2:B:100:THR:OG1	2.18	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:72:ASP:O	4:D:73:ILE:HD13	2.19	0.43
1:A:55:GLU:HG3	4:D:119:ILE:HD13	1.99	0.43
4:D:74:TYR:CD2	4:D:137:GLU:HG3	2.54	0.43
1:A:8:ILE:HB	1:A:25:ASP:HB3	2.00	0.43
4:D:30:ILE:HG13	4:D:43:PHE:CE2	2.53	0.43
2:B:38:VAL:HG22	2:B:39:ARG:N	2.34	0.42
1:A:135:THR:HG23	1:A:148:PHE:HB2	2.02	0.42
1:A:114:PRO:HB2	1:A:115:PRO:HD2	2.01	0.42
1:A:94:ASN:HB2	1:A:104:VAL:HB	2.01	0.42
6:A:189:HOH:O	2:B:151:GLY:HA2	2.20	0.42
2:B:55:ARG:N	2:B:56:PRO:CD	2.82	0.42
1:A:73:MET:HG2	3:C:316:LEU:CD1	2.50	0.42
4:D:35:ILE:HG21	4:D:38:GLU:HA	2.00	0.41
1:A:73:MET:HE1	2:B:53:LEU:HB3	2.02	0.41
2:B:67:LEU:CD2	2:B:67:LEU:C	2.89	0.41
1:A:34:VAL:HG21	1:A:59:ALA:HB2	2.02	0.41
4:D:29:ASN:C	4:D:29:ASN:HD22	2.23	0.41
1:A:41:THR:HG22	1:A:56:ALA:HB2	2.02	0.41
1:A:38:LYS:HD3	1:A:40:GLU:OE1	2.20	0.41
2:B:99:VAL:HA	2:B:118:SER:O	2.20	0.41
1:A:11:GLU:OE1	1:A:62:ASN:HB3	2.21	0.41
2:B:74:ALA:O	2:B:78:TYR:HB3	2.21	0.41
1:A:14:LEU:HD12	2:B:7:PHE:O	2.21	0.41
4:D:174:TYR:CE2	4:D:197:LYS:HE2	2.56	0.41
2:B:94:ARG:HG2	2:B:179:SER:HA	2.02	0.41
4:D:61:ASP:O	4:D:64:GLN:HB3	2.21	0.41
4:D:177:ASP:HB3	4:D:180:ASP:CB	2.50	0.41
4:D:177:ASP:HB3	4:D:180:ASP:HB3	2.03	0.41
4:D:75:GLY:CA	4:D:136:GLN:NE2	2.84	0.40
4:D:168:MET:HB2	4:D:172:ARG:HB3	2.02	0.40
2:B:10:GLN:HB2	2:B:31:ILE:HB	2.03	0.40
4:D:24:PRO:HB3	4:D:140:ILE:HG21	2.03	0.40
4:D:165:GLU:HG2	4:D:173:ASP:OD1	2.21	0.40
1:A:99:LEU:O	1:A:100:ARG:HB2	2.21	0.40
2:B:67:LEU:O	2:B:67:LEU:HD23	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:143:VAL:CG1	2:B:143:VAL:CG1[2_555]	1.98	0.22

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	178/182 (98%)	169 (95%)	8 (4%)	1 (1%)	30	56
2	B	176/190 (93%)	165 (94%)	11 (6%)	0	100	100
3	C	11/13 (85%)	11 (100%)	0	0	100	100
4	D	210/213 (99%)	199 (95%)	9 (4%)	2 (1%)	19	39
All	All	575/598 (96%)	544 (95%)	28 (5%)	3 (0%)	34	60

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	130	THR
4	D	29	ASN
4	D	171	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	163/166 (98%)	156 (96%)	7 (4%)	35	64
2	B	157/171 (92%)	147 (94%)	10 (6%)	22	43
3	C	12/12 (100%)	12 (100%)	0	100	100
4	D	183/193 (95%)	176 (96%)	7 (4%)	40	68
All	All	515/542 (95%)	491 (95%)	24 (5%)	32	59

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	THR
1	A	57	GLN
1	A	92	LEU
1	A	98	GLU
1	A	117	VAL
1	A	158	GLU
1	A	181	ASP
2	B	3	THR
2	B	21	THR
2	B	29	ARG
2	B	39	ARG
2	B	94	ARG
2	B	112	HIS
2	B	113	ASN
2	B	143	VAL
2	B	144	SER
2	B	180	VAL
4	D	29	ASN
4	D	106	GLN
4	D	142	ILE
4	D	144	LYS
4	D	167	ASP
4	D	173	ASP
4	D	182	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	143	HIS
1	A	149	HIS
2	B	70	GLN
2	B	92	GLN
2	B	113	ASN
2	B	156	GLN
3	C	311	GLN
4	D	29	ASN
4	D	100	ASN
4	D	106	GLN
4	D	136	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	180/182 (98%)	-0.20	4 (2%) 65 59	19, 36, 58, 83	0
2	B	180/190 (94%)	-0.03	5 (2%) 56 49	24, 38, 70, 85	0
3	C	13/13 (100%)	-0.13	0 100 100	28, 39, 48, 56	0
4	D	212/213 (99%)	0.03	6 (2%) 56 49	26, 47, 74, 89	0
All	All	585/598 (97%)	-0.06	15 (2%) 59 53	19, 39, 71, 89	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	182	ALA	9.3
4	D	88	ASN	4.1
1	A	3	GLU	3.8
4	D	87	GLU	3.4
2	B	168	GLY	3.2
2	B	167	SER	3.2
1	A	130	THR	3.1
2	B	190	ALA	2.8
4	D	85	ILE	2.8
4	D	39	LYS	2.6
2	B	165	PRO	2.4
4	D	51	ASN	2.2
2	B	180	VAL	2.2
4	D	89	ILE	2.2
1	A	37	ALA	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
5	ZN	D	600	1/1	0.99	0.12	-	53,53,53,53	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.