



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:38 AM GMT

PDB ID : 2HX2
Title : Bovine eNOS heme domain complexed with (4S)-N-{4-Amino-5-[(2-aminoethyl)-hydroxyamino]-pentyl}-N'-nitroguanidine
Authors : Igarashi, J.; Li, H.; Poulos, T.L.
Deposited on : 2006-08-02
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1833 (1.96-1.96)
Clashscore	102246	1953 (1.96-1.96)
Ramachandran outliers	100387	1936 (1.96-1.96)
Sidechain outliers	100360	1936 (1.96-1.96)
RSRZ outliers	91569	1835 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	416	<div> <div>8%</div> <div>85%</div> <div>11%</div> <div>• •</div> </div>
1	B	416	<div> <div>4%</div> <div>83%</div> <div>12%</div> <div>• •</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ACT	A	860	-	-	-	X
3	ACT	A	861	-	-	-	X
3	ACT	B	860	-	-	-	X
3	ACT	B	861	-	-	-	X
7	3HX	A	793	-	-	-	X
7	3HX	B	793	-	-	-	X
8	GOL	A	880	-	-	-	X
8	GOL	B	880	-	-	-	X

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 7132 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nitric-oxide synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	403	Total	C	N	O	S	0	0	0
			3202	2036	563	587	16			
1	B	402	Total	C	N	O	S	0	0	0
			3202	2035	565	586	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	ARG	CYS	SEE REMARK 999	UNP P29473
B	100	ARG	CYS	SEE REMARK 999	UNP P29473

- Molecule 2 is CACODYLATE ION (three-letter code: CAC) (formula: C₂H₆AsO₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	As	C	0	0
			3	1	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	As	C	0	0
			3	1	2		

- Molecule 3 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Zn	0	0
			1	1		

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 6 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula: $C_9H_{15}N_5O_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			17	9	5	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 7 is (4S)-N-{4-AMINO-5-[(2-AMINOETHYL)(HYDROXYAMINO)]-PENTYL}-N'-NITROGUANIDINE (three-letter code: 3HX) (formula: C₈H₂₁N₇O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			18	8	7	3		
7	B	1	Total	C	N	O	0	0
			18	8	7	3		

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	269	Total	O	0	0
			269	269		
9	B	268	Total	O	0	0
			268	268		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Nitric-oxide synthase



• Molecule 1: Nitric-oxide synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.82Å 106.85Å 156.35Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.36 – 1.95 48.36 – 1.95	Depositor EDS
% Data completeness (in resolution range)	98.2 (48.36-1.95) 98.3 (48.36-1.95)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.06 (at 1.95Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.180 , 0.213 0.175 , 0.209	Depositor DCC
R_{free} test set	3472 reflections (5.22%)	DCC
Wilson B-factor (Å ²)	28.7	Xtriage
Anisotropy	0.302	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 49.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 69931 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7132	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, H4B, 3HX, ACT, CAC, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/3291	0.65	1/4483 (0.0%)
1	B	0.42	0/3290	0.67	1/4480 (0.0%)
All	All	0.42	0/6581	0.66	2/8963 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	360	MET	N-CA-C	-5.79	95.37	111.00
1	A	360	MET	N-CA-C	-5.27	96.77	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	137	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3202	0	3106	41	0
1	B	3202	0	3109	44	0
2	A	3	0	0	0	0
2	B	3	0	0	1	0
3	A	8	0	6	0	0
3	B	8	0	6	0	0
4	A	1	0	0	0	0
5	A	43	0	30	1	0
5	B	43	0	30	1	0
6	A	17	0	15	1	0
6	B	17	0	15	1	0
7	A	18	0	21	4	0
7	B	18	0	21	3	0
8	A	6	0	8	1	0
8	B	6	0	8	0	0
9	A	269	0	0	6	0
9	B	268	0	0	2	0
All	All	7132	0	6375	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:LEU:HD11	1:A:156:GLU:HG2	1.49	0.93
1:A:92:GLN:HE22	1:A:476:ARG:HH22	0.97	0.90
1:A:240:ARG:HD3	1:A:298:PRO:HB3	1.57	0.85
1:A:92:GLN:NE2	1:A:476:ARG:HH22	1.76	0.83
1:B:130:ARG:HB3	1:B:130:ARG:HH11	1.42	0.82
1:B:69:LYS:HD2	1:B:70:PHE:H	1.48	0.78
1:A:99:ARG:HH11	1:A:99:ARG:HB2	1.49	0.77
1:B:338:VAL:HG22	7:B:793:3HX:H1	1.66	0.75
1:A:243:PHE:O	1:A:244:ARG:HG2	1.87	0.75
1:B:99:ARG:HB2	1:B:99:ARG:HH11	1.49	0.74
1:B:106:VAL:HG12	1:B:107:LEU:HD13	1.72	0.71
1:A:149:GLU:O	1:A:153:GLN:HG2	1.93	0.69
1:A:240:ARG:HD3	1:A:298:PRO:CB	2.24	0.67
1:B:388:ASP:OD1	1:B:390:ARG:HB3	1.95	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:130:ARG:HB3	1:B:130:ARG:NH1	2.10	0.66
1:B:370:CYS:SG	1:B:378:LEU:HD13	2.36	0.65
1:B:126:LEU:O	1:B:130:ARG:HG3	1.96	0.65
1:B:281:TRP:HB2	1:B:304:LEU:HD21	1.78	0.64
1:A:99:ARG:NH1	1:A:99:ARG:HB2	2.13	0.63
8:A:880:GOL:H2	9:A:906:HOH:O	1.98	0.62
1:B:126:LEU:HD21	1:B:156:GLU:OE2	2.00	0.61
1:A:370:CYS:SG	1:A:378:LEU:HD13	2.43	0.59
1:A:77:GLU:HG3	1:B:372:PRO:HG2	1.85	0.59
1:A:152:LEU:O	1:A:156:GLU:HG3	2.05	0.56
1:B:140:ILE:HD12	1:B:142:ARG:HD2	1.86	0.56
1:B:338:VAL:CG2	7:B:793:3HX:H1	2.35	0.56
1:A:270:VAL:O	1:A:274:GLU:HG3	2.06	0.55
1:B:69:LYS:HD2	1:B:70:PHE:N	2.21	0.54
1:A:281:TRP:HB2	1:A:304:LEU:HD21	1.89	0.54
5:B:700:HEM:O2D	7:B:793:3HX:H1'2	2.08	0.54
1:A:126:LEU:HD12	1:A:130:ARG:CZ	2.39	0.53
1:B:167:LEU:HG	1:B:348:LEU:HD12	1.91	0.52
1:B:146:GLN:O	1:B:150:GLU:HG3	2.10	0.52
1:A:240:ARG:HD2	1:A:241:GLY:O	2.09	0.52
1:B:149:GLU:O	1:B:153:GLN:HG3	2.10	0.51
1:A:218:LYS:HG2	1:A:311:LEU:HD22	1.92	0.51
1:B:246:TRP:HB2	1:B:294:LEU:HB3	1.93	0.51
1:B:340:ASN:HD22	1:B:340:ASN:H	1.58	0.50
5:A:700:HEM:O2D	7:A:793:3HX:H2	2.12	0.49
1:A:95:PRO:HB3	1:A:108:PRO:HB2	1.95	0.49
1:A:340:ASN:HD21	7:A:793:3HX:H2'1	1.78	0.49
1:A:214:CYS:SG	9:A:1168:HOH:O	2.60	0.49
1:A:240:ARG:NH2	9:A:1071:HOH:O	2.42	0.49
1:A:378:LEU:HB2	9:A:905:HOH:O	2.13	0.49
1:A:338:VAL:CG2	7:A:793:3HX:H1	2.43	0.49
1:A:151:ARG:HD3	1:A:168:ARG:CZ	2.43	0.49
1:B:69:LYS:HD2	1:B:69:LYS:N	2.28	0.48
1:A:310:GLU:HG2	9:A:1159:HOH:O	2.13	0.48
1:A:449:TRP:HA	6:A:760:H4B:N1	2.28	0.48
1:B:259:GLN:H	1:B:259:GLN:CD	2.17	0.48
1:B:449:TRP:HA	6:B:760:H4B:N1	2.29	0.47
1:B:378:LEU:HB2	9:B:1076:HOH:O	2.15	0.47
1:A:423:HIS:HB2	1:B:392:THR:HB	1.96	0.46
1:A:99:ARG:HA	1:A:99:ARG:CZ	2.46	0.45
1:A:70:PHE:O	1:B:109:ARG:NH1	2.50	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:338:VAL:HG22	7:A:793:3HX:H1	1.99	0.45
1:A:218:LYS:HE2	1:A:311:LEU:HD21	1.98	0.44
1:B:340:ASN:HD22	1:B:340:ASN:N	2.13	0.44
1:A:158:GLU:HG2	1:A:165:TYR:HA	2.00	0.43
1:A:279:HIS:HE1	9:A:1092:HOH:O	2.00	0.43
1:B:218:LYS:HE3	1:B:311:LEU:HD11	2.00	0.43
1:B:366:THR:O	1:B:370:CYS:HB2	2.19	0.43
1:A:126:LEU:HD23	1:A:159:VAL:HG11	2.01	0.43
1:A:99:ARG:CB	1:A:99:ARG:NH1	2.80	0.43
1:B:472:SER:HA	1:B:473:PRO:C	2.39	0.43
1:B:233:PHE:HB3	1:B:234:PRO:CD	2.49	0.43
1:B:180:TRP:CE3	1:B:192:TRP:HA	2.54	0.42
1:A:472:SER:HA	1:A:473:PRO:C	2.39	0.42
1:B:340:ASN:ND2	1:B:340:ASN:H	2.17	0.42
1:B:71:PRO:HG2	1:B:84:ASP:HB3	2.01	0.42
1:A:126:LEU:HD12	1:A:130:ARG:NH1	2.34	0.41
1:B:108:PRO:HA	9:B:1019:HOH:O	2.20	0.41
1:A:126:LEU:HD21	1:A:156:GLU:HA	2.02	0.41
1:A:344:GLU:OE1	1:A:476:ARG:NH2	2.53	0.41
1:B:259:GLN:NE2	1:B:260:ASP:OD1	2.54	0.41
1:B:130:ARG:HH11	1:B:130:ARG:CB	2.21	0.41
1:B:455:SER:HB3	1:B:458:LEU:HD12	2.01	0.41
1:A:183:ALA:HA	1:A:184:PRO:HD3	1.96	0.41
1:A:392:THR:HB	1:B:423:HIS:HB2	2.03	0.41
1:B:322:LEU:HD13	1:B:324:TRP:CZ2	2.56	0.41
1:B:99:ARG:HH11	1:B:99:ARG:CB	2.26	0.40
1:B:220:ALA:O	1:B:226:LEU:HA	2.22	0.40
1:B:324:TRP:HB2	2:B:850:CAC:C2	2.52	0.40
1:B:275:LEU:O	1:B:279:HIS:HD2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	399/416 (96%)	392 (98%)	7 (2%)	0	100	100
1	B	398/416 (96%)	382 (96%)	16 (4%)	0	100	100
All	All	797/832 (96%)	774 (97%)	23 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	342/354 (97%)	334 (98%)	8 (2%)	58	50
1	B	342/354 (97%)	330 (96%)	12 (4%)	43	29
All	All	684/708 (97%)	664 (97%)	20 (3%)	50	38

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	95	PRO
1	A	99	ARG
1	A	100	ARG
1	A	126	LEU
1	A	306	VAL
1	A	340	ASN
1	A	378	LEU
1	A	468	ASN
1	B	69	LYS
1	B	92	GLN
1	B	99	ARG
1	B	100	ARG
1	B	107	LEU
1	B	130	ARG
1	B	156	GLU
1	B	258	GLN
1	B	294	LEU
1	B	340	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	378	LEU
1	B	397	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	91	GLN
1	A	92	GLN
1	A	191	GLN
1	A	278	GLN
1	A	279	HIS
1	A	340	ASN
1	A	413	GLN
1	A	468	ASN
1	B	89	GLN
1	B	191	GLN
1	B	279	HIS
1	B	340	ASN
1	B	405	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 1 is monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	HEM	A	700	1	30,50,50	2.74	10 (33%)	24,82,82	2.21	9 (37%)
6	H4B	A	760	-	13,18,18	2.29	4 (30%)	11,26,26	4.06	6 (54%)
7	3HX	A	793	-	9,17,17	2.16	4 (44%)	8,20,20	0.82	0
2	CAC	A	850	1	0,2,4	0.00	-	0,1,6	0.00	-
3	ACT	A	860	-	1,3,3	2.91	1 (100%)	0,3,3	0.00	-
3	ACT	A	861	-	1,3,3	3.54	1 (100%)	0,3,3	0.00	-
8	GOL	A	880	-	5,5,5	0.13	0	5,5,5	0.12	0
5	HEM	B	700	1	30,50,50	2.54	8 (26%)	24,82,82	2.43	8 (33%)
6	H4B	B	760	-	13,18,18	2.25	4 (30%)	11,26,26	4.11	6 (54%)
7	3HX	B	793	-	9,17,17	2.42	4 (44%)	8,20,20	1.01	0
2	CAC	B	850	1	0,2,4	0.00	-	0,1,6	0.00	-
3	ACT	B	860	-	1,3,3	2.62	1 (100%)	0,3,3	0.00	-
3	ACT	B	861	-	1,3,3	2.64	1 (100%)	0,3,3	0.00	-
8	GOL	B	880	-	5,5,5	0.10	0	5,5,5	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEM	A	700	1	-	0/10/54/54	0/0/8/8
6	H4B	A	760	-	-	0/8/17/17	0/2/2/2
7	3HX	A	793	-	-	0/11/18/18	0/0/0/0
2	CAC	A	850	1	-	0/0/0/0	0/0/0/0
3	ACT	A	860	-	-	0/0/0/0	0/0/0/0
3	ACT	A	861	-	-	0/0/0/0	0/0/0/0
8	GOL	A	880	-	-	0/4/4/4	0/0/0/0
5	HEM	B	700	1	-	0/10/54/54	0/0/8/8
6	H4B	B	760	-	-	0/8/17/17	0/2/2/2
7	3HX	B	793	-	-	1/11/18/18	0/0/0/0
2	CAC	B	850	1	-	0/0/0/0	0/0/0/0
3	ACT	B	860	-	-	0/0/0/0	0/0/0/0
3	ACT	B	861	-	-	0/0/0/0	0/0/0/0
8	GOL	B	880	-	-	0/4/4/4	0/0/0/0

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	700	HEM	C3B-C4B	-7.29	1.45	1.51
5	A	700	HEM	C2D-C3D	-5.80	1.37	1.54
5	A	700	HEM	C3B-C4B	-5.76	1.46	1.51
5	A	700	HEM	C3B-CAB	-5.58	1.40	1.51
5	A	700	HEM	C3C-CAC	-5.16	1.41	1.51
5	B	700	HEM	C2D-C3D	-5.12	1.39	1.54
5	A	700	HEM	C3D-C4D	-5.09	1.45	1.51
5	B	700	HEM	C3B-CAB	-4.94	1.42	1.51
5	A	700	HEM	C2C-C1C	-4.30	1.44	1.52
5	B	700	HEM	C3D-C4D	-4.29	1.46	1.51
5	B	700	HEM	C3C-CAC	-4.11	1.43	1.51
5	B	700	HEM	C2C-C1C	-3.79	1.45	1.52
7	B	793	3HX	O1'-NA	-2.95	1.40	1.44
7	A	793	3HX	O1'-NA	-2.46	1.41	1.44
5	A	700	HEM	C2B-C1B	-2.38	1.44	1.51
5	A	700	HEM	C2D-C1D	-2.34	1.44	1.51
5	B	700	HEM	CHC-C1C	2.10	1.41	1.36
6	A	760	H4B	C8A-N1	2.23	1.38	1.34
6	B	760	H4B	C8A-N1	2.23	1.38	1.34
5	A	700	HEM	C1C-NC	2.43	1.39	1.36
3	B	860	ACT	CH3-C	2.62	1.52	1.48
7	A	793	3HX	CD-NE	2.63	1.52	1.47
3	B	861	ACT	CH3-C	2.64	1.52	1.48
7	B	793	3HX	CD-NE	2.65	1.52	1.47
3	A	860	ACT	CH3-C	2.91	1.52	1.48
5	B	700	HEM	C4C-NC	2.96	1.39	1.36
7	A	793	3HX	C-CA	3.43	1.57	1.53
7	B	793	3HX	C-CA	3.47	1.58	1.53
3	A	861	ACT	CH3-C	3.54	1.53	1.48
7	A	793	3HX	CB-CA	3.55	1.57	1.53
6	A	760	H4B	C4A-N5	3.74	1.46	1.38
6	B	760	H4B	C4A-N5	4.07	1.47	1.38
6	B	760	H4B	C6-N5	4.12	1.54	1.45
6	A	760	H4B	C6-N5	4.25	1.54	1.45
7	B	793	3HX	CB-CA	4.48	1.59	1.53
5	A	700	HEM	C4C-NC	4.52	1.41	1.36
6	B	760	H4B	C4-N3	4.79	1.42	1.33
6	A	760	H4B	C4-N3	5.05	1.42	1.33

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	700	HEM	CBA-CAA-C2A	-5.70	102.31	112.53
6	A	760	H4B	N3-C2-N1	-4.75	117.75	125.53
6	B	760	H4B	N3-C2-N1	-4.54	118.10	125.53
5	A	700	HEM	CBA-CAA-C2A	-3.93	105.49	112.53
5	A	700	HEM	CAA-C2A-C1A	-2.22	124.60	127.01
5	A	700	HEM	C3B-CAB-CBB	2.17	127.78	124.46
5	A	700	HEM	CMD-C2D-C3D	2.58	125.78	114.35
5	B	700	HEM	C3B-CAB-CBB	2.59	128.43	124.46
5	B	700	HEM	CMD-C2D-C3D	3.08	127.97	114.35
5	A	700	HEM	C2D-C3D-C4D	3.10	106.76	101.50
5	B	700	HEM	C2D-C3D-C4D	3.17	106.88	101.50
6	B	760	H4B	N2-C2-N1	3.24	122.57	117.20
6	A	760	H4B	N2-C2-N1	3.24	122.57	117.20
6	B	760	H4B	C2-N1-C8A	3.34	122.05	114.54
5	B	700	HEM	CAD-C3D-C4D	3.40	124.47	112.47
5	B	700	HEM	CMB-C2B-C3B	3.42	125.06	116.53
6	B	760	H4B	C4A-C8A-N8	3.55	122.61	118.43
6	A	760	H4B	C2-N1-C8A	3.66	122.76	114.54
5	A	700	HEM	CMB-C2B-C3B	3.71	125.81	116.53
6	A	760	H4B	C4A-C8A-N8	3.73	122.82	118.43
5	A	700	HEM	CAD-C3D-C4D	3.74	125.67	112.47
5	A	700	HEM	CMC-C2C-C3C	3.77	125.95	116.53
5	B	700	HEM	CMC-C2C-C3C	4.63	128.09	116.53
5	A	700	HEM	CAD-C3D-C2D	4.99	127.55	113.22
5	B	700	HEM	CAD-C3D-C2D	5.34	128.56	113.22
6	B	760	H4B	C4-N3-C2	6.59	125.08	115.94
6	A	760	H4B	C4-N3-C2	6.65	125.17	115.94
6	A	760	H4B	C4-C4A-C8A	8.47	122.23	114.56
6	B	760	H4B	C4-C4A-C8A	9.13	122.82	114.56

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	793	3HX	C2'-C1'-NA-O1'

There are no ring outliers.

8 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	700	HEM	1	0
6	A	760	H4B	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	793	3HX	4	0
8	A	880	GOL	1	0
5	B	700	HEM	1	0
6	B	760	H4B	1	0
7	B	793	3HX	3	0
2	B	850	CAC	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	403/416 (96%)	0.38	32 (7%) 15 24	20, 30, 54, 73	0
1	B	402/416 (96%)	0.23	16 (3%) 42 53	21, 32, 53, 73	0
All	All	805/832 (96%)	0.31	48 (5%) 25 35	20, 31, 54, 73	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	239	GLY	5.1
1	A	123	GLU	5.0
1	A	259	GLN	5.0
1	B	259	GLN	4.6
1	A	126	LEU	4.5
1	A	160	ALA	3.7
1	B	390	ARG	3.7
1	B	239	GLY	3.6
1	A	238	PRO	3.5
1	A	67	GLY	3.5
1	A	153	GLN	3.3
1	A	69	LYS	3.1
1	B	323	GLU	3.1
1	B	123	GLU	2.9
1	A	261	GLY	2.9
1	B	260	ASP	2.8
1	A	99	ARG	2.8
1	A	107	LEU	2.7
1	A	161	SER	2.7
1	B	223	ARG	2.7
1	B	257	ARG	2.7
1	A	91	GLN	2.7
1	A	124	GLN	2.7
1	A	450	ILE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	277	ILE	2.6
1	A	260	ASP	2.5
1	A	285	ASN	2.5
1	A	157	ALA	2.5
1	B	270	VAL	2.3
1	A	281	TRP	2.3
1	A	306	VAL	2.3
1	A	127	SER	2.3
1	A	257	ARG	2.2
1	A	258	GLN	2.2
1	A	187	VAL	2.2
1	B	278	GLN	2.2
1	A	159	VAL	2.2
1	A	449	TRP	2.1
1	B	144	GLY	2.1
1	B	261	GLY	2.1
1	B	142	ARG	2.1
1	A	156	GLU	2.1
1	B	447	TRP	2.1
1	A	448	ALA	2.1
1	A	146	GLN	2.1
1	A	149	GLU	2.0
1	A	277	ILE	2.0
1	B	482	TRP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	ACT	B	861	4/4	0.93	0.21	8.15	43,44,44,45	0
3	ACT	A	861	4/4	0.83	0.19	7.12	40,41,41,42	0
8	GOL	A	880	6/6	0.78	0.31	5.12	61,61,62,63	0
3	ACT	A	860	4/4	0.82	0.28	4.53	41,42,45,45	0
7	3HX	B	793	18/18	0.89	0.19	3.80	31,47,63,63	0
7	3HX	A	793	18/18	0.89	0.20	3.71	30,46,55,56	0
3	ACT	B	860	4/4	0.86	0.12	3.13	46,47,47,48	0
8	GOL	B	880	6/6	0.88	0.20	2.82	40,45,46,47	0
2	CAC	A	850	3/5	0.99	0.13	1.42	42,42,43,46	0
6	H4B	B	760	17/17	0.97	0.17	0.98	20,23,25,26	0
6	H4B	A	760	17/17	0.97	0.18	0.83	21,22,25,26	0
5	HEM	A	700	43/43	0.99	0.16	0.67	20,22,30,32	0
5	HEM	B	700	43/43	0.99	0.10	-0.01	19,23,29,30	0
2	CAC	B	850	3/5	0.99	0.08	-1.26	47,47,48,49	0
4	ZN	A	900	1/1	1.00	0.10	-3.49	24,24,24,24	0

6.5 Other polymers [i](#)

There are no such residues in this entry.