



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 03:07 PM BST

PDB ID : 1HZ8  
Title : SOLUTION STRUCTURE AND BACKBONE DYNAMICS OF A CON-  
CATEMER OF EGF-HOMOLOGY MODULES OF THE HUMAN LOW  
DENSITY LIPOPROTEIN RECEPTOR  
Authors : Kurniawan, N.D.; Aliabadizadeh, K.; Brereton, I.M.; Kroon, P.A.; Smith, R.  
Deposited on : 2001-01-23

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : unknown  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : rb-20027457  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027457


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	82	 65% 29% . .

## 2 Ensemble composition and analysis

This entry contains 30 models. Model 30 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:4-A:40 (37)	0.52	17
2	A:41-A:82 (42)	0.51	30

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 5 clusters. No single-model clusters were found.

Cluster number	Models
1	3, 4, 8, 11, 16, 17, 23, 27, 28, 29
2	6, 10, 13, 18, 19, 22
3	1, 2, 9, 14, 15
4	7, 20, 24, 26, 30
5	5, 12, 21, 25

### 3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 1174 atoms, of which 554 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called LOW DENSITY LIPOPROTEIN RECEPTOR.

Mol	Chain	Residues	Atoms						Trace
1	A	82	Total	C	H	N	O	S	0
			1172	369	554	107	130	12	

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	
2	A	2	Total	Ca
			2	2

## 4 Residue-property plots

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




#### 4.2.2 Score per residue for model 2

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.3 Score per residue for model 3

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.4 Score per residue for model 4

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.5 Score per residue for model 5

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.6 Score per residue for model 6

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.7 Score per residue for model 7

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.8 Score per residue for model 8

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.9 Score per residue for model 9

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.10 Score per residue for model 10

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.11 Score per residue for model 11

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.12 Score per residue for model 12

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.13 Score per residue for model 13

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.14 Score per residue for model 14

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.15 Score per residue for model 15

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




### 4.2.16 Score per residue for model 16

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR



### 4.2.17 Score per residue for model 17


- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR






#### 4.2.18 Score per residue for model 18

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




#### 4.2.19 Score per residue for model 19

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




#### 4.2.20 Score per residue for model 20

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




#### 4.2.21 Score per residue for model 21

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




#### 4.2.22 Score per residue for model 22

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




#### 4.2.23 Score per residue for model 23

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




#### 4.2.24 Score per residue for model 24

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




#### 4.2.25 Score per residue for model 25

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




#### 4.2.26 Score per residue for model 26

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




#### 4.2.27 Score per residue for model 27

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




#### 4.2.28 Score per residue for model 28

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR




#### 4.2.29 Score per residue for model 29

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR



#### 4.2.30 Score per residue for model 30 (medoid)

- Molecule 1: LOW DENSITY LIPOPROTEIN RECEPTOR



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *1. Torsion angles dynamics 2. Restrained molecular dynamics with calcium 3. Energy minimisation.*

Of the 100 calculated structures, 30 were deposited, based on the following criterion: *structures with the lowest energy.*

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
DYANA	structure solution	1.5
X-PLOR	refinement	3.85

No chemical shift data was provided. No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality [i](#)

### 6.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	1.18±0.01	0±0/607 (0.0±0.0%)	1.25±0.03	1±1/818 (0.2±0.1%)
All	All	1.18	0/18210 (0.0%)	1.25	44/24540 (0.2%)

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	64	CYS	CA-CB-SG	9.59	131.25	114.00	6	4
1	A	55	CYS	CA-CB-SG	6.79	126.22	114.00	20	6
1	A	66	CYS	CA-CB-SG	6.34	125.40	114.00	10	14
1	A	37	ARG	NE-CZ-NH2	-5.76	117.42	120.30	18	3
1	A	79	CYS	CA-CB-SG	5.61	124.09	114.00	1	3
1	A	23	TYR	CB-CG-CD2	-5.51	117.69	121.00	22	3
1	A	51	CYS	CA-CB-SG	5.31	123.56	114.00	18	2
1	A	38	ARG	NE-CZ-NH2	-5.30	117.65	120.30	28	9

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	599	538	538	16±3
All	All	18030	16140	16140	478

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:31:PHE:CD1	1:A:41:ASP:HB2	0.67	2.24	16	16
1:A:65:GLN:O	1:A:79:CYS:SG	0.64	2.56	26	11
1:A:27:CYS:SG	1:A:33:LEU:HB2	0.62	2.35	27	2
1:A:64:CYS:SG	1:A:65:GLN:N	0.61	2.74	18	3
1:A:12:CYS:SG	1:A:37:ARG:CZ	0.61	2.89	23	1
1:A:51:CYS:SG	1:A:65:GLN:O	0.60	2.59	11	4
1:A:70:PHE:CD2	1:A:80:LYS:HA	0.59	2.31	15	28
1:A:31:PHE:CZ	1:A:59:GLU:HB3	0.59	2.33	20	7
1:A:58:LEU:HD12	1:A:59:GLU:N	0.58	2.14	12	1
1:A:31:PHE:CE2	1:A:59:GLU:HG2	0.58	2.33	22	3
1:A:50:THR:HG22	1:A:64:CYS:SG	0.58	2.39	21	3
1:A:51:CYS:SG	1:A:55:CYS:SG	0.56	3.04	2	4
1:A:70:PHE:HB3	1:A:79:CYS:SG	0.56	2.39	24	5
1:A:27:CYS:SG	1:A:33:LEU:N	0.56	2.79	1	12
1:A:31:PHE:CE2	1:A:59:GLU:CG	0.56	2.89	1	6
1:A:31:PHE:CZ	1:A:59:GLU:HG2	0.56	2.36	22	3
1:A:44:GLU:CD	1:A:44:GLU:H	0.55	2.05	23	8
1:A:27:CYS:SG	1:A:32:GLN:C	0.55	2.84	2	2
1:A:62:TYR:CG	1:A:62:TYR:O	0.55	2.60	26	1
1:A:51:CYS:SG	1:A:55:CYS:HB2	0.55	2.42	2	4
1:A:44:GLU:H	1:A:44:GLU:CD	0.55	2.05	3	7
1:A:65:GLN:C	1:A:79:CYS:SG	0.54	2.86	2	13
1:A:9:ASN:ND2	1:A:12:CYS:SG	0.54	2.82	18	5
1:A:50:THR:HG21	1:A:55:CYS:SG	0.53	2.44	16	1
1:A:31:PHE:CE2	1:A:59:GLU:HG3	0.53	2.39	15	2
1:A:31:PHE:CB	1:A:39:CYS:SG	0.52	2.97	2	2
1:A:37:ARG:HD3	1:A:37:ARG:H	0.52	1.63	10	1
1:A:54:LEU:O	1:A:64:CYS:SG	0.52	2.66	22	2
1:A:9:ASN:O	1:A:12:CYS:SG	0.52	2.68	14	7
1:A:33:LEU:HD12	1:A:39:CYS:SG	0.51	2.46	18	3
1:A:9:ASN:HD22	1:A:9:ASN:H	0.51	1.49	26	2
1:A:31:PHE:CE2	1:A:59:GLU:HB3	0.51	2.41	14	3
1:A:31:PHE:CZ	1:A:59:GLU:HG3	0.51	2.41	10	3
1:A:31:PHE:HB2	1:A:39:CYS:SG	0.51	2.46	2	3

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:31:PHE:CE1	1:A:41:ASP:HB2	0.50	2.41	15	2
1:A:31:PHE:C	1:A:39:CYS:SG	0.50	2.89	14	3
1:A:32:GLN:NE2	1:A:42:ILE:N	0.50	2.59	9	1
1:A:12:CYS:SG	1:A:13:SER:N	0.50	2.85	16	13
1:A:53:GLN:HB3	1:A:70:PHE:CD2	0.50	2.42	5	3
1:A:45:CYS:SG	1:A:56:VAL:N	0.50	2.85	28	5
1:A:45:CYS:SG	1:A:57:ASN:HB2	0.50	2.46	22	1
1:A:70:PHE:CB	1:A:79:CYS:SG	0.49	3.00	19	4
1:A:59:GLU:C	1:A:61:GLY:H	0.49	2.10	26	30
1:A:9:ASN:HD22	1:A:9:ASN:N	0.49	2.05	24	3
1:A:9:ASN:ND2	1:A:13:SER:HA	0.49	2.21	15	1
1:A:31:PHE:CD1	1:A:31:PHE:N	0.49	2.76	15	2
1:A:80:LYS:NZ	1:A:80:LYS:HB2	0.49	2.23	29	3
1:A:53:GLN:HG3	1:A:70:PHE:CE2	0.48	2.43	18	3
1:A:41:ASP:CG	1:A:42:ILE:H	0.48	2.11	21	2
1:A:8:ASN:O	1:A:10:GLY:N	0.48	2.47	21	25
1:A:17:ASN:HB3	1:A:24:GLU:HB2	0.48	1.86	23	2
1:A:9:ASN:HB2	1:A:12:CYS:SG	0.47	2.49	15	1
1:A:62:TYR:O	1:A:62:TYR:CG	0.47	2.68	23	3
1:A:50:THR:HG23	1:A:51:CYS:N	0.47	2.25	7	1
1:A:31:PHE:CG	1:A:41:ASP:HB2	0.47	2.44	10	1
1:A:38:ARG:HD2	1:A:38:ARG:N	0.47	2.24	22	3
1:A:9:ASN:H	1:A:9:ASN:HD22	0.47	1.51	6	2
1:A:31:PHE:CZ	1:A:41:ASP:HB2	0.47	2.44	5	4
1:A:45:CYS:SG	1:A:57:ASN:N	0.47	2.88	7	5
1:A:24:GLU:CG	1:A:25:CYS:N	0.47	2.78	19	2
1:A:9:ASN:HD21	1:A:15:VAL:C	0.47	2.13	10	10
1:A:26:LEU:HD12	1:A:26:LEU:N	0.47	2.25	30	1
1:A:70:PHE:CD2	1:A:80:LYS:CA	0.46	2.99	15	12
1:A:54:LEU:HD23	1:A:54:LEU:C	0.46	2.30	22	3
1:A:53:GLN:CG	1:A:70:PHE:CE2	0.46	2.99	12	4
1:A:31:PHE:CZ	1:A:59:GLU:CG	0.46	2.99	1	4
1:A:9:ASN:CG	1:A:12:CYS:SG	0.45	2.95	5	1
1:A:50:THR:HG23	1:A:51:CYS:SG	0.45	2.52	7	1
1:A:64:CYS:SG	1:A:65:GLN:O	0.45	2.75	18	2
1:A:51:CYS:SG	1:A:54:LEU:O	0.45	2.75	23	1
1:A:16:CYS:O	1:A:16:CYS:SG	0.45	2.75	15	2
1:A:42:ILE:HD12	1:A:42:ILE:N	0.45	2.27	28	1
1:A:58:LEU:HD23	1:A:58:LEU:N	0.45	2.27	3	15
1:A:70:PHE:CD1	1:A:81:ALA:HA	0.44	2.47	8	5
1:A:68:GLU:N	1:A:68:GLU:CD	0.44	2.70	18	6

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:51:CYS:SG	1:A:65:GLN:N	0.44	2.90	25	1
1:A:31:PHE:HB3	1:A:40:GLU:C	0.44	2.33	13	1
1:A:68:GLU:CD	1:A:68:GLU:N	0.44	2.71	20	2
1:A:7:ASP:CG	1:A:8:ASN:H	0.44	2.16	1	14
1:A:31:PHE:CD2	1:A:40:GLU:HA	0.44	2.47	24	1
1:A:9:ASN:OD1	1:A:16:CYS:N	0.44	2.51	30	12
1:A:40:GLU:HG2	1:A:41:ASP:N	0.44	2.28	13	4
1:A:63:LYS:HB3	1:A:63:LYS:NZ	0.44	2.27	17	1
1:A:50:THR:CG2	1:A:51:CYS:H	0.44	2.25	7	1
1:A:37:ARG:HD3	1:A:37:ARG:N	0.44	2.27	24	1
1:A:25:CYS:SG	1:A:37:ARG:HB2	0.44	2.53	10	1
1:A:42:ILE:N	1:A:42:ILE:HD12	0.44	2.28	27	3
1:A:41:ASP:CG	1:A:42:ILE:N	0.43	2.71	21	3
1:A:44:GLU:CD	1:A:44:GLU:N	0.43	2.71	2	1
1:A:40:GLU:CG	1:A:41:ASP:N	0.43	2.80	21	1
1:A:50:THR:CG2	1:A:51:CYS:N	0.43	2.81	7	1
1:A:32:GLN:CD	1:A:32:GLN:N	0.43	2.71	15	2
1:A:25:CYS:SG	1:A:37:ARG:O	0.43	2.76	16	1
1:A:37:ARG:N	1:A:37:ARG:HD3	0.43	2.28	5	1
1:A:51:CYS:SG	1:A:79:CYS:SG	0.43	3.17	10	1
1:A:36:GLN:C	1:A:37:ARG:NE	0.43	2.71	11	2
1:A:44:GLU:H	1:A:57:ASN:ND2	0.42	2.12	22	1
1:A:20:LYS:HB3	1:A:20:LYS:NZ	0.42	2.30	28	1
1:A:31:PHE:CZ	1:A:59:GLU:CB	0.42	3.02	20	1
1:A:44:GLU:HB2	1:A:62:TYR:CG	0.42	2.49	27	1
1:A:63:LYS:HB2	1:A:63:LYS:NZ	0.42	2.29	9	3
1:A:80:LYS:HD2	1:A:80:LYS:C	0.42	2.35	17	1
1:A:70:PHE:CD2	1:A:80:LYS:C	0.42	2.93	5	2
1:A:58:LEU:N	1:A:58:LEU:HD23	0.42	2.30	29	6
1:A:66:CYS:N	1:A:79:CYS:SG	0.42	2.93	20	2
1:A:51:CYS:SG	1:A:78:ALA:HA	0.42	2.54	21	1
1:A:16:CYS:SG	1:A:16:CYS:O	0.42	2.77	23	1
1:A:65:GLN:O	1:A:66:CYS:SG	0.42	2.77	28	1
1:A:44:GLU:N	1:A:44:GLU:CD	0.42	2.73	18	1
1:A:55:CYS:SG	1:A:63:LYS:O	0.41	2.78	25	1
1:A:66:CYS:HB3	1:A:70:PHE:HB2	0.41	1.92	9	3
1:A:9:ASN:HB3	1:A:13:SER:CA	0.41	2.46	25	1
1:A:9:ASN:N	1:A:9:ASN:HD22	0.41	2.13	6	1
1:A:9:ASN:HD22	1:A:14:HIS:H	0.41	1.58	14	1
1:A:14:HIS:NE2	1:A:38:ARG:CZ	0.41	2.83	29	1
1:A:36:GLN:C	1:A:37:ARG:HD2	0.41	2.36	9	2

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:12:CYS:SG	1:A:37:ARG:NH2	0.41	2.93	17	1
1:A:53:GLN:HE21	1:A:53:GLN:C	0.41	2.19	1	1
1:A:8:ASN:N	1:A:8:ASN:HD22	0.41	2.14	5	2
1:A:9:ASN:ND2	1:A:16:CYS:N	0.41	2.69	19	1
1:A:9:ASN:C	1:A:11:GLY:H	0.41	2.19	25	2
1:A:8:ASN:HD22	1:A:8:ASN:H	0.41	1.59	24	1
1:A:53:GLN:CB	1:A:67:GLU:HB2	0.41	2.46	8	2
1:A:9:ASN:HB3	1:A:13:SER:HA	0.41	1.92	19	1
1:A:50:THR:HG23	1:A:51:CYS:H	0.41	1.74	7	1
1:A:25:CYS:H	1:A:37:ARG:NH2	0.40	2.13	16	1
1:A:53:GLN:HG2	1:A:70:PHE:CE2	0.40	2.51	4	1
1:A:59:GLU:N	1:A:59:GLU:CD	0.40	2.74	13	1
1:A:77:LYS:NZ	1:A:77:LYS:HB3	0.40	2.31	15	1
1:A:9:ASN:HB3	1:A:13:SER:N	0.40	2.30	25	1
1:A:31:PHE:N	1:A:31:PHE:CD1	0.40	2.89	21	1
1:A:66:CYS:HB3	1:A:70:PHE:CD2	0.40	2.52	28	1
1:A:31:PHE:CE2	1:A:59:GLU:CB	0.40	3.05	6	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	78/82 (95%)	49±3 (63±3%)	21±3 (26±3%)	8±1 (11±2%)	<b>1</b>	<b>9</b>
All	All	2340/2460 (95%)	1477 (63%)	616 (26%)	247 (11%)	<b>1</b>	<b>9</b>

All 17 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	9	ASN	30
1	A	68	GLU	30
1	A	23	TYR	30
1	A	50	THR	27
1	A	60	GLY	24

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	58	LEU	23
1	A	18	ASP	23
1	A	28	PRO	17
1	A	36	GLN	12
1	A	48	PRO	8
1	A	31	PHE	8
1	A	56	VAL	7
1	A	34	VAL	3
1	A	13	SER	2
1	A	62	TYR	1
1	A	11	GLY	1
1	A	41	ASP	1

### 6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	69/71 (97%)	67±1 (97±2%)	2±1 (3±2%)	48	88
All	All	2070/2130 (97%)	1999 (97%)	71 (3%)	48	88

All 12 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	80	LYS	14
1	A	4	GLU	14
1	A	67	GLU	12
1	A	44	GLU	9
1	A	37	ARG	5
1	A	9	ASN	4
1	A	53	GLN	4
1	A	38	ARG	4
1	A	8	ASN	2
1	A	28	PRO	1
1	A	20	LYS	1
1	A	26	LEU	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

No chemical shift data were provided