



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:20 AM GMT

PDB ID : 3I2T
Title : Crystal structure of the unliganded Drosophila Epidermal Growth Factor Receptor ectodomain
Authors : Alvarado, D.; Klein, D.E.; Lemmon, M.A.
Deposited on : 2009-06-29
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	551	<div> <div>4%</div> <div>68%</div> <div>26%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	A	3441	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4381 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Epidermal growth factor receptor, isoform A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	542	Total	C	N	O	S	0	0	0
			4203	2617	737	798	51			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	HIS	-	EXPRESSION TAG	UNP Q8MLW0
A	-4	HIS	-	EXPRESSION TAG	UNP Q8MLW0
A	-3	HIS	-	EXPRESSION TAG	UNP Q8MLW0
A	-2	HIS	-	EXPRESSION TAG	UNP Q8MLW0
A	-1	HIS	-	EXPRESSION TAG	UNP Q8MLW0
A	0	HIS	-	EXPRESSION TAG	UNP Q8MLW0
A	2	ILE	VAL	SEE REMARK 999	UNP Q8MLW0
A	493	ASN	THR	SEE REMARK 999	UNP Q8MLW0

- Molecule 2 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 3 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	3	Total	C	N	O	0	0
			39	22	2	15		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 5 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	3	Total	C	N	O	0	0
			39	22	2	15		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	5	Total	O	0	0
			5	5		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Epidermal growth factor receptor, isoform A



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	74.38Å 174.80Å 161.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.68 – 2.70 36.68 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.8 (36.68-2.70) 99.2 (36.68-2.70)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.28 (at 2.68Å)	Xtriage
Refinement program	REFMAC 5.5.0044	Depositor
R, R_{free}	0.224 , 0.264 0.245 , 0.242	Depositor DCC
R_{free} test set	1483 reflections (5.38%)	DCC
Wilson B-factor (Å ²)	68.6	Xtriage
Anisotropy	0.030	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 37.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	2 of 29077 reflections (0.007%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4381	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, NDG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	2/4298 (0.0%)	0.73	3/5826 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	3	CYS	CB-SG	-9.53	1.66	1.82
1	A	159	CYS	CB-SG	-6.49	1.71	1.82

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	3	CYS	CB-CA-C	-7.32	95.76	110.40
1	A	494	CYS	CA-CB-SG	-6.96	101.47	114.00
1	A	26	ARG	NE-CZ-NH2	-5.82	117.39	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4203	0	3924	126	0
2	A	28	0	25	5	0
3	A	28	0	25	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	78	0	68	0	0
5	A	39	0	34	4	0
6	A	5	0	0	0	0
All	All	4381	0	4076	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:320:ASN:ND2	3:A:3200:NAG:C1	1.71	1.47
1:A:470:ASN:HD21	5:A:4700:NDG:C1	1.28	1.44
1:A:29:ASN:ND2	2:A:546:NDG:C1	1.88	1.36
1:A:470:ASN:ND2	5:A:4700:NDG:C1	1.90	1.32
1:A:470:ASN:HD21	5:A:4700:NDG:C2	1.65	1.09
1:A:114:ASP:OD2	1:A:116:LEU:HD23	1.59	1.02
1:A:205:HIS:ND1	1:A:216:THR:HG23	1.76	0.99
1:A:311:HIS:HD2	1:A:313:GLY:H	1.10	0.96
1:A:29:ASN:HD21	2:A:546:NDG:C1	1.60	0.92
1:A:378:HIS:HD2	1:A:380:GLN:H	1.21	0.87
1:A:15:ASN:HD22	1:A:18:HIS:H	1.22	0.86
1:A:531:CYS:CB	1:A:539:CYS:HB3	2.06	0.85
1:A:530:THR:O	1:A:539:CYS:HB2	1.75	0.85
1:A:205:HIS:CD2	1:A:206:LEU:H	1.97	0.83
1:A:303:THR:HG22	1:A:323:VAL:HG13	1.60	0.81
1:A:399:MET:HE1	1:A:407:ALA:HB3	1.62	0.80
1:A:327:ASN:HD22	1:A:371:TYR:H	1.27	0.78
1:A:188:PRO:C	1:A:190:CYS:H	1.86	0.78
1:A:200:PRO:O	1:A:202:GLU:N	2.18	0.76
1:A:399:MET:CE	1:A:407:ALA:HB3	2.16	0.76
1:A:246:THR:HG22	1:A:248:VAL:HG23	1.67	0.75
1:A:378:HIS:CD2	1:A:380:GLN:H	2.04	0.75
1:A:114:ASP:OD2	1:A:116:LEU:CD2	2.33	0.74
1:A:459:ASN:HD22	1:A:460:GLU:HG3	1.52	0.73
1:A:531:CYS:HB2	1:A:539:CYS:HB3	1.69	0.73
1:A:111:ASP:OD1	1:A:113:ARG:NH1	2.21	0.72
1:A:163:HIS:HD2	1:A:165:SER:OG	1.73	0.72
1:A:512:ASN:HD22	1:A:524:CYS:HB2	1.55	0.71
1:A:320:ASN:ND2	3:A:3200:NAG:O5	2.25	0.69
1:A:378:HIS:HD2	1:A:380:GLN:N	1.92	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:311:HIS:HD2	1:A:313:GLY:N	1.88	0.66
1:A:400:GLU:H	1:A:400:GLU:CD	2.00	0.64
1:A:301:PRO:O	1:A:303:THR:HG23	1.97	0.64
1:A:531:CYS:HB3	1:A:539:CYS:HB3	1.79	0.64
1:A:399:MET:CE	1:A:407:ALA:CB	2.75	0.64
1:A:324:ILE:HD13	1:A:328:ILE:HD11	1.80	0.63
1:A:311:HIS:CD2	1:A:313:GLY:H	2.02	0.63
1:A:399:MET:HE3	1:A:407:ALA:CB	2.29	0.63
1:A:29:ASN:CG	2:A:546:NDG:C1	2.66	0.62
1:A:470:ASN:ND2	5:A:4700:NDG:C2	2.48	0.62
1:A:512:ASN:HB3	1:A:524:CYS:H	1.65	0.61
1:A:246:THR:HG22	1:A:248:VAL:CG2	2.29	0.61
1:A:512:ASN:ND2	1:A:524:CYS:HB2	2.15	0.61
1:A:246:THR:CG2	1:A:248:VAL:HG23	2.30	0.60
1:A:196:TYR:CZ	1:A:202:GLU:HB2	2.36	0.60
1:A:297:ASN:O	1:A:298:GLY:O	2.20	0.60
1:A:399:MET:HE3	1:A:407:ALA:HB2	1.84	0.60
1:A:367:GLU:OE1	1:A:394:HIS:HE1	1.85	0.60
1:A:44:ASN:HB3	1:A:47:LEU:HG	1.85	0.59
1:A:259:TYR:O	1:A:262:THR:HB	2.02	0.58
1:A:411:SER:H	1:A:434:ASN:HD22	1.52	0.58
1:A:205:HIS:HD2	1:A:207:PHE:H	1.50	0.58
1:A:411:SER:H	1:A:434:ASN:ND2	2.00	0.58
1:A:24:ARG:NH1	1:A:25:ASP:OD2	2.37	0.57
1:A:528:CYS:C	1:A:530:THR:H	2.08	0.57
1:A:338:PHE:HE2	1:A:340:ASP:OD1	1.88	0.56
1:A:521:CYS:O	1:A:522:LYS:CB	2.53	0.56
1:A:109:ILE:HG22	1:A:112:LEU:HB2	1.86	0.56
1:A:512:ASN:HB3	1:A:524:CYS:HB2	1.86	0.55
1:A:205:HIS:HD2	1:A:206:LEU:H	1.53	0.54
1:A:246:THR:CG2	1:A:248:VAL:CG2	2.86	0.54
1:A:327:ASN:HD22	1:A:371:TYR:N	2.02	0.54
1:A:188:PRO:C	1:A:190:CYS:N	2.57	0.53
1:A:318:PHE:HA	1:A:321:CYS:SG	2.49	0.52
1:A:187:SER:O	1:A:190:CYS:HB2	2.10	0.52
1:A:310:LEU:HD11	1:A:315:ILE:HD12	1.92	0.52
1:A:138:GLU:O	1:A:194:ARG:NH2	2.42	0.52
1:A:531:CYS:HB3	1:A:539:CYS:CB	2.40	0.51
1:A:343:ALA:C	1:A:345:TYR:H	2.12	0.51
1:A:73:VAL:HB	1:A:108:GLU:HB2	1.92	0.51
1:A:21:ARG:HG3	1:A:24:ARG:HH22	1.75	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:HIS:HD2	1:A:149:ASN:HB3	1.76	0.51
1:A:327:ASN:ND2	1:A:370:GLY:HA3	2.26	0.50
1:A:205:HIS:HB2	1:A:217:GLN:H	1.76	0.50
1:A:527:GLU:O	1:A:528:CYS:SG	2.70	0.50
1:A:29:ASN:HD21	2:A:546:NDG:C2	2.21	0.49
1:A:205:HIS:ND1	1:A:216:THR:CG2	2.64	0.49
1:A:109:ILE:CG2	1:A:112:LEU:HB2	2.43	0.49
1:A:205:HIS:CG	1:A:206:LEU:H	2.29	0.49
1:A:528:CYS:O	1:A:530:THR:N	2.44	0.48
1:A:287:MET:HE2	1:A:296:CYS:SG	2.53	0.48
1:A:188:PRO:O	1:A:189:GLN:HB2	2.13	0.48
1:A:512:ASN:HB3	1:A:524:CYS:N	2.29	0.48
1:A:163:HIS:CD2	1:A:165:SER:OG	2.61	0.47
1:A:15:ASN:ND2	1:A:18:HIS:H	2.01	0.47
1:A:289:LYS:HA	1:A:289:LYS:HD2	1.58	0.47
1:A:303:THR:HA	1:A:323:VAL:O	2.16	0.46
1:A:67:VAL:O	1:A:102:SER:HB3	2.15	0.46
1:A:297:ASN:C	1:A:298:GLY:O	2.53	0.45
1:A:514:TYR:CD1	1:A:514:TYR:C	2.89	0.45
1:A:369:THR:HA	1:A:394:HIS:HB2	1.98	0.45
1:A:270:HIS:HA	1:A:396:ARG:HG2	1.98	0.45
1:A:392:THR:HB	1:A:423:GLN:HB3	1.99	0.45
1:A:531:CYS:CB	1:A:539:CYS:CB	2.86	0.45
1:A:283:PRO:HG2	1:A:286:LYS:HG3	1.99	0.44
1:A:205:HIS:CD2	1:A:207:PHE:H	2.34	0.44
1:A:416:LEU:HD11	1:A:440:VAL:HG12	1.99	0.44
1:A:287:MET:HE3	1:A:296:CYS:HA	1.99	0.44
1:A:499:PHE:C	1:A:501:GLY:H	2.20	0.44
1:A:87:SER:OG	1:A:94:LYS:HD3	2.18	0.44
1:A:120:VAL:HG11	1:A:136:TRP:CZ3	2.53	0.44
1:A:512:ASN:HD22	1:A:524:CYS:CB	2.27	0.43
1:A:433:HIS:HA	1:A:460:GLU:O	2.18	0.43
1:A:15:ASN:HD22	1:A:18:HIS:N	2.04	0.43
1:A:512:ASN:CB	1:A:524:CYS:HB2	2.48	0.43
1:A:506:ASP:O	1:A:507:CYS:CB	2.67	0.43
1:A:372:LEU:HD11	1:A:374:ILE:HD11	1.99	0.43
1:A:29:ASN:ND2	2:A:546:NDG:N2	2.67	0.43
1:A:152:PHE:O	1:A:153:THR:CB	2.67	0.42
1:A:402:MET:HA	1:A:402:MET:CE	2.50	0.42
1:A:167:THR:OG1	1:A:168:HIS:CD2	2.73	0.42
1:A:322:THR:HG22	1:A:323:VAL:HG12	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:79:ILE:HD13	1:A:222:ALA:HB3	2.02	0.42
1:A:327:ASN:HD22	1:A:370:GLY:HA3	1.84	0.41
1:A:410:LYS:HA	1:A:433:HIS:O	2.19	0.41
1:A:15:ASN:HD21	1:A:17:GLU:HB2	1.85	0.41
1:A:287:MET:HG2	1:A:296:CYS:SG	2.61	0.41
1:A:432:GLN:HA	1:A:459:ASN:O	2.20	0.41
1:A:114:ASP:OD1	1:A:194:ARG:NH1	2.54	0.41
1:A:264:VAL:HG13	1:A:266:GLU:O	2.21	0.41
1:A:3:CYS:HB2	1:A:33:VAL:HA	2.03	0.41
1:A:31:THR:HA	1:A:54:ASN:O	2.20	0.41
1:A:40:THR:HA	1:A:65:SER:O	2.21	0.40
1:A:333:GLN:H	1:A:333:GLN:CD	2.24	0.40
1:A:282:CYS:HB3	1:A:286:LYS:HB2	2.03	0.40
1:A:16:LYS:HE3	1:A:41:TRP:CE3	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	536/551 (97%)	463 (86%)	58 (11%)	15 (3%)	6	15

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	201	ARG
1	A	217	GLN
1	A	229	GLU
1	A	522	LYS
1	A	529	ARG
1	A	200	PRO
1	A	298	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	344	ASN
1	A	528	CYS
1	A	539	CYS
1	A	520	THR
1	A	543	VAL
1	A	14	SER
1	A	509	TYR
1	A	188	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	463/489 (95%)	425 (92%)	38 (8%)	14	32

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	LEU
1	A	39	LEU
1	A	46	ASN
1	A	69	VAL
1	A	72	VAL
1	A	73	VAL
1	A	104	MET
1	A	158	GLU
1	A	164	GLU
1	A	173	GLU
1	A	206	LEU
1	A	219	ASP
1	A	235	GLU
1	A	246	THR
1	A	264	VAL
1	A	265	LYS
1	A	284	GLN
1	A	308	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	310	LEU
1	A	323	VAL
1	A	331	LEU
1	A	333	GLN
1	A	346	THR
1	A	357	GLU
1	A	377	THR
1	A	384	LEU
1	A	392	THR
1	A	397	GLN
1	A	441	SER
1	A	462	LEU
1	A	480	GLU
1	A	488	THR
1	A	509	TYR
1	A	514	TYR
1	A	523	ILE
1	A	524	CYS
1	A	527	GLU
1	A	542	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	ASN
1	A	29	ASN
1	A	46	ASN
1	A	54	ASN
1	A	123	HIS
1	A	135	GLN
1	A	163	HIS
1	A	168	HIS
1	A	205	HIS
1	A	284	GLN
1	A	311	HIS
1	A	327	ASN
1	A	333	GLN
1	A	378	HIS
1	A	394	HIS
1	A	423	GLN
1	A	434	ASN
1	A	459	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	470	ASN
1	A	512	ASN
1	A	518	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

13 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	3200	3	14,14,15	0.63	0	15,19,21	1.06	0
3	NAG	A	3201	3	14,14,15	0.79	1 (7%)	15,19,21	1.33	2 (13%)
4	NAG	A	3440	1,4	14,14,15	0.63	0	15,19,21	2.36	4 (26%)
4	NAG	A	3441	4	14,14,15	0.82	1 (7%)	15,19,21	1.61	1 (6%)
4	BMA	A	3442	4	11,11,12	0.76	0	14,15,17	1.02	1 (7%)
4	NAG	A	3830	1,4	14,14,15	0.54	0	15,19,21	1.80	2 (13%)
4	NAG	A	3831	4	14,14,15	0.54	0	15,19,21	1.01	0
4	BMA	A	3832	4	11,11,12	0.86	0	14,15,17	1.49	3 (21%)
5	NDG	A	4700	5	14,14,15	0.59	0	15,19,21	1.44	3 (20%)
5	NDG	A	4701	5	14,14,15	0.64	0	15,19,21	1.80	2 (13%)
5	BMA	A	4702	5	11,11,12	0.83	0	14,15,17	1.65	3 (21%)
2	NDG	A	546	2	14,14,15	0.47	0	15,19,21	1.40	1 (6%)
2	NAG	A	547	2	14,14,15	0.51	0	15,19,21	0.90	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	3200	3	-	0/6/23/26	0/1/1/1
3	NAG	A	3201	3	-	0/6/23/26	0/1/1/1
4	NAG	A	3440	1,4	-	0/6/23/26	0/1/1/1
4	NAG	A	3441	4	-	0/6/23/26	0/1/1/1
4	BMA	A	3442	4	-	0/2/19/22	0/1/1/1
4	NAG	A	3830	1,4	-	0/6/23/26	0/1/1/1
4	NAG	A	3831	4	-	0/6/23/26	0/1/1/1
4	BMA	A	3832	4	-	0/2/19/22	0/1/1/1
5	NDG	A	4700	5	-	0/6/23/26	0/1/1/1
5	NDG	A	4701	5	-	0/6/23/26	0/1/1/1
5	BMA	A	4702	5	-	0/2/19/22	0/1/1/1
2	NDG	A	546	2	-	0/6/23/26	0/1/1/1
2	NAG	A	547	2	-	0/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	3441	NAG	C1-C2	2.18	1.55	1.52
3	A	3201	NAG	C1-C2	2.20	1.55	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	3830	NAG	C2-N2-C7	-5.48	116.00	123.04
4	A	3441	NAG	C1-O5-C5	-4.97	105.94	112.25
5	A	4701	NDG	C2-N2-C7	-4.64	117.08	123.04
4	A	3440	NAG	O7-C7-C8	-2.45	117.56	122.06
4	A	3830	NAG	O3-C3-C4	-2.25	105.26	110.34
4	A	3832	BMA	C3-C4-C5	-2.22	106.33	110.20
5	A	4700	NDG	O4-C4-C5	-2.06	103.79	109.24
4	A	3440	NAG	O7-C7-N2	2.04	126.01	121.86
5	A	4702	BMA	O3-C3-C4	2.08	115.01	110.34
4	A	3442	BMA	C1-C2-C3	2.11	112.04	109.54
4	A	3832	BMA	O3-C3-C4	2.26	115.42	110.34
3	A	3201	NAG	O5-C5-C6	2.56	112.89	107.35
5	A	4700	NDG	C2-N2-C7	2.65	126.45	123.04
4	A	3832	BMA	O5-C5-C6	2.92	113.68	107.35
5	A	4702	BMA	C1-C2-C3	3.03	113.12	109.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	4700	NDG	C1-O-C5	3.08	116.15	112.25
3	A	3201	NAG	C1-O5-C5	3.24	116.36	112.25
4	A	3440	NAG	C2-N2-C7	3.60	127.67	123.04
5	A	4701	NDG	C1-O-C5	4.14	117.50	112.25
5	A	4702	BMA	C1-O5-C5	4.16	117.52	112.25
2	A	546	NDG	C1-O-C5	4.26	117.66	112.25
4	A	3440	NAG	C1-O5-C5	7.28	121.49	112.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	3200	NAG	2	0
5	A	4700	NDG	4	0
2	A	546	NDG	5	0

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	542/551 (98%)	0.12	20 (3%) 45 45	31, 45, 69, 78	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	505	ALA	4.5
1	A	541	GLU	4.3
1	A	215	PRO	4.2
1	A	153	THR	4.2
1	A	184	LEU	4.1
1	A	152	PHE	4.0
1	A	150	TYR	3.3
1	A	506	ASP	3.2
1	A	497	PHE	2.9
1	A	542	CYS	2.8
1	A	514	TYR	2.7
1	A	518	ASN	2.7
1	A	345	TYR	2.7
1	A	507	CYS	2.6
1	A	540	GLN	2.6
1	A	532	ASN	2.5
1	A	516	PHE	2.4
1	A	158	GLU	2.4
1	A	299	PRO	2.4
1	A	509	TYR	2.3

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	NAG	A	3441	14/15	0.84	0.25	2.19	80,85,87,91	0
5	NDG	A	4700	14/15	0.91	0.18	0.65	69,72,77,79	0
4	NAG	A	3830	14/15	0.91	0.15	-1.28	76,82,86,86	0
4	NAG	A	3440	14/15	0.94	0.10	-2.91	56,64,68,73	0
4	BMA	A	3832	11/12	0.48	0.32	-	96,98,100,101	0
4	NAG	A	3831	14/15	0.90	0.23	-	89,91,96,96	0
5	BMA	A	4702	11/12	0.84	0.24	-	73,75,77,78	0
2	NDG	A	546	14/15	0.81	0.19	-	85,88,90,95	0
4	BMA	A	3442	11/12	0.80	0.29	-	94,98,99,100	0
3	NAG	A	3200	14/15	0.85	0.32	-	89,94,97,100	0
2	NAG	A	547	14/15	0.86	0.29	-	98,100,102,102	0
5	NDG	A	4701	14/15	0.95	0.22	-	66,69,71,72	0
3	NAG	A	3201	14/15	0.68	0.44	-	99,102,103,103	0

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.