



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 14, 2016 – 05:42 AM EDT

PDB ID : 5I20  
Title : Crystal structure of protein  
Authors : Ishitani, R.; Nureki, O.  
Deposited on : 2016-02-08  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20027790  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027790


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	298	<div><div>5%</div><div><div></div><div>82%</div><div>14%</div><div>• •</div></div></div>
1	B	298	<div><div>3%</div><div><div></div><div>85%</div><div>8%</div><div>• 6%</div></div></div>
1	C	298	<div><div>5%</div><div><div></div><div>81%</div><div>13%</div><div>• 5%</div></div></div>
1	D	298	<div><div>6%</div><div><div></div><div>83%</div><div>10%</div><div>• 6%</div></div></div>
1	E	298	<div><div>2%</div><div><div></div><div>85%</div><div>12%</div><div>•</div></div></div>
1	F	298	<div><div>15%</div><div><div></div><div>59%</div><div>13%</div><div>• 27%</div></div></div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	OLC	A	303	-	-	-	X
2	OLC	A	304	-	-	-	X
2	OLC	B	301	-	-	-	X
2	OLC	B	303	-	-	-	X
2	OLC	B	305	-	-	-	X
2	OLC	C	301	-	-	-	X
2	OLC	C	302	-	-	-	X
2	OLC	D	301	-	-	-	X
2	OLC	D	304	-	-	-	X
2	OLC	D	305	-	-	-	X
2	OLC	E	301	-	-	-	X
2	OLC	E	302	-	-	-	X
2	OLC	E	305	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11923 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uncharacterized protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	287	Total	C	N	O	S	0	0	0
			2060	1377	333	344	6			
1	B	279	Total	C	N	O	S	0	1	0
			2005	1339	322	338	6			
1	C	282	Total	C	N	O	S	0	0	0
			1993	1332	318	337	6			
1	D	280	Total	C	N	O	S	0	0	0
			1954	1313	303	332	6			
1	E	291	Total	C	N	O	S	0	0	0
			2071	1386	331	348	6			
1	F	219	Total	C	N	O	S	0	0	0
			1480	981	237	257	5			

There are 66 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	288	LEU	-	expression tag	UNP D7A5Q8
A	289	GLU	-	expression tag	UNP D7A5Q8
A	290	SER	-	expression tag	UNP D7A5Q8
A	291	SER	-	expression tag	UNP D7A5Q8
A	292	GLY	-	expression tag	UNP D7A5Q8
A	293	GLU	-	expression tag	UNP D7A5Q8
A	294	ASN	-	expression tag	UNP D7A5Q8
A	295	LEU	-	expression tag	UNP D7A5Q8
A	296	TYR	-	expression tag	UNP D7A5Q8
A	297	PHE	-	expression tag	UNP D7A5Q8
A	298	GLN	-	expression tag	UNP D7A5Q8
B	288	LEU	-	expression tag	UNP D7A5Q8
B	289	GLU	-	expression tag	UNP D7A5Q8
B	290	SER	-	expression tag	UNP D7A5Q8
B	291	SER	-	expression tag	UNP D7A5Q8
B	292	GLY	-	expression tag	UNP D7A5Q8
B	293	GLU	-	expression tag	UNP D7A5Q8

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	294	ASN	-	expression tag	UNP D7A5Q8
B	295	LEU	-	expression tag	UNP D7A5Q8
B	296	TYR	-	expression tag	UNP D7A5Q8
B	297	PHE	-	expression tag	UNP D7A5Q8
B	298	GLN	-	expression tag	UNP D7A5Q8
C	288	LEU	-	expression tag	UNP D7A5Q8
C	289	GLU	-	expression tag	UNP D7A5Q8
C	290	SER	-	expression tag	UNP D7A5Q8
C	291	SER	-	expression tag	UNP D7A5Q8
C	292	GLY	-	expression tag	UNP D7A5Q8
C	293	GLU	-	expression tag	UNP D7A5Q8
C	294	ASN	-	expression tag	UNP D7A5Q8
C	295	LEU	-	expression tag	UNP D7A5Q8
C	296	TYR	-	expression tag	UNP D7A5Q8
C	297	PHE	-	expression tag	UNP D7A5Q8
C	298	GLN	-	expression tag	UNP D7A5Q8
D	288	LEU	-	expression tag	UNP D7A5Q8
D	289	GLU	-	expression tag	UNP D7A5Q8
D	290	SER	-	expression tag	UNP D7A5Q8
D	291	SER	-	expression tag	UNP D7A5Q8
D	292	GLY	-	expression tag	UNP D7A5Q8
D	293	GLU	-	expression tag	UNP D7A5Q8
D	294	ASN	-	expression tag	UNP D7A5Q8
D	295	LEU	-	expression tag	UNP D7A5Q8
D	296	TYR	-	expression tag	UNP D7A5Q8
D	297	PHE	-	expression tag	UNP D7A5Q8
D	298	GLN	-	expression tag	UNP D7A5Q8
E	288	LEU	-	expression tag	UNP D7A5Q8
E	289	GLU	-	expression tag	UNP D7A5Q8
E	290	SER	-	expression tag	UNP D7A5Q8
E	291	SER	-	expression tag	UNP D7A5Q8
E	292	GLY	-	expression tag	UNP D7A5Q8
E	293	GLU	-	expression tag	UNP D7A5Q8
E	294	ASN	-	expression tag	UNP D7A5Q8
E	295	LEU	-	expression tag	UNP D7A5Q8
E	296	TYR	-	expression tag	UNP D7A5Q8
E	297	PHE	-	expression tag	UNP D7A5Q8
E	298	GLN	-	expression tag	UNP D7A5Q8
F	288	LEU	-	expression tag	UNP D7A5Q8
F	289	GLU	-	expression tag	UNP D7A5Q8
F	290	SER	-	expression tag	UNP D7A5Q8
F	291	SER	-	expression tag	UNP D7A5Q8

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	292	GLY	-	expression tag	UNP D7A5Q8
F	293	GLU	-	expression tag	UNP D7A5Q8
F	294	ASN	-	expression tag	UNP D7A5Q8
F	295	LEU	-	expression tag	UNP D7A5Q8
F	296	TYR	-	expression tag	UNP D7A5Q8
F	297	PHE	-	expression tag	UNP D7A5Q8
F	298	GLN	-	expression tag	UNP D7A5Q8

- Molecule 2 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLC) (formula: C<sub>21</sub>H<sub>40</sub>O<sub>4</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C 15 15	0	0
2	A	1	Total C O 10 8 2	0	0
2	A	1	Total C 8 8	0	0
2	A	1	Total C O 13 11 2	0	0
2	B	1	Total C O 25 21 4	0	0
2	B	1	Total C O 13 11 2	0	0
2	B	1	Total C O 17 13 4	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total C 13 13	0	0
2	B	1	Total C O 17 15 2	0	0
2	C	1	Total C 11 11	0	0
2	C	1	Total C O 24 21 3	0	0
2	C	1	Total C O 13 11 2	0	0
2	D	1	Total C O 25 21 4	0	0
2	D	1	Total C O 7 5 2	0	0
2	D	1	Total C 11 11	0	0
2	D	1	Total C O 16 14 2	0	0
2	D	1	Total C O 13 9 4	0	0
2	E	1	Total C 16 16	0	0
2	E	1	Total C O 25 21 4	0	0
2	E	1	Total C 10 10	0	0
2	E	1	Total C O 14 10 4	0	0
2	E	1	Total C O 14 10 4	0	0
2	E	1	Total C O 14 12 2	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	4	Total	O	0	0
			4	4		
4	C	3	Total	O	0	0
			3	3		
4	D	2	Total	O	0	0
			2	2		
4	E	2	Total	O	0	0
			2	2		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Uncharacterized protein




- Molecule 1: Uncharacterized protein




- Molecule 1: Uncharacterized protein





- Molecule 1: Uncharacterized protein









• Molecule 1: Uncharacterized protein



• Molecule 1: Uncharacterized protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	105.84Å 84.65Å 112.25Å 90.00° 108.46° 90.00°	Depositor
Resolution (Å)	45.97 – 2.40 45.97 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.9 (45.97-2.40) 93.9 (45.97-2.40)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.96 (at 2.39Å)	Xtriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.226 , 0.249 0.225 , 0.250	Depositor DCC
$R_{free}$ test set	3430 reflections (4.95%)	DCC
Wilson B-factor (Å <sup>2</sup> )	46.8	Xtriage
Anisotropy	0.100	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 60.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	11923	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.47% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OLC, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.23	0/2119	0.39	0/2912
1	B	0.23	0/2062	0.40	0/2838
1	C	0.22	0/2050	0.39	0/2825
1	D	0.23	0/2012	0.40	0/2775
1	E	0.23	0/2131	0.41	0/2931
1	F	0.21	0/1512	0.39	0/2071
All	All	0.23	0/11886	0.40	0/16352

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2060	0	2105	24	0
1	B	2005	0	2047	16	0
1	C	1993	0	2010	23	0
1	D	1954	0	1956	16	0
1	E	2071	0	2116	16	0
1	F	1480	0	1413	23	0
2	A	46	0	64	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	85	0	122	6	0
2	C	48	0	69	3	0
2	D	72	0	99	3	0
2	E	93	0	135	5	0
3	A	5	0	0	0	0
4	B	4	0	0	0	0
4	C	3	0	0	0	0
4	D	2	0	0	0	0
4	E	2	0	0	0	0
All	All	11923	0	12136	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:115:GLU:O	1:C:238:ARG:NH2	2.22	0.73
1:E:56:VAL:HG21	1:E:179:GLU:HG2	1.71	0.72
1:E:9:ILE:HD11	1:E:230:ILE:HB	1.70	0.72
1:C:9:ILE:O	1:C:227:THR:OG1	2.08	0.71
1:D:282:THR:HG23	1:D:283:LEU:HD13	1.74	0.69
1:B:171:ARG:NH2	1:B:235:GLY:O	2.26	0.69
1:B:116:ARG:HD3	1:F:143:PHE:H	1.56	0.68
1:E:70:HIS:HB2	2:E:305:OLC:H24A	1.76	0.67
1:D:171:ARG:NH2	1:D:235:GLY:O	2.27	0.67
1:C:171:ARG:NH1	1:C:235:GLY:O	2.28	0.67
1:F:181:VAL:HG11	1:F:225:PHE:HB3	1.78	0.66
1:A:171:ARG:NH2	1:A:235:GLY:O	2.31	0.63
1:A:268:ALA:HB2	2:A:303:OLC:H3	1.81	0.63
1:F:171:ARG:NH1	1:F:235:GLY:O	2.33	0.61
1:C:7:THR:HG22	1:C:236:ASP:H	1.66	0.60
1:C:13:ALA:HB2	1:C:227:THR:HG23	1.83	0.60
2:D:301:OLC:H22	2:D:301:OLC:H3A	1.84	0.59
1:F:33:PHE:O	1:F:192:SER:OG	2.21	0.58
1:A:9:ILE:O	1:A:227:THR:OG1	2.21	0.58
1:B:66:PRO:HB3	2:B:305:OLC:H3	1.87	0.57
1:A:3:ARG:NH1	1:A:115:GLU:OE2	2.38	0.57
1:F:102:PRO:HG2	1:F:245:TYR:CZ	2.40	0.56
1:C:217:GLY:HA2	1:C:221:VAL:HB	1.87	0.56
1:D:236:ASP:OD1	1:D:238:ARG:NH1	2.38	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:ALA:HB2	1:A:227:THR:HG23	1.87	0.55
1:F:135:LEU:HD22	1:F:249:VAL:HG22	1.88	0.55
1:C:278:ALA:O	1:C:282:THR:HG22	2.06	0.55
1:F:36:THR:HA	1:F:39:THR:HG22	1.87	0.55
1:A:112:LEU:HD13	1:A:171:ARG:HD2	1.89	0.54
1:E:283:LEU:HB2	1:E:284:LEU:HD12	1.89	0.54
1:F:7:THR:HG22	1:F:236:ASP:H	1.73	0.53
1:B:211:LEU:HD13	1:D:258:ALA:HB2	1.91	0.53
1:E:171:ARG:NH2	1:E:235:GLY:O	2.40	0.52
1:C:218:ILE:N	1:C:219:GLY:HA3	2.24	0.51
1:A:43:GLY:HA3	1:A:221:VAL:HG12	1.92	0.51
1:D:214:VAL:O	1:D:218:ILE:HG12	2.11	0.51
1:F:14:ILE:HG23	1:F:247:ALA:HB2	1.93	0.51
1:A:110:ALA:HB2	1:A:117:LEU:HD12	1.93	0.51
1:B:31:PRO:HB2	1:B:200:GLU:CD	2.31	0.50
1:B:278:ALA:O	1:B:282:THR:HG22	2.12	0.50
1:A:64:PRO:HB2	1:A:66:PRO:HD2	1.94	0.50
1:C:218:ILE:H	1:C:219:GLY:HA3	1.77	0.50
1:D:63:GLN:HG2	1:D:67:VAL:HG11	1.94	0.50
1:D:17:TRP:CE2	2:D:301:OLC:H9	2.48	0.49
1:C:5:SER:O	1:C:9:ILE:HG12	2.13	0.49
1:E:70:HIS:HA	2:E:305:OLC:H21	1.94	0.49
1:E:218:ILE:N	1:E:219:GLY:HA3	2.28	0.49
1:F:9:ILE:O	1:F:12:THR:OG1	2.28	0.49
1:F:102:PRO:HB3	1:F:244:SER:HB2	1.94	0.49
1:A:27:THR:HG23	1:A:30:VAL:HB	1.94	0.48
1:B:218:ILE:N	1:B:219:GLY:HA3	2.28	0.48
1:E:64:PRO:HB2	1:E:66:PRO:HD2	1.95	0.48
1:D:102:PRO:HB2	1:D:245:TYR:CE2	2.49	0.48
1:B:40:PHE:HE1	2:B:301:OLC:H2A	1.79	0.48
1:C:160:ALA:O	1:C:164:SER:OG	2.25	0.48
1:C:31:PRO:HB2	1:C:200:GLU:CD	2.34	0.47
1:A:139:ARG:HG3	1:A:142:GLY:H	1.79	0.47
1:E:280:VAL:HA	1:E:284:LEU:HD13	1.95	0.47
1:F:246:ALA:O	1:F:250:LEU:N	2.37	0.47
1:C:64:PRO:HB2	1:C:66:PRO:HD2	1.96	0.47
1:C:28:GLY:HA2	1:C:29:ALA:HA	1.52	0.47
1:D:63:GLN:HG3	1:D:64:PRO:HD2	1.96	0.47
1:E:102:PRO:HB2	1:E:245:TYR:CE2	2.50	0.47
1:A:200:GLU:HG3	1:A:201:PRO:HD2	1.96	0.46
1:B:99:TYR:CZ	1:B:248:PRO:HG3	2.50	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:24:THR:HA	1:C:27:THR:HG23	1.97	0.46
1:A:103:LEU:HD21	2:E:301:OLC:H11	1.97	0.46
1:F:82:TYR:HB2	1:F:159:CYS:SG	2.55	0.46
2:E:302:OLC:H12	2:E:302:OLC:H15A	1.67	0.46
1:B:65:TRP:HB3	2:B:303:OLC:H21	1.98	0.46
1:B:70:HIS:HB2	2:B:305:OLC:H7A	1.97	0.45
1:F:278:ALA:O	1:F:282:THR:HG22	2.16	0.45
1:A:196:HIS:HA	1:A:200:GLU:HB2	1.98	0.45
1:A:12:THR:HB	2:A:304:OLC:H9	1.98	0.45
1:A:224:ALA:HA	1:A:227:THR:HG22	1.98	0.45
1:F:228:TRP:O	1:F:232:MET:HG2	2.17	0.45
1:A:34:LEU:HB2	1:A:196:HIS:ND1	2.32	0.45
1:F:42:ILE:HD11	1:F:218:ILE:HG12	1.99	0.45
1:C:218:ILE:O	1:C:223:ILE:HG13	2.17	0.45
1:C:101:TRP:CG	1:C:102:PRO:HD3	2.52	0.44
1:D:78:TYR:OH	2:D:301:OLC:H8A	2.17	0.44
1:F:3:ARG:O	1:F:7:THR:HG23	2.17	0.44
1:C:63:GLN:HG2	1:C:67:VAL:HG11	2.00	0.44
1:A:101:TRP:CG	1:A:102:PRO:HD3	2.53	0.44
1:B:65:TRP:CG	1:B:66:PRO:HD3	2.52	0.44
1:C:21:ALA:O	1:C:24:THR:HG22	2.17	0.43
1:F:238:ARG:HE	1:F:238:ARG:HB2	1.43	0.43
1:D:112:LEU:HA	1:D:113:PRO:HD3	1.88	0.43
1:E:102:PRO:HB3	1:E:244:SER:HB2	2.01	0.43
1:E:101:TRP:CG	1:E:102:PRO:HD3	2.54	0.43
1:E:31:PRO:HB2	1:E:200:GLU:CD	2.39	0.43
1:F:250:LEU:HA	1:F:253:LEU:HD11	1.99	0.43
1:D:90:PRO:HA	1:D:91:PRO:HD3	1.82	0.43
1:F:82:TYR:CE2	1:F:86:LEU:HD11	2.54	0.43
1:D:101:TRP:CG	1:D:102:PRO:HD3	2.53	0.43
1:A:96:LEU:HD22	1:A:143:PHE:CE2	2.54	0.43
1:F:14:ILE:HG12	1:F:244:SER:HA	2.00	0.43
1:F:15:LEU:HD23	1:F:250:LEU:HD21	2.01	0.43
1:C:12:THR:HB	2:C:301:OLC:H6A	2.01	0.42
1:B:101:TRP:CG	1:B:102:PRO:HD3	2.55	0.42
1:C:223:ILE:O	1:C:227:THR:HG22	2.19	0.42
1:A:17:TRP:CD2	2:A:301:OLC:H9	2.54	0.42
1:C:78:TYR:OH	2:C:302:OLC:H6A	2.20	0.42
1:E:30:VAL:HA	1:E:31:PRO:HD2	1.93	0.42
1:E:83:PHE:CZ	2:E:302:OLC:H22	2.55	0.42
1:A:98:ALA:HB1	2:A:301:OLC:H14	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:PRO:HB2	1:A:245:TYR:CE2	2.55	0.42
1:D:200:GLU:HA	1:D:201:PRO:HD3	1.93	0.42
1:D:31:PRO:HD3	1:D:203:VAL:HB	2.01	0.42
1:A:146:ALA:HA	1:A:147:PRO:HD3	1.94	0.42
1:B:193:ALA:O	1:B:197:ILE:HG13	2.20	0.41
1:A:247:ALA:HB3	1:A:248:PRO:HD3	2.03	0.41
1:B:20:LEU:HD21	2:B:301:OLC:H5A	2.02	0.41
1:B:211:LEU:HD21	1:D:22:LEU:HD22	2.02	0.41
1:E:108:PHE:HB2	1:E:168:VAL:HG21	2.03	0.41
1:C:79:HIS:NE2	2:C:302:OLC:H2	2.35	0.40
2:B:305:OLC:H11	2:B:305:OLC:H8	1.88	0.40
1:F:271:CYS:HA	1:F:274:ILE:HG22	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	283/298 (95%)	275 (97%)	8 (3%)	0	100	100
1	B	276/298 (93%)	271 (98%)	5 (2%)	0	100	100
1	C	278/298 (93%)	275 (99%)	3 (1%)	0	100	100
1	D	274/298 (92%)	270 (98%)	4 (2%)	0	100	100
1	E	289/298 (97%)	286 (99%)	3 (1%)	0	100	100
1	F	203/298 (68%)	195 (96%)	7 (3%)	1 (0%)	34	48
All	All	1603/1788 (90%)	1572 (98%)	30 (2%)	1 (0%)	56	74

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	220	PRO



### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	195/212 (92%)	186 (95%)	9 (5%)	33	51
1	B	192/212 (91%)	184 (96%)	8 (4%)	36	56
1	C	186/212 (88%)	177 (95%)	9 (5%)	31	49
1	D	181/212 (85%)	172 (95%)	9 (5%)	30	48
1	E	196/212 (92%)	182 (93%)	14 (7%)	18	28
1	F	124/212 (58%)	114 (92%)	10 (8%)	15	22
All	All	1074/1272 (84%)	1015 (94%)	59 (6%)	27	42

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	LEU
1	A	86	LEU
1	A	93	GLU
1	A	99	TYR
1	A	117	LEU
1	A	179	GLU
1	A	200	GLU
1	A	238	ARG
1	A	274	ILE
1	B	20	LEU
1	B	56	VAL
1	B	86	LEU
1	B	99	TYR
1	B	172	ARG
1	B	211	LEU
1	B	267	LEU
1	B	284	LEU
1	C	22	LEU
1	C	30	VAL
1	C	63	GLN
1	C	65	TRP
1	C	86	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	93	GLU
1	C	99	TYR
1	C	115	GLU
1	C	148	GLU
1	D	63	GLN
1	D	86	LEU
1	D	99	TYR
1	D	109	SER
1	D	117	LEU
1	D	143	PHE
1	D	208	SER
1	D	267	LEU
1	D	283	LEU
1	E	9	ILE
1	E	61	LEU
1	E	62	ARG
1	E	65	TRP
1	E	86	LEU
1	E	99	TYR
1	E	117	LEU
1	E	198	LEU
1	E	238	ARG
1	E	260	PHE
1	E	267	LEU
1	E	274	ILE
1	E	282	THR
1	E	288	LEU
1	F	8	LEU
1	F	22	LEU
1	F	34	LEU
1	F	42	ILE
1	F	78	TYR
1	F	79	HIS
1	F	99	TYR
1	F	143	PHE
1	F	238	ARG
1	F	253	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	63	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	OLC	A	301	-	14,14,24	0.88	1 (7%)	13,13,25	0.73	0
2	OLC	A	302	-	6,9,24	0.35	0	6,9,25	0.85	0
2	OLC	A	303	-	7,7,24	0.26	0	6,6,25	0.69	0
2	OLC	A	304	-	9,12,24	0.98	1 (11%)	9,12,25	0.95	0
3	SO4	A	305	-	4,4,4	0.27	0	6,6,6	0.08	0
2	OLC	B	301	-	24,24,24	1.09	2 (8%)	25,25,25	0.97	1 (4%)
2	OLC	B	302	-	9,12,24	0.98	1 (11%)	9,12,25	1.05	0
2	OLC	B	303	-	16,16,24	1.32	2 (12%)	17,17,25	1.04	1 (5%)
2	OLC	B	304	-	12,12,24	0.94	1 (8%)	11,11,25	0.67	0
2	OLC	B	305	-	13,16,24	0.92	1 (7%)	13,16,25	0.80	0
2	OLC	C	301	-	10,10,24	1.02	1 (10%)	9,9,25	0.85	0
2	OLC	C	302	-	23,23,24	1.05	2 (8%)	21,24,25	1.05	1 (4%)
2	OLC	C	303	-	9,12,24	0.98	1 (11%)	9,12,25	0.95	0
2	OLC	D	301	-	24,24,24	1.08	2 (8%)	25,25,25	0.96	1 (4%)
2	OLC	D	302	-	3,6,24	0.33	0	3,6,25	0.64	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	OLC	D	303	-	10,10,24	1.01	1 (10%)	8,9,25	0.72	0
2	OLC	D	304	-	12,15,24	0.96	1 (8%)	12,15,25	0.81	0
2	OLC	D	305	-	12,12,24	1.21	1 (8%)	13,13,25	1.02	1 (7%)
2	OLC	E	301	-	15,15,24	0.85	1 (6%)	14,14,25	0.69	0
2	OLC	E	302	-	24,24,24	1.06	2 (8%)	25,25,25	0.94	1 (4%)
2	OLC	E	303	-	9,9,24	1.05	1 (11%)	8,8,25	0.91	0
2	OLC	E	304	-	13,13,24	1.15	1 (7%)	14,14,25	1.11	1 (7%)
2	OLC	E	305	-	13,13,24	1.16	1 (7%)	14,14,25	1.07	1 (7%)
2	OLC	E	306	-	10,13,24	1.02	1 (10%)	10,13,25	0.98	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OLC	A	301	-	-	0/12/12/24	0/0/0/0
2	OLC	A	302	-	-	0/5/7/24	0/0/0/0
2	OLC	A	303	-	-	0/5/5/24	0/0/0/0
2	OLC	A	304	-	-	0/8/10/24	0/0/0/0
3	SO4	A	305	-	-	0/0/0/0	0/0/0/0
2	OLC	B	301	-	-	0/24/24/24	0/0/0/0
2	OLC	B	302	-	-	0/8/10/24	0/0/0/0
2	OLC	B	303	-	-	0/16/16/24	0/0/0/0
2	OLC	B	304	-	-	0/10/10/24	0/0/0/0
2	OLC	B	305	-	-	0/12/14/24	0/0/0/0
2	OLC	C	301	-	-	0/8/8/24	0/0/0/0
2	OLC	C	302	-	-	0/22/22/24	0/0/0/0
2	OLC	C	303	-	-	0/8/10/24	0/0/0/0
2	OLC	D	301	-	-	0/24/24/24	0/0/0/0
2	OLC	D	302	-	-	0/2/4/24	0/0/0/0
2	OLC	D	303	-	-	0/8/8/24	0/0/0/0
2	OLC	D	304	-	-	0/11/13/24	0/0/0/0
2	OLC	D	305	-	-	0/12/12/24	0/0/0/0
2	OLC	E	301	-	-	0/13/13/24	0/0/0/0
2	OLC	E	302	-	-	0/24/24/24	0/0/0/0
2	OLC	E	303	-	-	0/7/7/24	0/0/0/0
2	OLC	E	304	-	-	0/13/13/24	0/0/0/0
2	OLC	E	305	-	-	0/13/13/24	0/0/0/0
2	OLC	E	306	-	-	0/9/11/24	0/0/0/0

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	305	OLC	O20-C21	-3.13	1.38	1.45
2	B	303	OLC	O20-C21	-3.11	1.38	1.45
2	C	302	OLC	O20-C21	-3.08	1.38	1.45
2	D	301	OLC	O20-C21	-3.04	1.38	1.45
2	E	304	OLC	O20-C21	-3.03	1.38	1.45
2	B	301	OLC	O20-C21	-3.03	1.38	1.45
2	E	305	OLC	O20-C21	-3.02	1.38	1.45
2	E	302	OLC	O20-C21	-2.97	1.38	1.45
2	B	302	OLC	C9-C10	2.66	1.49	1.28
2	A	304	OLC	C9-C10	2.72	1.49	1.28
2	C	303	OLC	C9-C10	2.72	1.49	1.28
2	C	302	OLC	C9-C10	2.98	1.49	1.31
2	A	301	OLC	C9-C10	2.98	1.49	1.31
2	B	301	OLC	C9-C10	2.99	1.49	1.31
2	D	301	OLC	C9-C10	2.99	1.49	1.31
2	E	306	OLC	C9-C10	2.99	1.49	1.31
2	E	303	OLC	C9-C10	3.00	1.49	1.31
2	D	303	OLC	C9-C10	3.02	1.49	1.31
2	E	301	OLC	C9-C10	3.02	1.49	1.31
2	B	305	OLC	C9-C10	3.02	1.49	1.31
2	B	304	OLC	C9-C10	3.02	1.49	1.31
2	D	304	OLC	C9-C10	3.02	1.49	1.31
2	E	302	OLC	C9-C10	3.03	1.49	1.31
2	B	303	OLC	C10-C9	3.04	1.49	1.28
2	C	301	OLC	C9-C10	3.04	1.49	1.31

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	303	OLC	O20-C1-C2	2.28	118.88	111.85
2	B	301	OLC	O20-C1-C2	2.50	119.53	111.85
2	D	305	OLC	O20-C1-C2	2.50	119.54	111.85
2	E	305	OLC	O20-C1-C2	2.51	119.57	111.85
2	D	301	OLC	O20-C1-C2	2.53	119.64	111.85
2	E	304	OLC	O20-C1-C2	2.62	119.90	111.85
2	C	302	OLC	O20-C1-C2	2.76	120.33	111.85
2	E	302	OLC	O20-C1-C2	2.82	120.54	111.85

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

12 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	OLC	2	0
2	A	303	OLC	1	0
2	A	304	OLC	1	0
2	B	301	OLC	2	0
2	B	303	OLC	1	0
2	B	305	OLC	3	0
2	C	301	OLC	1	0
2	C	302	OLC	2	0
2	D	301	OLC	3	0
2	E	301	OLC	1	0
2	E	302	OLC	2	0
2	E	305	OLC	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	287/298 (96%)	0.21	15 (5%) 31 31	35, 54, 96, 123	0
1	B	279/298 (93%)	0.06	10 (3%) 46 47	39, 54, 95, 135	0
1	C	282/298 (94%)	0.16	15 (5%) 30 30	42, 61, 100, 123	0
1	D	280/298 (93%)	0.28	19 (6%) 20 20	40, 60, 107, 131	0
1	E	291/298 (97%)	-0.00	5 (1%) 73 72	34, 51, 95, 118	0
1	F	219/298 (73%)	1.09	45 (20%) 1 1	62, 107, 152, 201	0
All	All	1638/1788 (91%)	0.27	109 (6%) 21 21	34, 60, 118, 201	0

All (109) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	254	LEU	7.8
1	F	257	VAL	6.2
1	D	113	PRO	5.6
1	A	203	VAL	5.4
1	F	195	CYS	5.2
1	F	194	LEU	5.1
1	B	261	ALA	5.0
1	A	198	LEU	4.9
1	F	278	ALA	4.8
1	E	65	TRP	4.6
1	F	247	ALA	4.6
1	F	19	THR	4.5
1	F	222	GLY	4.4
1	B	263	PRO	4.3
1	D	115	GLU	4.3
1	A	199	PHE	4.3
1	F	142	GLY	4.2
1	C	62	ARG	4.1
1	A	65	TRP	4.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	F	20	LEU	3.9
1	F	7	THR	3.9
1	F	69	VAL	3.8
1	D	140	ALA	3.8
1	B	262	ALA	3.7
1	F	283	LEU	3.7
1	F	282	THR	3.7
1	C	60	VAL	3.6
1	C	65	TRP	3.6
1	D	65	TRP	3.6
1	F	169	ALA	3.6
1	E	114	GLY	3.5
1	A	140	ALA	3.5
1	F	255	LEU	3.4
1	F	267	LEU	3.4
1	E	257	VAL	3.4
1	D	197	ILE	3.3
1	F	45	ALA	3.3
1	F	251	SER	3.3
1	E	258	ALA	3.3
1	C	27	THR	3.2
1	F	21	ALA	3.2
1	C	61	LEU	3.2
1	D	198	LEU	3.2
1	F	16	LEU	3.1
1	C	52	LEU	3.1
1	C	26	SER	3.0
1	F	41	THR	3.0
1	B	58	LEU	3.0
1	F	263	PRO	3.0
1	D	111	PHE	2.9
1	F	135	LEU	2.9
1	A	60	VAL	2.9
1	D	114	GLY	2.9
1	F	268	ALA	2.8
1	A	201	PRO	2.8
1	F	183	GLY	2.8
1	F	70	HIS	2.8
1	C	58	LEU	2.8
1	B	53	ALA	2.7
1	A	196	HIS	2.7
1	D	199	PHE	2.7

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	2	SER	2.6
1	F	214	VAL	2.6
1	D	203	VAL	2.6
1	F	229	ASP	2.6
1	A	29	ALA	2.5
1	A	53	ALA	2.5
1	C	53	ALA	2.5
1	F	188	THR	2.5
1	D	284	LEU	2.5
1	F	262	ALA	2.5
1	B	59	SER	2.5
1	B	55	GLY	2.5
1	B	113	PRO	2.5
1	F	42	ILE	2.5
1	D	174	ALA	2.5
1	C	28	GLY	2.4
1	A	197	ILE	2.4
1	F	14	ILE	2.4
1	F	271	CYS	2.4
1	D	138	ALA	2.4
1	C	205	PRO	2.4
1	D	137	GLY	2.4
1	F	33	PHE	2.4
1	F	36	THR	2.4
1	E	261	ALA	2.3
1	D	285	ALA	2.3
1	D	262	ALA	2.3
1	A	59	SER	2.3
1	A	24	THR	2.3
1	D	282	THR	2.2
1	D	173	PHE	2.2
1	A	61	LEU	2.2
1	F	248	PRO	2.2
1	B	57	GLY	2.1
1	C	24	THR	2.1
1	C	283	LEU	2.1
1	F	240	LEU	2.1
1	F	190	ALA	2.1
1	F	225	PHE	2.1
1	F	187	ALA	2.0
1	F	230	ILE	2.0
1	F	274	ILE	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	114	GLY	2.0
1	C	57	GLY	2.0
1	A	114	GLY	2.0
1	F	99	TYR	2.0
1	F	284	LEU	2.0
1	D	64	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	OLC	B	303	17/25	0.71	0.31	8.54	64,71,86,89	0
2	OLC	C	301	11/25	0.84	0.20	5.66	60,62,70,70	0
2	OLC	A	303	8/25	0.88	0.23	4.87	61,61,63,65	0
2	OLC	B	305	17/25	0.75	0.22	4.58	64,72,82,82	0
2	OLC	A	304	13/25	0.80	0.27	4.36	64,68,78,79	0
2	OLC	D	305	13/25	0.82	0.22	4.36	62,78,92,93	0
2	OLC	E	305	14/25	0.67	0.26	4.22	62,74,85,91	0
2	OLC	D	301	25/25	0.82	0.30	4.21	45,63,106,110	0
2	OLC	E	301	16/25	0.84	0.27	4.05	58,63,71,71	0
2	OLC	C	302	24/25	0.84	0.23	4.00	40,69,92,94	0
2	OLC	E	302	25/25	0.83	0.20	3.29	34,60,76,80	0
2	OLC	B	301	25/25	0.83	0.21	3.26	37,62,81,84	0
2	OLC	D	304	16/25	0.72	0.22	2.14	62,70,83,85	0
2	OLC	E	306	14/25	0.81	0.19	1.97	71,73,88,88	0
2	OLC	C	303	13/25	0.89	0.23	1.81	62,64,72,72	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	OLC	B	304	13/25	0.81	0.24	1.75	60,63,66,68	0
2	OLC	E	304	14/25	0.69	0.22	1.59	54,81,94,97	0
2	OLC	B	302	13/25	0.88	0.17	1.53	55,62,81,83	0
2	OLC	A	301	15/25	0.90	0.20	1.40	36,50,66,70	0
2	OLC	E	303	10/25	0.89	0.16	0.76	64,67,72,72	0
2	OLC	A	302	10/25	0.85	0.17	0.44	60,68,76,77	0
2	OLC	D	303	11/25	0.78	0.22	0.13	65,72,76,77	0
3	SO4	A	305	5/5	0.97	0.13	-0.50	84,84,85,91	0
2	OLC	D	302	7/25	0.93	0.11	-0.95	61,64,67,68	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.