



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:58 PM GMT

PDB ID : 1I3L  
Title : MOLECULAR BASIS FOR SEVERE EPIMERASE-DEFICIENCY GALACTOSEMIA: X-RAY STRUCTURE OF THE HUMAN V94M-SUBSTITUTED UDP-GALACTOSE 4-EPIMERASE  
Authors : Thoden, J.B.; Wohlers, T.M.; Fridovich-Keil, J.L.; Holden, H.M.  
Deposited on : 2001-02-15  
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2274 (1.50-1.50)
Ramachandran outliers	100387	2218 (1.50-1.50)
Sidechain outliers	100360	2216 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	348	 74% 22% .
1	B	348	 73% 22% . .

## 2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 6522 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called UDP-GLUCOSE 4-EPIMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	347	Total	C	N	O	S	0	5	0
			2704	1710	468	510	16			
1	B	345	Total	C	N	O	S	0	9	0
			2711	1719	467	509	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	94	MET	VAL	ENGINEERED	UNP Q14376
B	94	MET	VAL	ENGINEERED	UNP Q14376

- Molecule 2 is SUGAR (GALACTOSE-URIDINE-5'-DIPHOSPHATE) (three-letter code: GDU) (formula: C<sub>15</sub>H<sub>24</sub>N<sub>2</sub>O<sub>17</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			36	15	2	17	2		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			36	15	2	17	2		


- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Cl	0	0
			2	2		
3	A	1	Total	Cl	0	0
			1	1		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		

- Molecule 5 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C<sub>21</sub>H<sub>27</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
5	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	467	Total	O	0	0
			467	467		
7	B	468	Total	O	0	0
			468	468		

### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: UDP-GLUCOSE 4-EPIMERASE



#### • Molecule 1: UDP-GLUCOSE 4-EPIMERASE



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	78.10 Å 89.80 Å 97.00 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.50	Depositor
% Data completeness (in resolution range)	97.4 (50.00-1.50)	Depositor
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	TNT	Depositor
R, $R_{free}$	0.181 , 0.203	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6522	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, EDO, GDU, NAD, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.89	20/2781 (0.7%)	1.26	26/3761 (0.7%)
1	B	0.91	21/2808 (0.7%)	1.29	33/3799 (0.9%)
All	All	0.90	41/5589 (0.7%)	1.28	59/7560 (0.8%)

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	317	GLU	CD-OE2	7.96	1.34	1.25
1	B	146	GLU	CD-OE2	7.40	1.33	1.25
1	A	146	GLU	CD-OE2	6.58	1.32	1.25
1	B	165	GLU	CD-OE2	6.50	1.32	1.25
1	B	301	GLU	CD-OE2	6.38	1.32	1.25
1	B	260	GLU	CD-OE2	6.36	1.32	1.25
1	A	301	GLU	CD-OE2	6.18	1.32	1.25
1	B	166	GLU	CD-OE2	6.04	1.32	1.25
1	A	316	GLU	CD-OE2	6.01	1.32	1.25
1	A	260	GLU	CD-OE2	5.99	1.32	1.25
1	A	117	GLU	CD-OE2	5.97	1.32	1.25
1	A	285	GLU	CD-OE2	5.96	1.32	1.25
1	A	54	GLU	CD-OE2	5.96	1.32	1.25
1	A	61	GLU	CD-OE2	5.95	1.32	1.25
1	B	233	GLU	CD-OE2	5.92	1.32	1.25
1	A	233	GLU	CD-OE2	5.89	1.32	1.25
1	B	96	GLU	CD-OE2	5.79	1.32	1.25
1	B	54	GLU	CD-OE2	5.79	1.32	1.25
1	A	63[A]	GLU	CD-OE2	5.74	1.31	1.25
1	A	63[B]	GLU	CD-OE2	5.74	1.31	1.25
1	A	221	GLU	CD-OE2	5.70	1.31	1.25
1	B	24[A]	GLU	CD-OE2	5.69	1.31	1.25
1	B	24[B]	GLU	CD-OE2	5.69	1.31	1.25
1	B	21	GLU	CD-OE2	5.69	1.31	1.25

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	47	GLU	CD-OE2	5.68	1.31	1.25
1	A	317	GLU	CD-OE2	5.61	1.31	1.25
1	B	285	GLU	CD-OE2	5.57	1.31	1.25
1	B	3	GLU	CD-OE2	5.55	1.31	1.25
1	A	3	GLU	CD-OE2	5.53	1.31	1.25
1	B	316	GLU	CD-OE2	5.37	1.31	1.25
1	A	21	GLU	CD-OE2	5.22	1.31	1.25
1	A	165	GLU	CD-OE2	5.18	1.31	1.25
1	B	221	GLU	CD-OE2	5.15	1.31	1.25
1	A	24[A]	GLU	CD-OE2	5.15	1.31	1.25
1	A	24[B]	GLU	CD-OE2	5.15	1.31	1.25
1	B	331	GLU	CD-OE2	5.12	1.31	1.25
1	B	47	GLU	CD-OE2	5.05	1.31	1.25
1	A	96	GLU	CD-OE2	5.04	1.31	1.25
1	B	63[A]	GLU	CD-OE2	5.04	1.31	1.25
1	B	63[B]	GLU	CD-OE2	5.04	1.31	1.25
1	B	61	GLU	CD-OE2	5.01	1.31	1.25

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	145	ASP	CB-CG-OD2	-9.31	109.92	118.30
1	A	303	ASP	CB-CG-OD2	-8.33	110.80	118.30
1	A	66	ASP	CB-CG-OD2	-8.15	110.96	118.30
1	A	145	ASP	CB-CG-OD2	-7.83	111.25	118.30
1	A	66	ASP	CB-CG-OD1	7.67	125.20	118.30
1	B	327	ASP	CB-CG-OD2	-7.57	111.49	118.30
1	A	246	ASP	CB-CG-OD1	7.48	125.04	118.30
1	B	145	ASP	CB-CG-OD1	7.34	124.91	118.30
1	A	92	LYS	C-N-CA	-7.30	103.45	121.70
1	A	332	ASP	CB-CG-OD1	7.25	124.83	118.30
1	B	300	ARG	NE-CZ-NH2	-7.22	116.69	120.30
1	B	93	ALA	N-CA-CB	7.13	120.08	110.10
1	B	200	ASP	CB-CG-OD1	7.02	124.62	118.30
1	A	246	ASP	CB-CG-OD2	-7.02	111.98	118.30
1	A	327	ASP	CB-CG-OD2	-6.98	112.02	118.30
1	A	2	ALA	CB-CA-C	6.93	120.50	110.10
1	A	184	ARG	NE-CZ-NH2	-6.92	116.84	120.30
1	B	335	ARG	NE-CZ-NH1	6.90	123.75	120.30
1	B	50	ARG	NE-CZ-NH1	6.73	123.66	120.30
1	A	327	ASP	CB-CG-OD1	6.58	124.22	118.30
1	B	246	ASP	CB-CG-OD2	-6.58	112.38	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	80	TYR	CB-CG-CD2	-6.58	117.05	121.00
1	B	231	ASP	CB-CG-OD1	6.56	124.20	118.30
1	A	234	ASP	CB-CG-OD2	-6.51	112.44	118.30
1	B	69	ASP	CB-CG-OD2	-6.48	112.47	118.30
1	B	69	ASP	CB-CG-OD1	6.40	124.06	118.30
1	A	335	ARG	NE-CZ-NH1	6.33	123.46	120.30
1	B	66	ASP	CB-CG-OD2	-6.25	112.67	118.30
1	B	170	ASP	CB-CG-OD1	5.96	123.67	118.30
1	A	92	LYS	N-CA-CB	5.95	121.30	110.60
1	B	241	TYR	CB-CG-CD2	5.93	124.56	121.00
1	A	145	ASP	CB-CG-OD1	5.90	123.61	118.30
1	B	299	ARG	NE-CZ-NH1	5.85	123.23	120.30
1	A	231	ASP	CB-CG-OD2	-5.68	113.19	118.30
1	B	300	ARG	NE-CZ-NH1	5.64	123.12	120.30
1	A	256	ARG	NE-CZ-NH1	5.57	123.09	120.30
1	B	246	ASP	CB-CG-OD1	5.55	123.30	118.30
1	B	92	LYS	N-CA-CB	5.54	120.58	110.60
1	A	170	ASP	CB-CG-OD2	-5.51	113.34	118.30
1	A	229	ASP	CB-CG-OD2	-5.50	113.35	118.30
1	A	40	ARG	NE-CZ-NH2	-5.47	117.57	120.30
1	B	239	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	B	170	ASP	CB-CG-OD2	-5.42	113.42	118.30
1	A	332	ASP	CB-CG-OD2	-5.37	113.46	118.30
1	B	231	ASP	CB-CG-OD2	-5.37	113.47	118.30
1	B	229	ASP	CB-CG-OD2	-5.35	113.49	118.30
1	A	303	ASP	CB-CG-OD1	5.33	123.10	118.30
1	A	2	ALA	N-CA-CB	5.30	117.53	110.10
1	B	50	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	B	344	PHE	CB-CG-CD2	-5.30	117.09	120.80
1	B	66	ASP	CB-CG-OD1	5.26	123.04	118.30
1	A	200	ASP	CB-CG-OD2	-5.26	113.56	118.30
1	B	332	ASP	CB-CG-OD2	-5.21	113.61	118.30
1	B	200	ASP	CB-CG-OD2	-5.19	113.63	118.30
1	B	332	ASP	CB-CG-OD1	5.17	122.96	118.30
1	B	335	ARG	NE-CZ-NH2	-5.10	117.75	120.30
1	B	211	TYR	CB-CG-CD1	-5.09	117.95	121.00
1	A	300	ARG	NE-CZ-NH1	5.06	122.83	120.30
1	B	13	TYR	CB-CG-CD2	-5.03	117.98	121.00

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2704	0	2653	53	0
1	B	2711	0	2673	50	0
2	A	36	0	22	1	0
2	B	36	0	22	2	0
3	A	1	0	0	0	0
3	B	2	0	0	0	0
4	A	1	0	0	0	0
5	A	44	0	26	2	0
5	B	44	0	26	0	0
6	A	4	0	6	1	0
6	B	4	0	6	1	0
7	A	467	0	0	9	0
7	B	468	0	0	10	1
All	All	6522	0	5434	103	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:MET:HB3	1:A:96:GLU:HG3	1.43	1.00
1:B:173:GLN:HA	1:B:176:LYS:HE2	1.55	0.88
1:A:155:ASN:ND2	1:A:158:GLY:H	1.75	0.85
1:B:94:MET:HB2	1:B:96:GLU:HG3	1.59	0.83
1:A:100:LYS:HD3	1:A:103:ASP:HB2	1.68	0.74
1:B:132:SER:OG	1:B:134[A]:THR:HG22	1.89	0.73
1:B:70:GLN:HG2	7:B:1299:HOH:O	1.87	0.73
1:A:113:ILE:HG12	1:A:167:MET:HE1	1.72	0.72
1:B:94:MET:CB	1:B:96:GLU:HG3	2.19	0.72
1:B:132:SER:OG	1:B:134[B]:THR:HG23	1.90	0.72
1:A:315:GLN:HG3	7:A:1345:HOH:O	1.89	0.71
1:A:94:MET:HB3	1:A:96:GLU:CG	2.18	0.71
1:B:176:LYS:HD2	7:B:1750:HOH:O	1.90	0.71
1:A:203:GLY:HA2	7:A:1667:HOH:O	1.92	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:291:LYS:HE3	7:B:1895:HOH:O	1.92	0.68
1:B:74:GLN:O	1:B:78:LYS:HG3	1.97	0.65
1:B:122:HIS:ND1	7:B:1734:HOH:O	2.30	0.65
1:B:173:GLN:CA	1:B:176:LYS:HE2	2.27	0.65
1:B:206:ASN:ND2	2:B:901:GDU:O6'	2.30	0.64
1:A:2:ALA:HB1	7:A:1801:HOH:O	1.96	0.62
1:A:42:GLY:O	6:A:980:EDO:H22	2.00	0.62
1:B:70:GLN:O	1:B:74:GLN:HG3	1.99	0.62
1:B:70:GLN:OE1	1:B:114[B]:GLN:NE2	2.31	0.62
1:B:100:LYS:HD3	1:B:103:ASP:HB2	1.83	0.61
1:A:173:GLN:O	1:A:176:LYS:NZ	2.30	0.59
1:A:207[B]:ASN:OD1	2:A:401:GDU:H6'2	2.03	0.59
1:A:97:SER:HA	1:A:104:TYR:CE1	2.39	0.57
1:B:310:ASN:C	1:B:310:ASN:HD22	2.08	0.57
1:B:44:SER:HB3	7:B:1722:HOH:O	2.03	0.57
1:B:58:ARG:HG2	7:B:1886:HOH:O	2.04	0.57
1:A:94:MET:CB	1:A:96:GLU:HG3	2.29	0.56
1:A:155:ASN:ND2	1:A:157:TYR:HB3	2.22	0.55
1:B:310:ASN:HD22	1:B:312:SER:H	1.54	0.55
1:A:155:ASN:HD22	1:A:157:TYR:N	2.05	0.55
1:B:173:GLN:OE1	1:B:173:GLN:HA	2.07	0.54
1:A:155:ASN:HD21	1:A:158:GLY:H	1.56	0.54
1:B:310:ASN:ND2	1:B:312:SER:H	2.06	0.54
1:B:138:ASN:HB2	7:B:1915:HOH:O	2.08	0.53
1:A:100:LYS:HD3	1:A:103:ASP:CB	2.37	0.53
1:B:132:SER:CB	1:B:134[A]:THR:HG22	2.38	0.53
1:A:100:LYS:HD2	1:A:104:TYR:CE1	2.44	0.52
1:B:100:LYS:HE2	1:B:103:ASP:OD1	2.09	0.52
1:A:261:GLN:NE2	7:A:1659:HOH:O	2.35	0.52
2:B:901:GDU:O2A	2:B:901:GDU:H6'2	2.10	0.52
1:B:155:ASN:OD1	1:B:158:GLY:N	2.30	0.52
1:B:73:LEU:HD12	1:B:114[B]:GLN:HG3	1.92	0.52
1:A:240:ASP:HB2	1:A:308:TYR:HA	1.92	0.51
1:B:215:VAL:HG22	1:B:220:ARG:HB2	1.91	0.51
1:B:73:LEU:CD1	1:B:114[B]:GLN:HG3	2.41	0.51
1:A:170:ASP:OD1	1:B:159:LYS:HE2	2.10	0.51
1:A:223:LEU:HB3	1:A:294:TYR:HB3	1.92	0.51
1:A:310:ASN:OD1	1:A:312:SER:OG	2.30	0.50
1:B:10:GLY:HA3	1:B:31:VAL:HG13	1.93	0.49
1:A:93:ALA:HB2	1:A:104:TYR:OH	2.13	0.49
1:A:207[B]:ASN:ND2	7:A:1478:HOH:O	2.41	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:267:TYR:CE1	1:A:318:LEU:HD13	2.48	0.49
1:A:188:PRO:HD2	5:A:400:NAD:O7N	2.13	0.49
1:B:70:GLN:HB3	1:B:114[B]:GLN:NE2	2.29	0.47
1:B:240:ASP:HB2	1:B:308:TYR:HA	1.97	0.47
1:B:53:GLN:HG3	1:B:58:ARG:O	2.14	0.46
1:A:132:SER:HB2	5:A:400:NAD:H5N	1.98	0.46
1:A:100:LYS:HD3	1:A:103:ASP:OD1	2.14	0.46
1:A:135:VAL:HA	1:A:153:CYS:SG	2.56	0.46
1:A:93:ALA:HB3	7:A:1973:HOH:O	2.14	0.46
1:B:104:TYR:O	1:B:108:ASN:HB2	2.16	0.45
1:B:3:GLU:OE2	1:B:81:SER:O	2.34	0.45
1:A:155:ASN:HD22	1:A:157:TYR:H	1.65	0.45
1:B:331:GLU:HB2	7:B:1843:HOH:O	2.16	0.45
1:A:167:MET:HB3	1:A:167:MET:HE3	1.83	0.45
1:B:204:ILE:HD12	6:B:981:EDO:H22	1.98	0.44
1:A:53:GLN:HG3	1:A:58:ARG:O	2.16	0.44
1:A:311:PRO:HB3	7:A:1477:HOH:O	2.17	0.44
1:A:94:MET:HB3	1:A:96:GLU:OE2	2.17	0.44
1:A:20:LEU:HD21	1:A:24[B]:GLU:OE2	2.17	0.44
1:A:100:LYS:HD2	1:A:104:TYR:HE1	1.83	0.44
1:A:189[A]:THR:HG21	1:A:241:TYR:HD1	1.83	0.44
1:B:70:GLN:H	1:B:70:GLN:HG2	1.65	0.43
1:A:173:GLN:NE2	1:A:173:GLN:HA	2.32	0.43
1:A:176:LYS:HB2	7:A:1658:HOH:O	2.19	0.43
1:A:94:MET:HG3	1:A:94:MET:O	2.18	0.43
1:A:10:GLY:HA3	1:A:31:VAL:HG13	2.00	0.43
1:B:100:LYS:NZ	7:B:1840:HOH:O	2.46	0.43
1:B:272:GLY:HA2	1:B:309:ALA:O	2.19	0.43
1:A:155:ASN:HD22	1:A:158:GLY:H	1.61	0.43
1:B:291:LYS:NZ	7:B:1897:HOH:O	2.47	0.43
1:A:70:GLN:HG3	1:A:118:ILE:HD11	2.00	0.43
1:A:73:LEU:HB3	1:A:118:ILE:HD13	2.01	0.43
1:B:93:ALA:HB2	1:B:157:TYR:CB	2.50	0.42
1:B:115:LEU:O	1:B:118:ILE:HG22	2.20	0.42
1:A:97:SER:O	1:A:156:PRO:HG2	2.20	0.42
1:A:189[A]:THR:HG21	1:A:241:TYR:CD1	2.54	0.42
1:B:71:GLY:O	1:B:75:ARG:HG3	2.20	0.42
1:B:20:LEU:O	1:B:24[B]:GLU:HG3	2.20	0.41
1:A:142:LEU:HA	1:A:143:PRO:C	2.41	0.41
1:A:295:LYS:HD3	1:A:297:VAL:HG13	2.03	0.41
1:A:94:MET:SD	1:A:206:ASN:ND2	2.90	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:172:CYS:O	1:B:176:LYS:HD3	2.21	0.41
1:A:328:ARG:HA	1:A:328:ARG:HD2	1.89	0.41
1:A:257:LYS:HE3	7:A:1706:HOH:O	2.19	0.41
1:B:94:MET:HB3	1:B:96:GLU:HG3	2.01	0.40
1:B:132:SER:HB3	1:B:134[A]:THR:HG22	2.02	0.40
1:B:2:ALA:HB3	1:B:81:SER:HB3	2.02	0.40
1:B:186:PHE:CE2	1:B:309:ALA:HB2	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:B:1213:HOH:O	7:B:1885:HOH:O[4_555]	2.08	0.12

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	350/348 (101%)	341 (97%)	9 (3%)	0	100	100
1	B	353/348 (101%)	343 (97%)	10 (3%)	0	100	100
All	All	703/696 (101%)	684 (97%)	19 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	285/282 (101%)	272 (95%)	13 (5%)	33 6
1	B	289/282 (102%)	273 (94%)	16 (6%)	27 4
All	All	574/564 (102%)	545 (95%)	29 (5%)	32 5

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LYS
1	A	73	LEU
1	A	92	LYS
1	A	94	MET
1	A	100	LYS
1	A	154	THR
1	A	155	ASN
1	A	189[A]	THR
1	A	189[B]	THR
1	A	247	LEU
1	A	259	LYS
1	A	295	LYS
1	A	301	GLU
1	B	3	GLU
1	B	44	SER
1	B	59	SER
1	B	70	GLN
1	B	81	SER
1	B	100	LYS
1	B	159	LYS
1	B	189[A]	THR
1	B	189[B]	THR
1	B	206	ASN
1	B	233	GLU
1	B	261[A]	GLN
1	B	261[B]	GLN
1	B	291	LYS
1	B	310	ASN
1	B	342	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	GLN
1	A	155	ASN
1	A	224	ASN
1	A	339	GLN
1	B	36	HIS
1	B	224	ASN
1	B	310	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 4 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	NAD	A	400	-	38,48,48	1.02	3 (7%)	47,73,73	1.77	9 (19%)
2	GDU	A	401	-	29,38,38	1.22	4 (13%)	43,58,58	2.64	7 (16%)
6	EDO	A	980	-	3,3,3	0.49	0	2,2,2	0.09	0
5	NAD	B	900	-	38,48,48	1.12	4 (10%)	47,73,73	1.52	7 (14%)
2	GDU	B	901	-	29,38,38	1.17	3 (10%)	43,58,58	2.31	5 (11%)
6	EDO	B	981	-	3,3,3	0.46	0	2,2,2	0.08	0



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAD	A	400	-	-	0/22/62/62	0/5/5/5
2	GDU	A	401	-	-	0/19/59/59	0/3/3/3
6	EDO	A	980	-	-	0/1/1/1	0/0/0/0
5	NAD	B	900	-	-	0/22/62/62	0/5/5/5
2	GDU	B	901	-	-	0/19/59/59	0/3/3/3
6	EDO	B	981	-	-	0/1/1/1	0/0/0/0

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	GDU	C6-C5	-2.91	1.31	1.38
2	B	901	GDU	C6-C5	-2.72	1.32	1.38
5	B	900	NAD	O4D-C1D	-2.44	1.38	1.41
5	B	900	NAD	PA-O2A	-2.39	1.44	1.54
5	A	400	NAD	PA-O2A	-2.21	1.45	1.54
5	A	400	NAD	PN-O2N	-2.17	1.45	1.54
5	B	900	NAD	PN-O2N	-2.16	1.45	1.54
2	A	401	GDU	O4D-C1D	-2.12	1.38	1.41
2	A	401	GDU	C6-N1	2.43	1.39	1.35
5	A	400	NAD	C4N-C3N	2.51	1.43	1.39
5	B	900	NAD	C4N-C3N	2.94	1.44	1.39
2	B	901	GDU	C6-N1	3.15	1.40	1.35
2	A	401	GDU	C4-N3	3.44	1.39	1.33
2	B	901	GDU	C4-N3	3.82	1.40	1.33

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	GDU	O5'-C1'-O3B	-6.52	102.76	111.36
5	A	400	NAD	C5N-C4N-C3N	-4.67	114.46	120.33
5	A	400	NAD	C5N-C6N-N1N	-4.51	112.68	120.47
5	B	900	NAD	C5N-C4N-C3N	-4.26	114.98	120.33
5	B	900	NAD	C5N-C6N-N1N	-3.93	113.68	120.47
2	B	901	GDU	C5-C4-N3	-3.65	113.76	123.12
2	A	401	GDU	C1'-O5'-C5'	-3.59	106.77	113.75
2	B	901	GDU	O5'-C1'-O3B	-3.57	106.65	111.36
2	A	401	GDU	C5-C4-N3	-3.42	114.35	123.12
2	A	401	GDU	O5'-C5'-C4'	-2.99	104.06	109.68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	900	NAD	C3N-C2N-N1N	-2.60	117.36	120.36
5	A	400	NAD	C3N-C2N-N1N	-2.34	117.66	120.36
5	A	400	NAD	O7N-C7N-N7N	-2.29	119.36	122.59
2	A	401	GDU	O3'-C3'-C4'	-2.13	105.55	110.34
5	A	400	NAD	O3-PN-O5D	-2.10	97.37	102.94
2	B	901	GDU	C4D-O4D-C1D	2.21	112.14	109.72
5	B	900	NAD	C4A-C5A-N7A	2.26	111.56	109.48
5	B	900	NAD	C3N-C7N-N7N	2.44	120.49	117.82
5	A	400	NAD	C2N-C3N-C4N	2.46	121.03	118.29
5	A	400	NAD	O4D-C1D-N1N	2.54	110.92	108.13
5	B	900	NAD	C2N-C3N-C4N	2.78	121.38	118.29
2	B	901	GDU	O3A-PB-O3B	2.98	112.21	103.63
5	A	400	NAD	C3N-C7N-N7N	3.57	121.73	117.82
2	A	401	GDU	O3A-PB-O3B	4.01	115.18	103.63
5	B	900	NAD	C6N-C5N-C4N	4.50	126.24	119.44
5	A	400	NAD	C6N-C5N-C4N	5.70	128.06	119.44
2	B	901	GDU	C4-N3-C2	12.54	126.56	114.14
2	A	401	GDU	C4-N3-C2	13.50	127.51	114.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	400	NAD	2	0
2	A	401	GDU	1	0
6	A	980	EDO	1	0
2	B	901	GDU	2	0
6	B	981	EDO	1	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.