



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 28, 2016 – 04:36 PM EDT

PDB ID : 5IFI
Title : CRYSTAL STRUCTURE OF ACETYL-COA SYNTHETASE IN COMPLEX
WITH ADENOSINE-5'-PROPYLPHOSPHATE FROM CRYPTOCOCCUS
NEOFORMANS H99
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID); SSGCID;
Fox III, D.; Edwards, T.E.; Lorimer, D.D.; Mutz, M.W.
Deposited on : 2016-02-26
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027107
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027107


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1833 (1.96-1.96)
Clashscore	102246	1953 (1.96-1.96)
Ramachandran outliers	100387	1936 (1.96-1.96)
Sidechain outliers	100360	1936 (1.96-1.96)
RSRZ outliers	91569	1835 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	694	<div> <div>5%</div> <div>87%</div> <div>6%</div> <div>6%</div> </div>
1	B	694	<div> <div>3%</div> <div>86%</div> <div>6%</div> <div>7%</div> </div>
1	C	694	<div> <div>20%</div> <div>74%</div> <div>8%</div> <div>18%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PRX	C	701	X	-	-	-
3	EDO	A	702	-	-	-	X
3	EDO	A	703	-	-	-	X
3	EDO	A	705	-	-	-	X
3	EDO	A	706	-	-	-	X
3	EDO	A	707	-	-	-	X
3	EDO	A	708	-	-	-	X
3	EDO	A	709	-	-	-	X
3	EDO	A	710	-	-	-	X
3	EDO	B	707	-	-	-	X
3	EDO	B	708	-	-	-	X
3	EDO	B	709	-	-	-	X
3	EDO	C	703	-	-	-	X
4	PO4	B	702	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 15384 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-coenzyme A synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	650	Total	C	N	O	S	0	7	0
			5045	3221	858	939	27			
1	B	642	Total	C	N	O	S	0	11	0
			5010	3190	858	936	26			
1	C	567	Total	C	N	O	S	0	1	0
			4187	2668	712	784	23			

There are 45 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	initiating methionine	UNP J9VFT1
A	-12	HIS	-	expression tag	UNP J9VFT1
A	-11	HIS	-	expression tag	UNP J9VFT1
A	-10	HIS	-	expression tag	UNP J9VFT1
A	-9	HIS	-	expression tag	UNP J9VFT1
A	-8	HIS	-	expression tag	UNP J9VFT1
A	-7	HIS	-	expression tag	UNP J9VFT1
A	-6	HIS	-	expression tag	UNP J9VFT1
A	-5	HIS	-	expression tag	UNP J9VFT1
A	-4	GLU	-	expression tag	UNP J9VFT1
A	-3	ASN	-	expression tag	UNP J9VFT1
A	-2	LEU	-	expression tag	UNP J9VFT1
A	-1	TYR	-	expression tag	UNP J9VFT1
A	0	PHE	-	expression tag	UNP J9VFT1
A	1	GLN	-	expression tag	UNP J9VFT1
B	-13	MET	-	initiating methionine	UNP J9VFT1
B	-12	HIS	-	expression tag	UNP J9VFT1
B	-11	HIS	-	expression tag	UNP J9VFT1
B	-10	HIS	-	expression tag	UNP J9VFT1
B	-9	HIS	-	expression tag	UNP J9VFT1
B	-8	HIS	-	expression tag	UNP J9VFT1
B	-7	HIS	-	expression tag	UNP J9VFT1
B	-6	HIS	-	expression tag	UNP J9VFT1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-5	HIS	-	expression tag	UNP J9VFT1
B	-4	GLU	-	expression tag	UNP J9VFT1
B	-3	ASN	-	expression tag	UNP J9VFT1
B	-2	LEU	-	expression tag	UNP J9VFT1
B	-1	TYR	-	expression tag	UNP J9VFT1
B	0	PHE	-	expression tag	UNP J9VFT1
B	1	GLN	-	expression tag	UNP J9VFT1
C	-13	MET	-	initiating methionine	UNP J9VFT1
C	-12	HIS	-	expression tag	UNP J9VFT1
C	-11	HIS	-	expression tag	UNP J9VFT1
C	-10	HIS	-	expression tag	UNP J9VFT1
C	-9	HIS	-	expression tag	UNP J9VFT1
C	-8	HIS	-	expression tag	UNP J9VFT1
C	-7	HIS	-	expression tag	UNP J9VFT1
C	-6	HIS	-	expression tag	UNP J9VFT1
C	-5	HIS	-	expression tag	UNP J9VFT1
C	-4	GLU	-	expression tag	UNP J9VFT1
C	-3	ASN	-	expression tag	UNP J9VFT1
C	-2	LEU	-	expression tag	UNP J9VFT1
C	-1	TYR	-	expression tag	UNP J9VFT1
C	0	PHE	-	expression tag	UNP J9VFT1
C	1	GLN	-	expression tag	UNP J9VFT1

- Molecule 2 is ADENOSINE-5'-MONOPHOSPHATE-PROPYL ESTER (three-letter code: PRX) (formula: $C_{13}H_{20}N_5O_7P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			26	13	5	7	1		
2	B	1	Total	C	N	O	P	0	0
			26	13	5	7	1		
2	C	1	Total	C	N	O	P	0	0
			26	13	5	7	1		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total O P 5 4 1	0	0
4	B	1	Total O P 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	398	Total	O	0	1
			399	399		
5	B	385	Total	O	0	2
			386	386		
5	C	186	Total	O	0	1
			187	187		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acetyl-coenzyme A synthetase




- Molecule 1: Acetyl-coenzyme A synthetase



- Molecule 1: Acetyl-coenzyme A synthetase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	72.46 Å 185.55 Å 84.89 Å 90.00° 93.67° 90.00°	Depositor
Resolution (Å)	41.84 – 1.95 48.46 – 1.95	Depositor EDS
% Data completeness (in resolution range)	98.6 (41.84-1.95) 98.7 (48.46-1.95)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.47 (at 1.95 Å)	Xtriage
Refinement program	PHENIX (DEV_2328: ???)	Depositor
R, R_{free}	0.185 , 0.213 0.184 , 0.213	Depositor DCC
R_{free} test set	8024 reflections (5.02%)	DCC
Wilson B-factor (Å ²)	27.7	Xtriage
Anisotropy	0.339	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 52.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 159977 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	15384	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, EDO, PRX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.37	0/5198	0.53	0/7094
1	B	0.34	0/5156	0.51	0/7032
1	C	0.31	0/4301	0.49	0/5888
All	All	0.34	0/14655	0.51	0/20014

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5045	0	4791	27	0
1	B	5010	0	4725	22	0
1	C	4187	0	3785	36	0
2	A	26	0	19	1	0
2	B	26	0	19	1	0
2	C	26	0	18	2	0
3	A	40	0	60	3	0
3	B	24	0	36	2	0
3	C	8	0	12	3	0
4	B	20	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	399	0	0	4	0
5	B	386	0	0	1	0
5	C	187	0	0	2	0
All	All	15384	0	13465	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:241:ASN:HB3	3:C:703:EDO:H21	1.73	0.71
1:C:439:TRP:HB2	1:C:443:THR:HG21	1.73	0.70
1:C:513:GLU:HA	1:C:517:LYS:HG3	1.74	0.69
1:A:47:ASN:HA	3:A:707:EDO:H22	1.73	0.69
1:A:50:SER:HB2	3:A:702:EDO:H21	1.74	0.69
1:A:99:GLU:O	1:C:277:ARG:NH2	2.26	0.68
1:C:512:LEU:HA	1:C:516:MET:HG2	1.77	0.67
1:A:217:ARG:NH1	1:A:222:THR:OG1	2.29	0.66
1:B:405:LEU:HD13	1:B:408:LEU:HD21	1.80	0.64
1:B:384[A]:THR:HG21	1:B:639:GLY:HA3	1.83	0.61
1:C:368:TRP:HB3	1:C:402:LEU:HD21	1.83	0.59
1:A:545:ASP:OD1	1:A:647:ARG:NH2	2.36	0.58
1:B:495:ARG:NH1	5:B:801:HOH:O	2.28	0.58
1:C:532:ASP:OD1	1:C:536:TYR:N	2.36	0.58
1:B:603:GLU:HG3	1:B:629:LEU:HD12	1.85	0.58
1:C:472:ASP:OD1	1:C:494:ARG:NH1	2.39	0.56
1:C:325:ARG:NH2	1:C:375:LYS:O	2.37	0.55
1:C:340:TYR:OH	1:C:446:ILE:HG12	2.06	0.55
1:C:440:MET:H	1:C:443:THR:HG22	1.72	0.54
1:B:368:TRP:HB3	1:B:402:LEU:HD21	1.90	0.54
1:A:384:THR:HG21	1:A:639:GLY:HA3	1.90	0.53
1:B:439:TRP:CE2	2:B:701:PRX:H3P1	2.45	0.52
1:A:99:GLU:HG2	3:C:702:EDO:H11	1.91	0.52
1:A:617:VAL:HG23	1:A:618:ILE:HG13	1.91	0.52
1:C:411:VAL:HG21	1:C:439:TRP:HE1	1.74	0.52
1:C:437:THR:HB	1:C:446:ILE:HD12	1.91	0.52
1:A:439:TRP:CE2	2:A:701:PRX:H3P1	2.45	0.52
1:A:542:ARG:NH1	5:A:815:HOH:O	2.43	0.52
1:B:413:GLU:HG2	1:B:414:PRO:HD2	1.93	0.51
3:C:703:EDO:O1	5:C:801:HOH:O	2.07	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:440:MET:H	1:C:443:THR:CG2	2.24	0.51
1:C:440:MET:O	1:C:443:THR:HG22	2.10	0.51
1:A:218:ARG:NH1	5:A:816:HOH:O	2.45	0.50
1:C:383:PRO:HG2	1:C:413:GLU:HG2	1.94	0.50
1:B:58:THR:HG22	1:B:66:TRP:CD2	2.47	0.49
1:B:17:PRO:HB3	1:B:617:VAL:HG11	1.95	0.49
1:C:63:SER:OG	1:C:85:ARG:NH2	2.46	0.49
1:A:134:GLU:OE1	5:A:801:HOH:O	2.20	0.48
1:C:241:ASN:ND2	5:C:813:HOH:O	2.46	0.48
1:A:17:PRO:HD2	1:A:561:SER:HB2	1.96	0.48
1:B:314:LEU:HD22	1:B:345:PRO:HA	1.97	0.47
1:A:127:ASP:HA	1:A:357:SER:HB2	1.97	0.46
1:A:442:GLU:HG2	1:A:515:TYR:CZ	2.50	0.46
1:B:442:GLU:HG2	1:B:515:TYR:CZ	2.49	0.46
1:C:439:TRP:HB2	1:C:443:THR:CG2	2.41	0.46
1:A:193:PHE:CZ	1:A:334[B]:TRP:HH2	2.34	0.46
1:B:590:VAL:HB	1:B:629:LEU:HD23	1.96	0.46
1:C:214:ASP:OD1	1:C:215:GLU:N	2.48	0.46
1:C:553:ARG:NH1	2:C:701:PRX:O2P	2.49	0.46
1:A:67:TRP:CZ3	1:A:498:PRO:HG2	2.51	0.45
1:C:58:THR:HG22	1:C:66:TRP:CD2	2.52	0.45
1:C:384:THR:OG1	1:C:550:SER:HA	2.16	0.45
1:C:383:PRO:HG2	1:C:413:GLU:CG	2.48	0.44
1:A:613:GLN:O	1:A:617:VAL:HG22	2.17	0.44
1:C:83:THR:O	1:C:98:PRO:HD2	2.17	0.44
1:B:48:TYR:O	1:B:52:VAL:HG23	2.17	0.44
1:A:224:ALA:O	1:A:228:ILE:HG12	2.16	0.44
1:A:472:ASP:OD2	1:A:494[B]:ARG:HD2	2.17	0.44
1:C:213:THR:HG23	1:C:225:THR:OG1	2.18	0.44
1:A:171:GLN:HE22	3:A:710:EDO:H22	1.82	0.43
1:C:360:VAL:HA	1:C:364:PRO:HA	2.00	0.43
1:C:66:TRP:O	1:C:70:LYS:HG2	2.19	0.43
1:A:470:ASP:OD2	1:A:494[A]:ARG:HD3	2.19	0.42
1:B:83:THR:O	1:B:98:PRO:HD2	2.19	0.42
1:A:472:ASP:OD1	5:A:802:HOH:O	2.22	0.42
1:C:516:MET:N	1:C:516:MET:SD	2.93	0.42
1:C:504:VAL:HG23	1:C:511:TYR:HB2	2.02	0.41
1:A:368:TRP:HB3	1:A:402:LEU:HD21	2.02	0.41
1:B:288:TYR:HA	1:B:297:LYS:O	2.19	0.41
1:B:435:VAL:HA	1:B:450:PRO:HG2	2.03	0.41
1:C:470:ASP:OD2	1:C:494:ARG:NE	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:478:THR:HG22	1:C:480:GLN:HB2	2.03	0.41
1:C:440:MET:HG2	2:C:701:PRX:H3'	2.02	0.41
1:B:492:VAL:HB	1:B:522:TYR:HB3	2.03	0.41
1:B:161:ALA:H	3:B:708:EDO:H11	1.86	0.41
1:C:456:SER:O	1:C:536:TYR:OH	2.26	0.41
1:A:417:PRO:HB3	1:A:459:PRO:HB2	2.02	0.40
1:C:326:PHE:CE1	1:C:328:CYS:HB2	2.56	0.40
1:C:367:TYR:O	1:C:371:VAL:HG23	2.21	0.40
1:A:288:TYR:HA	1:A:297:LYS:O	2.20	0.40
1:B:24:GLU:O	3:B:706:EDO:H22	2.22	0.40
1:B:466:PHE:CG	1:B:467:PHE:N	2.88	0.40
1:A:572:THR:HG22	1:A:590:VAL:HG13	2.04	0.40
1:B:548:ASN:O	1:B:584:GLN:HB2	2.21	0.40
1:B:577:CYS:HB3	1:B:587:TYR:CE1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	651/694 (94%)	628 (96%)	22 (3%)	1 (0%)	52	43
1	B	645/694 (93%)	625 (97%)	19 (3%)	1 (0%)	52	43
1	C	558/694 (80%)	537 (96%)	20 (4%)	1 (0%)	52	43
All	All	1854/2082 (89%)	1790 (96%)	61 (3%)	3 (0%)	52	43

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	463	THR
1	C	463	THR
1	B	463	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	513/576 (89%)	508 (99%)	5 (1%)	82	80
1	B	505/576 (88%)	499 (99%)	6 (1%)	78	75
1	C	390/576 (68%)	386 (99%)	4 (1%)	82	80
All	All	1408/1728 (82%)	1393 (99%)	15 (1%)	82	77

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	ASP
1	A	110	ASP
1	A	116	ASN
1	A	423	TYR
1	A	472	ASP
1	B	110	ASP
1	B	193	PHE
1	B	217[A]	ARG
1	B	217[B]	ARG
1	B	262	TRP
1	B	423	TYR
1	C	51	TYR
1	C	110	ASP
1	C	314	LEU
1	C	408	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	GLN
1	B	116	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

25 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	PRX	A	701	-	25,28,28	2.37	7 (28%)	24,41,41	3.26	5 (20%)
3	EDO	A	702	-	3,3,3	0.59	0	2,2,2	0.11	0
3	EDO	A	703	-	3,3,3	0.38	0	2,2,2	0.68	0
3	EDO	A	704	-	3,3,3	0.43	0	2,2,2	0.53	0
3	EDO	A	705	-	3,3,3	0.46	0	2,2,2	0.38	0
3	EDO	A	706	-	3,3,3	0.39	0	2,2,2	0.62	0
3	EDO	A	707	-	3,3,3	0.40	0	2,2,2	0.44	0
3	EDO	A	708	-	3,3,3	0.42	0	2,2,2	0.42	0
3	EDO	A	709	-	3,3,3	0.48	0	2,2,2	0.25	0
3	EDO	A	710	-	3,3,3	0.47	0	2,2,2	0.32	0
3	EDO	A	711	-	3,3,3	0.45	0	2,2,2	0.40	0
2	PRX	B	701	-	25,28,28	2.49	9 (36%)	24,41,41	3.36	5 (20%)
4	PO4	B	702	-	4,4,4	0.72	0	6,6,6	0.23	0
4	PO4	B	703	-	4,4,4	0.67	0	6,6,6	0.23	0
4	PO4	B	704	-	4,4,4	0.64	0	6,6,6	0.23	0
4	PO4	B	705	-	4,4,4	0.66	0	6,6,6	0.23	0
3	EDO	B	706	-	3,3,3	0.49	0	2,2,2	0.30	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	B	707	-	3,3,3	0.41	0	2,2,2	0.38	0
3	EDO	B	708	-	3,3,3	0.46	0	2,2,2	0.37	0
3	EDO	B	709	-	3,3,3	0.41	0	2,2,2	0.55	0
3	EDO	B	710	-	3,3,3	0.47	0	2,2,2	0.30	0
3	EDO	B	711	-	3,3,3	0.47	0	2,2,2	0.44	0
2	PRX	C	701	-	25,28,28	2.56	8 (32%)	24,41,41	3.13	6 (25%)
3	EDO	C	702	-	3,3,3	0.38	0	2,2,2	0.63	0
3	EDO	C	703	-	3,3,3	0.24	0	2,2,2	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PRX	A	701	-	-	0/11/31/31	0/3/3/3
3	EDO	A	702	-	-	0/1/1/1	0/0/0/0
3	EDO	A	703	-	-	0/1/1/1	0/0/0/0
3	EDO	A	704	-	-	0/1/1/1	0/0/0/0
3	EDO	A	705	-	-	0/1/1/1	0/0/0/0
3	EDO	A	706	-	-	0/1/1/1	0/0/0/0
3	EDO	A	707	-	-	0/1/1/1	0/0/0/0
3	EDO	A	708	-	-	0/1/1/1	0/0/0/0
3	EDO	A	709	-	-	0/1/1/1	0/0/0/0
3	EDO	A	710	-	-	0/1/1/1	0/0/0/0
3	EDO	A	711	-	-	0/1/1/1	0/0/0/0
2	PRX	B	701	-	-	0/11/31/31	0/3/3/3
4	PO4	B	702	-	-	0/0/0/0	0/0/0/0
4	PO4	B	703	-	-	0/0/0/0	0/0/0/0
4	PO4	B	704	-	-	0/0/0/0	0/0/0/0
4	PO4	B	705	-	-	0/0/0/0	0/0/0/0
3	EDO	B	706	-	-	0/1/1/1	0/0/0/0
3	EDO	B	707	-	-	0/1/1/1	0/0/0/0
3	EDO	B	708	-	-	0/1/1/1	0/0/0/0
3	EDO	B	709	-	-	0/1/1/1	0/0/0/0
3	EDO	B	710	-	-	0/1/1/1	0/0/0/0
3	EDO	B	711	-	-	0/1/1/1	0/0/0/0
2	PRX	C	701	-	1/1/5/5	0/11/31/31	0/3/3/3
3	EDO	C	702	-	-	0/1/1/1	0/0/0/0
3	EDO	C	703	-	-	0/1/1/1	0/0/0/0

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	701	PRX	C8-N7	-7.29	1.20	1.34
2	B	701	PRX	C8-N7	-7.11	1.21	1.34
2	A	701	PRX	C8-N7	-6.45	1.22	1.34
2	C	701	PRX	C6-C5	-2.70	1.28	1.42
2	B	701	PRX	C6-C5	-2.57	1.29	1.42
2	A	701	PRX	C6-C5	-2.51	1.29	1.42
2	A	701	PRX	C2'-C1'	-2.37	1.49	1.53
2	B	701	PRX	C2'-C1'	-2.36	1.49	1.53
2	B	701	PRX	O4'-C1'	-2.34	1.37	1.41
2	A	701	PRX	C6-N1	-2.28	1.27	1.37
2	B	701	PRX	P-O2P	-2.26	1.45	1.55
2	B	701	PRX	C6-N1	-2.24	1.27	1.37
2	C	701	PRX	C2'-C1'	-2.20	1.50	1.53
2	C	701	PRX	C6-N1	-2.10	1.28	1.37
2	C	701	PRX	O4'-C1'	-2.08	1.38	1.41
2	B	701	PRX	C6-N6	2.64	1.44	1.34
2	A	701	PRX	C6-N6	2.68	1.45	1.34
2	C	701	PRX	C6-N6	2.84	1.45	1.34
2	B	701	PRX	C5-C4	5.07	1.51	1.40
2	A	701	PRX	C5-C4	5.24	1.52	1.40
2	C	701	PRX	C5-C4	5.55	1.53	1.40
2	A	701	PRX	C2-N3	5.60	1.42	1.32
2	B	701	PRX	C2-N3	5.65	1.42	1.32
2	C	701	PRX	C2-N3	5.80	1.42	1.32

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	701	PRX	N3-C2-N1	-12.68	118.91	128.87
2	A	701	PRX	N3-C2-N1	-11.68	119.69	128.87
2	C	701	PRX	N3-C2-N1	-11.04	120.20	128.87
2	A	701	PRX	C1'-N9-C4	-6.94	119.06	126.81
2	B	701	PRX	C1'-N9-C4	-6.28	119.80	126.81
2	C	701	PRX	C4'-O4'-C1'	-2.00	107.52	109.64
2	C	701	PRX	N6-C6-N1	2.01	121.88	118.52
2	B	701	PRX	C2'-C1'-N9	2.77	120.88	113.47
2	A	701	PRX	C2'-C1'-N9	2.84	121.07	113.47
2	C	701	PRX	C2-N1-C6	4.00	125.90	118.77
2	A	701	PRX	C2-N1-C6	4.33	126.50	118.77
2	C	701	PRX	C2'-C1'-N9	4.40	125.24	113.47
2	B	701	PRX	C2-N1-C6	4.58	126.94	118.77
2	B	701	PRX	O4'-C1'-N9	5.66	118.81	108.11
2	A	701	PRX	O4'-C1'-N9	5.85	119.15	108.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	C	701	PRX	O4'-C1'-N9	7.70	122.66	108.11

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	C	701	PRX	C1'

There are no torsion outliers.

There are no ring outliers.

10 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	PRX	1	0
3	A	702	EDO	1	0
3	A	707	EDO	1	0
3	A	710	EDO	1	0
2	B	701	PRX	1	0
3	B	706	EDO	1	0
3	B	708	EDO	1	0
2	C	701	PRX	2	0
3	C	702	EDO	1	0
3	C	703	EDO	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	650/694 (93%)	0.36	33 (5%) 32 43	15, 36, 70, 94	0
1	B	642/694 (92%)	0.31	23 (3%) 46 57	19, 36, 67, 102	0
1	C	567/694 (81%)	1.31	140 (24%) 1 1	21, 55, 100, 128	0
All	All	1859/2082 (89%)	0.63	196 (10%) 8 13	15, 39, 88, 128	0

All (196) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	628	TYR	8.2
1	C	585	ALA	8.0
1	C	484	GLY	7.8
1	C	587	TYR	7.6
1	B	676	VAL	7.3
1	B	334[A]	TRP	7.1
1	C	627	ILE	7.0
1	C	575	VAL	6.9
1	C	554	LEU	6.8
1	C	610	LEU	6.6
1	C	577	CYS	6.4
1	C	44	ILE	6.3
1	C	589	PHE	6.1
1	C	629	LEU	6.1
1	C	570	ALA	5.9
1	C	606	LEU	5.7
1	C	586	VAL	5.7
1	C	624	PRO	5.5
1	C	453	GLY	5.5
1	C	535	GLY	5.4
1	C	536	TYR	5.3
1	C	568	GLY	5.3
1	C	590	VAL	5.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	611	ALA	5.3
1	C	454	ALA	5.2
1	C	473	ILE	5.2
1	C	534	ASP	5.1
1	C	591	THR	5.1
1	B	638	SER	5.1
1	A	673	VAL	5.0
1	C	459	PRO	5.0
1	C	549	VAL	5.0
1	C	612	ILE	5.0
1	C	576	GLY	5.0
1	A	334[A]	TRP	5.0
1	A	577	CYS	5.0
1	A	629	LEU	4.9
1	C	541	GLY	4.9
1	C	588	ALA	4.7
1	C	573	ALA	4.7
1	C	572	THR	4.7
1	C	574	VAL	4.6
1	C	461	SER	4.6
1	C	608	LYS	4.5
1	C	455	ILE	4.4
1	C	550	SER	4.4
1	C	533	TYR	4.4
1	C	607	SER	4.3
1	A	678	GLN	4.3
1	C	614	VAL	4.3
1	C	48	TYR	4.3
1	A	676	VAL	4.3
1	B	680	VAL	4.2
1	B	636	THR	4.2
1	C	485	ASN	4.1
1	B	651	ALA	4.1
1	C	45	GLY	4.1
1	B	533	TYR	4.1
1	C	569	VAL	4.0
1	C	417	PRO	4.0
1	C	571	GLU	4.0
1	C	420	TRP	3.9
1	B	672	ILE	3.9
1	C	532	ASP	3.9
1	C	42	PRO	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	40	PRO	3.8
1	C	615	ARG	3.8
1	C	563	LEU	3.7
1	C	481	VAL	3.7
1	A	604	ALA	3.7
1	C	556	THR	3.7
1	B	673	VAL	3.7
1	C	566	HIS	3.6
1	C	46	PRO	3.6
1	C	56	ALA	3.6
1	C	622	ALA	3.6
1	C	626	LYS	3.6
1	C	425	ASP	3.6
1	C	555	SER	3.5
1	C	422	TRP	3.4
1	C	594	PRO	3.4
1	C	537	MET	3.4
1	A	580	ASP	3.4
1	C	390	ARG	3.4
1	C	391	ARG	3.4
1	C	529	ALA	3.4
1	C	478	THR	3.4
1	C	477	GLN	3.3
1	A	598	LEU	3.3
1	C	625	LYS	3.3
1	C	61	PRO	3.3
1	C	55	TRP	3.2
1	C	530	ALA	3.2
1	C	368	TRP	3.2
1	A	399	ASN	3.2
1	C	423	TYR	3.1
1	C	52	VAL	3.1
1	A	579	ASP	3.1
1	C	559	VAL	3.1
1	A	606	LEU	3.1
1	B	61	PRO	3.1
1	C	426	PHE	3.1
1	C	621	PHE	3.1
1	C	592	MET	3.1
1	C	39	ARG	3.1
1	C	531	ARG	3.1
1	A	628	TYR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	47	ASN	3.0
1	C	483	GLU	3.0
1	A	672	ILE	2.9
1	B	639	GLY	2.8
1	A	622	ALA	2.8
1	A	651	ALA	2.8
1	B	677	LYS	2.8
1	C	392	MET	2.8
1	A	395	ASP	2.8
1	C	219	GLY	2.8
1	C	557	ALA	2.8
1	C	623	ALA	2.8
1	A	627	ILE	2.8
1	C	487	VAL	2.8
1	C	538	TRP	2.7
1	C	286	ILE	2.7
1	C	415	ILE	2.7
1	C	50	SER	2.7
1	A	533	TYR	2.7
1	C	343	TYR	2.7
1	B	629	LEU	2.7
1	C	430	ASN	2.7
1	C	593	LYS	2.6
1	C	467	PHE	2.6
1	C	486	ASP	2.6
1	C	552	HIS	2.6
1	C	285	PHE	2.6
1	C	393	GLY	2.6
1	C	287	LEU	2.5
1	C	336[A]	THR	2.5
1	C	300	VAL	2.5
1	A	596	PHE	2.5
1	C	553	ARG	2.5
1	C	335	ILE	2.5
1	C	434	ILE	2.5
1	C	184	ALA	2.5
1	A	587	TYR	2.5
1	C	561	SER	2.5
1	A	594	PRO	2.4
1	B	648	LYS	2.4
1	C	421	HIS	2.4
1	C	565	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	484	GLY	2.4
1	C	494	ARG	2.4
1	C	389	LEU	2.4
1	C	464	PHE	2.4
1	B	635	LYS	2.4
1	A	605	ASP	2.4
1	A	630	VAL	2.3
1	C	341	ILE	2.3
1	C	394	GLU	2.3
1	A	611	ALA	2.3
1	C	544	ASP	2.3
1	B	674	GLU	2.3
1	C	551	GLY	2.3
1	B	646	LEU	2.3
1	C	482	LEU	2.3
1	C	51	TYR	2.3
1	A	648	LYS	2.3
1	B	411	VAL	2.3
1	C	462	ALA	2.3
1	C	472	ASP	2.2
1	C	43	HIS	2.2
1	C	620	PRO	2.2
1	A	578	ALA	2.2
1	C	338	HIS	2.2
1	C	609	GLU	2.2
1	C	567	LYS	2.2
1	B	284	LEU	2.2
1	C	385	ALA	2.2
1	C	562	ALA	2.2
1	C	387	ARG	2.2
1	A	398	LYS	2.2
1	A	12	HIS	2.2
1	A	295	LYS	2.2
1	B	633	LEU	2.1
1	C	388	LEU	2.1
1	A	677	LYS	2.1
1	C	59	VAL	2.1
1	C	451	LEU	2.1
1	B	335	ILE	2.1
1	C	383	PRO	2.1
1	B	644	ARG	2.1
1	C	547	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	337	GLY	2.1
1	A	589	PHE	2.1
1	C	618	ILE	2.1
1	A	339	SER	2.0
1	C	489	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	EDO	B	707	4/4	0.93	0.40	22.74	44,46,47,50	0
3	EDO	C	703	4/4	0.92	0.29	21.61	26,26,27,32	4
3	EDO	A	710	4/4	0.86	0.25	14.20	62,64,66,66	0
3	EDO	A	702	4/4	0.65	0.23	7.48	38,39,39,43	0
3	EDO	A	703	4/4	0.87	0.20	7.27	51,51,53,53	0
3	EDO	A	707	4/4	0.97	0.18	5.28	41,42,43,44	0
3	EDO	B	709	4/4	0.87	0.22	4.70	43,44,46,49	0
3	EDO	A	706	4/4	0.88	0.14	4.32	55,56,56,57	0
3	EDO	A	709	4/4	0.78	0.15	4.30	59,60,60,61	0
4	PO4	B	702	5/5	0.91	0.17	3.35	107,107,107,107	0
3	EDO	A	705	4/4	0.94	0.14	3.31	35,41,45,47	0
3	EDO	A	708	4/4	0.87	0.14	2.51	43,43,44,45	0
3	EDO	B	708	4/4	0.86	0.16	2.49	50,51,52,53	0
3	EDO	B	711	4/4	0.92	0.25	1.86	53,54,54,54	0
3	EDO	B	706	4/4	0.57	0.24	1.86	66,69,71,72	0
3	EDO	C	702	4/4	0.96	0.11	0.38	40,41,45,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	PRX	B	701	26/26	0.98	0.16	-0.10	22,27,31,35	0
2	PRX	C	701	26/26	0.89	0.17	-0.30	46,60,68,68	0
2	PRX	A	701	26/26	0.96	0.14	-0.40	18,25,32,33	0
4	PO4	B	704	5/5	0.84	0.21	-	88,89,90,91	0
4	PO4	B	703	5/5	0.88	0.15	-	102,102,102,103	0
3	EDO	B	710	4/4	0.77	0.40	-	66,67,67,69	0
3	EDO	A	711	4/4	0.73	0.24	-	72,74,75,76	0
4	PO4	B	705	5/5	0.81	0.24	-	112,112,112,113	0
3	EDO	A	704	4/4	0.90	0.28	-	52,53,53,53	0

6.5 Other polymers [i](#)

There are no such residues in this entry.