



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 21, 2016 – 04:29 AM EDT

PDB ID : 5IRM
Title : Crystal structure of rabbit NOD2 in an ADP-bound state (Crystal form2)
Authors : Maekawa, S.; Ohto, U.; Shimizu, T.
Deposited on : 2016-03-14
Resolution : 3.31 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027790
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027790


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1198 (3.40-3.24)
Clashscore	102246	1280 (3.40-3.24)
Ramachandran outliers	100387	1260 (3.40-3.24)
Sidechain outliers	100360	1259 (3.40-3.24)
RSRZ outliers	91569	1203 (3.40-3.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	830	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> % 82% 10% • 8% </div> </div>
1	C	830	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> 4% 81% 11% • 7% </div> </div>

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 12035 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Uncharacterized protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	767	Total	C	N	O	S	0	0	0
			5976	3802	1048	1089	37			
1	C	770	Total	C	N	O	S	0	0	0
			6005	3816	1055	1097	37			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	191	GLY	-	expression tag	UNP G1T469
A	192	PRO	-	expression tag	UNP G1T469
A	193	GLU	-	expression tag	UNP G1T469
C	191	GLY	-	expression tag	UNP G1T469
C	192	PRO	-	expression tag	UNP G1T469
C	193	GLU	-	expression tag	UNP G1T469

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Uncharacterized protein



• Molecule 1: Uncharacterized protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	112.15Å 122.87Å 177.56Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 3.31 48.16 – 3.31	Depositor EDS
% Data completeness (in resolution range)	99.4 (50.00-3.31) 99.5 (48.16-3.31)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.40 (at 3.33Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
R, R_{free}	0.193 , 0.237 0.193 , 0.234	Depositor DCC
R_{free} test set	1853 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	74.9	Xtriage
Anisotropy	0.066	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 37.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12035	wwPDB-VP
Average B, all atoms (Å ²)	80.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/6091	0.67	3/8248 (0.0%)
1	C	0.40	0/6120	0.65	1/8285 (0.0%)
All	All	0.40	0/12211	0.66	4/16533 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	871	LEU	CA-CB-CG	6.81	130.96	115.30
1	A	740	ARG	NE-CZ-NH1	5.97	123.28	120.30
1	A	857	ARG	NE-CZ-NH2	5.34	122.97	120.30
1	C	693	ARG	NE-CZ-NH1	-5.04	117.78	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5976	0	5985	61	0
1	C	6005	0	6007	89	0
2	A	27	0	12	0	0
2	C	27	0	12	0	0
All	All	12035	0	12016	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:984:LEU:HD21	1:C:1018:LEU:CD1	1.93	0.99
1:A:984:LEU:HD21	1:A:1018:LEU:HD11	1.44	0.99
1:C:1011:LEU:HD21	1:C:1018:LEU:HD13	1.44	0.97
1:C:987:LEU:O	1:C:1017:ARG:NH2	1.99	0.93
1:C:367:LYS:N	1:C:370:ASP:OD2	2.06	0.89
1:C:482:GLN:HG3	1:C:483:ASP:N	1.91	0.86
1:C:984:LEU:CD2	1:C:1018:LEU:HD11	2.06	0.85
1:C:984:LEU:HD21	1:C:1018:LEU:HD11	1.57	0.85
1:C:612:CYS:SG	1:C:697:LYS:NZ	2.51	0.84
1:A:826:GLN:NE2	1:A:852:ASN:OD1	2.10	0.83
1:C:1011:LEU:HD22	1:C:1020:LEU:HD21	1.63	0.81
1:A:370:ASP:HA	1:A:385:THR:HG22	1.63	0.80
1:A:382:SER:OG	1:A:385:THR:HG23	1.82	0.79
1:C:947:LEU:HD23	1:C:973:ASN:OD1	1.83	0.79
1:C:340:GLN:HE22	1:C:341:GLN:HG3	1.48	0.78
1:A:442:GLU:CG	1:A:443:PRO:HD2	2.14	0.78
1:C:1011:LEU:HD21	1:C:1018:LEU:CD1	2.15	0.76
1:A:442:GLU:HG3	1:A:443:PRO:HD2	1.68	0.76
1:A:260:GLU:OE1	1:C:693:ARG:NH1	2.19	0.75
1:C:987:LEU:HB3	1:C:1017:ARG:HH21	1.53	0.73
1:C:987:LEU:HB3	1:C:1017:ARG:NH2	2.05	0.72
1:C:984:LEU:HD21	1:C:1018:LEU:HD12	1.71	0.71
1:C:1011:LEU:CD2	1:C:1018:LEU:HD13	2.20	0.71
1:A:1004:SER:N	1:A:1007:GLU:OE1	2.20	0.70
1:A:567:GLN:HA	1:A:579:LEU:HD23	1.73	0.70
1:A:367:LYS:HB2	1:A:369:THR:HG22	1.75	0.67
1:C:566:VAL:C	1:C:579:LEU:CD2	2.63	0.67
1:C:567:GLN:HB3	1:C:571:VAL:CG2	2.24	0.67
1:A:406:ARG:NH2	1:A:650:ASN:OD1	2.28	0.67
1:C:382:SER:OG	1:C:385:THR:HG23	1.95	0.66
1:C:1017:ARG:O	1:C:1019:LEU:CD1	2.44	0.66
1:A:515:LEU:HB3	1:A:518:SER:OG	1.97	0.65
1:C:323:LEU:HD11	1:C:332:HIS:CE1	2.32	0.65
1:A:389:ASN:HD22	1:A:394:ASN:HD22	1.45	0.65
1:C:1001:ASN:O	1:C:1003:PHE:N	2.31	0.64
1:C:371:HIS:O	1:C:371:HIS:ND1	2.29	0.64
1:C:340:GLN:NE2	1:C:341:GLN:HG3	2.12	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:482:GLN:HG3	1:C:483:ASP:H	1.59	0.63
1:C:392:GLN:OE1	1:C:417:TYR:OH	2.16	0.63
1:A:371:HIS:CD2	1:A:388:PHE:CE1	2.86	0.63
1:C:566:VAL:O	1:C:579:LEU:CD2	2.46	0.63
1:A:370:ASP:CA	1:A:385:THR:HG22	2.28	0.62
1:C:370:ASP:HA	1:C:385:THR:HG22	1.80	0.62
1:C:482:GLN:CG	1:C:483:ASP:H	2.12	0.62
1:C:476:HIS:O	1:C:480:LEU:HG	2.00	0.61
1:C:566:VAL:C	1:C:579:LEU:HD22	2.22	0.60
1:C:367:LYS:HG3	1:C:370:ASP:OD2	2.02	0.59
1:C:977:PHE:CD1	1:C:1007:GLU:HB3	2.37	0.58
1:C:1011:LEU:CD2	1:C:1018:LEU:CD1	2.80	0.58
1:C:567:GLN:HA	1:C:579:LEU:HD23	1.86	0.58
1:C:566:VAL:O	1:C:579:LEU:HD23	2.04	0.58
1:C:482:GLN:CG	1:C:483:ASP:N	2.61	0.57
1:C:1017:ARG:O	1:C:1019:LEU:HD13	2.04	0.57
1:A:999:ARG:HG2	1:A:1020:LEU:HB2	1.87	0.57
1:C:984:LEU:CG	1:C:1018:LEU:HD11	2.35	0.56
1:C:675:ALA:O	1:C:676:SER:HB3	2.06	0.56
1:A:370:ASP:O	1:A:385:THR:HG22	2.07	0.54
1:A:387:LEU:O	1:A:388:PHE:C	2.45	0.54
1:A:410:VAL:HG23	1:A:414:LEU:HD12	1.90	0.54
1:A:442:GLU:HG2	1:A:443:PRO:HD2	1.88	0.54
1:C:414:LEU:HD13	1:C:414:LEU:C	2.28	0.53
1:C:482:GLN:O	1:C:483:ASP:HB2	2.09	0.53
1:A:407:PRO:O	1:A:410:VAL:HG12	2.10	0.52
1:C:566:VAL:O	1:C:579:LEU:HD22	2.09	0.52
1:C:197:ALA:O	1:C:201:LYS:HG3	2.10	0.52
1:C:980:ALA:HB1	1:C:1011:LEU:CD1	2.39	0.52
1:C:365:LYS:HD2	1:C:541:CYS:HB2	1.93	0.51
1:A:197:ALA:O	1:A:201:LYS:HG3	2.10	0.51
1:A:516:GLY:O	1:A:519:LEU:HB3	2.11	0.51
1:C:1009:GLU:O	1:C:1013:HIS:ND1	2.43	0.51
1:A:984:LEU:HD21	1:A:1018:LEU:CD1	2.28	0.51
1:C:516:GLY:O	1:C:519:LEU:HB3	2.11	0.51
1:C:568:ALA:O	1:C:571:VAL:HG22	2.12	0.51
1:A:371:HIS:NE2	1:A:413:PHE:CZ	2.78	0.50
1:A:945:ASN:O	1:A:973:ASN:HA	2.12	0.50
1:A:961:ARG:NH1	1:A:961:ARG:O	2.45	0.50
1:C:1017:ARG:O	1:C:1019:LEU:HD12	2.11	0.50
1:C:945:ASN:O	1:C:973:ASN:HA	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:674:GLN:O	1:A:675:ALA:CB	2.59	0.50
1:A:572:VAL:HG22	1:A:573:PRO:CD	2.42	0.49
1:A:977:PHE:CG	1:A:1007:GLU:HG2	2.48	0.49
1:C:370:ASP:O	1:C:385:THR:HG22	2.12	0.49
1:C:211:ALA:O	1:C:215:ARG:HG3	2.13	0.49
1:C:984:LEU:HG	1:C:1018:LEU:HD11	1.95	0.48
1:C:487:PRO:CB	1:C:492:ASP:HB3	2.43	0.47
1:A:689:TRP:NE1	1:A:693:ARG:NH2	2.61	0.47
1:A:367:LYS:O	1:A:370:ASP:HB2	2.14	0.47
1:A:477:GLN:O	1:A:481:LEU:HD13	2.15	0.47
1:C:984:LEU:CD2	1:C:1018:LEU:CD1	2.71	0.47
1:A:947:LEU:HD12	1:A:973:ASN:OD1	2.14	0.47
1:C:603:THR:CG2	1:C:686:CYS:HB2	2.45	0.47
1:A:487:PRO:CB	1:A:492:ASP:HB3	2.44	0.47
1:C:1004:SER:O	1:C:1008:MET:HG3	2.15	0.47
1:C:611:ASN:O	1:C:612:CYS:SG	2.73	0.47
1:A:388:PHE:HE1	1:A:413:PHE:CZ	2.33	0.46
1:C:344:PHE:CE2	1:C:348:LEU:HD11	2.51	0.46
1:A:344:PHE:CE2	1:A:348:LEU:HD11	2.50	0.46
1:C:566:VAL:C	1:C:579:LEU:HD23	2.35	0.46
1:C:329:LEU:O	1:C:333:CYS:HB3	2.16	0.46
1:A:330:PHE:HA	1:A:334:CYS:O	2.16	0.46
1:A:544:VAL:HG12	1:A:578:PRO:HB2	1.98	0.46
1:C:696:HIS:NE2	1:C:740:ARG:O	2.49	0.46
1:A:367:LYS:HD2	1:A:369:THR:CG2	2.46	0.46
1:A:389:ASN:ND2	1:A:394:ASN:HD22	2.12	0.46
1:A:434:LEU:HD11	1:C:770:ARG:HD2	1.97	0.46
1:A:575:SER:HA	1:A:576:THR:HA	1.81	0.45
1:A:984:LEU:HD22	1:A:1015:ASP:HB2	1.97	0.45
1:C:476:HIS:CG	1:C:477:GLN:N	2.84	0.45
1:A:270:GLU:OE2	1:C:678:ARG:NH1	2.50	0.45
1:A:572:VAL:HG22	1:A:573:PRO:HD2	1.99	0.45
1:C:370:ASP:CA	1:C:385:THR:HG22	2.47	0.45
1:A:999:ARG:HG2	1:A:1020:LEU:HD12	1.98	0.45
1:C:323:LEU:CD1	1:C:332:HIS:CE1	2.99	0.45
1:A:984:LEU:CD2	1:A:1018:LEU:HD11	2.32	0.45
1:C:602:PRO:O	1:C:605:SER:HB2	2.16	0.45
1:A:976:THR:C	1:A:1003:PHE:HE1	2.19	0.45
1:C:924:ALA:HB2	1:C:947:LEU:HD12	1.98	0.45
1:C:572:VAL:HG22	1:C:573:PRO:HD2	2.00	0.44
1:C:362:ASP:HB3	1:C:409:ALA:HB2	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:544:VAL:HG12	1:C:578:PRO:HB2	1.99	0.44
1:A:329:LEU:O	1:A:333:CYS:HB3	2.18	0.44
1:A:478:GLU:N	1:A:478:GLU:OE2	2.46	0.44
1:A:434:LEU:HD21	1:C:770:ARG:HD2	1.99	0.44
1:A:476:HIS:O	1:A:480:LEU:HG	2.18	0.44
1:C:411:SER:HB3	1:C:415:ARG:NH1	2.32	0.44
1:A:984:LEU:HD22	1:A:1015:ASP:CB	2.48	0.43
1:A:483:ASP:HA	1:A:484:GLY:HA2	1.81	0.42
1:C:216:PHE:HD1	1:C:226:LEU:O	2.02	0.42
1:C:735:ALA:O	1:C:739:VAL:HG23	2.18	0.42
1:C:945:ASN:HB2	1:C:947:LEU:HD23	2.01	0.42
1:A:565:LEU:HD23	1:A:565:LEU:HA	1.86	0.42
1:A:803:ARG:HG2	1:A:831:PHE:HB3	2.02	0.42
1:A:209:ILE:CG2	1:A:571:VAL:HG13	2.50	0.42
1:C:481:LEU:O	1:C:482:GLN:HB3	2.19	0.42
1:C:394:ASN:O	1:C:395:LEU:HD12	2.20	0.41
1:C:716:MET:N	1:C:717:PRO:HD2	2.35	0.41
1:A:276:LEU:HB3	1:A:418:VAL:HG21	2.01	0.41
1:C:269:ASN:OD1	1:C:269:ASN:N	2.53	0.41
1:A:716:MET:N	1:A:717:PRO:HD2	2.35	0.41
1:C:1011:LEU:CD2	1:C:1020:LEU:HD21	2.41	0.41
1:C:394:ASN:C	1:C:395:LEU:HD12	2.41	0.41
1:C:572:VAL:HG22	1:C:573:PRO:CD	2.51	0.41
1:A:323:LEU:HD12	1:A:386:LEU:HD22	2.02	0.40
1:C:945:ASN:HB2	1:C:947:LEU:CD2	2.51	0.40
1:C:980:ALA:HB1	1:C:1011:LEU:HD12	2.03	0.40
1:C:225:ASN:ND2	1:C:225:ASN:O	2.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	755/830 (91%)	711 (94%)	42 (6%)	2 (0%)	46	81
1	C	758/830 (91%)	716 (94%)	38 (5%)	4 (0%)	34	72
All	All	1513/1660 (91%)	1427 (94%)	80 (5%)	6 (0%)	39	76

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	675	ALA
1	C	676	SER
1	A	611	ASN
1	C	483	ASP
1	C	611	ASN
1	C	243	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	646/699 (92%)	637 (99%)	9 (1%)	74	89
1	C	649/699 (93%)	640 (99%)	9 (1%)	74	89
All	All	1295/1398 (93%)	1277 (99%)	18 (1%)	74	89

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	271	ASP
1	A	301	ASP
1	A	338	VAL
1	A	385	THR
1	A	406	ARG
1	A	717	PRO
1	A	853	PHE
1	A	871	LEU
1	A	948	GLN
1	C	301	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	334	CYS
1	C	338	VAL
1	C	340	GLN
1	C	395	LEU
1	C	423	ASN
1	C	693	ARG
1	C	767	ARG
1	C	948	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	389	ASN
1	A	882	GLN
1	C	225	ASN
1	C	267	HIS
1	C	315	GLN
1	C	332	HIS
1	C	340	GLN
1	C	398	ASN
1	C	423	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ADP	A	1101	-	24,29,29	1.01	1 (4%)	23,45,45	1.97	4 (17%)
2	ADP	C	1101	-	24,29,29	1.06	1 (4%)	23,45,45	1.92	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	1101	-	-	0/12/32/32	0/3/3/3
2	ADP	C	1101	-	-	0/12/32/32	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1101	ADP	C5-C4	3.02	1.47	1.40
2	C	1101	ADP	C5-C4	3.19	1.47	1.40

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1101	ADP	N3-C2-N1	-7.55	122.94	128.87
2	A	1101	ADP	N3-C2-N1	-7.42	123.04	128.87
2	A	1101	ADP	C1'-N9-C4	-3.24	123.19	126.81
2	C	1101	ADP	C1'-N9-C4	-2.28	124.26	126.81
2	A	1101	ADP	N6-C6-N1	2.01	121.88	118.52
2	A	1101	ADP	C2-N1-C6	2.07	122.46	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	767/830 (92%)	-0.01	6 (0%) 87 87	43, 71, 110, 152	0
1	C	770/830 (92%)	0.14	31 (4%) 42 40	46, 79, 131, 191	0
All	All	1537/1660 (92%)	0.06	37 (2%) 62 61	43, 75, 123, 191	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	574	GLY	4.6
1	C	244	GLY	3.6
1	C	1011	LEU	3.6
1	A	483	ASP	3.5
1	C	1018	LEU	3.5
1	A	484	GLY	3.2
1	C	1008	MET	3.2
1	C	1003	PHE	2.9
1	C	968	LEU	2.8
1	C	977	PHE	2.8
1	C	996	VAL	2.7
1	C	636	GLU	2.7
1	C	193	GLU	2.7
1	C	1002	PRO	2.7
1	C	1020	LEU	2.6
1	C	242	GLU	2.5
1	C	942	LEU	2.4
1	C	243	VAL	2.4
1	C	997	TRP	2.4
1	C	1005	PRO	2.3
1	C	195	GLU	2.3
1	A	636	GLU	2.3
1	C	1012	SER	2.3
1	C	575	SER	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	944	GLU	2.2
1	C	906	HIS	2.2
1	C	980	ALA	2.1
1	A	413	PHE	2.1
1	C	884	LEU	2.1
1	C	1006	GLU	2.1
1	C	605	SER	2.1
1	C	907	GLN	2.1
1	C	576	THR	2.1
1	A	193	GLU	2.0
1	C	998	LEU	2.0
1	C	946	HIS	2.0
1	C	1019	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	ADP	C	1101	27/27	0.97	0.21	-0.22	42,53,60,67	0
2	ADP	A	1101	27/27	0.98	0.22	-0.47	43,46,52,54	0

6.5 Other polymers [i](#)

There are no such residues in this entry.