



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:32 AM GMT

PDB ID : 3ITY
Title : Metal-free form of Pseudomonas stutzeri L-rhamnose isomerase
Authors : Yoshida, H.; Yamaji, M.; Ishii, T.; Izumori, K.; Kamitori, S.
Deposited on : 2009-08-28
Resolution : 1.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 1.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2634 (1.86-1.82)
Clashscore	102246	2862 (1.86-1.82)
Ramachandran outliers	100387	2831 (1.86-1.82)
Sidechain outliers	100360	2832 (1.86-1.82)
RSRZ outliers	91569	2639 (1.86-1.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	438	 82% 14% •
1	B	438	 82% 14% •
1	C	438	 84% 14% •
1	D	438	 84% 12% •

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 15057 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-rhamnose isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	421	Total	C	N	O	S	0	0	0
			3260	2048	584	619	9			
1	B	421	Total	C	N	O	S	0	0	0
			3260	2048	584	619	9			
1	C	428	Total	C	N	O	S	0	0	0
			3301	2073	591	628	9			
1	D	419	Total	C	N	O	S	0	0	0
			3251	2042	582	618	9			

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	150	ASN	ASP	ENGINEERED	UNP Q75WH8
A	431	GLY	-	EXPRESSION TAG	UNP Q75WH8
A	432	SER	-	EXPRESSION TAG	UNP Q75WH8
A	433	HIS	-	EXPRESSION TAG	UNP Q75WH8
A	434	HIS	-	EXPRESSION TAG	UNP Q75WH8
A	435	HIS	-	EXPRESSION TAG	UNP Q75WH8
A	436	HIS	-	EXPRESSION TAG	UNP Q75WH8
A	437	HIS	-	EXPRESSION TAG	UNP Q75WH8
A	438	HIS	-	EXPRESSION TAG	UNP Q75WH8
B	150	ASN	ASP	ENGINEERED	UNP Q75WH8
B	431	GLY	-	EXPRESSION TAG	UNP Q75WH8
B	432	SER	-	EXPRESSION TAG	UNP Q75WH8
B	433	HIS	-	EXPRESSION TAG	UNP Q75WH8
B	434	HIS	-	EXPRESSION TAG	UNP Q75WH8
B	435	HIS	-	EXPRESSION TAG	UNP Q75WH8
B	436	HIS	-	EXPRESSION TAG	UNP Q75WH8
B	437	HIS	-	EXPRESSION TAG	UNP Q75WH8
B	438	HIS	-	EXPRESSION TAG	UNP Q75WH8
C	150	ASN	ASP	ENGINEERED	UNP Q75WH8
C	431	GLY	-	EXPRESSION TAG	UNP Q75WH8
C	432	SER	-	EXPRESSION TAG	UNP Q75WH8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	433	HIS	-	EXPRESSION TAG	UNP Q75WH8
C	434	HIS	-	EXPRESSION TAG	UNP Q75WH8
C	435	HIS	-	EXPRESSION TAG	UNP Q75WH8
C	436	HIS	-	EXPRESSION TAG	UNP Q75WH8
C	437	HIS	-	EXPRESSION TAG	UNP Q75WH8
C	438	HIS	-	EXPRESSION TAG	UNP Q75WH8
D	150	ASN	ASP	ENGINEERED	UNP Q75WH8
D	431	GLY	-	EXPRESSION TAG	UNP Q75WH8
D	432	SER	-	EXPRESSION TAG	UNP Q75WH8
D	433	HIS	-	EXPRESSION TAG	UNP Q75WH8
D	434	HIS	-	EXPRESSION TAG	UNP Q75WH8
D	435	HIS	-	EXPRESSION TAG	UNP Q75WH8
D	436	HIS	-	EXPRESSION TAG	UNP Q75WH8
D	437	HIS	-	EXPRESSION TAG	UNP Q75WH8
D	438	HIS	-	EXPRESSION TAG	UNP Q75WH8


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	507	Total O 507 507	0	0
2	B	512	Total O 512 512	0	0
2	C	458	Total O 458 458	0	0
2	D	508	Total O 508 508	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: L-rhamnose isomerase




- Molecule 1: L-rhamnose isomerase



- Molecule 1: L-rhamnose isomerase



● Molecule 1: L-rhamnose isomerase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.69Å 104.78Å 114.25Å 90.00° 107.98° 90.00°	Depositor
Resolution (Å)	46.94 – 1.84 46.94 – 1.84	Depositor EDS
% Data completeness (in resolution range)	97.0 (46.94-1.84) 97.1 (46.94-1.84)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.77 (at 1.84Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.158 , 0.190 0.157 , 0.189	Depositor DCC
R_{free} test set	14042 reflections (9.99%)	DCC
Wilson B-factor (Å ²)	13.5	Xtriage
Anisotropy	0.060	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 55.0	EDS
Estimated twinning fraction	0.018 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 140561 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	15057	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/3332	0.55	0/4518
1	B	0.30	0/3332	0.54	0/4518
1	C	0.29	0/3373	0.52	0/4572
1	D	0.30	0/3323	0.53	0/4505
All	All	0.30	0/13360	0.53	0/18113

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3260	0	3165	43	0
1	B	3260	0	3165	37	0
1	C	3301	0	3205	41	0
1	D	3251	0	3152	38	0
2	A	507	0	0	7	0
2	B	512	0	0	2	0
2	C	458	0	0	4	0
2	D	508	0	0	5	0
All	All	15057	0	12687	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:129:ASN:H	1:B:160:HIS:HE1	1.20	0.89
1:A:129:ASN:H	1:A:160:HIS:HE1	1.18	0.89
1:C:129:ASN:H	1:C:160:HIS:HE1	1.25	0.81
1:D:129:ASN:H	1:D:160:HIS:HE1	1.27	0.80
1:A:129:ASN:H	1:A:160:HIS:CE1	2.00	0.79
1:A:59:VAL:HG21	1:A:84:ASP:HB2	1.66	0.77
1:D:129:ASN:H	1:D:160:HIS:CE1	2.04	0.75
1:B:280:PHE:H	1:B:324:HIS:HD2	1.34	0.75
1:B:129:ASN:H	1:B:160:HIS:CE1	2.04	0.75
1:A:220:HIS:HE2	1:A:258:HIS:CE1	2.06	0.74
1:C:220:HIS:HE2	1:C:258:HIS:CE1	2.09	0.70
1:A:220:HIS:HE2	1:A:258:HIS:HE1	1.39	0.70
1:C:129:ASN:H	1:C:160:HIS:CE1	2.09	0.70
1:D:220:HIS:HE2	1:D:258:HIS:CE1	2.10	0.69
1:D:185:ASN:H	1:D:189:GLN:HE22	1.40	0.69
1:C:280:PHE:H	1:C:324:HIS:HD2	1.40	0.69
1:D:23:LYS:O	1:D:27:GLU:HG3	1.94	0.68
1:C:220:HIS:HE2	1:C:258:HIS:HE1	1.41	0.68
1:B:205:GLU:HA	1:B:208:LYS:HE2	1.76	0.68
1:B:185:ASN:H	1:B:189:GLN:HE22	1.42	0.67
1:C:210:LEU:HD11	1:C:216:LEU:HB2	1.76	0.67
1:A:257:HIS:NE2	2:A:562:HOH:O	2.27	0.67
1:A:59:VAL:HG21	1:A:84:ASP:CB	2.26	0.66
1:B:220:HIS:HE2	1:B:258:HIS:CE1	2.14	0.65
1:D:185:ASN:H	1:D:189:GLN:NE2	1.96	0.64
1:D:257:HIS:NE2	2:D:548:HOH:O	2.29	0.64
1:A:76:ARG:HD3	1:A:80:ASP:OD2	1.98	0.64
1:A:185:ASN:H	1:A:189:GLN:HE22	1.44	0.64
1:A:280:PHE:H	1:A:324:HIS:HD2	1.46	0.62
1:B:23:LYS:O	1:B:27:GLU:HG3	1.99	0.62
1:A:56:SER:O	1:A:59:VAL:HG12	2.00	0.62
1:A:217:PHE:HB3	1:A:252:LEU:HG	1.82	0.61
1:C:391:GLU:O	1:C:395:ARG:HG3	2.01	0.61
1:D:108:ASP:OD2	1:D:111:GLU:HG3	2.00	0.61
1:D:220:HIS:HE2	1:D:258:HIS:HE1	1.47	0.61
1:B:185:ASN:H	1:B:189:GLN:NE2	2.00	0.60
1:A:15:ASN:ND2	1:A:400:VAL:H	1.99	0.60
1:C:185:ASN:H	1:C:189:GLN:HE22	1.47	0.60
1:C:44:THR:O	1:C:48:GLU:HG3	2.01	0.60
1:D:15:ASN:ND2	1:D:400:VAL:H	2.01	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:5:ARG:HD2	1:A:83:ASP:O	2.03	0.59
1:B:220:HIS:HE2	1:B:258:HIS:HE1	1.48	0.59
1:A:185:ASN:H	1:A:189:GLN:NE2	2.00	0.59
1:B:54:VAL:HG23	1:B:95:THR:HB	1.83	0.59
1:A:23:LYS:O	1:A:27:GLU:HG3	2.03	0.59
1:D:217:PHE:HB3	1:D:252:LEU:HG	1.85	0.58
1:B:217:PHE:HB3	1:B:252:LEU:HG	1.86	0.58
1:B:210:LEU:HD11	1:B:216:LEU:HB2	1.85	0.57
1:B:263:ASN:OD1	1:B:265:GLU:HG2	2.05	0.57
1:B:324:HIS:HE1	2:B:876:HOH:O	1.88	0.57
1:B:15:ASN:ND2	1:B:400:VAL:H	2.03	0.57
1:C:205:GLU:HA	1:C:208:LYS:HE2	1.86	0.57
1:A:366:GLU:HG2	2:A:575:HOH:O	2.05	0.57
1:A:210:LEU:HD11	1:A:216:LEU:HB2	1.88	0.56
1:B:315:ARG:HG3	1:B:315:ARG:HH11	1.71	0.56
1:C:217:PHE:HB3	1:C:252:LEU:HG	1.86	0.56
1:D:320:PHE:CE1	1:D:322:PRO:HG3	2.41	0.56
1:A:15:ASN:HD21	1:A:400:VAL:H	1.53	0.56
1:C:185:ASN:H	1:C:189:GLN:NE2	2.04	0.56
1:B:414:ARG:O	1:B:418:GLU:HG3	2.06	0.55
1:D:193:THR:O	1:D:197:GLU:HG3	2.07	0.55
1:A:324:HIS:HE1	2:A:1576:HOH:O	1.90	0.55
1:C:361:LEU:O	1:C:365:GLN:HG3	2.07	0.55
1:A:193:THR:O	1:A:197:GLU:HG3	2.08	0.54
1:C:165:ILE:O	1:C:169:LYS:HG3	2.08	0.54
1:C:255:LEU:HD22	1:C:264:ILE:HD13	1.89	0.54
1:B:15:ASN:HD21	1:B:399:ALA:HA	1.73	0.54
1:B:311:ASP:OD1	1:B:315:ARG:NH1	2.41	0.54
1:C:7:ALA:HB1	1:C:9:ASP:OD1	2.08	0.53
1:C:15:ASN:HD21	1:C:399:ALA:HA	1.73	0.53
1:C:48:GLU:CD	1:C:395:ARG:HH21	2.12	0.53
1:A:263:ASN:OD1	1:A:265:GLU:HG2	2.09	0.53
1:A:211:PRO:HD2	1:A:214:TRP:CG	2.44	0.53
1:D:59:VAL:HG12	1:D:75:PRO:HG3	1.91	0.53
1:D:361:LEU:O	1:D:365:GLN:HG3	2.09	0.53
1:C:23:LYS:O	1:C:27:GLU:HG3	2.08	0.52
1:B:211:PRO:HD2	1:B:214:TRP:CG	2.44	0.52
1:B:165:ILE:O	1:B:169:LYS:HG3	2.09	0.52
1:D:414:ARG:O	1:D:418:GLU:HG3	2.09	0.52
1:D:76:ARG:HD3	1:D:420:PRO:HD2	1.91	0.52
1:C:15:ASN:ND2	1:C:400:VAL:H	2.08	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:15:ASN:HD21	1:D:400:VAL:H	1.56	0.52
1:B:310:VAL:HG21	1:B:353:ALA:HB3	1.92	0.51
1:A:221:LYS:HA	1:A:257:HIS:HB3	1.92	0.51
1:D:66:PHE:O	1:D:67:ALA:HB2	2.10	0.51
1:D:15:ASN:HD21	1:D:399:ALA:HA	1.76	0.51
1:D:324:HIS:HE1	2:D:1594:HOH:O	1.93	0.51
1:A:414:ARG:O	1:A:418:GLU:HG3	2.12	0.50
1:D:280:PHE:H	1:D:324:HIS:HD2	1.59	0.50
1:A:165:ILE:O	1:A:169:LYS:HG3	2.12	0.50
1:B:321:HIS:N	1:B:322:PRO:HD3	2.26	0.49
1:A:59:VAL:O	1:A:59:VAL:HG22	2.13	0.49
1:B:361:LEU:O	1:B:365:GLN:HG3	2.12	0.48
1:C:324:HIS:HE1	2:C:1577:HOH:O	1.94	0.48
1:B:15:ASN:HD21	1:B:400:VAL:H	1.60	0.48
1:D:221:LYS:HA	1:D:257:HIS:HB3	1.95	0.48
1:D:76:ARG:HD3	1:D:420:PRO:CD	2.43	0.48
1:D:177:THR:HG23	1:D:252:LEU:HD12	1.97	0.47
1:A:166:GLU:HG2	2:A:1301:HOH:O	2.15	0.47
1:C:316:GLY:O	1:C:317:VAL:C	2.53	0.47
1:C:55:PRO:HD3	1:C:326:ILE:O	2.15	0.47
1:A:49:LYS:HE2	2:A:472:HOH:O	2.15	0.47
1:A:15:ASN:HD21	1:A:399:ALA:HA	1.80	0.47
1:B:193:THR:O	1:B:197:GLU:HG3	2.15	0.47
1:C:193:THR:O	1:C:197:GLU:HG3	2.15	0.47
1:C:108:ASP:OD2	1:C:110:LYS:HB2	2.14	0.47
2:B:1551:HOH:O	1:C:301:ARG:HD3	2.14	0.47
1:B:55:PRO:HD3	1:B:326:ILE:O	2.15	0.46
1:D:320:PHE:CZ	1:D:322:PRO:HG3	2.50	0.46
1:D:55:PRO:HD3	1:D:326:ILE:O	2.15	0.46
1:D:8:GLN:HG3	2:D:922:HOH:O	2.14	0.46
1:D:108:ASP:OD2	1:D:110:LYS:HB2	2.16	0.46
2:A:779:HOH:O	1:D:382:ARG:HD3	2.16	0.46
1:C:211:PRO:HD2	1:C:214:TRP:CG	2.50	0.46
1:A:191:ASN:ND2	1:C:315:ARG:NH1	2.64	0.46
1:C:68:ARG:HH12	1:C:70:PRO:HB3	1.81	0.46
1:D:13:ARG:HG3	1:D:13:ARG:HH21	1.81	0.45
1:A:301:ARG:HD3	2:D:1626:HOH:O	2.15	0.45
1:B:68:ARG:HH12	1:B:70:PRO:HB3	1.82	0.45
1:D:263:ASN:OD1	1:D:265:GLU:HG2	2.16	0.45
1:D:129:ASN:N	1:D:160:HIS:HE1	2.06	0.44
1:A:191:ASN:ND2	1:C:315:ARG:HH12	2.14	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:7:ALA:HB1	1:B:9:ASP:OD1	2.17	0.44
1:C:76:ARG:HD3	1:C:420:PRO:HD2	1.99	0.44
1:C:257:HIS:NE2	2:C:517:HOH:O	2.36	0.44
1:B:340:ILE:HG21	1:B:402:PRO:HB2	2.00	0.44
1:B:221:LYS:HA	1:B:257:HIS:HB3	1.98	0.44
1:B:382:ARG:HD3	2:C:627:HOH:O	2.17	0.43
1:A:137:GLN:HG2	1:A:156:GLN:HE22	1.83	0.43
1:C:221:LYS:HA	1:C:257:HIS:HB3	1.99	0.43
1:C:263:ASN:OD1	1:C:265:GLU:HG2	2.18	0.43
1:C:68:ARG:NH1	1:C:70:PRO:HB3	2.33	0.43
1:C:66:PHE:O	1:C:67:ALA:HB2	2.18	0.43
1:A:55:PRO:HD3	1:A:326:ILE:O	2.19	0.43
1:A:201:SER:HB3	2:A:1330:HOH:O	2.18	0.42
1:C:115:ARG:HD2	1:C:115:ARG:HA	1.84	0.42
1:C:289:ASP:HB3	2:C:1642:HOH:O	2.19	0.42
1:A:76:ARG:HH11	1:A:419:ARG:HG2	1.84	0.42
1:C:378:LYS:O	1:C:382:ARG:HG3	2.19	0.42
1:B:255:LEU:O	1:B:258:HIS:HD2	2.03	0.42
1:A:318:LYS:N	1:A:318:LYS:HD2	2.35	0.42
1:D:68:ARG:HH22	1:D:70:PRO:HB3	1.85	0.42
1:A:137:GLN:HG2	1:A:156:GLN:NE2	2.35	0.42
1:C:221:LYS:HE2	1:C:223:TYR:O	2.20	0.41
1:D:54:VAL:HG13	1:D:95:THR:HB	2.01	0.41
1:A:54:VAL:HG23	1:A:95:THR:HB	2.02	0.41
1:A:66:PHE:O	1:A:67:ALA:HB2	2.19	0.41
1:C:15:ASN:HD21	1:C:400:VAL:H	1.66	0.41
1:A:129:ASN:N	1:A:160:HIS:HE1	2.01	0.41
1:B:255:LEU:HD13	1:B:255:LEU:C	2.41	0.41
1:B:129:ASN:N	1:B:160:HIS:HE1	2.02	0.41
1:B:386:GLU:N	1:B:387:PRO:CD	2.84	0.41
1:D:340:ILE:HG21	1:D:402:PRO:HB2	2.02	0.41
1:A:361:LEU:O	1:A:365:GLN:HG3	2.21	0.41
1:B:66:PHE:O	1:B:67:ALA:HB2	2.21	0.40
1:D:160:HIS:HD2	2:D:1584:HOH:O	2.03	0.40
1:D:255:LEU:HD23	1:D:255:LEU:C	2.42	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	419/438 (96%)	410 (98%)	8 (2%)	1 (0%)	52	35
1	B	419/438 (96%)	408 (97%)	10 (2%)	1 (0%)	52	35
1	C	426/438 (97%)	414 (97%)	10 (2%)	2 (0%)	34	17
1	D	417/438 (95%)	405 (97%)	11 (3%)	1 (0%)	52	35
All	All	1681/1752 (96%)	1637 (97%)	39 (2%)	5 (0%)	46	29

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	317	VAL
1	A	224	GLU
1	B	224	GLU
1	C	224	GLU
1	D	224	GLU

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	330/341 (97%)	325 (98%)	5 (2%)	72	60
1	B	330/341 (97%)	325 (98%)	5 (2%)	72	60
1	C	333/341 (98%)	331 (99%)	2 (1%)	90	87
1	D	329/341 (96%)	325 (99%)	4 (1%)	78	69
All	All	1322/1364 (97%)	1306 (99%)	16 (1%)	78	69

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	SER
1	A	124	ASP
1	A	374	THR
1	A	377	LEU
1	A	422	SER
1	B	99	SER
1	B	124	ASP
1	B	354	LEU
1	B	371	LEU
1	B	374	THR
1	C	99	SER
1	C	374	THR
1	D	59	VAL
1	D	99	SER
1	D	124	ASP
1	D	374	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	ASN
1	A	160	HIS
1	A	189	GLN
1	A	258	HIS
1	A	324	HIS
1	A	344	ASN
1	B	8	GLN
1	B	15	ASN
1	B	160	HIS
1	B	189	GLN
1	B	258	HIS
1	B	324	HIS
1	B	344	ASN
1	C	8	GLN
1	C	15	ASN
1	C	160	HIS
1	C	189	GLN
1	C	258	HIS
1	C	324	HIS
1	C	344	ASN
1	D	15	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	160	HIS
1	D	189	GLN
1	D	258	HIS
1	D	324	HIS
1	D	344	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	421/438 (96%)	-0.44	1 (0%) 95 94	7, 11, 23, 35	0
1	B	421/438 (96%)	-0.40	5 (1%) 81 80	7, 12, 25, 43	0
1	C	428/438 (97%)	-0.12	14 (3%) 50 46	8, 15, 33, 55	0
1	D	419/438 (95%)	-0.40	4 (0%) 84 83	7, 12, 26, 43	0
All	All	1689/1752 (96%)	-0.34	24 (1%) 78 76	7, 13, 27, 55	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	430	ILE	7.0
1	C	427	GLY	6.4
1	D	421	ALA	6.2
1	C	319	GLY	6.0
1	B	424	ALA	4.6
1	D	420	PRO	3.4
1	C	426	GLY	3.3
1	B	4	PHE	3.2
1	C	428	GLY	3.1
1	C	429	ILE	3.0
1	A	424	ALA	3.0
1	D	3	GLU	3.0
1	C	110	LYS	3.0
1	C	3	GLU	2.9
1	B	423	VAL	2.9
1	C	316	GLY	2.9
1	C	318	LYS	2.7
1	C	425	GLY	2.6
1	C	317	VAL	2.5
1	C	424	ALA	2.5
1	B	316	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	315	ARG	2.4
1	C	321	HIS	2.1
1	D	4	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.