



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:49 AM GMT

PDB ID : 2IWF
Title : RESTING FORM OF PINK NITROUS OXIDE REDUCTASE FROM
ACHROMOBACTER CYCLOCLASTES
Authors : Paraskevopoulos, K.; Antonyuk, S.V.; Sawers, R.G.; Eady, R.R.; Hasnain, S.S.
Deposited on : 2006-06-29
Resolution : 1.86 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1898 (1.86-1.86)
Ramachandran outliers	100387	1875 (1.86-1.86)
Sidechain outliers	100360	1875 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	642	 78% 12% • 8%
1	B	642	 78% 12% • 8%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 10067 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NITROUS-OXIDE REDUCTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	590	Total	C	N	O	S	0	1	0
			4633	2915	798	888	32			
1	B	590	Total	C	N	O	S	0	1	0
			4635	2917	798	887	33			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	472	ASN	LYS	CONFLICT	UNP P94127
B	472	ASN	LYS	CONFLICT	UNP P94127

- Molecule 2 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Cu	0	0
			2	2		
2	A	2	Total	Cu	0	0
			2	2		

- Molecule 3 is (MU-4-SULFIDO)-TETRA-NUCLEAR COPPER ION (three-letter code: CUZ) (formula: Cu₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Cu	S	0	0
			5	4	1		
3	B	1	Total	Cu	S	0	0
			5	4	1		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	2	Total	Ca	0	0
			2	2		
4	A	3	Total	Ca	0	0
			3	3		

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Cl	0	0
			1	1		
5	A	1	Total	Cl	0	0
			1	1		

- Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	7	Total	Na	0	0
			7	7		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	6	Total 6	Na 6	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	387	Total 387	O 387	0	0
7	B	378	Total 378	O 378	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: NITROUS-OXIDE REDUCTASE



• Molecule 1: NITROUS-OXIDE REDUCTASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	70.29 Å 118.18 Å 131.13 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.00 – 1.86	Depositor
% Data completeness (in resolution range)	94.9 (35.00-1.86)	Depositor
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.209 , 0.271	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	10067	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, CA, CUZ, CU, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.64	0/4746	0.77	3/6442 (0.0%)
1	B	0.65	0/4748	0.78	6/6444 (0.1%)
All	All	0.64	0/9494	0.77	9/12886 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
All	All	0	3

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	186	ASP	CB-CG-OD1	6.29	123.96	118.30
1	A	444	ASP	CB-CG-OD1	6.22	123.90	118.30
1	B	69	ARG	NE-CZ-NH1	6.09	123.34	120.30
1	A	107	ARG	NE-CZ-NH2	-5.89	117.36	120.30
1	B	69	ARG	NE-CZ-NH2	-5.47	117.57	120.30
1	A	107	ARG	NE-CZ-NH1	5.41	123.01	120.30
1	B	499	ARG	NE-CZ-NH2	-5.38	117.61	120.30
1	B	344	ASP	CB-CG-OD1	5.15	122.94	118.30
1	B	480	ARG	N-CA-C	5.06	124.67	111.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	385	VAL	Peptide
1	A	480	ARG	Peptide
1	B	480	ARG	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4633	0	4474	66	0
1	B	4635	0	4478	67	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
4	A	3	0	0	0	0
4	B	2	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	6	0	0	0	0
6	B	7	0	0	0	0
7	A	387	0	0	7	0
7	B	378	0	0	6	0
All	All	10067	0	8952	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:480:ARG:O	1:B:483:ALA:HB3	1.57	1.03
1:B:157:CYS:SG	7:B:2110:HOH:O	2.14	1.03
1:B:85:LYS:HD3	1:B:85:LYS:H	1.25	0.99
1:A:85:LYS:H	1:A:85:LYS:HD3	1.27	0.97
1:B:137:ASN:HD22	1:B:195:GLN:HE22	1.15	0.94
1:A:50:ASN:H	1:A:50:ASN:HD22	1.13	0.93
1:A:82:ASN:HD21	1:B:567:VAL:H	1.15	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:386:GLN:H	1:B:430:GLN:HE22	1.19	0.88
1:B:50:ASN:HD22	1:B:50:ASN:H	1.20	0.88
1:A:480:ARG:O	1:A:483:ALA:HB3	1.77	0.84
1:A:144:MET:SD	7:A:2082:HOH:O	2.34	0.84
1:A:360:VAL:HG22	1:A:382:LYS:HG2	1.60	0.82
1:A:85:LYS:H	1:A:85:LYS:CD	1.92	0.82
1:A:567:VAL:H	1:B:82:ASN:HD21	1.28	0.81
1:B:296:LEU:HD13	7:B:2197:HOH:O	1.84	0.77
1:A:93:HIS:H	1:A:112:ASN:HD21	1.34	0.76
1:A:50:ASN:H	1:A:50:ASN:ND2	1.84	0.75
1:B:85:LYS:H	1:B:85:LYS:CD	2.00	0.74
1:B:85:LYS:HG2	1:B:86:ILE:HG12	1.71	0.72
1:B:137:ASN:HD22	1:B:195:GLN:NE2	1.89	0.70
1:A:89:ASN:HD21	1:B:551:GLY:HA2	1.57	0.69
1:B:93:HIS:H	1:B:112:ASN:HD21	1.42	0.67
1:A:49:PHE:CE2	1:A:113:ASP:HB2	2.30	0.66
1:A:9:ASP:OD1	1:A:11:SER:HB2	1.96	0.65
1:A:464:ASN:HB2	7:A:2316:HOH:O	1.96	0.64
1:A:551:GLY:HA2	1:B:89:ASN:HD21	1.61	0.64
1:A:144:MET:HE2	1:A:155:VAL:HG11	1.80	0.63
1:A:50:ASN:N	1:A:50:ASN:HD22	1.94	0.62
1:A:570:ASN:ND2	1:B:78:GLN:HG3	2.15	0.62
1:A:227:LEU:HD11	1:B:585:LEU:HD22	1.80	0.62
1:B:171:THR:OG1	1:B:177:THR:OG1	2.15	0.61
1:A:165:LEU:HD11	1:A:179:VAL:CG2	2.31	0.60
1:B:157:CYS:CB	7:B:2110:HOH:O	2.44	0.60
1:B:157:CYS:HB3	7:B:2110:HOH:O	2.01	0.59
1:A:85:LYS:N	1:A:85:LYS:HD3	2.07	0.59
1:A:165:LEU:HD11	1:A:179:VAL:HG21	1.83	0.59
1:B:20:TYR:HB2	1:B:37:ILE:HB	1.83	0.59
1:A:137:ASN:OD1	1:A:259:ASN:ND2	2.34	0.59
1:B:353:LEU:HD11	1:B:360:VAL:CG2	2.33	0.59
1:B:353:LEU:HD11	1:B:360:VAL:HG21	1.84	0.58
1:B:289:MET:HB2	7:B:2197:HOH:O	2.04	0.57
1:A:20:TYR:CE2	1:A:395:VAL:HG11	2.40	0.57
1:B:386:GLN:H	1:B:430:GLN:NE2	1.98	0.56
1:B:50:ASN:ND2	1:B:50:ASN:H	1.98	0.56
1:B:151:ARG:HH11	1:B:153:ASN:ND2	2.03	0.56
1:B:162:GLU:HG3	1:B:180:ASN:HD21	1.70	0.56
1:B:579:GLN:H	1:B:579:GLN:HE21	1.52	0.56
1:A:136:PRO:HG2	1:A:261:VAL:HG11	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:292:ASP:HB2	7:A:2202:HOH:O	2.05	0.55
1:A:78:GLN:HE22	1:B:569:ALA:H	1.53	0.55
1:B:480:ARG:N	1:B:481:LYS:HB3	2.22	0.54
1:A:82:ASN:ND2	1:B:567:VAL:H	1.96	0.54
1:A:103:LYS:NZ	7:A:2075:HOH:O	2.41	0.53
1:B:47:PRO:HA	1:B:50:ASN:HD21	1.73	0.53
1:A:162:GLU:HG3	1:A:180:ASN:HD21	1.73	0.53
1:A:85:LYS:CE	7:A:2061:HOH:O	2.57	0.53
1:A:388:GLN:HE21	1:A:413:PHE:HD2	1.57	0.53
1:A:353:LEU:HD11	1:A:360:VAL:HG21	1.90	0.53
1:B:137:ASN:ND2	1:B:195:GLN:HE22	1.98	0.52
1:B:449:ALA:N	7:B:2274:HOH:O	2.38	0.52
1:B:336:LEU:HB3	1:B:355:LEU:HB2	1.91	0.52
1:A:570:ASN:ND2	1:B:78:GLN:CG	2.74	0.51
1:A:51:ARG:NH1	1:A:52:CYS:O	2.44	0.51
1:A:179:VAL:HG23	1:A:181:ILE:CD1	2.41	0.50
1:A:47:PRO:HB2	1:A:57:TRP:CD1	2.46	0.50
1:B:579:GLN:HE21	1:B:579:GLN:N	2.09	0.50
1:A:567:VAL:H	1:B:82:ASN:ND2	2.01	0.49
1:A:323:GLU:N	1:A:323:GLU:OE1	2.35	0.49
1:B:282:ASN:HB3	1:B:302:LEU:HB2	1.95	0.49
1:A:94:HIS:H	1:A:112:ASN:ND2	2.12	0.48
1:A:340:HIS:CE1	1:A:391:HIS:CE1	3.02	0.47
1:A:239:VAL:HG13	1:A:277:TYR:CE2	2.49	0.47
1:A:93:HIS:N	1:A:112:ASN:HD21	2.09	0.47
1:A:385:VAL:HB	1:A:430:GLN:HE22	1.79	0.47
1:B:110:PHE:HB3	1:B:144[B]:MET:HE2	1.97	0.47
1:B:360:VAL:HG22	1:B:382:LYS:HG2	1.97	0.47
1:A:385:VAL:HB	1:A:430:GLN:NE2	2.30	0.47
1:A:405:ASP:HB3	7:A:2278:HOH:O	2.14	0.47
1:B:50:ASN:N	1:B:50:ASN:HD22	1.99	0.47
1:B:49:PHE:CE1	1:B:113:ASP:HB2	2.50	0.46
1:B:74:LYS:O	1:B:78:GLN:HG3	2.15	0.46
1:A:144:MET:CE	1:A:155:VAL:HG11	2.44	0.46
1:B:93:HIS:H	1:B:112:ASN:ND2	2.12	0.45
1:B:99:PHE:CE2	1:B:399:THR:HG22	2.52	0.45
1:A:93:HIS:H	1:A:112:ASN:ND2	2.09	0.45
1:A:137:ASN:HB2	1:A:195:GLN:HE22	1.81	0.45
1:A:137:ASN:HD22	1:A:195:GLN:HE22	1.65	0.45
1:A:82:ASN:HD21	1:B:567:VAL:N	1.98	0.45
1:A:85:LYS:HG2	1:A:86:ILE:HG12	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:296:LEU:HD23	1:A:309:LEU:HD12	1.99	0.44
1:A:567:VAL:N	1:B:82:ASN:HD21	2.05	0.44
1:A:570:ASN:HD22	1:B:78:GLN:HG3	1.82	0.44
1:B:509:THR:HG21	1:B:535:LEU:HD12	1.99	0.44
1:B:539:ASP:O	1:B:540:ASP:CB	2.66	0.43
1:B:523:LYS:NZ	1:B:596:GLU:OE1	2.43	0.43
1:B:201:ASN:ND2	1:B:220:ASN:H	2.17	0.42
1:B:366:GLU:HG2	1:B:376:ILE:HD13	2.01	0.42
1:B:292:ASP:OD2	1:B:295:HIS:HD2	2.02	0.42
1:B:395:VAL:HB	1:B:403:ALA:HB3	2.00	0.42
1:A:47:PRO:HA	1:A:50:ASN:HD21	1.84	0.42
1:A:337:GLY:N	1:A:338:PRO:HD3	2.35	0.42
1:B:109:LEU:HB2	1:B:122:VAL:HB	2.01	0.42
1:B:256:GLU:HG3	1:B:258:ILE:HD11	2.01	0.42
1:A:449:ALA:HA	1:A:450:GLU:HA	1.83	0.42
1:B:93:HIS:O	1:B:452:HIS:HB2	2.20	0.41
1:B:215:PHE:HA	1:B:239:VAL:O	2.20	0.41
1:A:587:MET:HE3	1:B:160:GLU:OE2	2.20	0.41
1:B:35:LEU:HD22	1:B:42:GLU:HA	2.02	0.41
1:A:137:ASN:HD22	1:A:195:GLN:NE2	2.19	0.41
1:A:158:ASN:ND2	1:A:216[B]:SER:OG	2.54	0.41
1:A:165:LEU:HD12	1:A:165:LEU:H	1.85	0.41
1:B:224:GLY:HA3	1:B:229:GLU:HB3	2.02	0.41
1:A:294:LYS:NZ	7:A:2204:HOH:O	2.53	0.41
1:A:411:CYS:HB2	1:A:428:ASN:O	2.21	0.40
1:B:154:TYR:CD2	1:B:184:ALA:HB1	2.56	0.40
1:A:490:ILE:O	1:A:533:THR:HG21	2.20	0.40
1:A:242:ASN:HB2	1:A:318:PHE:CE2	2.56	0.40
1:B:306:VAL:HG23	1:B:334:LEU:HD12	2.03	0.40
1:B:112:ASN:HD22	1:B:112:ASN:H	1.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	589/642 (92%)	552 (94%)	30 (5%)	7 (1%)	16	4
1	B	589/642 (92%)	560 (95%)	25 (4%)	4 (1%)	26	11
All	All	1178/1284 (92%)	1112 (94%)	55 (5%)	11 (1%)	21	7

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	9	ASP
1	B	481	LYS
1	A	301	LYS
1	B	9	ASP
1	B	301	LYS
1	A	481	LYS
1	B	415	LYS
1	A	321	ASN
1	A	386	GLN
1	A	480	ARG
1	A	449	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	502/532 (94%)	483 (96%)	19 (4%)	40	19
1	B	502/532 (94%)	489 (97%)	13 (3%)	54	36
All	All	1004/1064 (94%)	972 (97%)	32 (3%)	46	27

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	SER
1	A	16	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	24	TRP
1	A	35	LEU
1	A	50	ASN
1	A	85	LYS
1	A	89	ASN
1	A	112	ASN
1	A	215	PHE
1	A	217	THR
1	A	239	VAL
1	A	257	GLU
1	A	261	VAL
1	A	336	LEU
1	A	537	GLU
1	A	552	VAL
1	A	579	GLN
1	A	580	TRP
1	A	581	PHE
1	B	24	TRP
1	B	50	ASN
1	B	85	LYS
1	B	89	ASN
1	B	112	ASN
1	B	130	ASP
1	B	171	THR
1	B	201	ASN
1	B	215	PHE
1	B	393	LYS
1	B	442	VAL
1	B	579	GLN
1	B	580	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (33) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	ASN
1	A	61	ASN
1	A	78	GLN
1	A	82	ASN
1	A	89	ASN
1	A	112	ASN
1	A	153	ASN
1	A	158	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	180	ASN
1	A	195	GLN
1	A	204	ASN
1	A	295	HIS
1	A	388	GLN
1	A	430	GLN
1	A	464	ASN
1	A	502	ASN
1	A	579	GLN
1	B	50	ASN
1	B	61	ASN
1	B	78	GLN
1	B	82	ASN
1	B	89	ASN
1	B	112	ASN
1	B	153	ASN
1	B	180	ASN
1	B	195	GLN
1	B	201	ASN
1	B	204	ASN
1	B	295	HIS
1	B	388	GLN
1	B	430	GLN
1	B	464	ASN
1	B	579	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 26 ligands modelled in this entry, 24 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	CUZ	A	1600	1,7	0,9,9	0.00	-	0,24,24	0.00	-
3	CUZ	B	1600	1,7	0,9,9	0.00	-	0,24,24	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CUZ	A	1600	1,7	-	0/0/42/42	0/0/5/5
3	CUZ	B	1600	1,7	-	0/0/42/42	0/0/5/5

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.