



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:41 PM GMT

PDB ID : 4J57
Title : Structure of Plasmodium falciparum thioredoxin reductase-thioredoxin complex
Authors : Fritz-Wolf, K.; Jortzik, E.; Stumpf, M.; Preuss, J.; Iozef, R.; Rahlfs, S.; Becker, K.
Deposited on : 2013-02-08
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	541	<div> <div>4%</div> <div>73% 16% • 11%</div> </div>
1	B	541	<div> <div>4%</div> <div>73% 16% • 11%</div> </div>
2	E	114	<div> <div>33%</div> <div>69% 20% • 10%</div> </div>
2	F	114	<div> <div>50%</div> <div>68% 22% • 10%</div> </div>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9209 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thioredoxin reductase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	483	Total	C	N	O	S	0	0	0
			3723	2375	619	707	22			
1	B	483	Total	C	N	O	S	0	0	0
			3723	2375	619	707	22			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	540	SER	CYS	ENGINEERED MUTATION	UNP P61076
B	540	SER	CYS	ENGINEERED MUTATION	UNP P61076

- Molecule 2 is a protein called Thioredoxin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	103	Total	C	N	O	S	0	0	0
			813	521	124	164	4			
2	F	103	Total	C	N	O	S	0	0	0
			813	521	124	164	4			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
E	-9	ARG	-	EXPRESSION TAG	UNP Q7KQL8
E	-8	GLY	-	EXPRESSION TAG	UNP Q7KQL8
E	-7	SER	-	EXPRESSION TAG	UNP Q7KQL8
E	-6	HIS	-	EXPRESSION TAG	UNP Q7KQL8
E	-5	HIS	-	EXPRESSION TAG	UNP Q7KQL8
E	-4	HIS	-	EXPRESSION TAG	UNP Q7KQL8
E	-3	HIS	-	EXPRESSION TAG	UNP Q7KQL8
E	-2	HIS	-	EXPRESSION TAG	UNP Q7KQL8
E	-1	HIS	-	EXPRESSION TAG	UNP Q7KQL8
E	0	GLY	-	EXPRESSION TAG	UNP Q7KQL8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	1	SER	-	EXPRESSION TAG	UNP Q7KQL8
E	33	SER	CYS	ENGINEERED MUTATION	UNP Q7KQL8
F	-9	ARG	-	EXPRESSION TAG	UNP Q7KQL8
F	-8	GLY	-	EXPRESSION TAG	UNP Q7KQL8
F	-7	SER	-	EXPRESSION TAG	UNP Q7KQL8
F	-6	HIS	-	EXPRESSION TAG	UNP Q7KQL8
F	-5	HIS	-	EXPRESSION TAG	UNP Q7KQL8
F	-4	HIS	-	EXPRESSION TAG	UNP Q7KQL8
F	-3	HIS	-	EXPRESSION TAG	UNP Q7KQL8
F	-2	HIS	-	EXPRESSION TAG	UNP Q7KQL8
F	-1	HIS	-	EXPRESSION TAG	UNP Q7KQL8
F	0	GLY	-	EXPRESSION TAG	UNP Q7KQL8
F	1	SER	-	EXPRESSION TAG	UNP Q7KQL8
F	33	SER	CYS	ENGINEERED MUTATION	UNP Q7KQL8

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	14	Total	O	0	0
			14	14		
5	B	11	Total	O	0	0
			11	11		



• Molecule 2: Thioredoxin



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	91.80Å 100.60Å 142.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.50 20.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (20.00-2.50) 100.0 (20.00-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.23	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.41 (at 2.50Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
R, R_{free}	0.216 , 0.268 0.227 , 0.280	Depositor DCC
R_{free} test set	2777 reflections (6.37%)	DCC
Wilson B-factor (Å ²)	44.6	Xtriage
Anisotropy	0.314	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 38.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	1 of 46341 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9209	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 40.53 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.7005e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/3794	0.61	0/5119
1	B	0.48	0/3794	0.61	0/5119
2	E	0.32	0/827	0.49	0/1117
2	F	0.33	0/827	0.48	0/1117
All	All	0.45	0/9242	0.59	0/12472

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3723	0	3740	47	0
1	B	3723	0	3740	48	0
2	E	813	0	807	11	0
2	F	813	0	807	13	0
3	A	53	0	31	3	0
3	B	53	0	31	2	0
4	A	6	0	8	0	0
5	A	14	0	0	0	0
5	B	11	0	0	2	0
All	All	9209	0	9164	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:150:ARG:HH22	2:F:68:ASN:HA	1.12	1.08
1:B:150:ARG:NH2	2:F:68:ASN:HA	1.96	0.73
2:E:15:ILE:HG22	2:E:81:GLY:HA2	1.75	0.67
1:B:253:ARG:HB2	1:B:284:LEU:HG	1.76	0.67
1:B:162:LYS:HZ2	1:B:172:TYR:HE2	1.42	0.65
2:F:15:ILE:HG22	2:F:81:GLY:HA2	1.78	0.65
1:B:333:ASN:HB2	1:B:340:ILE:HD11	1.81	0.63
1:A:333:ASN:HB2	1:A:340:ILE:HD11	1.81	0.62
2:F:21:VAL:HG13	2:F:78:TYR:HB2	1.83	0.60
1:B:334:LYS:HG3	1:B:335:SER:HA	1.84	0.60
1:B:230:ALA:HB2	1:B:252:VAL:HG13	1.84	0.60
2:E:4:ILE:HG12	2:E:54:LYS:HB2	1.84	0.59
1:A:230:ALA:HB1	1:A:256:VAL:HA	1.82	0.59
2:E:21:VAL:HG13	2:E:78:TYR:HB2	1.85	0.59
1:B:173:LEU:HD23	1:B:174:LYS:HG2	1.84	0.59
2:F:4:ILE:HG12	2:F:54:LYS:HB2	1.86	0.58
1:B:252:VAL:HG12	1:B:254:SER:H	1.67	0.58
1:A:334:LYS:HG3	1:A:335:SER:HA	1.87	0.56
1:A:363:PRO:HG2	1:A:393:ILE:HD12	1.86	0.56
1:A:173:LEU:HD23	1:A:174:LYS:HG2	1.87	0.55
1:A:426:LEU:HD11	1:A:529:TYR:CZ	2.42	0.55
2:E:13:SER:O	2:E:17:GLN:HG2	2.07	0.54
1:B:426:LEU:HD11	1:B:529:TYR:CZ	2.43	0.54
2:F:100:GLU:HG3	2:F:104:ALA:HB3	1.90	0.54
1:B:471:ARG:CZ	1:B:496:LYS:HD3	2.38	0.54
1:B:363:PRO:HG2	1:B:393:ILE:HD12	1.88	0.53
1:A:471:ARG:CZ	1:A:496:LYS:HD3	2.38	0.53
1:A:384:SER:OG	1:A:386:GLU:HG3	2.09	0.53
1:A:128:LYS:O	1:A:132:THR:HG23	2.09	0.53
1:B:95:PRO:HB3	1:B:138:ILE:HD11	1.91	0.53
2:E:100:GLU:HG3	2:E:104:ALA:HB3	1.90	0.53
1:B:128:LYS:O	1:B:132:THR:HG23	2.10	0.52
1:A:359:ALA:O	1:A:362:VAL:HG13	2.09	0.52
1:A:132:THR:O	1:A:136:SER:HB3	2.09	0.52
2:F:13:SER:O	2:F:17:GLN:HG2	2.09	0.51
1:A:230:ALA:HB2	1:A:252:VAL:HG22	1.92	0.51
1:A:494:ARG:HD2	5:B:711:HOH:O	2.09	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:359:ALA:O	1:B:362:VAL:HG13	2.11	0.50
1:A:511:THR:O	1:A:514:GLU:HG2	2.12	0.50
2:F:57:VAL:HA	2:F:64:THR:HG21	1.93	0.49
1:B:384:SER:OG	1:B:386:GLU:HG3	2.13	0.49
1:B:334:LYS:CG	1:B:335:SER:HA	2.42	0.49
1:A:95:PRO:HB3	1:A:138:ILE:HD11	1.95	0.49
1:B:511:THR:O	1:B:514:GLU:HG2	2.13	0.48
2:E:57:VAL:HA	2:E:64:THR:HG21	1.94	0.48
1:A:220:LYS:NZ	1:A:308:ASP:O	2.45	0.48
1:B:132:THR:O	1:B:136:SER:HB3	2.13	0.48
1:B:72:TYR:H	3:B:600:FAD:C2A	2.27	0.48
2:E:36:ILE:HD12	2:E:90:ALA:HA	1.96	0.48
1:A:508:ILE:HD11	1:B:394:PRO:HB2	1.97	0.47
1:A:89:VAL:HG21	1:A:145:TYR:CE1	2.49	0.47
1:B:97:LYS:HE3	1:B:398:TYR:CE1	2.48	0.47
1:A:104:HIS:O	1:A:108:ILE:HG13	2.13	0.47
1:A:97:LYS:HE3	1:A:398:TYR:CE1	2.49	0.47
1:B:172:TYR:HB3	1:B:176:ASP:O	2.15	0.46
1:A:93:CYS:HB3	3:A:601:FAD:C4	2.46	0.46
2:F:36:ILE:HD12	2:F:90:ALA:HA	1.97	0.46
1:B:220:LYS:NZ	1:B:308:ASP:O	2.48	0.46
1:A:334:LYS:HD2	1:A:334:LYS:HA	1.74	0.46
1:B:210:ILE:HB	1:B:214:ASP:HB2	1.98	0.46
1:A:172:TYR:HB3	1:A:176:ASP:O	2.15	0.46
1:A:210:ILE:HB	1:A:214:ASP:HB2	1.99	0.45
1:B:105:MET:HG2	1:B:109:PHE:CZ	2.51	0.45
1:B:89:VAL:HG21	1:B:145:TYR:CE1	2.51	0.45
1:A:193:GLY:HA2	1:A:357:ASP:HB2	1.97	0.45
1:B:230:ALA:HB1	1:B:256:VAL:HA	1.98	0.45
1:B:193:GLY:HA2	1:B:357:ASP:HB2	1.98	0.45
1:A:253:ARG:C	1:A:254:SER:HG	2.18	0.45
1:A:334:LYS:CG	1:A:335:SER:HA	2.45	0.44
1:B:523:ILE:HD13	1:B:523:ILE:HA	1.88	0.44
1:A:105:MET:HG2	1:A:109:PHE:CZ	2.52	0.44
1:A:237:CYS:HA	1:A:240:PHE:CE2	2.52	0.44
1:B:509:HIS:HA	1:B:510:PRO:HA	1.82	0.44
1:A:475:PHE:CZ	1:A:489:MET:HG3	2.53	0.44
1:A:92:GLY:HA2	3:A:601:FAD:C7	2.48	0.44
1:B:54:MET:HE1	1:B:85:GLY:HA2	1.99	0.44
1:A:318:GLY:HA3	1:A:337:ASN:O	2.18	0.43
1:A:139:ARG:HA	1:A:139:ARG:HD2	1.85	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:42:TYR:O	1:A:185:GLY:HA2	2.18	0.43
2:E:20:LEU:HA	2:E:20:LEU:HD23	1.86	0.43
1:A:394:PRO:HB2	1:B:508:ILE:HD11	2.00	0.43
1:A:285:PRO:HG2	1:A:312:TYR:OH	2.18	0.43
1:A:54:MET:HE1	1:A:85:GLY:HA2	2.00	0.43
1:A:232:TYR:HB2	1:A:397:ILE:HG23	2.00	0.42
1:A:430:ASN:HB3	1:A:435:SER:HB3	2.00	0.42
1:B:536:GLY:HA2	2:E:71:SER:HA	2.01	0.42
1:B:237:CYS:HA	1:B:240:PHE:CE2	2.55	0.42
1:B:57:ALA:HB1	1:B:67:VAL:HG11	2.01	0.42
1:B:72:TYR:CD2	1:B:160:LEU:HD13	2.55	0.42
1:A:523:ILE:HA	1:A:523:ILE:HD13	1.91	0.42
1:A:57:ALA:HB1	1:A:67:VAL:HG11	2.01	0.42
1:B:394:PRO:HB3	1:B:490:ALA:HB2	2.02	0.42
1:A:535:CYS:SG	2:F:32:PRO:HD2	2.60	0.42
1:B:268:VAL:O	1:B:272:MET:HG3	2.20	0.41
1:B:326:GLU:H	1:B:326:GLU:CD	2.21	0.41
1:B:334:LYS:HD2	1:B:334:LYS:HA	1.71	0.41
1:A:506:ILE:HD13	5:B:710:HOH:O	2.19	0.41
1:B:285:PRO:HG2	1:B:312:TYR:OH	2.19	0.41
2:E:23:VAL:HG11	2:E:78:TYR:HE2	1.85	0.41
1:B:160:LEU:HA	1:B:160:LEU:HD12	1.92	0.41
2:F:23:VAL:HG11	2:F:78:TYR:HE2	1.85	0.41
2:F:27:ALA:HB3	2:F:30:CYS:HB2	2.03	0.41
1:B:430:ASN:HB3	1:B:435:SER:HB3	2.01	0.41
1:A:394:PRO:HB3	1:A:490:ALA:HB2	2.03	0.41
2:F:20:LEU:HD11	2:F:102:TYR:HB3	2.03	0.41
1:B:104:HIS:O	1:B:108:ILE:HG13	2.20	0.40
1:A:86:GLY:HA2	3:A:601:FAD:O3B	2.21	0.40
1:B:364:GLU:O	3:B:600:FAD:H1'2	2.21	0.40
1:A:49:GLY:HA3	1:A:71:ASP:HB2	2.03	0.40
1:A:285:PRO:HB3	1:A:297:VAL:HG13	2.03	0.40
1:B:533:GLY:HA2	1:B:536:GLY:C	2.42	0.40
2:E:27:ALA:HB3	2:E:30:CYS:HB2	2.04	0.40
1:B:336:ASN:HB3	1:B:338:LYS:CG	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	479/541 (88%)	456 (95%)	23 (5%)	0	100	100
1	B	479/541 (88%)	458 (96%)	21 (4%)	0	100	100
2	E	101/114 (89%)	91 (90%)	10 (10%)	0	100	100
2	F	101/114 (89%)	91 (90%)	10 (10%)	0	100	100
All	All	1160/1310 (88%)	1096 (94%)	64 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/457 (89%)	386 (95%)	20 (5%)	31	55
1	B	406/457 (89%)	385 (95%)	21 (5%)	29	51
2	E	93/102 (91%)	87 (94%)	6 (6%)	21	39
2	F	93/102 (91%)	87 (94%)	6 (6%)	21	39
All	All	998/1118 (89%)	945 (95%)	53 (5%)	28	50

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	THR
1	A	44	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	45	VAL
1	A	93	CYS
1	A	136	SER
1	A	139	ARG
1	A	173	LEU
1	A	203	GLU
1	A	244	LEU
1	A	252	VAL
1	A	270	LEU
1	A	277	VAL
1	A	283	ILE
1	A	293	ASP
1	A	326	GLU
1	A	396	SER
1	A	399	THR
1	A	416	LEU
1	A	471	ARG
1	A	517	MET
1	B	39	THR
1	B	44	TYR
1	B	45	VAL
1	B	93	CYS
1	B	136	SER
1	B	139	ARG
1	B	173	LEU
1	B	203	GLU
1	B	244	LEU
1	B	255	ILE
1	B	256	VAL
1	B	270	LEU
1	B	277	VAL
1	B	283	ILE
1	B	293	ASP
1	B	326	GLU
1	B	396	SER
1	B	399	THR
1	B	416	LEU
1	B	471	ARG
1	B	517	MET
2	E	2	VAL
2	E	8	GLN
2	E	18	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	41	GLU
2	E	48	THR
2	E	100	GLU
2	F	2	VAL
2	F	8	GLN
2	F	18	ASN
2	F	41	GLU
2	F	48	THR
2	F	100	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	FAD	A	601	-	48,58,58	1.58	8 (16%)	54,89,89	2.22	11 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	A	602	-	5,5,5	0.33	0	5,5,5	0.51	0
3	FAD	B	600	-	48,58,58	1.60	6 (12%)	54,89,89	2.13	12 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	601	-	-	0/30/50/50	0/6/6/6
4	GOL	A	602	-	-	0/4/4/4	0/0/0/0
3	FAD	B	600	-	-	0/30/50/50	0/6/6/6

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	600	FAD	C2B-C3B	-5.57	1.38	1.53
3	A	601	FAD	C2B-C3B	-5.28	1.39	1.53
3	A	601	FAD	O4B-C4B	-2.67	1.38	1.45
3	B	600	FAD	O4B-C4B	-2.66	1.38	1.45
3	A	601	FAD	C3B-C4B	-2.40	1.46	1.53
3	A	601	FAD	O3'-C3'	-2.25	1.37	1.43
3	B	600	FAD	O4'-C4'	-2.19	1.38	1.43
3	B	600	FAD	O3'-C3'	-2.10	1.37	1.43
3	A	601	FAD	C10-N10	-2.09	1.36	1.39
3	A	601	FAD	O4'-C4'	-2.01	1.38	1.43
3	A	601	FAD	C6A-N6A	2.04	1.41	1.34
3	B	600	FAD	C6A-N6A	2.86	1.43	1.34
3	B	600	FAD	O4-C4	5.91	1.38	1.24
3	A	601	FAD	O4-C4	5.92	1.38	1.24

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	FAD	N3A-C2A-N1A	-9.36	121.72	128.89
3	B	600	FAD	N3A-C2A-N1A	-8.54	122.36	128.89
3	A	601	FAD	C1B-N9A-C4A	-5.50	118.64	126.94
3	B	600	FAD	C1B-N9A-C4A	-4.43	120.26	126.94
3	B	600	FAD	P-O3P-PA	-2.88	124.65	132.73
3	B	600	FAD	C4A-C5A-N7A	-2.56	107.12	109.48
3	A	601	FAD	C4-C4X-C10	-2.43	118.39	119.94
3	B	600	FAD	C4B-O4B-C1B	-2.27	107.22	109.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	FAD	C4A-C5A-N7A	-2.10	107.55	109.48
3	B	600	FAD	O3P-PA-O5B	2.39	109.28	102.94
3	B	600	FAD	C4X-N5-C5X	2.40	119.53	116.76
3	A	601	FAD	O3P-PA-O5B	2.46	109.47	102.94
3	B	600	FAD	C1'-C2'-C3'	2.52	117.04	109.82
3	B	600	FAD	C5X-C9A-N10	2.78	119.73	117.62
3	A	601	FAD	C4X-N5-C5X	2.84	120.03	116.76
3	A	601	FAD	C2B-C3B-C4B	2.88	108.53	102.61
3	A	601	FAD	C5X-C9A-N10	3.42	120.22	117.62
3	A	601	FAD	C1'-N10-C9A	3.86	123.20	118.86
3	B	600	FAD	C2B-C1B-N9A	4.56	121.26	114.29
3	A	601	FAD	C4-N3-C2	4.59	119.21	115.25
3	A	601	FAD	C2B-C1B-N9A	4.86	121.72	114.29
3	B	600	FAD	C4-N3-C2	4.96	119.53	115.25
3	B	600	FAD	C1'-N10-C9A	5.09	124.57	118.86

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	601	FAD	3	0
3	B	600	FAD	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	483/541 (89%)	0.22	24 (4%) 32 37	23, 38, 62, 89	0
1	B	483/541 (89%)	0.15	23 (4%) 34 39	21, 37, 58, 89	0
2	E	103/114 (90%)	1.78	38 (36%) 0 0	55, 85, 103, 109	0
2	F	103/114 (90%)	2.52	57 (55%) 0 0	59, 93, 116, 125	0
All	All	1172/1310 (89%)	0.53	142 (12%) 6 5	21, 40, 99, 125	0

All (142) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	22	ILE	8.6
2	F	82	SER	8.2
2	F	23	VAL	8.0
2	E	23	VAL	7.8
2	F	78	TYR	7.6
2	F	104	ALA	7.0
2	F	81	GLY	6.4
1	A	177	LEU	6.3
2	F	79	LYS	6.0
2	E	19	GLU	5.5
2	F	21	VAL	5.4
2	E	79	LYS	5.2
2	F	49	LYS	5.2
2	F	80	ASN	5.0
2	F	100	GLU	5.0
2	F	24	ASP	4.8
2	E	3	LYS	4.7
2	F	93	SER	4.7
2	F	17	GLN	4.6
2	F	51	VAL	4.6
2	F	45	LYS	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	103	ALA	4.5
2	E	2	VAL	4.5
1	B	175	GLY	4.4
2	F	53	ILE	4.3
2	E	90	ALA	4.3
2	F	103	ALA	4.3
1	B	176	ASP	4.2
2	E	99	ILE	4.2
2	F	13	SER	4.1
2	F	25	PHE	4.1
2	F	19	GLU	4.0
2	E	104	ALA	4.0
2	F	35	ARG	4.0
1	A	536	GLY	3.9
2	F	9	ALA	3.9
1	A	520	PHE	3.8
2	E	24	ASP	3.8
2	F	102	TYR	3.8
2	E	98	LEU	3.7
1	B	178	SER	3.7
1	B	533	GLY	3.7
2	E	16	SER	3.6
2	E	50	MET	3.6
2	E	80	ASN	3.6
1	A	535	CYS	3.6
2	F	75	PHE	3.6
1	B	179	LYS	3.6
2	F	83	SER	3.6
2	E	27	ALA	3.6
2	E	21	VAL	3.6
2	F	99	ILE	3.6
2	F	52	PHE	3.5
2	E	91	ASN	3.5
2	E	100	GLU	3.5
1	A	178	SER	3.4
1	A	533	GLY	3.4
1	A	254	SER	3.4
1	A	534	GLY	3.4
2	E	95	LEU	3.4
2	E	53	ILE	3.3
2	F	55	VAL	3.3
2	F	90	ALA	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	25	PHE	3.3
2	E	86	THR	3.2
1	B	456	SER	3.2
2	E	46	THR	3.2
2	F	41	GLU	3.2
1	B	462	LEU	3.2
2	F	5	VAL	3.1
2	E	40	TYR	3.1
2	E	97	GLN	3.1
2	E	85	ASP	3.1
1	B	474	GLY	3.0
2	E	75	PHE	3.0
2	F	60	VAL	3.0
2	F	97	GLN	3.0
1	A	335	SER	3.0
1	A	176	ASP	3.0
2	E	84	VAL	2.9
2	F	91	ASN	2.9
1	B	153	LYS	2.9
2	F	40	TYR	2.8
1	B	534	GLY	2.8
2	F	16	SER	2.7
1	B	177	LEU	2.7
2	E	87	LEU	2.7
1	B	39	THR	2.7
2	E	48	THR	2.7
2	F	11	PHE	2.7
1	A	38	HIS	2.7
1	B	38	HIS	2.7
2	F	27	ALA	2.6
1	A	175	GLY	2.6
1	B	255	ILE	2.6
2	E	44	SER	2.5
2	F	96	LYS	2.5
2	E	22	ILE	2.5
2	E	38	PRO	2.5
2	F	44	SER	2.5
2	F	38	PRO	2.5
2	F	26	PHE	2.5
1	B	302	LYS	2.5
2	F	59	GLU	2.4
1	B	460	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	74	THR	2.4
2	F	6	THR	2.4
1	B	293	ASP	2.4
2	F	95	LEU	2.4
2	F	7	SER	2.3
1	A	467	ASN	2.3
2	F	63	VAL	2.3
2	E	96	LYS	2.3
1	A	153	LYS	2.3
1	A	297	VAL	2.3
1	A	290	LYS	2.3
1	B	536	GLY	2.3
1	A	203	GLU	2.3
1	A	293	ASP	2.3
2	E	5	VAL	2.3
1	B	335	SER	2.2
1	B	464	CYS	2.2
2	F	20	LEU	2.2
1	B	200	ASP	2.2
1	A	463	VAL	2.2
2	E	35	ARG	2.2
2	F	30	CYS	2.2
2	F	62	GLU	2.2
1	B	520	PHE	2.1
2	F	50	MET	2.1
1	A	190	ILE	2.1
2	F	18	ASN	2.1
2	F	66	LYS	2.1
2	F	86	THR	2.1
1	A	462	LEU	2.1
2	F	48	THR	2.1
2	F	14	ILE	2.1
2	E	47	TYR	2.1
1	A	189	LEU	2.0
1	A	439	ARG	2.0
1	A	334	LYS	2.0
1	B	174	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	GOL	A	602	6/6	0.78	0.26	1.09	52,58,63,64	0
3	FAD	A	601	53/53	0.97	0.12	-0.80	29,37,41,43	0
3	FAD	B	600	53/53	0.96	0.12	-0.86	29,37,43,43	0

6.5 Other polymers [i](#)

There are no such residues in this entry.