



wwPDB X-ray Structure Validation Summary Report ⓘ

Jul 26, 2016 – 05:54 PM EDT

PDB ID : 5J5B
Title : Structure of the WT E coli ribosome bound to tetracycline
Authors : Cocozaki, A.; Ferguson, A.
Deposited on : 2016-04-01
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20027939
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20027939


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)
RNA backbone	2183	1091 (3.20-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1534	<div> <div>3%</div> <div>78%</div> <div>20%</div> <div>.</div> </div>
1	BA	1534	<div> <div>25%</div> <div>77%</div> <div>20%</div> <div>.</div> </div>
2	AB	224	<div> <div>35%</div> <div>88%</div> <div>11%</div> <div>.</div> </div>
2	BB	224	<div> <div>38%</div> <div>86%</div> <div>13%</div> <div>.</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	AC	206	<div> <div>9%</div> <div>86%</div> <div>13%</div> <div>.</div> </div>
3	BC	206	<div> <div>40%</div> <div>83%</div> <div>17%</div> </div>
4	AD	205	<div> <div>3%</div> <div>88%</div> <div>11%</div> <div>.</div> </div>
4	BD	205	<div> <div>%</div> <div>84%</div> <div>15%</div> <div>.</div> </div>
5	AE	155	<div> <div>4%</div> <div>80%</div> <div>18%</div> <div>..</div> </div>
5	BE	155	<div> <div>12%</div> <div>63%</div> <div>29%</div> <div>5%</div> <div>..</div> </div>
6	AF	106	<div> <div>12%</div> <div>85%</div> <div>15%</div> </div>
6	BF	106	<div> <div>8%</div> <div>72%</div> <div>22%</div> <div>6%</div> </div>
7	AG	151	<div> <div>28%</div> <div>87%</div> <div>12%</div> <div>.</div> </div>
7	BG	151	<div> <div>72%</div> <div>86%</div> <div>14%</div> </div>
8	AH	129	<div> <div>5%</div> <div>81%</div> <div>19%</div> </div>
8	BH	129	<div> <div>15%</div> <div>85%</div> <div>15%</div> </div>
9	AI	127	<div> <div>35%</div> <div>90%</div> <div>9%</div> <div>.</div> </div>
9	BI	127	<div> <div>61%</div> <div>90%</div> <div>9%</div> <div>.</div> </div>
10	AJ	99	<div> <div>21%</div> <div>75%</div> <div>24%</div> <div>.</div> </div>
10	BJ	99	<div> <div>74%</div> <div>73%</div> <div>23%</div> <div>..</div> </div>
11	AK	117	<div> <div>24%</div> <div>80%</div> <div>18%</div> <div>.</div> </div>
11	BK	117	<div> <div>21%</div> <div>74%</div> <div>22%</div> <div>.</div> </div>
12	AL	123	<div> <div>2%</div> <div>86%</div> <div>12%</div> <div>.</div> </div>
12	BL	123	<div> <div>24%</div> <div>81%</div> <div>13%</div> <div>6%</div> </div>
13	AM	114	<div> <div>41%</div> <div>80%</div> <div>18%</div> <div>.</div> </div>
13	BM	114	<div> <div>93%</div> <div>78%</div> <div>19%</div> <div>.</div> </div>
14	AN	100	<div> <div>21%</div> <div>88%</div> <div>12%</div> </div>
14	BN	100	<div> <div>73%</div> <div>88%</div> <div>12%</div> </div>
15	AO	88	<div> <div>8%</div> <div>92%</div> <div>8%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	BO	88	
16	AP	82	
16	BP	82	
17	AQ	80	
17	BQ	80	
18	AR	55	
18	BR	55	
19	AS	79	
19	BS	79	
20	AT	86	
20	BT	86	
21	AU	56	
21	BU	56	
22	C1	56	
22	D1	56	
23	C2	51	
23	D2	51	
24	C3	46	
24	D3	46	
25	C4	64	
25	D4	64	
26	C5	38	
26	D5	38	
27	C0	58	
27	D0	58	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	CB	120	
28	DB	120	
29	CC	271	
29	DC	271	
30	CD	209	
30	DD	209	
31	CA	2904	
32	CE	201	
32	DE	201	
33	CF	177	
33	DF	177	
34	CG	176	
34	DG	176	
35	CH	149	
35	DH	149	
36	CJ	134	
36	DJ	134	
37	CK	142	
37	DK	142	
38	CL	123	
38	DL	123	
39	CM	144	
39	DM	144	
40	CN	136	
40	DN	136	


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
41	CO	125	
41	DO	125	
42	CP	117	
42	DP	117	
43	CQ	114	
43	DQ	114	
44	CR	117	
44	DR	117	
45	CS	103	
45	DS	103	
46	CT	110	
46	DT	110	
47	CU	93	
47	DU	93	
48	CV	102	
48	DV	102	
49	CW	94	
49	DW	94	
50	CX	76	
50	DX	76	
51	CY	77	
51	DY	77	
52	CZ	62	
52	DZ	62	
53	DI	135	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	DA	2904	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
55	MG	AA	1607	-	-	-	X
55	MG	AA	1612	-	-	-	X
55	MG	AA	1642	-	-	-	X
55	MG	AA	1661	-	-	-	X
55	MG	BA	1603	-	-	-	X
55	MG	CA	3002	-	-	-	X
55	MG	CA	3021	-	-	-	X
55	MG	CA	3025	-	-	-	X
55	MG	CA	3031	-	-	-	X
55	MG	CA	3104	-	-	-	X
55	MG	CA	3109	-	-	-	X
55	MG	CA	3130	-	-	-	X
55	MG	CA	3132	-	-	-	X
55	MG	CA	3136	-	-	-	X
55	MG	CA	3146	-	-	-	X
55	MG	CA	3150	-	-	-	X
55	MG	DA	3014	-	-	-	X
55	MG	DA	3027	-	-	-	X
55	MG	DA	3038	-	-	-	X
55	MG	DA	3065	-	-	-	X
55	MG	DA	3125	-	-	-	X
55	MG	DA	3127	-	-	-	X
55	MG	DA	3133	-	-	-	X
55	MG	DA	3163	-	-	-	X
55	MG	DA	3172	-	-	-	X
55	MG	DA	3177	-	-	-	X
55	MG	DA	3182	-	-	-	X
56	PG4	AA	1670	-	-	-	X
56	PG4	BA	1601	-	-	-	X
56	PG4	DA	3193	-	-	-	X
56	PG4	DA	3215	-	-	-	X
56	PG4	DS	202	-	-	-	X
57	MPD	AA	1671	-	-	-	X
57	MPD	AA	1676	-	-	-	X
57	MPD	DA	3192	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
57	MPD	DA	3203	-	-	-	X
57	MPD	DA	3206	-	-	-	X
57	MPD	DE	301	-	-	-	X
57	MPD	DE	302	-	-	-	X
58	PUT	AA	1672	-	-	-	X
58	PUT	AA	1673	-	-	-	X
58	PUT	AA	1674	-	-	-	X
58	PUT	DA	3189	-	-	-	X
58	PUT	DA	3195	-	-	-	X
58	PUT	DA	3204	-	-	-	X
58	PUT	DA	3211	-	-	-	X
58	PUT	DA	3212	-	-	-	X
58	PUT	DA	3218	-	-	-	X
58	PUT	DA	3220	-	-	-	X
58	PUT	DA	3221	-	-	-	X
61	PEG	AL	201	-	-	-	X
61	PEG	D1	103	-	-	-	X
61	PEG	D3	102	-	-	-	X
61	PEG	DA	3200	-	-	-	X
61	PEG	DA	3217	-	-	-	X
61	PEG	DQ	201	-	-	-	X
62	EDO	D1	101	-	-	-	X
62	EDO	DA	3001	-	-	-	X
62	EDO	DA	3197	-	-	-	X
62	EDO	DA	3198	-	-	-	X
63	PGE	D1	102	-	-	-	X
63	PGE	D3	101	-	-	-	X
63	PGE	DA	3213	-	-	-	X
63	PGE	DA	3224	-	-	-	X
63	PGE	DD	301	-	-	-	X
63	PGE	DS	201	-	-	-	X
63	PGE	DU	101	-	-	-	X
64	SPD	DA	3183	-	-	-	X
64	SPD	DA	3187	-	-	-	X
64	SPD	DA	3205	-	-	-	X
64	SPD	DA	3223	-	-	-	X
65	1PE	DA	3185	-	-	-	X
65	1PE	DA	3202	-	-	-	X
66	ACY	DA	3201	-	-	-	X
67	GUN	DA	3210	-	-	-	X

2 Entry composition

There are 69 unique types of molecules in this entry. The entry contains 295188 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AA	1534	Total	C	N	O	P	0	0	0
			32930	14694	6041	10661	1534			
1	BA	1533	Total	C	N	O	P	0	0	0
			32908	14684	6036	10655	1533			

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AB	224	Total	C	N	O	S	0	0	0
			1753	1109	315	321	8			
2	BB	224	Total	C	N	O	S	0	0	0
			1753	1109	315	321	8			

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	AC	206	Total	C	N	O	S	0	0	0
			1625	1028	305	289	3			
3	BC	206	Total	C	N	O	S	0	0	0
			1625	1028	305	289	3			

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	AD	205	Total	C	N	O	S	0	0	0
			1643	1026	315	298	4			
4	BD	205	Total	C	N	O	S	0	0	0
			1643	1026	315	298	4			

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	AE	155	Total	C	N	O	S	0	0	0
			1144	711	216	211	6			
5	BE	150	Total	C	N	O	S	0	0	0
			1105	687	211	201	6			

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	AF	106	Total	C	N	O	S	0	0	0
			862	545	156	154	7			
6	BF	100	Total	C	N	O	S	0	0	0
			817	515	148	148	6			

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	AG	151	Total	C	N	O	S	0	0	0
			1182	735	227	216	4			
7	BG	151	Total	C	N	O	S	0	0	0
			1182	735	227	216	4			

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	AH	129	Total	C	N	O	S	0	0	0
			979	616	173	184	6			
8	BH	129	Total	C	N	O	S	0	0	0
			979	616	173	184	6			

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	AI	127	Total	C	N	O	S	0	0	0
			1022	634	206	179	3			
9	BI	127	Total	C	N	O	S	0	0	0
			1022	634	206	179	3			

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	AJ	99	Total	C	N	O	S	0	0	0
			796	498	152	145	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	BJ	98	Total	C	N	O	S	0	0	0
			787	493	150	143	1			

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	AK	117	Total	C	N	O	S	0	0	0
			877	540	174	160	3			
11	BK	117	Total	C	N	O	S	0	0	0
			877	540	174	160	3			

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	AL	123	Total	C	N	O	S	0	0	0
			957	591	196	165	5			
12	BL	123	Total	C	N	O	S	0	0	0
			957	591	196	165	5			

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	AM	114	Total	C	N	O	S	0	0	0
			884	546	178	157	3			
13	BM	114	Total	C	N	O	S	0	0	0
			884	546	178	157	3			

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	AN	100	Total	C	N	O	S	0	0	0
			805	499	164	139	3			
14	BN	100	Total	C	N	O	S	0	0	0
			805	499	164	139	3			

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	AO	88	Total	C	N	O	S	0	0	0
			714	439	144	130	1			
15	BO	88	Total	C	N	O	S	0	0	0
			714	439	144	130	1			

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	AP	82	Total	C	N	O	S	0	0	0
			649	406	128	114	1			
16	BP	82	Total	C	N	O	S	0	0	0
			649	406	128	114	1			

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	AQ	80	Total	C	N	O	S	0	0	0
			649	411	121	114	3			
17	BQ	80	Total	C	N	O	S	0	0	0
			649	411	121	114	3			

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	AR	55	Total	C	N	O	0	0	0
			456	288	86	82			
18	BR	55	Total	C	N	O	0	0	0
			456	288	86	82			

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	AS	79	Total	C	N	O	S	0	0	0
			638	408	120	108	2			
19	BS	79	Total	C	N	O	S	0	0	0
			638	408	120	108	2			

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	AT	86	Total	C	N	O	S	0	0	0
			670	414	138	115	3			
20	BT	85	Total	C	N	O	S	0	0	0
			665	411	137	114	3			

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	AU	56	Total	C	N	O	S	0	0	0
			465	290	96	78	1			
21	BU	56	Total	C	N	O	S	0	0	0
			465	290	96	78	1			

- Molecule 22 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	C1	56	Total	C	N	O	S	0	0	0
			444	269	94	80	1			
22	D1	56	Total	C	N	O	S	0	0	0
			444	269	94	80	1			

- Molecule 23 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
23	C2	50	Total	C	N	O	0	0	0
			409	263	75	71			
23	D2	51	Total	C	N	O	0	0	0
			414	266	76	72			

- Molecule 24 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	C3	46	Total	C	N	O	S	0	0	0
			377	228	90	57	2			
24	D3	46	Total	C	N	O	S	0	0	0
			377	228	90	57	2			

- Molecule 25 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	C4	64	Total	C	N	O	S	0	0	0
			504	323	105	74	2			
25	D4	64	Total	C	N	O	S	0	0	0
			504	323	105	74	2			

- Molecule 26 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	C5	38	Total	C	N	O	S	0	0	0
			302	185	65	48	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	D5	38	Total	C	N	O	S	0	0	0
			302	185	65	48	4			

- Molecule 27 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	C0	58	Total	C	N	O	S	0	0	0
			449	281	87	79	2			
27	D0	58	Total	C	N	O	S	0	2	0
			463	290	90	81	2			

- Molecule 28 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	CB	118	Total	C	N	O	P	0	0	0
			2529	1126	464	821	118			
28	DB	120	Total	C	N	O	P	0	0	0
			2569	1144	468	837	120			

- Molecule 29 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	CC	271	Total	C	N	O	S	0	0	0
			2083	1288	423	365	7			
29	DC	271	Total	C	N	O	S	0	0	0
			2083	1288	423	365	7			

- Molecule 30 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	CD	209	Total	C	N	O	S	0	0	0
			1565	979	288	294	4			
30	DD	209	Total	C	N	O	S	0	1	0
			1576	986	290	296	4			

- Molecule 31 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	CA	2898	Total	C	N	O	P	0	0	0
			62229	27768	11448	20115	2898			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CA	1723	G	A	conflict	GB 939731527
CA	1725	U	C	conflict	GB 939731527
CA	1726	C	G	conflict	GB 939731527
CA	1727	C	A	conflict	GB 939731527
CA	1730	C	U	conflict	GB 939731527
CA	1733	G	U	conflict	GB 939731527
CA	1734	G	C	conflict	GB 939731527
CA	1735	A	G	conflict	GB 939731527

- Molecule 32 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	CE	201	Total	C	N	O	S	0	0	0
			1552	974	283	290	5			
32	DE	201	Total	C	N	O	S	0	0	0
			1552	974	283	290	5			

- Molecule 33 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	CF	177	Total	C	N	O	S	0	0	0
			1411	899	249	257	6			
33	DF	177	Total	C	N	O	S	0	0	0
			1411	899	249	257	6			

- Molecule 34 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	CG	176	Total	C	N	O	S	0	0	0
			1323	832	243	246	2			
34	DG	176	Total	C	N	O	S	0	0	0
			1323	832	243	246	2			

- Molecule 35 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	CH	149	Total	C	N	O	S	0	0	0
			1110	699	197	213	1			
35	DH	149	Total	C	N	O	S	0	0	0
			1110	699	197	213	1			

- Molecule 36 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	CJ	134	Total	C	N	O	S	0	0	0
			979	619	169	185	6			
36	DJ	134	Total	C	N	O	S	0	0	0
			979	619	169	185	6			

- Molecule 37 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	CK	142	Total	C	N	O	S	0	0	0
			1129	714	212	199	4			
37	DK	142	Total	C	N	O	S	0	0	0
			1129	714	212	199	4			

- Molecule 38 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	CL	122	Total	C	N	O	S	0	0	0
			938	587	180	165	6			
38	DL	123	Total	C	N	O	S	0	0	0
			946	593	181	166	6			

- Molecule 39 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	CM	144	Total	C	N	O	S	0	0	0
			1053	654	207	190	2			
39	DM	144	Total	C	N	O	S	0	0	0
			1053	654	207	190	2			

- Molecule 40 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	CN	136	Total	C	N	O	S	0	0	0
			1075	686	205	178	6			
40	DN	136	Total	C	N	O	S	0	2	0
			1092	696	211	179	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CN	81	4D4	ARG	modified residue	UNP P0ADY7
DN	81	4D4	ARG	modified residue	UNP P0ADY7

- Molecule 41 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	CO	120	Total	C	N	O	S	0	0	0
			960	593	196	166	5			
41	DO	125	Total	C	N	O	S	0	0	0
			993	613	202	173	5			

- Molecule 42 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	CP	116	Total	C	N	O		0	0	0
			892	552	178	162				
42	DP	117	Total	C	N	O	S	0	0	0
			900	557	179	163	1			

- Molecule 43 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	CQ	114	Total	C	N	O	S	0	0	0
			917	574	179	163	1			
43	DQ	114	Total	C	N	O	S	0	0	0
			917	574	179	163	1			

- Molecule 44 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
44	CR	117	Total	C	N	O	0	0	0
			947	604	192	151			
44	DR	117	Total	C	N	O	0	0	0
			947	604	192	151			

- Molecule 45 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	CS	103	Total	C	N	O	S	0	0	0
			816	516	153	145	2			
45	DS	103	Total	C	N	O	S	0	0	0
			816	516	153	145	2			

- Molecule 46 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	CT	110	Total	C	N	O	S	0	0	0
			857	532	166	156	3			
46	DT	110	Total	C	N	O	S	0	0	0
			857	532	166	156	3			

- Molecule 47 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	CU	93	Total	C	N	O	S	0	0	0
			739	466	139	132	2			
47	DU	93	Total	C	N	O	S	0	0	0
			739	466	139	132	2			

- Molecule 48 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	CV	102	Total	C	N	O		0	0	0
			780	492	146	142				
48	DV	102	Total	C	N	O		0	0	0
			780	492	146	142				

- Molecule 49 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	CW	94	Total	C	N	O	S	0	0	0
			753	479	137	134	3			
49	DW	94	Total	C	N	O	S	0	0	0
			753	479	137	134	3			

- Molecule 50 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	CX	75	Total	C	N	O	S	0	0	0
			569	353	113	102	1			
50	DX	76	Total	C	N	O	S	0	1	0
			591	365	121	104	1			

- Molecule 51 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	CY	77	Total	C	N	O	S	0	0	0
			625	388	129	106	2			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	DY	77	Total	C	N	O	S	0	0	0
			625	388	129	106	2			

- Molecule 52 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	CZ	62	Total	C	N	O	S	0	0	0
			501	308	98	94	1			
52	DZ	62	Total	C	N	O	S	0	0	0
			501	308	98	94	1			

- Molecule 53 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	DI	135	Total	C	N	O	S	0	0	0
			1023	649	179	192	3			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DI	85	VAL	SER	conflict	UNP P0A7J3
DI	86	THR	MET	conflict	UNP P0A7J3

- Molecule 54 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	DA	2897	Total	C	N	O	P	0	11	0
			62423	27855	11485	20176	2907			


There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DA	1723	G	A	conflict	GB 939731527
DA	1725	U	C	conflict	GB 939731527
DA	1726	C	G	conflict	GB 939731527
DA	1727	C	A	conflict	GB 939731527
DA	1730	C	U	conflict	GB 939731527
DA	1733	G	U	conflict	GB 939731527
DA	1734	G	C	conflict	GB 939731527
DA	1735	A	G	conflict	GB 939731527

- Molecule 55 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
55	BA	43	Total 43 Mg 43	0	0
55	CA	155	Total 155 Mg 155	0	0
55	CB	3	Total 3 Mg 3	0	0
55	DM	1	Total 1 Mg 1	0	0
55	DR	2	Total 2 Mg 2	0	0
55	AA	71	Total 71 Mg 71	0	0
55	DA	182	Total 182 Mg 182	0	0
55	C3	1	Total 1 Mg 1	0	0
55	DB	9	Total 9 Mg 9	0	0
55	DD	2	Total 2 Mg 2	0	0

- Molecule 56 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C₈H₁₈O₅).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
56	AA	1	Total 13 C 8 O 5	0	0
56	BA	1	Total 13 C 8 O 5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
56	DQ	1	Total	C	O	0	0
			13	8	5		
56	DR	1	Total	C	O	0	0
			13	8	5		
56	DS	1	Total	C	O	0	0
			13	8	5		
56	DA	1	Total	C	O	0	0
			13	8	5		
56	DA	1	Total	C	O	0	0
			13	8	5		

- Molecule 57 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $C_6H_{14}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
57	AA	1	Total	C	O	0	0
			8	6	2		
57	AA	1	Total	C	O	0	0
			8	6	2		
57	DE	1	Total	C	O	0	0
			8	6	2		
57	DE	1	Total	C	O	0	0
			8	6	2		
57	DK	1	Total	C	O	0	0
			8	6	2		
57	DN	1	Total	C	O	0	0
			8	6	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
57	DS	1	Total	C	O	0	0
			8	6	2		
57	DT	1	Total	C	O	0	0
			8	6	2		
57	DT	1	Total	C	O	0	0
			8	6	2		
57	DA	1	Total	C	O	0	0
			8	6	2		
57	DA	1	Total	C	O	0	0
			8	6	2		
57	DA	1	Total	C	O	0	0
			8	6	2		
57	DA	1	Total	C	O	0	0
			8	6	2		

- Molecule 58 is 1,4-DIAMINOBTUTANE (three-letter code: PUT) (formula: C₄H₁₂N₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
58	AA	1	Total	C	N	0	0
			6	4	2		
58	AA	1	Total	C	N	0	0
			6	4	2		
58	AA	1	Total	C	N	0	0
			6	4	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
58	AA	1	Total	C	N	0	0
			6	4	2		
58	DA	1	Total	C	N	0	0
			6	4	2		
58	DA	1	Total	C	N	0	0
			6	4	2		
58	DA	1	Total	C	N	0	0
			6	4	2		
58	DA	1	Total	C	N	0	0
			6	4	2		
58	DA	1	Total	C	N	0	0
			6	4	2		
58	DA	1	Total	C	N	0	0
			6	4	2		
58	DA	1	Total	C	N	0	0
			6	4	2		
58	DA	1	Total	C	N	0	0
			6	4	2		
58	DA	1	Total	C	N	0	0
			6	4	2		

- Molecule 59 is TETRACYCLINE (three-letter code: TAC) (formula: $C_{22}H_{24}N_2O_8$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
59	AA	1	Total	C	N	O	0	0
			32	22	2	8		
59	BA	1	Total	C	N	O	0	0
			32	22	2	8		

- Molecule 60 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	C5	1	Total	Zn	0	0
			1	1		
60	AB	1	Total	Zn	0	0
			1	1		
60	D5	1	Total	Zn	0	0
			1	1		

- Molecule 61 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
61	AL	1	Total	C	O	0	0
			7	4	3		
61	D1	1	Total	C	O	0	0
			7	4	3		
61	D3	1	Total	C	O	0	0
			7	4	3		
61	DL	1	Total	C	O	0	0
			7	4	3		
61	DP	1	Total	C	O	0	0
			7	4	3		
61	DQ	1	Total	C	O	0	0
			7	4	3		
61	DA	1	Total	C	O	0	0
			7	4	3		
61	DA	1	Total	C	O	0	0
			7	4	3		
61	DA	1	Total	C	O	0	0
			7	4	3		
61	DA	1	Total	C	O	0	0
			7	4	3		

- Molecule 62 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
62	D1	1	Total	C	O	0	0
			4	2	2		
62	DB	1	Total	C	O	0	0
			4	2	2		
62	DB	1	Total	C	O	0	0
			4	2	2		
62	DA	1	Total	C	O	0	0
			4	2	2		
62	DA	1	Total	C	O	0	0
			4	2	2		
62	DA	1	Total	C	O	0	0
			4	2	2		
62	DA	1	Total	C	O	0	0
			4	2	2		
62	DA	1	Total	C	O	0	0
			4	2	2		
62	DA	1	Total	C	O	0	0
			4	2	2		

- Molecule 63 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
63	D1	1	Total	C	O	0	0
			10	6	4		
63	D3	1	Total	C	O	0	0
			10	6	4		
63	DD	1	Total	C	O	0	0
			10	6	4		
63	DS	1	Total	C	O	0	0
			10	6	4		
63	DU	1	Total	C	O	0	0
			10	6	4		
63	DA	1	Total	C	O	0	0
			10	6	4		
63	DA	1	Total	C	O	0	0
			10	6	4		
63	DA	1	Total	C	O	0	0
			10	6	4		

- Molecule 64 is SPERMIDINE (three-letter code: SPD) (formula: $C_7H_{19}N_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
64	DA	1	Total	C	N	0	0
			10	7	3		
64	DA	1	Total	C	N	0	0
			10	7	3		
64	DA	1	Total	C	N	0	0
			10	7	3		
64	DA	1	Total	C	N	0	0
			10	7	3		

- Molecule 65 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
65	DA	1	Total	C	O	0	0
			16	10	6		
65	DA	1	Total	C	O	0	0
			16	10	6		

- Molecule 66 is ACETIC ACID (three-letter code: ACY) (formula: $C_2H_4O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
66	DA	1	Total	C	O	0	0
			4	2	2		
66	DA	1	Total	C	O	0	0
			4	2	2		
66	DA	1	Total	C	O	0	0
			4	2	2		

- Molecule 67 is GUANINE (three-letter code: GUN) (formula: $C_5H_5N_5O$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
67	DA	1	Total	C	N	O	0	0
			11	5	5	1		

- Molecule 68 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: $C_4H_{12}NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
68	DA	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 69 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
69	AA	507	Total 507	O 507	0	0
69	AC	4	Total 4	O 4	0	0
69	AD	2	Total 2	O 2	0	0
69	AE	4	Total 4	O 4	0	0
69	AF	1	Total 1	O 1	0	0
69	AG	1	Total 1	O 1	0	0
69	AH	1	Total 1	O 1	0	0
69	AJ	2	Total 2	O 2	0	0
69	AK	5	Total 5	O 5	0	0
69	AL	8	Total 8	O 8	0	0
69	AM	4	Total 4	O 4	0	0
69	AN	5	Total 5	O 5	0	0
69	AO	2	Total 2	O 2	0	0
69	AP	2	Total 2	O 2	0	0
69	AR	1	Total 1	O 1	0	0
69	AS	1	Total 1	O 1	0	0
69	AT	2	Total 2	O 2	0	0
69	AU	3	Total 3	O 3	0	0
69	C3	3	Total 3	O 3	0	0
69	C4	2	Total 2	O 2	0	0
69	BA	287	Total 287	O 287	0	0
69	BD	13	Total 13	O 13	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
69	BE	1	Total 1	O 1	0	0
69	BF	1	Total 1	O 1	0	0
69	BK	1	Total 1	O 1	0	0
69	BL	3	Total 3	O 3	0	0
69	BN	2	Total 2	O 2	0	0
69	BO	1	Total 1	O 1	0	0
69	BP	3	Total 3	O 3	0	0
69	BR	1	Total 1	O 1	0	0
69	BT	4	Total 4	O 4	0	0
69	BU	2	Total 2	O 2	0	0
69	D1	42	Total 42	O 42	0	0
69	D2	7	Total 7	O 7	0	0
69	D3	24	Total 24	O 24	0	0
69	D4	33	Total 33	O 33	0	0
69	D5	13	Total 13	O 13	0	0
69	D0	27	Total 27	O 27	0	0
69	CB	13	Total 13	O 13	0	0
69	CC	10	Total 10	O 10	0	0
69	CD	5	Total 5	O 5	0	0
69	CA	692	Total 692	O 692	0	0
69	DC	102	Total 102	O 102	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
69	DD	105	Total 105	O 105	0	0
69	CE	7	Total 7	O 7	0	0
69	CL	1	Total 1	O 1	0	0
69	CM	3	Total 3	O 3	0	0
69	CO	1	Total 1	O 1	0	0
69	CU	3	Total 3	O 3	0	0
69	CV	1	Total 1	O 1	0	0
69	CW	1	Total 1	O 1	0	0
69	CY	1	Total 1	O 1	0	0
69	DE	63	Total 63	O 63	0	0
69	DF	14	Total 14	O 14	0	0
69	DG	6	Total 6	O 6	0	0
69	DH	2	Total 2	O 2	0	0
69	DK	58	Total 58	O 58	0	0
69	DL	51	Total 51	O 51	0	0
69	DM	62	Total 62	O 62	0	0
69	DN	71	Total 71	O 71	0	0
69	DO	44	Total 44	O 44	0	0
69	DP	35	Total 35	O 35	0	0
69	DQ	27	Total 27	O 27	0	0
69	DR	64	Total 64	O 64	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
69	DS	51	Total 51	O 51	0	0
69	DT	69	Total 69	O 69	0	0
69	DU	17	Total 17	O 17	0	0
69	DV	19	Total 19	O 19	0	0
69	DW	31	Total 31	O 31	0	0
69	DX	30	Total 30	O 30	0	0
69	DY	9	Total 9	O 9	0	0
69	DZ	7	Total 7	O 7	0	0
69	DB	212	Total 212	O 212	0	0
69	DA	4834	Total 4834	O 4834	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 16S rRNA




- Molecule 1: 16S rRNA




- Molecule 2: 30S ribosomal protein S2




- Molecule 2: 30S ribosomal protein S2




- Molecule 3: 30S ribosomal protein S3




- Molecule 3: 30S ribosomal protein S3









- Molecule 4: 30S ribosomal protein S4




- Molecule 4: 30S ribosomal protein S4




- Molecule 5: 30S ribosomal protein S5



- Molecule 5: 30S ribosomal protein S5



- Molecule 6: 30S ribosomal protein S6





- Molecule 6: 30S ribosomal protein S6








• Molecule 7: 30S ribosomal protein S7




• Molecule 7: 30S ribosomal protein S7





• Molecule 8: 30S ribosomal protein S8




• Molecule 8: 30S ribosomal protein S8




• Molecule 9: 30S ribosomal protein S9






- Molecule 9: 30S ribosomal protein S9

Chain BI: 61% 90% 9%




- Molecule 10: 30S ribosomal protein S10

Chain AJ: 21% 75% 24%




- Molecule 10: 30S ribosomal protein S10

Chain BJ: 74% 73% 23%



- Molecule 11: 30S ribosomal protein S11

Chain AK: 24% 80% 18%




- Molecule 11: 30S ribosomal protein S11

Chain BK: 21% 74% 22%









- Molecule 12: 30S ribosomal protein S12





- Molecule 12: 30S ribosomal protein S12




- Molecule 13: 30S ribosomal protein S13




- Molecule 13: 30S ribosomal protein S13




- Molecule 14: 30S ribosomal protein S14




- Molecule 14: 30S ribosomal protein S14




- Molecule 15: 30S ribosomal protein S15




- Molecule 15: 30S ribosomal protein S15




- Molecule 16: 30S ribosomal protein S16




- Molecule 16: 30S ribosomal protein S16




- Molecule 17: 30S ribosomal protein S17




- Molecule 17: 30S ribosomal protein S17




- Molecule 18: 30S ribosomal protein S18




- Molecule 18: 30S ribosomal protein S18




- Molecule 19: 30S ribosomal protein S19




- Molecule 19: 30S ribosomal protein S19




- Molecule 20: 30S ribosomal protein S20




- Molecule 20: 30S ribosomal protein S20




- Molecule 21: 30S ribosomal protein S21




- Molecule 21: 30S ribosomal protein S21




- Molecule 22: 50S ribosomal protein L32




- Molecule 22: 50S ribosomal protein L32




- Molecule 23: 50S ribosomal protein L33




- Molecule 23: 50S ribosomal protein L33




- Molecule 24: 50S ribosomal protein L34




- Molecule 24: 50S ribosomal protein L34




- Molecule 25: 50S ribosomal protein L35




- Molecule 25: 50S ribosomal protein L35




- Molecule 26: 50S ribosomal protein L36




- Molecule 26: 50S ribosomal protein L36




- Molecule 27: 50S ribosomal protein L30




- Molecule 27: 50S ribosomal protein L30


- Chain CB:  33% 85% 12% . .



- Chain DB:  91% 8% .





- Chain CC: 




- Chain DC:  91% 8%




- Chain CD: 






• Molecule 30: 50S ribosomal protein L3


Chain DD: 89% 11%




• Molecule 31: 23S rRNA



Chain CA: 31% 76% 21%








• Molecule 32: 50S ribosomal protein L4




• Molecule 32: 50S ribosomal protein L4




• Molecule 33: 50S ribosomal protein L5




• Molecule 33: 50S ribosomal protein L5




• Molecule 34: 50S ribosomal protein L6



• Molecule 34: 50S ribosomal protein L6





• Molecule 35: 50S ribosomal protein L9









- Molecule 35: 50S ribosomal protein L9





- Molecule 36: 50S ribosomal protein L11




- Molecule 36: 50S ribosomal protein L11



- Molecule 37: 50S ribosomal protein L13





- Molecule 37: 50S ribosomal protein L13

Chain DK: 94% 5% .



- Molecule 38: 50S ribosomal protein L14

Chain CL: 19% 87% 11% ..




- Molecule 38: 50S ribosomal protein L14

Chain DL: 90% 8% .



- Molecule 39: 50S ribosomal protein L15

Chain CM: 74% 82% 16% .




- Molecule 39: 50S ribosomal protein L15

Chain DM: % 84% 15% .




- Molecule 40: 50S ribosomal protein L16

Chain CN: 28% 90% 9% .




- Molecule 40: 50S ribosomal protein L16

Chain DN: 92% 7%



- Molecule 41: 50S ribosomal protein L17

Chain CO: 44% 84% 10%




- Molecule 41: 50S ribosomal protein L17

Chain DO: 93% 7%




- Molecule 42: 50S ribosomal protein L18

Chain CP: 79% 88% 9%




- Molecule 42: 50S ribosomal protein L18


Chain DP: 90% 8%




- Molecule 43: 50S ribosomal protein L19




- Molecule 43: 50S ribosomal protein L19




- Molecule 44: 50S ribosomal protein L20




- Molecule 44: 50S ribosomal protein L20




- Molecule 45: 50S ribosomal protein L21




- Molecule 45: 50S ribosomal protein L21




- Molecule 46: 50S ribosomal protein L22




- Molecule 46: 50S ribosomal protein L22




- Molecule 47: 50S ribosomal protein L23



- Molecule 47: 50S ribosomal protein L23




- Molecule 48: 50S ribosomal protein L24





- Molecule 48: 50S ribosomal protein L24






- Molecule 49: 50S ribosomal protein L25



- Molecule 49: 50S ribosomal protein L25





- Molecule 50: 50S ribosomal protein L27




- Molecule 50: 50S ribosomal protein L27




- Molecule 51: 50S ribosomal protein L28




- Molecule 51: 50S ribosomal protein L28




- Molecule 52: 50S ribosomal protein L29




• Molecule 52: 50S ribosomal protein L29



• Molecule 53: 50S ribosomal protein L10



• Molecule 54: 23S rRNA



C2730	G2573	G2424	G2087	G1971	U1779	G1631	A1453	A1286	A1134	A1040
G2731	G2574	A2425	A2037	G1972	U1779	A1635	U1460	U1294	C1135	G1047
G2732	C2575	A2426	G1975	G1975	U1782	U1636	U1636	U1137	C1136	
G2744	G2576	C2427	G2100	U1991	A1787	A1637	G1478	G1300	U1141	U1057
A2748	G2577	U2431	G2102	G1992	A1794	C1644	G1482	A1301	U1142	U1058
U2756	G2578	A2435	U2105	U1993	C1795	C1645	A1490	C1306	C1161	U1059
G2581	G2582	U2441	U2106	C1997	A1795	C1646	G1491	G1309	U1161	U1060
G2582	U2585	G2444	G2107	A1998	C1800	U1647	G1492	G1310	C1164	U1061
U2585	G2595	G2445	A2108	C1999	A1801	U1648	C1493	G1311	A1165	U1062
U2596	G2597	G2446	U2109	U1999	A1802	G1649	A1494	C1320	U1065	U1063
G2597	G2603	A2448	G2110	A2014	A1808	A1652	U1497	A1321	U1066	U1064
G2603	U2609	U2449	G2111	U2017	A1816	G1653	A1508	G1324	U1067	U1065
G2791	U2613	G2455	U2112	A2020	C1816	A1654	A1509	A1070	A1068	U1066
U2796	U2613	U2324	G2115	G2023	U1820	G1660	G1510	U1329	A1069	U1067
U2797	G2623	G2325	A2116	G2029	A1829	A1664	G1512	G1330	G1071	U1070
U2798	G2623	G2326	U2118	C1830	C1830	A1665	U1513	G1331	C1072	C1072
A2799	G2623	A2327	A2119	N2030	G1831	G1666	G1514	G1335	U1176	C1073
A2800	G2628	A2328	G2120	A2031	A1847	A1672	A1515	G1343	U1177	C1074
G2811	G2629	A2333	G2121	G2032	A1848	G1673	A1516	U1180	U1077	C1075
A2820	U2630	G2334	U2122	A2033	U1853	C1674	U1523	U1181	U1078	U1077
A2821	G2636	A2335	G2123	C2036	A1853	C1675	A1532	U1182	C1079	U1080
G2822	G2637	G2490	A2126	A2037	G1869	G1681	C1533	U1352	U1083	U1083
A2823	G2638	C2339	G2127	G2038	C1870	G1682	U1534	A1365	A1084	A1084
A2826	G2645	A2340	G2128	U2039	A1871	U1693	A1535	U1379	G1087	A1088
U2836	G2661	G2347	C2129	C2043	A1872	C1704	C1536	A1383	A1089	A1089
U2836	A2662	U2354	U2130	C2044	G1873	G1715	G1537	U1391	A1090	A1090
U2845	G2663	G2375	A2131	G2048	G1906	G1715	G1566	U1394	G1091	G1091
G2848	G2674	G2375	G2132	G2049	G1907	C1727	A1569	G1250	C1092	C1092
U2849	G2681	G2382	G2133	C2050	C1914	C1728	A1578	A1253	U1093	U1093
A2868	U2684	G2383	A2134	A2051	C1920	U1729	A1579	G1256	U1094	U1094
A2873	G2688	U2384	G2140	C2052	G1929	C1731	G1586	U1416	A1095	A1095
G2885	U2689	C2385	G2141	G2053	G1930	G1732	C1587	G1417	U1097	U1097
A2886	G2690	G2386	G2142	C2055	U1931	G1733	G1588	G1418	A1098	A1098
G2691	G2692	U2387	G2143	G2056	U1937	C1734	G1588	U1263	U1101	U1101
U2891	G2708	C2394	G2144	A2060	A1937	A1744	A1583	U1264	C1102	C1102
G2895	G2714	U2402	C2145	A2061	A1938	G1753	U1578	A1265	U1105	U1105
C2901	G2717	G2404	G2146	A2062	U1955	C1761	A1591	G1426	G1106	G1106
G2902	U2903	G2405	G2147	U2074	C1965	C1764	A1608	A1427	G1107	G1107
U	A2726	A2564	A2158	A2077	A1966	A1773	C1611	C1428	U1267	U1267
	A2727	A2565	C2159	C2078	C1967	G1776	A1616	G1429	U1268	U1268
		G2567	C2160	U2086	A1970			A1430	A1269	A1269
			C2161					A1431	C1270	C1270
								G1432	A1271	A1271
								A1433	A1272	A1272
								A1434	U1273	U1273
								A1435	G1125	G1125
								G1436	G1128	G1128
								C1437	U1132	U1132
								A1452	A1133	A1133

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	212.31Å 434.58Å 624.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.16 – 2.80 48.14 – 2.80	Depositor EDS
% Data completeness (in resolution range)	85.7 (48.16-2.80) 85.7 (48.14-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	19.79 (at 2.81Å)	Xtriage
Refinement program	BUSTER-TNT	Depositor
R, R_{free}	0.209 , 0.219 0.235 , 0.245	Depositor DCC
R_{free} test set	4734 reflections (0.40%)	DCC
Wilson B-factor (Å ²)	51.5	Xtriage
Anisotropy	0.388	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 80.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	295188	wwPDB-VP
Average B, all atoms (Å ²)	117.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MA6, GUN, 1PE, 2MA, 2MG, ACY, PEG, 1MG, 3TD, PGE, G7M, D2T, TAC, SPD, 4D4, 5MU, ZN, 5MC, UR3, MPD, PG4, 6MZ, TRS, OMC, MG, OMG, H2U, EDO, MEQ, OMU, PUT, 4OC, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AA	1.04	7/36593 (0.0%)	0.86	5/57081 (0.0%)
1	BA	1.05	10/36568 (0.0%)	0.86	5/57042 (0.0%)
2	AB	0.48	0/1784	0.65	0/2403
2	BB	0.48	0/1784	0.65	0/2403
3	AC	0.48	0/1652	0.67	0/2225
3	BC	0.47	0/1652	0.67	0/2225
4	AD	0.44	0/1665	0.69	0/2227
4	BD	0.43	0/1665	0.70	0/2227
5	AE	0.48	0/1157	0.77	0/1557
5	BE	0.51	0/1118	0.81	0/1504
6	AF	0.46	0/881	0.69	0/1189
6	BF	0.47	0/835	0.77	0/1128
7	AG	0.45	0/1196	0.61	0/1602
7	BG	0.46	0/1196	0.62	0/1602
8	AH	0.46	0/989	0.71	0/1326
8	BH	0.46	0/989	0.69	0/1326
9	AI	0.44	0/1034	0.66	0/1375
9	BI	0.44	0/1034	0.65	0/1375
10	AJ	0.44	0/806	0.67	0/1089
10	BJ	0.48	0/797	0.71	0/1077
11	AK	0.46	0/893	0.65	0/1205
11	BK	0.45	0/893	0.68	0/1205
12	AL	0.44	0/960	0.74	0/1286
12	BL	0.47	0/960	0.74	0/1286
13	AM	0.51	0/893	0.72	0/1193
13	BM	0.49	0/893	0.71	0/1193
14	AN	0.46	0/817	0.63	0/1088
14	BN	0.44	0/817	0.63	0/1088
15	AO	0.48	0/722	0.60	0/964
15	BO	0.47	0/722	0.63	0/964

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
16	AP	0.48	0/659	0.70	0/884
16	BP	0.50	0/659	0.76	0/884
17	AQ	0.48	0/658	0.73	0/881
17	BQ	0.51	0/658	0.78	0/881
18	AR	0.53	0/463	0.65	0/621
18	BR	0.50	0/463	0.64	0/621
19	AS	0.47	0/653	0.59	0/877
19	BS	0.45	0/653	0.60	0/877
20	AT	0.48	0/676	0.66	0/895
20	BT	0.52	0/671	0.68	0/888
21	AU	0.45	0/472	0.61	0/627
21	BU	0.43	0/472	0.63	0/627
22	C1	0.49	0/450	0.71	0/599
22	D1	0.61	0/450	0.79	0/599
23	C2	0.46	0/416	0.73	0/554
23	D2	0.51	0/421	0.73	0/561
24	C3	0.46	0/380	0.69	0/498
24	D3	0.55	0/380	0.76	0/498
25	C4	0.46	0/513	0.67	0/676
25	D4	0.56	0/513	0.71	0/676
26	C5	0.43	0/303	0.77	0/397
26	D5	0.53	0/303	0.76	0/397
27	C0	0.52	0/453	0.77	0/605
27	D0	0.62	0/467	0.81	0/623
28	CB	0.98	0/2828	0.88	2/4410 (0.0%)
28	DB	1.12	1/2872 (0.0%)	0.90	0/4478
29	CC	0.45	0/2122	0.76	0/2852
29	DC	0.50	0/2122	0.76	1/2852 (0.0%)
30	CD	0.43	0/1576	0.70	0/2119
30	DD	0.54	0/1576	0.73	0/2119
31	CA	1.07	44/69165 (0.1%)	0.87	17/107896 (0.0%)
32	CE	0.45	0/1571	0.72	0/2113
32	DE	0.52	0/1571	0.72	0/2113
33	CF	0.43	0/1435	0.68	0/1926
33	DF	0.46	0/1435	0.70	0/1926
34	CG	0.42	0/1343	0.66	0/1816
34	DG	0.44	0/1343	0.64	0/1816
35	CH	0.48	0/1121	0.68	0/1515
35	DH	0.48	0/1121	0.68	0/1515
36	CJ	0.48	0/993	0.62	0/1341
36	DJ	0.48	0/993	0.62	0/1341
37	CK	0.43	0/1152	0.70	0/1551
37	DK	0.56	0/1152	0.74	0/1551

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	CL	0.47	0/947	0.74	0/1268
38	DL	0.54	0/955	0.75	0/1279
39	CM	0.46	0/1062	0.74	1/1413 (0.1%)
39	DM	0.50	0/1062	0.75	1/1413 (0.1%)
40	CN	0.45	0/1081	0.75	1/1443 (0.1%)
40	DN	0.59	0/1092	0.81	0/1457
41	CO	0.46	0/973	0.72	0/1301
41	DO	0.58	0/1006	0.81	0/1345
42	CP	0.43	0/902	0.73	0/1209
42	DP	0.47	0/910	0.73	0/1219
43	CQ	0.41	0/929	0.71	0/1242
43	DQ	0.48	0/929	0.72	0/1242
44	CR	0.48	0/960	0.69	0/1278
44	DR	0.62	0/960	0.76	0/1278
45	CS	0.44	0/829	0.73	0/1107
45	DS	0.55	0/829	0.78	0/1107
46	CT	0.43	0/864	0.74	0/1156
46	DT	0.55	0/864	0.75	0/1156
47	CU	0.44	0/745	0.72	0/994
47	DU	0.48	0/745	0.72	0/994
48	CV	0.45	0/788	0.77	0/1051
48	DV	0.49	0/788	0.77	0/1051
49	CW	0.40	0/766	0.65	0/1025
49	DW	0.50	0/766	0.69	0/1025
50	CX	0.39	0/576	0.65	0/762
50	DX	0.53	0/598	0.73	0/790
51	CY	0.43	0/635	0.73	0/848
51	DY	0.46	0/635	0.72	0/848
52	CZ	0.42	0/502	0.60	0/667
52	DZ	0.43	0/502	0.60	0/667
53	DI	0.51	0/1037	0.74	1/1402 (0.1%)
54	DA	1.27	154/69364 (0.2%)	0.97	25/108207 (0.0%)
All	All	0.98	216/309263 (0.1%)	0.85	59/462195 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	3
1	BA	0	4

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
5	AE	0	1
10	BJ	0	1
31	CA	0	12
54	DA	0	89
All	All	0	110

The worst 5 of 216 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
54	DA	1020	A	N3-C4	9.99	1.40	1.34
31	CA	1936	A	N9-C4	-9.12	1.32	1.37
31	CA	2095	A	O5'-C5'	-9.03	1.28	1.42
54	DA	539	G	N7-C5	7.80	1.44	1.39
54	DA	195	A	N9-C4	7.60	1.42	1.37

The worst 5 of 59 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	CB	15	A	O4'-C1'-N9	10.09	116.27	108.20
54	DA	512	G	O4'-C1'-N9	8.48	114.99	108.20
1	AA	413	G	C1'-O4'-C4'	-8.21	103.34	109.90
54	DA	784	G	P-O3'-C3'	7.87	129.15	119.70
40	CN	69	PRO	C-N-CA	7.39	140.17	121.70

There are no chirality outliers.

5 of 110 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	1432	G	Sidechain
1	AA	362	G	Sidechain
1	AA	898	G	Sidechain
5	AE	82	GLN	Sidechain
1	BA	362	G	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	32930	0	16591	90	0
1	BA	32908	0	16580	98	0
2	AB	1753	0	1780	10	0
2	BB	1753	0	1780	14	0
3	AC	1625	0	1696	14	0
3	BC	1625	0	1696	18	0
4	AD	1643	0	1707	13	0
4	BD	1643	0	1707	17	0
5	AE	1144	0	1185	15	0
5	BE	1105	0	1148	30	0
6	AF	862	0	864	7	0
6	BF	817	0	808	8	0
7	AG	1182	0	1238	7	0
7	BG	1182	0	1238	4	0
8	AH	979	0	1031	8	0
8	BH	979	0	1031	4	0
9	AI	1022	0	1070	6	0
9	BI	1022	0	1070	6	0
10	AJ	796	0	836	11	0
10	BJ	787	0	828	10	0
11	AK	877	0	887	14	0
11	BK	877	0	887	17	0
12	AL	957	0	1017	7	0
12	BL	957	0	1017	10	0
13	AM	884	0	941	10	0
13	BM	884	0	941	11	0
14	AN	805	0	844	8	0
14	BN	805	0	844	8	0
15	AO	714	0	734	1	0
15	BO	714	0	734	0	0
16	AP	649	0	666	3	0
16	BP	649	0	666	5	0
17	AQ	649	0	691	6	0
17	BQ	649	0	691	5	0
18	AR	456	0	478	5	0
18	BR	456	0	478	3	0
19	AS	638	0	665	7	0
19	BS	638	0	665	9	0
20	AT	670	0	719	2	0
20	BT	665	0	714	8	0
21	AU	465	0	491	2	0
21	BU	465	0	491	2	0
22	C1	444	0	458	21	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
22	D1	444	0	458	13	0
23	C2	409	0	440	4	0
23	D2	414	0	442	5	0
24	C3	377	0	418	9	0
24	D3	377	0	418	5	0
25	C4	504	0	572	7	0
25	D4	504	0	572	11	0
26	C5	302	0	340	7	0
26	D5	302	0	340	1	0
27	C0	449	0	488	3	0
27	D0	463	0	504	1	0
28	CB	2529	0	1281	5	0
28	DB	2569	0	1301	5	0
29	CC	2083	0	2154	17	0
29	DC	2083	0	2154	11	0
30	CD	1565	0	1614	16	0
30	DD	1576	0	1627	16	0
31	CA	62229	0	31318	213	0
32	CE	1552	0	1619	13	0
32	DE	1552	0	1619	11	0
33	CF	1411	0	1444	15	0
33	DF	1411	0	1444	11	0
34	CG	1323	0	1371	9	0
34	DG	1323	0	1371	9	0
35	CH	1110	0	1148	7	0
35	DH	1110	0	1148	6	0
36	CJ	979	0	1028	5	0
36	DJ	979	0	1028	4	0
37	CK	1129	0	1162	10	0
37	DK	1129	0	1162	4	0
38	CL	938	0	1012	8	0
38	DL	946	0	1023	6	0
39	CM	1053	0	1129	16	0
39	DM	1053	0	1129	15	0
40	CN	1075	0	1154	5	0
40	DN	1092	0	1177	7	0
41	CO	960	0	1000	7	0
41	DO	993	0	1034	5	0
42	CP	892	0	923	6	0
42	DP	900	0	935	9	0
43	CQ	917	0	962	7	0
43	DQ	917	0	962	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	CR	947	0	1019	13	0
44	DR	947	0	1019	9	0
45	CS	816	0	839	8	0
45	DS	816	0	839	5	0
46	CT	857	0	922	12	0
46	DT	857	0	922	10	0
47	CU	739	0	807	10	0
47	DU	739	0	807	4	0
48	CV	780	0	831	6	0
48	DV	780	0	831	4	0
49	CW	753	0	780	5	0
49	DW	753	0	780	3	0
50	CX	569	0	581	1	0
50	DX	591	0	606	7	0
51	CY	625	0	652	7	0
51	DY	625	0	652	4	0
52	CZ	501	0	531	0	0
52	DZ	501	0	531	1	0
53	DI	1023	0	1052	19	0
54	DA	62423	0	31411	171	0
55	AA	71	0	0	0	0
55	BA	43	0	0	0	0
55	C3	1	0	0	0	0
55	CA	155	0	0	0	0
55	CB	3	0	0	0	0
55	DA	182	0	0	0	0
55	DB	9	0	0	0	0
55	DD	2	0	0	0	0
55	DM	1	0	0	0	0
55	DR	2	0	0	0	0
56	AA	13	0	18	1	0
56	BA	13	0	18	0	0
56	DA	26	0	36	2	0
56	DQ	13	0	18	0	0
56	DR	13	0	18	5	0
56	DS	13	0	18	1	0
57	AA	16	0	28	0	0
57	DA	40	0	70	5	0
57	DE	16	0	28	0	0
57	DK	8	0	14	0	0
57	DN	8	0	14	1	0
57	DS	8	0	14	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	DT	16	0	28	0	0
58	AA	24	0	48	0	0
58	DA	72	0	144	10	0
59	AA	32	0	21	1	0
59	BA	32	0	21	1	0
60	AB	1	0	0	0	0
60	C5	1	0	0	0	0
60	D5	1	0	0	0	0
61	AL	7	0	10	0	0
61	D1	7	0	10	1	0
61	D3	7	0	10	2	0
61	DA	35	0	50	1	0
61	DL	7	0	10	0	0
61	DP	7	0	10	1	0
61	DQ	7	0	10	0	0
62	D1	4	0	6	0	0
62	DA	36	0	54	2	0
62	DB	8	0	12	1	0
63	D1	10	0	14	2	0
63	D3	10	0	14	0	0
63	DA	40	0	56	5	0
63	DD	10	0	14	2	0
63	DS	10	0	14	0	0
63	DU	10	0	14	1	0
64	DA	40	0	76	4	0
65	DA	32	0	44	0	0
66	DA	12	0	11	0	0
67	DA	11	0	5	0	0
68	DA	8	0	12	1	0
69	AA	507	0	0	0	0
69	AC	4	0	0	0	0
69	AD	2	0	0	0	0
69	AE	4	0	0	0	0
69	AF	1	0	0	0	0
69	AG	1	0	0	0	0
69	AH	1	0	0	0	0
69	AJ	2	0	0	0	0
69	AK	5	0	0	0	0
69	AL	8	0	0	0	0
69	AM	4	0	0	1	0
69	AN	5	0	0	1	0
69	AO	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
69	AP	2	0	0	0	0
69	AR	1	0	0	0	0
69	AS	1	0	0	0	0
69	AT	2	0	0	0	0
69	AU	3	0	0	0	0
69	BA	287	0	0	1	0
69	BD	13	0	0	0	0
69	BE	1	0	0	0	0
69	BF	1	0	0	0	0
69	BK	1	0	0	0	0
69	BL	3	0	0	0	0
69	BN	2	0	0	0	0
69	BO	1	0	0	0	0
69	BP	3	0	0	0	0
69	BR	1	0	0	0	0
69	BT	4	0	0	0	0
69	BU	2	0	0	0	0
69	C3	3	0	0	1	0
69	C4	2	0	0	0	0
69	CA	692	0	0	1	0
69	CB	13	0	0	0	0
69	CC	10	0	0	0	0
69	CD	5	0	0	0	0
69	CE	7	0	0	0	0
69	CL	1	0	0	0	0
69	CM	3	0	0	0	0
69	CO	1	0	0	0	0
69	CU	3	0	0	0	0
69	CV	1	0	0	0	0
69	CW	1	0	0	0	0
69	CY	1	0	0	0	0
69	D0	27	0	0	0	0
69	D1	42	0	0	0	0
69	D2	7	0	0	0	0
69	D3	24	0	0	0	0
69	D4	33	0	0	1	0
69	D5	13	0	0	0	0
69	DA	4834	0	0	7	0
69	DB	212	0	0	0	0
69	DC	102	0	0	0	0
69	DD	105	0	0	1	0
69	DE	63	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
69	DF	14	0	0	0	0
69	DG	6	0	0	0	0
69	DH	2	0	0	0	0
69	DK	58	0	0	0	0
69	DL	51	0	0	0	0
69	DM	62	0	0	0	0
69	DN	71	0	0	0	0
69	DO	44	0	0	0	0
69	DP	35	0	0	0	0
69	DQ	27	0	0	1	0
69	DR	64	0	0	0	0
69	DS	51	0	0	0	0
69	DT	69	0	0	1	0
69	DU	17	0	0	0	0
69	DV	19	0	0	0	0
69	DW	31	0	0	0	0
69	DX	30	0	0	1	0
69	DY	9	0	0	0	0
69	DZ	7	0	0	0	0
All	All	295188	0	194452	1182	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 1182 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
45:CS:14:VAL:HG21	45:CS:98:ILE:HG13	1.32	1.05
4:BD:85:ASN:HA	5:BE:102:GLY:HA2	1.43	0.98
31:CA:1936:A:H2	31:CA:1943:U:H3	1.01	0.98
47:CU:28:ASN:HD21	47:CU:91:GLN:HB3	1.29	0.96
14:AN:66:GLN:HB2	69:AN:205:HOH:O	1.67	0.95

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	AB	222/224 (99%)	210 (95%)	9 (4%)	3 (1%)	14	42
2	BB	222/224 (99%)	211 (95%)	7 (3%)	4 (2%)	11	34
3	AC	204/206 (99%)	192 (94%)	11 (5%)	1 (0%)	34	69
3	BC	204/206 (99%)	194 (95%)	8 (4%)	2 (1%)	19	52
4	AD	203/205 (99%)	198 (98%)	5 (2%)	0	100	100
4	BD	203/205 (99%)	198 (98%)	5 (2%)	0	100	100
5	AE	153/155 (99%)	147 (96%)	5 (3%)	1 (1%)	26	62
5	BE	148/155 (96%)	132 (89%)	12 (8%)	4 (3%)	6	21
6	AF	104/106 (98%)	101 (97%)	3 (3%)	0	100	100
6	BF	98/106 (92%)	91 (93%)	5 (5%)	2 (2%)	9	30
7	AG	149/151 (99%)	137 (92%)	11 (7%)	1 (1%)	26	62
7	BG	149/151 (99%)	140 (94%)	9 (6%)	0	100	100
8	AH	127/129 (98%)	120 (94%)	7 (6%)	0	100	100
8	BH	127/129 (98%)	119 (94%)	8 (6%)	0	100	100
9	AI	125/127 (98%)	110 (88%)	15 (12%)	0	100	100
9	BI	125/127 (98%)	110 (88%)	15 (12%)	0	100	100
10	AJ	97/99 (98%)	88 (91%)	7 (7%)	2 (2%)	9	29
10	BJ	96/99 (97%)	77 (80%)	14 (15%)	5 (5%)	2	7
11	AK	115/117 (98%)	107 (93%)	6 (5%)	2 (2%)	11	36
11	BK	115/117 (98%)	104 (90%)	9 (8%)	2 (2%)	11	36
12	AL	120/123 (98%)	115 (96%)	5 (4%)	0	100	100
12	BL	120/123 (98%)	114 (95%)	5 (4%)	1 (1%)	24	58
13	AM	112/114 (98%)	103 (92%)	6 (5%)	3 (3%)	6	21
13	BM	112/114 (98%)	102 (91%)	5 (4%)	5 (4%)	3	10
14	AN	98/100 (98%)	88 (90%)	8 (8%)	2 (2%)	9	30

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
14	BN	98/100 (98%)	90 (92%)	6 (6%)	2 (2%)	9	30
15	AO	86/88 (98%)	84 (98%)	2 (2%)	0	100	100
15	BO	86/88 (98%)	83 (96%)	2 (2%)	1 (1%)	16	47
16	AP	80/82 (98%)	74 (92%)	6 (8%)	0	100	100
16	BP	80/82 (98%)	70 (88%)	8 (10%)	2 (2%)	7	24
17	AQ	78/80 (98%)	70 (90%)	7 (9%)	1 (1%)	15	44
17	BQ	78/80 (98%)	68 (87%)	5 (6%)	5 (6%)	2	4
18	AR	53/55 (96%)	53 (100%)	0	0	100	100
18	BR	53/55 (96%)	50 (94%)	3 (6%)	0	100	100
19	AS	77/79 (98%)	70 (91%)	6 (8%)	1 (1%)	15	44
19	BS	77/79 (98%)	68 (88%)	7 (9%)	2 (3%)	7	22
20	AT	84/86 (98%)	83 (99%)	1 (1%)	0	100	100
20	BT	83/86 (96%)	79 (95%)	3 (4%)	1 (1%)	16	47
21	AU	54/56 (96%)	53 (98%)	1 (2%)	0	100	100
21	BU	54/56 (96%)	53 (98%)	1 (2%)	0	100	100
22	C1	54/56 (96%)	47 (87%)	4 (7%)	3 (6%)	2	6
22	D1	54/56 (96%)	51 (94%)	3 (6%)	0	100	100
23	C2	48/51 (94%)	44 (92%)	2 (4%)	2 (4%)	3	11
23	D2	49/51 (96%)	48 (98%)	1 (2%)	0	100	100
24	C3	44/46 (96%)	41 (93%)	2 (4%)	1 (2%)	8	26
24	D3	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
25	C4	62/64 (97%)	60 (97%)	2 (3%)	0	100	100
25	D4	62/64 (97%)	60 (97%)	2 (3%)	0	100	100
26	C5	36/38 (95%)	34 (94%)	1 (3%)	1 (3%)	6	21
26	D5	36/38 (95%)	36 (100%)	0	0	100	100
27	C0	56/58 (97%)	54 (96%)	0	2 (4%)	4	14
27	D0	57/58 (98%)	56 (98%)	1 (2%)	0	100	100
29	CC	269/271 (99%)	252 (94%)	12 (4%)	5 (2%)	10	32
29	DC	269/271 (99%)	257 (96%)	10 (4%)	2 (1%)	26	62
30	CD	206/209 (99%)	200 (97%)	6 (3%)	0	100	100
30	DD	206/209 (99%)	202 (98%)	4 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
32	CE	199/201 (99%)	191 (96%)	5 (2%)	3 (2%)	13	40
32	DE	199/201 (99%)	194 (98%)	4 (2%)	1 (0%)	34	69
33	CF	175/177 (99%)	168 (96%)	6 (3%)	1 (1%)	30	65
33	DF	175/177 (99%)	169 (97%)	5 (3%)	1 (1%)	30	65
34	CG	174/176 (99%)	162 (93%)	7 (4%)	5 (3%)	6	19
34	DG	174/176 (99%)	165 (95%)	8 (5%)	1 (1%)	30	65
35	CH	147/149 (99%)	136 (92%)	6 (4%)	5 (3%)	5	16
35	DH	147/149 (99%)	138 (94%)	6 (4%)	3 (2%)	9	30
36	CJ	132/134 (98%)	125 (95%)	3 (2%)	4 (3%)	5	18
36	DJ	132/134 (98%)	125 (95%)	3 (2%)	4 (3%)	5	18
37	CK	140/142 (99%)	135 (96%)	4 (3%)	1 (1%)	26	62
37	DK	140/142 (99%)	137 (98%)	2 (1%)	1 (1%)	26	62
38	CL	120/123 (98%)	112 (93%)	6 (5%)	2 (2%)	11	36
38	DL	121/123 (98%)	117 (97%)	3 (2%)	1 (1%)	24	58
39	CM	142/144 (99%)	132 (93%)	7 (5%)	3 (2%)	9	29
39	DM	142/144 (99%)	136 (96%)	6 (4%)	0	100	100
40	CN	133/136 (98%)	125 (94%)	7 (5%)	1 (1%)	24	58
40	DN	134/136 (98%)	129 (96%)	5 (4%)	0	100	100
41	CO	118/125 (94%)	111 (94%)	5 (4%)	2 (2%)	11	36
41	DO	123/125 (98%)	116 (94%)	7 (6%)	0	100	100
42	CP	114/117 (97%)	110 (96%)	4 (4%)	0	100	100
42	DP	115/117 (98%)	112 (97%)	3 (3%)	0	100	100
43	CQ	112/114 (98%)	107 (96%)	5 (4%)	0	100	100
43	DQ	112/114 (98%)	107 (96%)	4 (4%)	1 (1%)	21	55
44	CR	115/117 (98%)	113 (98%)	2 (2%)	0	100	100
44	DR	115/117 (98%)	114 (99%)	1 (1%)	0	100	100
45	CS	101/103 (98%)	93 (92%)	5 (5%)	3 (3%)	5	18
45	DS	101/103 (98%)	98 (97%)	2 (2%)	1 (1%)	19	52
46	CT	108/110 (98%)	101 (94%)	5 (5%)	2 (2%)	10	32
46	DT	108/110 (98%)	106 (98%)	2 (2%)	0	100	100
47	CU	91/93 (98%)	86 (94%)	4 (4%)	1 (1%)	17	50

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
47	DU	91/93 (98%)	85 (93%)	6 (7%)	0	100	100
48	CV	100/102 (98%)	91 (91%)	4 (4%)	5 (5%)	3	8
48	DV	100/102 (98%)	96 (96%)	2 (2%)	2 (2%)	9	30
49	CW	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
49	DW	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
50	CX	73/76 (96%)	72 (99%)	1 (1%)	0	100	100
50	DX	75/76 (99%)	74 (99%)	1 (1%)	0	100	100
51	CY	75/77 (97%)	74 (99%)	1 (1%)	0	100	100
51	DY	75/77 (97%)	74 (99%)	1 (1%)	0	100	100
52	CZ	60/62 (97%)	58 (97%)	1 (2%)	1 (2%)	11	36
52	DZ	60/62 (97%)	59 (98%)	1 (2%)	0	100	100
53	DI	133/135 (98%)	114 (86%)	13 (10%)	6 (4%)	3	10
All	All	11406/11629 (98%)	10790 (95%)	484 (4%)	132 (1%)	16	47

5 of 132 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	AB	126	PHE
3	AC	156	ARG
13	AM	5	ALA
22	C1	25	VAL
2	BB	126	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AB	186/186 (100%)	173 (93%)	13 (7%)	19	47
2	BB	186/186 (100%)	173 (93%)	13 (7%)	19	47
3	AC	170/170 (100%)	159 (94%)	11 (6%)	21	52
3	BC	170/170 (100%)	156 (92%)	14 (8%)	14	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	AD	172/172 (100%)	163 (95%)	9 (5%)	29	62
4	BD	172/172 (100%)	160 (93%)	12 (7%)	19	47
5	AE	118/118 (100%)	106 (90%)	12 (10%)	9	26
5	BE	113/118 (96%)	95 (84%)	18 (16%)	3	9
6	AF	92/92 (100%)	86 (94%)	6 (6%)	21	52
6	BF	87/92 (95%)	77 (88%)	10 (12%)	7	21
7	AG	124/124 (100%)	115 (93%)	9 (7%)	17	44
7	BG	124/124 (100%)	109 (88%)	15 (12%)	6	18
8	AH	104/104 (100%)	93 (89%)	11 (11%)	8	24
8	BH	104/104 (100%)	93 (89%)	11 (11%)	8	24
9	AI	105/105 (100%)	100 (95%)	5 (5%)	31	66
9	BI	105/105 (100%)	100 (95%)	5 (5%)	31	66
10	AJ	87/87 (100%)	81 (93%)	6 (7%)	19	48
10	BJ	86/87 (99%)	78 (91%)	8 (9%)	11	32
11	AK	90/90 (100%)	87 (97%)	3 (3%)	45	79
11	BK	90/90 (100%)	83 (92%)	7 (8%)	16	41
12	AL	102/102 (100%)	92 (90%)	10 (10%)	10	28
12	BL	102/102 (100%)	90 (88%)	12 (12%)	6	19
13	AM	92/92 (100%)	83 (90%)	9 (10%)	10	28
13	BM	92/92 (100%)	85 (92%)	7 (8%)	16	42
14	AN	83/83 (100%)	82 (99%)	1 (1%)	78	95
14	BN	83/83 (100%)	82 (99%)	1 (1%)	78	95
15	AO	76/76 (100%)	71 (93%)	5 (7%)	21	51
15	BO	76/76 (100%)	65 (86%)	11 (14%)	4	11
16	AP	65/65 (100%)	64 (98%)	1 (2%)	72	93
16	BP	65/65 (100%)	63 (97%)	2 (3%)	47	81
17	AQ	74/74 (100%)	67 (90%)	7 (10%)	11	30
17	BQ	74/74 (100%)	66 (89%)	8 (11%)	8	23
18	AR	48/48 (100%)	47 (98%)	1 (2%)	61	90
18	BR	48/48 (100%)	47 (98%)	1 (2%)	61	90
19	AS	70/70 (100%)	63 (90%)	7 (10%)	9	27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
19	BS	70/70 (100%)	65 (93%)	5 (7%)	18	46
20	AT	65/65 (100%)	59 (91%)	6 (9%)	11	32
20	BT	65/65 (100%)	55 (85%)	10 (15%)	3	10
21	AU	48/48 (100%)	44 (92%)	4 (8%)	14	38
21	BU	48/48 (100%)	44 (92%)	4 (8%)	14	38
22	C1	47/47 (100%)	45 (96%)	2 (4%)	35	70
22	D1	47/47 (100%)	44 (94%)	3 (6%)	22	52
23	C2	45/46 (98%)	44 (98%)	1 (2%)	60	89
23	D2	45/46 (98%)	43 (96%)	2 (4%)	35	69
24	C3	38/38 (100%)	37 (97%)	1 (3%)	54	86
24	D3	38/38 (100%)	37 (97%)	1 (3%)	54	86
25	C4	51/51 (100%)	48 (94%)	3 (6%)	24	57
25	D4	51/51 (100%)	48 (94%)	3 (6%)	24	57
26	C5	34/34 (100%)	32 (94%)	2 (6%)	24	57
26	D5	34/34 (100%)	34 (100%)	0	100	100
27	C0	48/48 (100%)	45 (94%)	3 (6%)	22	53
27	D0	49/48 (102%)	45 (92%)	4 (8%)	14	38
29	CC	216/216 (100%)	203 (94%)	13 (6%)	24	56
29	DC	216/216 (100%)	210 (97%)	6 (3%)	51	84
30	CD	163/163 (100%)	159 (98%)	4 (2%)	55	86
30	DD	163/163 (100%)	160 (98%)	3 (2%)	66	91
32	CE	165/165 (100%)	152 (92%)	13 (8%)	15	40
32	DE	165/165 (100%)	161 (98%)	4 (2%)	57	87
33	CF	148/148 (100%)	133 (90%)	15 (10%)	9	27
33	DF	148/148 (100%)	137 (93%)	11 (7%)	17	43
34	CG	137/137 (100%)	134 (98%)	3 (2%)	60	89
34	DG	137/137 (100%)	132 (96%)	5 (4%)	42	76
35	CH	114/114 (100%)	101 (89%)	13 (11%)	7	21
35	DH	114/114 (100%)	101 (89%)	13 (11%)	7	21
36	CJ	104/104 (100%)	100 (96%)	4 (4%)	40	74
36	DJ	104/104 (100%)	100 (96%)	4 (4%)	40	74

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	CK	116/116 (100%)	110 (95%)	6 (5%)	29	62
37	DK	116/116 (100%)	114 (98%)	2 (2%)	68	92
38	CL	103/104 (99%)	99 (96%)	4 (4%)	39	74
38	DL	104/104 (100%)	99 (95%)	5 (5%)	31	66
39	CM	103/103 (100%)	97 (94%)	6 (6%)	25	57
39	DM	103/103 (100%)	99 (96%)	4 (4%)	39	74
40	CN	108/108 (100%)	104 (96%)	4 (4%)	41	76
40	DN	109/108 (101%)	106 (97%)	3 (3%)	51	84
41	CO	100/102 (98%)	95 (95%)	5 (5%)	30	64
41	DO	102/102 (100%)	99 (97%)	3 (3%)	50	83
42	CP	86/87 (99%)	80 (93%)	6 (7%)	19	47
42	DP	87/87 (100%)	84 (97%)	3 (3%)	44	78
43	CQ	99/99 (100%)	93 (94%)	6 (6%)	23	55
43	DQ	99/99 (100%)	97 (98%)	2 (2%)	63	90
44	CR	89/89 (100%)	86 (97%)	3 (3%)	44	78
44	DR	89/89 (100%)	87 (98%)	2 (2%)	60	89
45	CS	84/84 (100%)	79 (94%)	5 (6%)	24	56
45	DS	84/84 (100%)	83 (99%)	1 (1%)	78	95
46	CT	93/93 (100%)	88 (95%)	5 (5%)	27	60
46	DT	93/93 (100%)	92 (99%)	1 (1%)	80	95
47	CU	80/80 (100%)	72 (90%)	8 (10%)	9	27
47	DU	80/80 (100%)	77 (96%)	3 (4%)	40	74
48	CV	83/83 (100%)	79 (95%)	4 (5%)	31	66
48	DV	83/83 (100%)	81 (98%)	2 (2%)	57	87
49	CW	78/78 (100%)	75 (96%)	3 (4%)	40	74
49	DW	78/78 (100%)	76 (97%)	2 (3%)	54	86
50	CX	56/58 (97%)	55 (98%)	1 (2%)	66	91
50	DX	58/58 (100%)	57 (98%)	1 (2%)	68	92
51	CY	67/67 (100%)	63 (94%)	4 (6%)	24	56
51	DY	67/67 (100%)	65 (97%)	2 (3%)	48	82
52	CZ	54/54 (100%)	50 (93%)	4 (7%)	17	43

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
52	DZ	54/54 (100%)	52 (96%)	2 (4%)	41	76
53	DI	103/103 (100%)	98 (95%)	5 (5%)	31	65
All	All	9460/9477 (100%)	8897 (94%)	563 (6%)	24	56

5 of 563 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
11	BK	18	ASP
20	BT	67	ILE
37	DK	124	VAL
12	BL	44	LYS
15	BO	40	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 45 such sidechains are listed below:

Mol	Chain	Res	Type
4	BD	131	ASN
8	BH	4	GLN
50	CX	57	HIS
5	BE	89	HIS
8	BH	38	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1530/1534 (99%)	239 (15%)	27 (1%)
1	BA	1529/1534 (99%)	246 (16%)	28 (1%)
28	CB	117/120 (97%)	11 (9%)	0
28	DB	119/120 (99%)	9 (7%)	0
31	CA	2892/2904 (99%)	425 (14%)	72 (2%)
54	DA	2880/2904 (99%)	367 (12%)	57 (1%)
All	All	9067/9116 (99%)	1297 (14%)	184 (2%)

5 of 1297 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	4	U
1	AA	5	U
1	AA	9	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	22	G
1	AA	32	A

5 of 184 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
31	CA	1070	A
31	CA	1730	C
54	DA	2158	A
31	CA	1089	A
31	CA	1379	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

76 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	2MG	AA	1207	1	18,26,27	1.11	2 (11%)	21,38,41	2.58	4 (19%)
1	4OC	AA	1402	1	15,23,24	0.81	0	21,32,35	1.32	2 (9%)
1	5MC	AA	1407	1	14,22,23	0.87	1 (7%)	17,32,35	0.71	1 (5%)
1	UR3	AA	1498	1	13,22,23	0.84	0	18,32,35	0.63	0
1	2MG	AA	1516	1	18,26,27	1.30	2 (11%)	21,38,41	2.51	4 (19%)
1	MA6	AA	1518	1	18,26,27	0.67	0	15,38,41	0.65	0
1	MA6	AA	1519	1	18,26,27	0.62	0	15,38,41	0.55	0
1	PSU	AA	516	1,55	15,21,22	1.14	2 (13%)	16,30,33	3.47	2 (12%)
1	G7M	AA	527	1	18,26,27	1.11	1 (5%)	21,39,42	3.31	5 (23%)
1	2MG	AA	966	1	18,26,27	1.17	2 (11%)	21,38,41	2.52	3 (14%)
1	5MC	AA	967	1	14,22,23	0.85	1 (7%)	17,32,35	0.66	1 (5%)
12	D2T	AL	89	12	4,9,10	0.46	0	4,11,13	1.43	1 (25%)
1	2MG	BA	1207	1	18,26,27	1.17	2 (11%)	21,38,41	2.55	4 (19%)
1	4OC	BA	1402	1	15,23,24	0.87	0	21,32,35	1.30	2 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	5MC	BA	1407	1	14,22,23	0.85	1 (7%)	17,32,35	0.71	1 (5%)
1	UR3	BA	1498	1	13,22,23	1.14	2 (15%)	18,32,35	0.53	0
1	2MG	BA	1516	1	18,26,27	1.22	2 (11%)	21,38,41	2.55	4 (19%)
1	MA6	BA	1518	1	18,26,27	0.68	0	15,38,41	0.62	0
1	MA6	BA	1519	1	18,26,27	0.58	0	15,38,41	0.58	0
1	PSU	BA	516	1	15,21,22	1.16	2 (13%)	16,30,33	3.49	2 (12%)
1	G7M	BA	527	1	18,26,27	1.10	1 (5%)	21,39,42	3.45	5 (23%)
1	2MG	BA	966	1,55	18,26,27	1.09	2 (11%)	21,38,41	2.52	4 (19%)
1	5MC	BA	967	1	14,22,23	0.83	1 (7%)	17,32,35	0.65	1 (5%)
12	D2T	BL	89	12	4,9,10	0.54	0	4,11,13	1.60	1 (25%)
31	6MZ	CA	1618	31	17,25,26	0.73	0	15,36,39	0.90	1 (6%)
31	2MG	CA	1835	31	18,26,27	1.14	1 (5%)	21,38,41	2.47	4 (19%)
31	PSU	CA	1911	31	15,21,22	1.14	1 (6%)	16,30,33	3.46	1 (6%)
31	3TD	CA	1915	31	15,22,23	0.98	2 (13%)	17,32,35	0.99	1 (5%)
31	PSU	CA	1917	31	15,21,22	1.16	1 (6%)	16,30,33	3.53	1 (6%)
31	5MU	CA	1939	31	13,22,23	1.17	1 (7%)	16,32,35	4.79	3 (18%)
31	5MC	CA	1962	31	14,22,23	0.82	1 (7%)	17,32,35	0.60	1 (5%)
31	6MZ	CA	2030	31	17,25,26	0.79	0	15,36,39	0.94	1 (6%)
31	G7M	CA	2069	31	18,26,27	0.91	1 (5%)	21,39,42	3.08	5 (23%)
31	OMG	CA	2251	31	18,26,27	1.16	2 (11%)	21,38,41	2.76	4 (19%)
31	2MG	CA	2445	31	18,26,27	1.27	2 (11%)	21,38,41	2.54	4 (19%)
31	PSU	CA	2457	31	15,21,22	1.13	2 (13%)	16,30,33	3.45	1 (6%)
31	OMC	CA	2498	55,31	15,22,23	0.89	1 (6%)	20,31,34	0.57	0
31	2MA	CA	2503	31	17,25,26	0.89	0	18,37,40	1.02	1 (5%)
31	PSU	CA	2504	31	15,21,22	1.09	2 (13%)	16,30,33	3.46	1 (6%)
31	OMU	CA	2552	31	14,22,23	1.20	2 (14%)	19,31,34	2.91	2 (10%)
31	PSU	CA	2580	31	15,21,22	1.22	2 (13%)	16,30,33	3.55	2 (12%)
31	PSU	CA	2605	31	15,21,22	1.11	2 (13%)	16,30,33	3.53	2 (12%)
31	1MG	CA	745	31	17,26,27	1.24	1 (5%)	19,39,42	1.09	2 (10%)
31	PSU	CA	746	55,31	15,21,22	1.34	2 (13%)	16,30,33	3.49	1 (6%)
31	5MU	CA	747	31	13,22,23	1.09	1 (7%)	16,32,35	4.78	3 (18%)
31	PSU	CA	955	31	15,21,22	1.15	2 (13%)	16,30,33	3.52	1 (6%)
30	MEQ	CD	150	30	6,8,10	0.39	0	7,9,12	0.99	1 (14%)
40	4D4	CN	81	40	7,11,12	1.02	1 (14%)	5,13,15	0.80	0
54	6MZ	DA	1618	54	17,25,26	0.78	0	15,36,39	0.88	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
54	2MG	DA	1835	54	18,26,27	1.06	1 (5%)	21,38,41	2.51	4 (19%)
54	PSU	DA	1911	54	15,21,22	1.11	2 (13%)	16,30,33	3.45	1 (6%)
54	3TD	DA	1915	54	15,22,23	0.95	2 (13%)	17,32,35	1.03	1 (5%)
54	PSU	DA	1917	54	15,21,22	1.22	1 (6%)	16,30,33	3.52	1 (6%)
54	5MU	DA	1939	54	13,22,23	1.14	1 (7%)	16,32,35	4.77	3 (18%)
54	5MC	DA	1962	54	14,22,23	0.90	1 (7%)	17,32,35	0.68	0
54	6MZ	DA	2030	54	17,25,26	0.72	0	15,36,39	0.88	1 (6%)
54	G7M	DA	2069	54	18,26,27	1.00	1 (5%)	21,39,42	3.05	5 (23%)
54	OMG	DA	2251	54	18,26,27	1.00	1 (5%)	21,38,41	2.66	4 (19%)
54	2MG	DA	2445	54	18,26,27	1.18	3 (16%)	21,38,41	2.74	4 (19%)
54	H2U	DA	2449	54	17,21,22	0.56	0	23,30,33	0.64	0
54	PSU	DA	2457	54	15,21,22	1.05	2 (13%)	16,30,33	3.47	1 (6%)
54	OMC	DA	2498	55,54	15,22,23	0.85	0	20,31,34	0.71	0
54	2MA	DA	2503	55,54	17,25,26	0.79	0	18,37,40	1.15	2 (11%)
54	PSU	DA	2504	54	15,21,22	1.21	2 (13%)	16,30,33	3.48	1 (6%)
54	OMU	DA	2552	54	14,22,23	1.13	2 (14%)	19,31,34	2.94	2 (10%)
54	PSU	DA	2580	54	15,21,22	1.43	4 (26%)	16,30,33	3.57	2 (12%)
54	PSU	DA	2604	54	15,21,22	1.26	2 (13%)	16,30,33	3.54	2 (12%)
54	PSU	DA	2605	54	15,21,22	1.11	2 (13%)	16,30,33	3.53	2 (12%)
54	1MG	DA	745	54	17,26,27	1.37	3 (17%)	19,39,42	1.18	3 (15%)
54	PSU	DA	746	55,54	15,21,22	1.70	4 (26%)	16,30,33	3.48	1 (6%)
54	5MU	DA	747	54	13,22,23	1.14	1 (7%)	16,32,35	4.71	3 (18%)
54	PSU	DA	955	54	15,21,22	1.47	4 (26%)	16,30,33	3.52	1 (6%)
30	MEQ	DD	150[A]	30	7,9,10	0.46	0	8,10,12	1.30	2 (25%)
30	MEQ	DD	150[B]	30	7,9,10	2.24	1 (14%)	8,10,12	2.20	3 (37%)
40	4D4	DN	81[A]	-	7,11,12	1.03	1 (14%)	5,13,15	0.91	0
40	4D4	DN	81[B]	-	7,11,12	0.87	0	5,13,15	0.87	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	2MG	AA	1207	1	-	0/5/27/28	0/3/3/3
1	4OC	AA	1402	1	-	0/7/29/30	0/2/2/2
1	5MC	AA	1407	1	-	0/3/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	UR3	AA	1498	1	-	0/3/25/26	0/2/2/2
1	2MG	AA	1516	1	-	0/5/27/28	0/3/3/3
1	MA6	AA	1518	1	-	0/7/29/30	0/3/3/3
1	MA6	AA	1519	1	-	0/7/29/30	0/3/3/3
1	PSU	AA	516	1,55	-	0/7/25/26	0/2/2/2
1	G7M	AA	527	1	-	0/3/25/26	0/3/3/3
1	2MG	AA	966	1	-	0/5/27/28	0/3/3/3
1	5MC	AA	967	1	-	0/3/25/26	0/2/2/2
12	D2T	AL	89	12	-	0/2/12/14	0/0/0/0
1	2MG	BA	1207	1	-	0/5/27/28	0/3/3/3
1	4OC	BA	1402	1	-	0/7/29/30	0/2/2/2
1	5MC	BA	1407	1	-	0/3/25/26	0/2/2/2
1	UR3	BA	1498	1	-	0/3/25/26	0/2/2/2
1	2MG	BA	1516	1	-	0/5/27/28	0/3/3/3
1	MA6	BA	1518	1	-	0/7/29/30	0/3/3/3
1	MA6	BA	1519	1	-	0/7/29/30	0/3/3/3
1	PSU	BA	516	1	-	0/7/25/26	0/2/2/2
1	G7M	BA	527	1	-	0/3/25/26	0/3/3/3
1	2MG	BA	966	1,55	-	0/5/27/28	0/3/3/3
1	5MC	BA	967	1	-	0/3/25/26	0/2/2/2
12	D2T	BL	89	12	-	0/2/12/14	0/0/0/0
31	6MZ	CA	1618	31	-	0/5/27/28	0/3/3/3
31	2MG	CA	1835	31	-	0/5/27/28	0/3/3/3
31	PSU	CA	1911	31	-	0/7/25/26	0/2/2/2
31	3TD	CA	1915	31	-	0/7/25/26	0/2/2/2
31	PSU	CA	1917	31	-	0/7/25/26	0/2/2/2
31	5MU	CA	1939	31	-	0/3/25/26	0/2/2/2
31	5MC	CA	1962	31	-	0/3/25/26	0/2/2/2
31	6MZ	CA	2030	31	-	0/5/27/28	0/3/3/3
31	G7M	CA	2069	31	-	0/3/25/26	0/3/3/3
31	OMG	CA	2251	31	-	0/5/27/28	0/3/3/3
31	2MG	CA	2445	31	-	0/5/27/28	0/3/3/3
31	PSU	CA	2457	31	-	0/7/25/26	0/2/2/2
31	OMC	CA	2498	55,31	-	0/5/27/28	0/2/2/2
31	2MA	CA	2503	31	-	0/3/25/26	0/3/3/3
31	PSU	CA	2504	31	-	0/7/25/26	0/2/2/2
31	OMU	CA	2552	31	-	0/5/27/28	0/2/2/2
31	PSU	CA	2580	31	-	0/7/25/26	0/2/2/2
31	PSU	CA	2605	31	-	0/7/25/26	0/2/2/2
31	1MG	CA	745	31	-	0/3/25/26	0/3/3/3
31	PSU	CA	746	55,31	-	0/7/25/26	0/2/2/2
31	5MU	CA	747	31	-	0/3/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
31	PSU	CA	955	31	-	0/7/25/26	0/2/2/2
30	MEQ	CD	150	30	-	0/5/7/11	0/0/0/0
40	4D4	CN	81	40	-	0/8/12/14	0/0/0/0
54	6MZ	DA	1618	54	-	0/5/27/28	0/3/3/3
54	2MG	DA	1835	54	-	0/5/27/28	0/3/3/3
54	PSU	DA	1911	54	-	0/7/25/26	0/2/2/2
54	3TD	DA	1915	54	-	0/7/25/26	0/2/2/2
54	PSU	DA	1917	54	-	0/7/25/26	0/2/2/2
54	5MU	DA	1939	54	-	0/3/25/26	0/2/2/2
54	5MC	DA	1962	54	-	0/3/25/26	0/2/2/2
54	6MZ	DA	2030	54	-	0/5/27/28	0/3/3/3
54	G7M	DA	2069	54	-	0/3/25/26	0/3/3/3
54	OMG	DA	2251	54	-	0/5/27/28	0/3/3/3
54	2MG	DA	2445	54	-	0/5/27/28	0/3/3/3
54	H2U	DA	2449	54	-	0/7/38/39	0/2/2/2
54	PSU	DA	2457	54	-	0/7/25/26	0/2/2/2
54	OMC	DA	2498	55,54	-	0/5/27/28	0/2/2/2
54	2MA	DA	2503	55,54	-	0/3/25/26	0/3/3/3
54	PSU	DA	2504	54	-	0/7/25/26	0/2/2/2
54	OMU	DA	2552	54	-	0/5/27/28	0/2/2/2
54	PSU	DA	2580	54	-	0/7/25/26	0/2/2/2
54	PSU	DA	2604	54	-	0/7/25/26	0/2/2/2
54	PSU	DA	2605	54	-	0/7/25/26	0/2/2/2
54	1MG	DA	745	54	-	0/3/25/26	0/3/3/3
54	PSU	DA	746	55,54	-	0/7/25/26	0/2/2/2
54	5MU	DA	747	54	-	0/3/25/26	0/2/2/2
54	PSU	DA	955	54	-	0/7/25/26	0/2/2/2
30	MEQ	DD	150[A]	30	-	0/7/9/11	0/0/0/0
30	MEQ	DD	150[B]	30	-	0/7/9/11	0/0/0/0
40	4D4	DN	81[A]	-	-	0/8/12/14	0/0/0/0
40	4D4	DN	81[B]	-	-	0/8/12/14	0/0/0/0

The worst 5 of 95 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
54	DA	746	PSU	C2'-C1'	-3.77	1.50	1.53
54	DA	955	PSU	C2'-C1'	-3.05	1.50	1.53
54	DA	746	PSU	O4'-C1'	-2.85	1.40	1.44
54	DA	2580	PSU	O4'-C1'	-2.61	1.40	1.44
31	CA	746	PSU	O4'-C1'	-2.49	1.40	1.44

The worst 5 of 140 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	CA	747	5MU	C5-C4-N3	-12.09	115.20	125.35
31	CA	1939	5MU	C5-C4-N3	-12.08	115.21	125.35
54	DA	1939	5MU	C5-C4-N3	-12.02	115.26	125.35
54	DA	747	5MU	C5-C4-N3	-11.94	115.33	125.35
31	CA	2069	G7M	C5-C6-N1	-9.95	110.52	123.52

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

15 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	AA	1518	MA6	1	0
1	AA	1519	MA6	1	0
1	BA	1518	MA6	1	0
1	BA	1519	MA6	1	0
31	CA	2030	6MZ	2	0
31	CA	2445	2MG	1	0
31	CA	2503	2MA	1	0
31	CA	747	5MU	1	0
54	DA	2030	6MZ	1	0
54	DA	2445	2MG	1	0
54	DA	2449	H2U	1	0
54	DA	2498	OMC	1	0
54	DA	747	5MU	1	0
30	DD	150[B]	MEQ	1	0
40	DN	81[B]	4D4	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 554 ligands modelled in this entry, 472 are monoatomic - leaving 82 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
56	PG4	AA	1670	-	12,12,12	0.28	0	11,11,11	0.42	0
57	MPD	AA	1671	-	6,7,7	0.42	0	6,10,10	0.38	0
58	PUT	AA	1672	-	5,5,5	0.27	0	4,4,4	0.20	0
58	PUT	AA	1673	-	5,5,5	0.20	0	4,4,4	0.20	0
58	PUT	AA	1674	-	5,5,5	0.20	0	4,4,4	0.21	0
58	PUT	AA	1675	-	5,5,5	0.25	0	4,4,4	0.24	0
57	MPD	AA	1676	-	6,7,7	0.40	0	6,10,10	0.36	0
59	TAC	AA	1678	55	33,35,35	0.48	0	42,58,58	0.60	0
61	PEG	AL	201	-	6,6,6	0.27	0	5,5,5	0.09	0
56	PG4	BA	1601	-	12,12,12	0.22	0	11,11,11	0.22	0
59	TAC	BA	1602	55	33,35,35	0.42	0	42,58,58	0.65	0
62	EDO	D1	101	-	3,3,3	0.64	0	2,2,2	0.19	0
63	PGE	D1	102	-	9,9,9	0.31	0	8,8,8	0.28	0
61	PEG	D1	103	-	6,6,6	0.44	0	5,5,5	0.13	0
63	PGE	D3	101	-	9,9,9	0.31	0	8,8,8	0.22	0
61	PEG	D3	102	-	6,6,6	0.34	0	5,5,5	0.23	0
62	EDO	DA	3001	-	3,3,3	0.81	0	2,2,2	0.15	0
58	PUT	DA	3002	-	5,5,5	0.20	0	4,4,4	0.14	0
62	EDO	DA	3003	-	3,3,3	0.73	0	2,2,2	0.16	0
62	EDO	DA	3004	-	3,3,3	0.70	0	2,2,2	0.18	0
64	SPD	DA	3183	-	9,9,9	0.14	0	8,8,8	0.21	0
58	PUT	DA	3184	-	5,5,5	0.28	0	4,4,4	0.20	0
65	1PE	DA	3185	-	15,15,15	0.17	0	14,14,14	0.17	0
63	PGE	DA	3186	-	9,9,9	0.36	0	8,8,8	0.56	0
64	SPD	DA	3187	-	9,9,9	0.18	0	8,8,8	0.42	0
58	PUT	DA	3188	-	5,5,5	0.45	0	4,4,4	0.29	0
58	PUT	DA	3189	-	5,5,5	0.49	0	4,4,4	0.43	0
57	MPD	DA	3190	-	6,7,7	0.38	0	6,10,10	0.44	0
66	ACY	DA	3191	-	0,3,3	0.00	-	0,3,3	0.00	-
57	MPD	DA	3192	-	6,7,7	0.42	0	6,10,10	0.57	0
56	PG4	DA	3193	-	12,12,12	0.32	0	11,11,11	0.43	0
62	EDO	DA	3194	-	3,3,3	0.62	0	2,2,2	0.11	0
58	PUT	DA	3195	-	5,5,5	0.34	0	4,4,4	0.48	0
66	ACY	DA	3196	-	0,3,3	0.00	-	0,3,3	0.00	-
62	EDO	DA	3197	-	3,3,3	0.61	0	2,2,2	0.28	0
62	EDO	DA	3198	-	3,3,3	0.65	0	2,2,2	0.42	0
61	PEG	DA	3199	-	6,6,6	0.31	0	5,5,5	0.20	0
61	PEG	DA	3200	-	6,6,6	0.53	0	5,5,5	0.26	0
66	ACY	DA	3201	-	0,3,3	0.00	-	0,3,3	0.00	-
65	1PE	DA	3202	-	15,15,15	0.37	0	14,14,14	0.39	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
57	MPD	DA	3203	-	6,7,7	0.61	0	6,10,10	0.59	0
58	PUT	DA	3204	-	5,5,5	0.38	0	4,4,4	0.28	0
64	SPD	DA	3205	-	9,9,9	0.26	0	8,8,8	0.18	0
57	MPD	DA	3206	-	6,7,7	0.60	0	6,10,10	0.51	0
62	EDO	DA	3207	-	3,3,3	0.68	0	2,2,2	0.21	0
62	EDO	DA	3208	-	3,3,3	0.58	0	2,2,2	0.36	0
57	MPD	DA	3209	-	6,7,7	0.39	0	6,10,10	0.27	0
67	GUN	DA	3210	-	9,12,12	2.07	2 (22%)	7,17,17	4.82	5 (71%)
58	PUT	DA	3211	-	5,5,5	0.35	0	4,4,4	0.16	0
58	PUT	DA	3212	-	5,5,5	0.40	0	4,4,4	0.30	0
63	PGE	DA	3213	-	9,9,9	0.18	0	8,8,8	0.18	0
62	EDO	DA	3214	-	3,3,3	0.64	0	2,2,2	0.28	0
56	PG4	DA	3215	-	12,12,12	0.18	0	11,11,11	0.14	0
63	PGE	DA	3216	-	9,9,9	0.16	0	8,8,8	0.25	0
61	PEG	DA	3217	-	6,6,6	0.32	0	5,5,5	0.07	0
58	PUT	DA	3218	-	5,5,5	0.17	0	4,4,4	0.20	0
68	TRS	DA	3219	-	7,7,7	0.54	0	9,9,9	0.41	0
58	PUT	DA	3220	-	5,5,5	0.23	0	4,4,4	0.15	0
58	PUT	DA	3221	-	5,5,5	0.48	0	4,4,4	0.58	0
58	PUT	DA	3222	-	5,5,5	0.28	0	4,4,4	0.36	0
64	SPD	DA	3223	-	9,9,9	0.20	0	8,8,8	0.63	0
63	PGE	DA	3224	-	9,9,9	0.26	0	8,8,8	0.16	0
61	PEG	DA	3225	-	6,6,6	0.51	0	5,5,5	0.23	0
61	PEG	DA	3226	-	6,6,6	0.44	0	5,5,5	0.24	0
62	EDO	DB	210	-	3,3,3	0.58	0	2,2,2	0.27	0
62	EDO	DB	211	-	3,3,3	0.58	0	2,2,2	0.22	0
63	PGE	DD	301	-	9,9,9	0.31	0	8,8,8	0.32	0
57	MPD	DE	301	-	6,7,7	0.54	0	6,10,10	0.68	0
57	MPD	DE	302	-	6,7,7	0.49	0	6,10,10	0.34	0
57	MPD	DK	201	-	6,7,7	0.46	0	6,10,10	0.25	0
61	PEG	DL	201	-	6,6,6	0.15	0	5,5,5	0.13	0
57	MPD	DN	201	-	6,7,7	0.64	0	6,10,10	0.32	0
61	PEG	DP	201	-	6,6,6	0.32	0	5,5,5	0.13	0
61	PEG	DQ	201	-	6,6,6	0.23	0	5,5,5	0.14	0
56	PG4	DQ	202	-	12,12,12	0.17	0	11,11,11	0.16	0
56	PG4	DR	202	-	12,12,12	0.44	0	11,11,11	0.55	0
63	PGE	DS	201	-	9,9,9	0.50	0	8,8,8	0.48	0
56	PG4	DS	202	-	12,12,12	0.48	0	11,11,11	0.42	0
57	MPD	DS	203	-	6,7,7	0.37	0	6,10,10	0.51	0
57	MPD	DT	201	-	6,7,7	0.48	0	6,10,10	0.13	0
57	MPD	DT	202	-	6,7,7	0.42	0	6,10,10	0.44	0
63	PGE	DU	101	-	9,9,9	0.27	0	8,8,8	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
56	PG4	AA	1670	-	-	0/10/10/10	0/0/0/0
57	MPD	AA	1671	-	-	0/5/5/5	0/0/0/0
58	PUT	AA	1672	-	-	0/3/3/3	0/0/0/0
58	PUT	AA	1673	-	-	0/3/3/3	0/0/0/0
58	PUT	AA	1674	-	-	0/3/3/3	0/0/0/0
58	PUT	AA	1675	-	-	0/3/3/3	0/0/0/0
57	MPD	AA	1676	-	-	0/5/5/5	0/0/0/0
59	TAC	AA	1678	55	-	0/8/74/74	0/4/4/4
61	PEG	AL	201	-	-	0/4/4/4	0/0/0/0
56	PG4	BA	1601	-	-	0/10/10/10	0/0/0/0
59	TAC	BA	1602	55	-	0/8/74/74	0/4/4/4
62	EDO	D1	101	-	-	0/1/1/1	0/0/0/0
63	PGE	D1	102	-	-	0/7/7/7	0/0/0/0
61	PEG	D1	103	-	-	0/4/4/4	0/0/0/0
63	PGE	D3	101	-	-	0/7/7/7	0/0/0/0
61	PEG	D3	102	-	-	0/4/4/4	0/0/0/0
62	EDO	DA	3001	-	-	0/1/1/1	0/0/0/0
58	PUT	DA	3002	-	-	0/3/3/3	0/0/0/0
62	EDO	DA	3003	-	-	0/1/1/1	0/0/0/0
62	EDO	DA	3004	-	-	0/1/1/1	0/0/0/0
64	SPD	DA	3183	-	-	0/7/7/7	0/0/0/0
58	PUT	DA	3184	-	-	0/3/3/3	0/0/0/0
65	1PE	DA	3185	-	-	0/13/13/13	0/0/0/0
63	PGE	DA	3186	-	-	0/7/7/7	0/0/0/0
64	SPD	DA	3187	-	-	0/7/7/7	0/0/0/0
58	PUT	DA	3188	-	-	0/3/3/3	0/0/0/0
58	PUT	DA	3189	-	-	0/3/3/3	0/0/0/0
57	MPD	DA	3190	-	-	0/5/5/5	0/0/0/0
66	ACY	DA	3191	-	-	0/0/0/0	0/0/0/0
57	MPD	DA	3192	-	-	0/5/5/5	0/0/0/0
56	PG4	DA	3193	-	-	0/10/10/10	0/0/0/0
62	EDO	DA	3194	-	-	0/1/1/1	0/0/0/0
58	PUT	DA	3195	-	-	0/3/3/3	0/0/0/0
66	ACY	DA	3196	-	-	0/0/0/0	0/0/0/0
62	EDO	DA	3197	-	-	0/1/1/1	0/0/0/0
62	EDO	DA	3198	-	-	0/1/1/1	0/0/0/0
61	PEG	DA	3199	-	-	0/4/4/4	0/0/0/0
61	PEG	DA	3200	-	-	0/4/4/4	0/0/0/0
66	ACY	DA	3201	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
65	1PE	DA	3202	-	-	0/13/13/13	0/0/0/0
57	MPD	DA	3203	-	-	0/5/5/5	0/0/0/0
58	PUT	DA	3204	-	-	0/3/3/3	0/0/0/0
64	SPD	DA	3205	-	-	0/7/7/7	0/0/0/0
57	MPD	DA	3206	-	-	0/5/5/5	0/0/0/0
62	EDO	DA	3207	-	-	0/1/1/1	0/0/0/0
62	EDO	DA	3208	-	-	0/1/1/1	0/0/0/0
57	MPD	DA	3209	-	-	0/5/5/5	0/0/0/0
67	GUN	DA	3210	-	-	0/0/0/0	0/2/2/2
58	PUT	DA	3211	-	-	0/3/3/3	0/0/0/0
58	PUT	DA	3212	-	-	0/3/3/3	0/0/0/0
63	PGE	DA	3213	-	-	0/7/7/7	0/0/0/0
62	EDO	DA	3214	-	-	0/1/1/1	0/0/0/0
56	PG4	DA	3215	-	-	0/10/10/10	0/0/0/0
63	PGE	DA	3216	-	-	0/7/7/7	0/0/0/0
61	PEG	DA	3217	-	-	0/4/4/4	0/0/0/0
58	PUT	DA	3218	-	-	0/3/3/3	0/0/0/0
68	TRS	DA	3219	-	-	0/9/9/9	0/0/0/0
58	PUT	DA	3220	-	-	0/3/3/3	0/0/0/0
58	PUT	DA	3221	-	-	0/3/3/3	0/0/0/0
58	PUT	DA	3222	-	-	0/3/3/3	0/0/0/0
64	SPD	DA	3223	-	-	0/7/7/7	0/0/0/0
63	PGE	DA	3224	-	-	0/7/7/7	0/0/0/0
61	PEG	DA	3225	-	-	0/4/4/4	0/0/0/0
61	PEG	DA	3226	-	-	0/4/4/4	0/0/0/0
62	EDO	DB	210	-	-	0/1/1/1	0/0/0/0
62	EDO	DB	211	-	-	0/1/1/1	0/0/0/0
63	PGE	DD	301	-	-	0/7/7/7	0/0/0/0
57	MPD	DE	301	-	-	0/5/5/5	0/0/0/0
57	MPD	DE	302	-	-	0/5/5/5	0/0/0/0
57	MPD	DK	201	-	-	0/5/5/5	0/0/0/0
61	PEG	DL	201	-	-	0/4/4/4	0/0/0/0
57	MPD	DN	201	-	-	0/5/5/5	0/0/0/0
61	PEG	DP	201	-	-	0/4/4/4	0/0/0/0
61	PEG	DQ	201	-	-	0/4/4/4	0/0/0/0
56	PG4	DQ	202	-	-	0/10/10/10	0/0/0/0
56	PG4	DR	202	-	-	0/10/10/10	0/0/0/0
63	PGE	DS	201	-	-	0/7/7/7	0/0/0/0
56	PG4	DS	202	-	-	0/10/10/10	0/0/0/0
57	MPD	DS	203	-	-	0/5/5/5	0/0/0/0
57	MPD	DT	201	-	-	0/5/5/5	0/0/0/0
57	MPD	DT	202	-	-	0/5/5/5	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
63	PGE	DU	101	-	-	0/7/7/7	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
67	DA	3210	GUN	C6-N1	3.30	1.39	1.33
67	DA	3210	GUN	C6-C5	4.53	1.50	1.41

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
67	DA	3210	GUN	C5-C6-N1	-8.80	112.02	123.52
67	DA	3210	GUN	C6-C5-C4	-3.01	117.42	120.86
67	DA	3210	GUN	N3-C2-N1	-2.62	123.99	127.56
67	DA	3210	GUN	C5-C4-N9	-2.53	106.64	111.12
67	DA	3210	GUN	C6-N1-C2	7.90	125.14	115.88

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

32 monomers are involved in 50 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
56	AA	1670	PG4	1	0
59	AA	1678	TAC	1	0
59	BA	1602	TAC	1	0
63	D1	102	PGE	2	0
61	D1	103	PEG	1	0
61	D3	102	PEG	2	0
58	DA	3189	PUT	1	0
57	DA	3190	MPD	1	0
57	DA	3192	MPD	2	0
56	DA	3193	PG4	1	0
62	DA	3194	EDO	1	0
58	DA	3195	PUT	3	0
62	DA	3197	EDO	1	0
61	DA	3200	PEG	1	0
57	DA	3203	MPD	2	0
58	DA	3212	PUT	1	0
63	DA	3213	PGE	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
56	DA	3215	PG4	1	0
63	DA	3216	PGE	1	0
58	DA	3218	PUT	1	0
68	DA	3219	TRS	1	0
58	DA	3221	PUT	3	0
58	DA	3222	PUT	1	0
64	DA	3223	SPD	4	0
63	DA	3224	PGE	3	0
62	DB	211	EDO	1	0
63	DD	301	PGE	2	0
57	DN	201	MPD	1	0
61	DP	201	PEG	1	0
56	DR	202	PG4	5	0
56	DS	202	PG4	1	0
63	DU	101	PGE	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AA	1523/1534 (99%)	0.42	52 (3%) 49 36	43, 97, 239, 285	0
1	BA	1522/1534 (99%)	1.36	391 (25%) 1 0	52, 139, 267, 278	0
2	AB	224/224 (100%)	1.57	78 (34%) 0 0	78, 123, 207, 275	0
2	BB	224/224 (100%)	1.90	84 (37%) 0 0	93, 139, 208, 261	0
3	AC	206/206 (100%)	0.57	19 (9%) 11 5	73, 101, 135, 157	0
3	BC	206/206 (100%)	1.95	83 (40%) 0 0	103, 141, 180, 219	0
4	AD	205/205 (100%)	0.29	6 (2%) 55 43	53, 96, 127, 158	0
4	BD	205/205 (100%)	0.09	2 (0%) 84 77	53, 77, 106, 135	0
5	AE	155/155 (100%)	0.45	6 (3%) 43 31	60, 87, 139, 174	0
5	BE	150/155 (96%)	0.73	18 (12%) 6 3	71, 91, 142, 229	0
6	AF	106/106 (100%)	0.55	13 (12%) 5 3	72, 97, 120, 134	0
6	BF	100/106 (94%)	0.86	9 (9%) 12 6	79, 112, 139, 147	0
7	AG	151/151 (100%)	1.46	42 (27%) 1 0	99, 128, 157, 169	0
7	BG	151/151 (100%)	3.74	108 (71%) 0 0	139, 193, 209, 220	0
8	AH	129/129 (100%)	0.41	6 (4%) 35 24	66, 85, 113, 128	0
8	BH	129/129 (100%)	0.83	19 (14%) 3 2	86, 110, 145, 164	0
9	AI	127/127 (100%)	1.83	45 (35%) 0 0	85, 123, 161, 188	0
9	BI	127/127 (100%)	3.74	77 (60%) 0 0	130, 168, 201, 223	0
10	AJ	99/99 (100%)	1.38	21 (21%) 1 1	85, 111, 142, 157	0
10	BJ	98/99 (98%)	4.86	73 (74%) 0 0	132, 163, 188, 200	0
11	AK	117/117 (100%)	1.24	28 (23%) 1 1	52, 102, 138, 153	0
11	BK	117/117 (100%)	1.04	24 (20%) 1 1	73, 109, 139, 160	0
12	AL	122/123 (99%)	0.32	2 (1%) 74 66	48, 66, 99, 126	0
12	BL	122/123 (99%)	1.21	30 (24%) 1 0	75, 91, 112, 133	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	AM	114/114 (100%)	1.92	47 (41%) 0 0	90, 118, 167, 184	0
13	BM	114/114 (100%)	5.81	106 (92%) 0 0	195, 228, 237, 241	0
14	AN	100/100 (100%)	1.39	21 (21%) 1 1	82, 108, 198, 210	0
14	BN	100/100 (100%)	4.08	73 (73%) 0 0	125, 173, 232, 242	0
15	AO	88/88 (100%)	0.55	7 (7%) 15 7	63, 87, 108, 128	0
15	BO	88/88 (100%)	1.08	17 (19%) 2 1	75, 105, 125, 144	0
16	AP	82/82 (100%)	1.17	16 (19%) 1 1	60, 79, 114, 133	0
16	BP	82/82 (100%)	2.48	44 (53%) 0 0	89, 105, 151, 161	0
17	AQ	80/80 (100%)	0.61	6 (7%) 17 9	63, 79, 114, 136	0
17	BQ	80/80 (100%)	1.98	30 (37%) 0 0	94, 119, 143, 147	0
18	AR	55/55 (100%)	1.09	13 (23%) 1 1	68, 91, 126, 154	0
18	BR	55/55 (100%)	0.80	5 (9%) 11 6	71, 89, 123, 150	0
19	AS	79/79 (100%)	1.37	22 (27%) 1 0	94, 109, 146, 153	0
19	BS	79/79 (100%)	5.37	71 (89%) 0 0	206, 223, 234, 242	0
20	AT	86/86 (100%)	0.67	5 (5%) 26 16	67, 79, 116, 132	0
20	BT	85/86 (98%)	2.92	55 (64%) 0 0	101, 121, 164, 175	0
21	AU	56/56 (100%)	1.50	15 (26%) 1 0	80, 118, 156, 170	0
21	BU	56/56 (100%)	0.77	8 (14%) 4 2	75, 100, 143, 156	0
22	C1	56/56 (100%)	2.89	36 (64%) 0 0	94, 138, 164, 182	0
22	D1	56/56 (100%)	0.32	0 100 100	20, 41, 64, 95	0
23	C2	50/51 (98%)	4.05	40 (80%) 0 0	126, 141, 153, 175	0
23	D2	51/51 (100%)	0.32	2 (3%) 43 31	49, 63, 89, 104	0
24	C3	46/46 (100%)	3.68	36 (78%) 0 0	99, 109, 119, 131	0
24	D3	46/46 (100%)	0.37	2 (4%) 39 27	30, 42, 56, 99	0
25	C4	64/64 (100%)	2.51	33 (51%) 0 0	105, 121, 134, 140	0
25	D4	64/64 (100%)	0.36	0 100 100	34, 41, 52, 63	0
26	C5	38/38 (100%)	2.72	23 (60%) 0 0	100, 114, 124, 134	0
26	D5	38/38 (100%)	0.38	0 100 100	31, 46, 62, 82	0
27	C0	58/58 (100%)	2.44	30 (51%) 0 0	98, 113, 132, 135	0
27	D0	58/58 (100%)	0.25	0 100 100	28, 35, 54, 72	0
28	CB	118/120 (98%)	1.78	40 (33%) 0 0	132, 189, 251, 254	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	DB	120/120 (100%)	0.14	0 100 100	29, 56, 101, 148	0
29	CC	271/271 (100%)	1.36	78 (28%) 1 0	80, 112, 146, 165	0
29	DC	271/271 (100%)	0.09	1 (0%) 93 90	28, 56, 84, 100	0
30	CD	208/209 (99%)	2.21	103 (49%) 0 0	86, 121, 156, 181	0
30	DD	208/209 (99%)	0.01	0 100 100	18, 39, 67, 88	0
31	CA	2876/2904 (99%)	1.74	893 (31%) 1 0	71, 170, 260, 285	0
32	CE	201/201 (100%)	2.99	124 (61%) 0 0	112, 159, 194, 210	0
32	DE	201/201 (100%)	0.15	6 (2%) 54 41	24, 55, 100, 139	0
33	CF	177/177 (100%)	4.98	153 (86%) 0 0	198, 211, 219, 226	0
33	DF	177/177 (100%)	0.48	7 (3%) 42 30	50, 79, 125, 137	0
34	CG	176/176 (100%)	3.79	134 (76%) 0 0	130, 170, 205, 215	0
34	DG	176/176 (100%)	0.24	5 (2%) 56 44	42, 70, 97, 139	0
35	CH	149/149 (100%)	2.24	74 (49%) 0 0	84, 151, 170, 180	0
35	DH	149/149 (100%)	1.87	63 (42%) 0 0	74, 150, 187, 199	0
36	CJ	134/134 (100%)	8.41	130 (97%) 0 0	227, 245, 255, 263	0
36	DJ	134/134 (100%)	5.70	111 (82%) 0 0	196, 220, 229, 237	0
37	CK	142/142 (100%)	1.66	52 (36%) 0 0	95, 117, 152, 194	0
37	DK	142/142 (100%)	-0.03	0 100 100	19, 34, 58, 72	0
38	CL	122/123 (99%)	1.14	23 (18%) 2 1	90, 109, 141, 158	0
38	DL	123/123 (100%)	-0.07	0 100 100	28, 43, 70, 106	0
39	CM	144/144 (100%)	3.63	106 (73%) 0 0	104, 151, 201, 235	0
39	DM	144/144 (100%)	0.18	2 (1%) 78 69	18, 55, 84, 116	0
40	CN	135/136 (99%)	1.35	38 (28%) 1 0	92, 112, 142, 180	0
40	DN	135/136 (99%)	-0.19	0 100 100	25, 39, 67, 86	0
41	CO	120/125 (96%)	2.25	55 (45%) 0 0	101, 123, 143, 177	0
41	DO	125/125 (100%)	0.01	0 100 100	24, 36, 65, 108	0
42	CP	116/117 (99%)	3.69	93 (80%) 0 0	139, 162, 177, 181	0
42	DP	117/117 (100%)	0.17	0 100 100	36, 56, 84, 93	0
43	CQ	114/114 (100%)	2.11	47 (41%) 0 0	100, 117, 149, 164	0
43	DQ	114/114 (100%)	-0.01	3 (2%) 59 47	30, 49, 77, 109	0
44	CR	117/117 (100%)	2.33	57 (48%) 0 0	89, 122, 157, 181	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	DR	117/117 (100%)	0.13	1 (0%) 85 79	18, 29, 48, 72	0
45	CS	103/103 (100%)	3.82	79 (76%) 0 0	107, 133, 172, 185	0
45	DS	103/103 (100%)	-0.16	0 100 100	19, 41, 69, 91	0
46	CT	110/110 (100%)	2.28	55 (50%) 0 0	99, 127, 167, 182	0
46	DT	110/110 (100%)	-0.05	0 100 100	19, 33, 60, 116	0
47	CU	93/93 (100%)	3.54	67 (72%) 0 0	123, 147, 176, 185	0
47	DU	93/93 (100%)	0.57	5 (5%) 29 19	31, 53, 109, 124	0
48	CV	102/102 (100%)	4.69	85 (83%) 0 0	113, 161, 198, 209	0
48	DV	102/102 (100%)	0.44	10 (9%) 10 5	42, 60, 121, 157	0
49	CW	94/94 (100%)	2.41	49 (52%) 0 0	116, 137, 156, 161	0
49	DW	94/94 (100%)	-0.23	0 100 100	31, 51, 76, 86	0
50	CX	75/76 (98%)	3.19	41 (54%) 0 0	103, 126, 140, 170	0
50	DX	76/76 (100%)	-0.05	1 (1%) 79 71	25, 39, 64, 104	0
51	CY	77/77 (100%)	1.85	31 (40%) 0 0	97, 117, 142, 161	0
51	DY	77/77 (100%)	0.09	1 (1%) 79 71	38, 54, 88, 103	0
52	CZ	62/62 (100%)	4.12	49 (79%) 0 0	127, 163, 175, 186	0
52	DZ	62/62 (100%)	0.59	6 (9%) 10 5	48, 70, 103, 126	0
53	DI	135/135 (100%)	2.50	69 (51%) 0 0	78, 150, 197, 207	1 (0%)
54	DA	2873/2904 (98%)	0.46	123 (4%) 39 27	17, 44, 217, 299	0
All	All	20633/20745 (99%)	1.39	5069 (24%) 1 0	17, 108, 239, 299	1 (0%)

The worst 5 of 5069 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
36	DJ	54	PRO	28.0
36	CJ	69	PHE	27.5
36	CJ	76	ALA	25.4
36	DJ	53	LEU	23.7
36	CJ	14	ALA	23.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
31	OMG	CA	2251	24/25	0.88	0.23	-	85,90,93,93	0
54	5MU	DA	747	21/22	0.98	0.17	-	26,28,32,37	0
31	PSU	CA	2605	20/21	0.92	0.20	-	79,81,83,84	0
1	2MG	BA	1516	24/25	0.88	0.20	-	79,86,93,95	0
1	5MC	BA	967	21/22	0.72	0.33	-	149,158,161,161	0
31	2MG	CA	1835	24/25	0.93	0.17	-	71,73,76,77	0
31	2MA	CA	2503	23/24	0.78	0.30	-	107,109,110,110	0
54	OMG	DA	2251	24/25	0.98	0.17	-	23,27,30,30	0
54	PSU	DA	746	20/21	0.98	0.18	-	28,30,33,36	0
31	5MC	CA	1962	21/22	0.93	0.18	-	70,77,80,82	0
31	PSU	CA	1917	20/21	0.81	0.26	-	120,125,134,134	0
1	PSU	BA	516	20/21	0.90	0.16	-	80,89,91,94	0
31	5MU	CA	747	21/22	0.83	0.23	-	116,120,122,123	0
54	PSU	DA	1917	20/21	0.94	0.15	-	80,84,91,91	0
54	5MC	DA	1962	21/22	0.97	0.20	-	44,46,49,50	0
1	5MC	AA	1407	21/22	0.97	0.13	-	51,52,54,55	0
31	PSU	CA	746	20/21	0.84	0.22	-	116,118,119,120	0
54	H2U	DA	2449	20/21	0.98	0.20	-	24,27,28,32	0
54	6MZ	DA	1618	23/24	0.99	0.19	-	25,28,31,33	0
54	PSU	DA	2605	20/21	0.97	0.18	-	33,42,46,46	0
40	4D4	DN	81[B]	12/13	0.96	0.23	-	26,28,31,32	9
1	MA6	AA	1518	24/25	0.98	0.16	-	50,54,56,57	0
12	D2T	BL	89	10/11	0.88	0.28	-	83,85,93,94	0
31	2MG	CA	2445	24/25	0.86	0.34	-	97,100,102,102	0
40	4D4	DN	81[A]	12/13	0.96	0.23	-	30,36,49,50	9
31	6MZ	CA	1618	23/24	0.89	0.25	-	134,138,143,145	0
1	MA6	BA	1519	24/25	0.92	0.23	-	80,82,87,88	0
1	UR3	BA	1498	21/22	0.93	0.14	-	84,87,94,94	0
1	G7M	AA	527	24/25	0.97	0.15	-	55,58,62,63	0
1	MA6	BA	1518	24/25	0.92	0.23	-	84,86,92,93	0
1	4OC	BA	1402	22/23	0.94	0.16	-	74,77,79,80	0
54	PSU	DA	2604	20/21	0.96	0.20	-	36,42,53,53	0
1	PSU	AA	516	20/21	0.96	0.14	-	76,78,82,82	0
31	G7M	CA	2069	24/25	0.83	0.27	-	102,104,108,109	0
31	OMU	CA	2552	21/22	0.86	0.43	-	88,92,94,95	0
1	5MC	AA	967	21/22	0.93	0.16	-	74,88,90,91	0
31	OMC	CA	2498	21/22	0.91	0.26	-	91,94,95,95	0
54	2MG	DA	2445	24/25	0.98	0.20	-	14,25,28,29	0
31	6MZ	CA	2030	23/24	0.84	0.26	-	101,104,106,107	0
31	PSU	CA	1911	20/21	0.86	0.27	-	127,137,139,140	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	OMC	DA	2498	21/22	0.99	0.20	-	21,22,27,29	0
30	MEQ	DD	150[A]	10/11	0.96	0.24	-	17,22,27,29	10
31	3TD	CA	1915	21/22	0.80	0.30	-	149,155,157,158	0
1	2MG	AA	966	24/25	0.93	0.15	-	79,84,91,91	0
30	MEQ	CD	150	9/11	0.88	0.28	-	92,98,133,136	0
31	PSU	CA	2504	20/21	0.85	0.23	-	93,103,106,106	0
31	PSU	CA	955	20/21	0.83	0.23	-	100,105,108,108	0
1	2MG	AA	1207	24/25	0.92	0.15	-	99,103,105,108	0
54	PSU	DA	955	20/21	0.99	0.20	-	25,26,29,30	0
31	5MU	CA	1939	21/22	0.92	0.17	-	70,77,78,80	0
1	G7M	BA	527	24/25	0.94	0.14	-	70,73,78,79	0
54	PSU	DA	2504	20/21	0.98	0.18	-	45,53,56,57	0
54	6MZ	DA	2030	23/24	0.99	0.21	-	13,23,28,28	0
54	2MG	DA	1835	24/25	0.97	0.20	-	53,55,56,58	0
54	G7M	DA	2069	24/25	0.99	0.19	-	24,30,37,38	0
31	PSU	CA	2457	20/21	0.91	0.17	-	96,97,99,99	0
1	UR3	AA	1498	21/22	0.97	0.16	-	54,56,61,63	0
31	1MG	CA	745	24/25	0.91	0.25	-	103,107,111,114	0
54	2MA	DA	2503	23/24	0.98	0.19	-	26,42,46,47	0
54	PSU	DA	2457	20/21	0.99	0.18	-	20,28,30,31	0
54	3TD	DA	1915	21/22	0.91	0.21	-	105,110,116,117	0
54	OMU	DA	2552	21/22	0.98	0.22	-	35,37,44,47	0
1	2MG	BA	1207	24/25	0.87	0.27	-	150,152,156,160	0
40	4D4	CN	81	12/13	0.89	0.30	-	108,112,131,132	0
30	MEQ	DD	150[B]	10/11	0.96	0.24	-	25,29,41,41	10
31	PSU	CA	2580	20/21	0.86	0.20	-	93,99,101,101	0
1	2MG	BA	966	24/25	0.78	0.29	-	149,156,167,168	0
54	PSU	DA	2580	20/21	0.98	0.21	-	24,30,36,37	0
1	4OC	AA	1402	22/23	0.97	0.16	-	52,59,61,62	0
54	1MG	DA	745	24/25	0.99	0.20	-	19,26,31,33	0
54	5MU	DA	1939	21/22	0.98	0.19	-	31,36,38,39	0
12	D2T	AL	89	10/11	0.92	0.23	-	60,63,71,72	0
1	2MG	AA	1516	24/25	0.96	0.15	-	52,54,56,57	0
1	5MC	BA	1407	21/22	0.87	0.21	-	98,109,111,115	0
54	PSU	DA	1911	20/21	0.94	0.17	-	83,90,91,92	0
1	MA6	AA	1519	24/25	0.97	0.16	-	53,56,61,65	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
58	PUT	DA	3212	6/6	0.89	0.65	96.95	47,53,59,60	0
55	MG	CA	3132	1/1	0.68	0.98	43.35	129,129,129,129	0
57	MPD	DA	3203	8/8	0.74	0.60	41.42	89,92,98,99	0
61	PEG	DA	3217	7/7	0.64	0.64	32.39	92,95,99,99	0
58	PUT	AA	1674	6/6	0.77	0.57	28.82	88,90,91,91	0
63	PGE	DA	3213	10/10	0.82	0.48	26.68	83,85,89,89	0
55	MG	DA	3172	1/1	0.54	0.59	26.63	86,86,86,86	0
55	MG	DA	3182	1/1	0.45	0.43	25.45	65,65,65,65	0
61	PEG	DA	3200	7/7	0.78	0.56	25.22	56,57,59,61	0
55	MG	CA	3002	1/1	0.31	2.03	24.13	278,278,278,278	0
55	MG	AA	1661	1/1	0.51	1.15	21.20	182,182,182,182	0
58	PUT	DA	3218	6/6	0.79	0.41	21.13	73,74,75,75	0
61	PEG	D3	102	7/7	0.74	1.16	20.72	73,79,82,82	0
58	PUT	DA	3220	6/6	0.82	0.42	19.88	93,96,99,100	0
57	MPD	AA	1676	8/8	0.59	0.64	19.36	97,99,100,103	0
55	MG	AA	1607	1/1	0.95	0.56	17.62	91,91,91,91	0
64	SPD	DA	3183	10/10	0.92	0.41	17.50	48,57,60,60	0
58	PUT	DA	3221	6/6	0.78	0.40	16.87	45,46,49,51	0
62	EDO	DA	3001	4/4	0.86	0.37	16.24	74,76,76,77	0
61	PEG	DQ	201	7/7	0.47	0.95	15.91	104,105,105,106	0
63	PGE	D1	102	10/10	0.66	0.67	15.79	89,92,93,93	0
55	MG	DA	3177	1/1	0.93	0.32	15.31	84,84,84,84	0
58	PUT	AA	1673	6/6	0.81	0.35	14.24	122,122,123,123	0
63	PGE	D3	101	10/10	0.67	0.61	14.21	82,83,87,87	0
55	MG	CA	3021	1/1	0.86	0.79	12.95	182,182,182,182	0
64	SPD	DA	3205	10/10	0.79	0.34	12.82	76,83,85,85	0
56	PG4	DA	3193	13/13	0.86	0.69	12.81	59,61,70,71	0
58	PUT	AA	1672	6/6	0.67	0.72	12.50	98,98,100,101	0
58	PUT	DA	3189	6/6	0.91	0.31	12.04	38,44,47,47	0
55	MG	DA	3127	1/1	0.98	0.34	11.69	71,71,71,71	0
57	MPD	DE	302	8/8	0.77	0.60	11.63	92,94,95,96	0
58	PUT	DA	3195	6/6	0.81	0.40	11.46	49,55,59,60	0
55	MG	DA	3125	1/1	0.74	0.46	11.22	84,84,84,84	0
65	1PE	DA	3202	16/16	0.85	0.42	11.19	52,59,65,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
57	MPD	DE	301	8/8	0.80	0.64	11.17	98,102,104,105	0
55	MG	CA	3146	1/1	0.58	0.49	10.01	76,76,76,76	1
55	MG	DA	3065	1/1	0.89	0.37	9.93	59,59,59,59	0
55	MG	CA	3109	1/1	0.03	0.99	9.34	175,175,175,175	0
57	MPD	DA	3192	8/8	0.85	0.46	8.95	68,72,74,74	0
62	EDO	DA	3197	4/4	0.92	0.27	8.82	66,66,67,67	0
66	ACY	DA	3201	4/4	0.91	0.28	7.99	53,56,57,57	0
63	PGE	DA	3224	10/10	0.83	0.34	7.58	79,85,88,88	0
57	MPD	AA	1671	8/8	0.90	0.72	7.54	96,98,99,101	0
56	PG4	DA	3215	13/13	0.83	0.27	7.50	91,98,100,100	0
63	PGE	DD	301	10/10	0.84	0.34	7.33	63,66,69,69	0
55	MG	AA	1642	1/1	0.67	0.41	7.09	153,153,153,153	0
64	SPD	DA	3223	10/10	0.92	0.27	7.00	39,42,46,46	0
57	MPD	DA	3206	8/8	0.72	0.53	6.85	93,94,95,95	0
56	PG4	DS	202	13/13	0.90	0.30	6.56	49,51,61,62	0
63	PGE	DU	101	10/10	0.85	0.44	6.26	62,68,78,78	0
65	1PE	DA	3185	16/16	0.90	0.22	5.82	42,50,62,64	0
61	PEG	D1	103	7/7	0.81	0.36	5.77	57,60,61,63	0
55	MG	CA	3136	1/1	0.74	0.59	5.74	156,156,156,156	0
62	EDO	D1	101	4/4	0.84	0.29	5.22	63,64,67,70	0
58	PUT	DA	3204	6/6	0.90	0.33	5.08	63,65,68,69	0
55	MG	AA	1612	1/1	0.86	0.30	5.03	65,65,65,65	0
55	MG	DA	3038	1/1	0.96	0.23	5.00	27,27,27,27	0
55	MG	CA	3130	1/1	0.85	0.36	4.89	101,101,101,101	0
61	PEG	AL	201	7/7	0.79	0.33	4.84	78,79,82,82	0
55	MG	CA	3025	1/1	0.24	0.48	4.41	180,180,180,180	0
55	MG	DA	3163	1/1	0.56	0.19	4.36	76,76,76,76	0
55	MG	DA	3014	1/1	0.98	0.29	4.13	24,24,24,24	0
64	SPD	DA	3187	10/10	0.93	0.25	3.96	32,35,43,46	0
56	PG4	BA	1601	13/13	0.82	0.33	3.83	90,95,98,99	0
58	PUT	DA	3211	6/6	0.84	0.28	3.75	57,65,66,66	0
55	MG	DA	3027	1/1	0.93	0.25	3.61	76,76,76,76	0
63	PGE	DS	201	10/10	0.84	0.32	3.24	61,66,67,68	0
55	MG	BA	1603	1/1	0.92	0.28	3.07	95,95,95,95	0
55	MG	CA	3150	1/1	0.85	0.30	3.01	80,80,80,80	0
55	MG	DA	3133	1/1	0.82	0.22	2.72	70,70,70,70	0
67	GUN	DA	3210	11/11	0.77	0.32	2.67	66,68,71,71	0
56	PG4	AA	1670	13/13	0.85	0.22	2.23	80,86,94,94	0
62	EDO	DA	3198	4/4	0.94	0.25	2.11	53,55,55,55	0
55	MG	DA	3128	1/1	0.91	0.20	1.75	73,73,73,73	0
55	MG	DA	3148	1/1	0.83	0.21	1.70	123,123,123,123	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
55	MG	DA	3111	1/1	0.96	0.21	1.70	38,38,38,38	0
55	MG	CA	3104	1/1	0.71	0.40	1.63	252,252,252,252	0
61	PEG	DL	201	7/7	0.88	0.21	1.50	69,70,71,71	0
56	PG4	DQ	202	13/13	0.86	0.26	1.37	62,65,71,71	0
55	MG	DA	3095	1/1	0.99	0.22	1.29	38,38,38,38	0
55	MG	AA	1647	1/1	0.97	0.20	1.15	201,201,201,201	0
55	MG	DA	3024	1/1	0.99	0.23	0.93	42,42,42,42	0
55	MG	DA	3023	1/1	0.98	0.20	0.83	27,27,27,27	0
59	TAC	AA	1678	32/32	0.90	0.19	0.50	64,73,81,82	0
55	MG	BA	1628	1/1	0.90	0.22	0.40	97,97,97,97	0
55	MG	BA	1616	1/1	0.81	0.17	0.35	136,136,136,136	0
55	MG	CA	3031	1/1	0.43	0.41	0.22	257,257,257,257	0
55	MG	CA	3088	1/1	0.89	0.23	0.14	90,90,90,90	0
55	MG	DA	3091	1/1	0.92	0.23	-0.01	28,28,28,28	0
55	MG	CA	3032	1/1	0.28	0.33	-0.08	194,194,194,194	0
55	MG	CA	3030	1/1	0.79	0.33	-0.10	128,128,128,128	0
55	MG	DA	3025	1/1	0.98	0.21	-0.14	26,26,26,26	0
57	MPD	DS	203	8/8	0.97	0.23	-0.17	36,40,42,44	0
55	MG	DA	3094	1/1	0.98	0.19	-0.26	25,25,25,25	0
55	MG	CA	3152	1/1	0.84	0.23	-0.40	87,87,87,87	0
55	MG	CA	3036	1/1	0.95	0.30	-0.47	235,235,235,235	0
55	MG	CA	3101	1/1	0.68	0.24	-0.50	115,115,115,115	0
55	MG	AA	1662	1/1	0.97	0.19	-0.71	84,84,84,84	0
55	MG	AA	1611	1/1	0.78	0.18	-0.71	88,88,88,88	0
55	MG	CA	3135	1/1	0.96	0.23	-0.84	90,90,90,90	0
55	MG	CA	3098	1/1	0.54	0.27	-0.86	231,231,231,231	0
55	MG	CA	3093	1/1	0.76	0.26	-0.94	151,151,151,151	0
55	MG	AA	1679	1/1	0.86	0.19	-0.98	163,163,163,163	0
55	MG	CA	3018	1/1	0.94	0.18	-1.01	78,78,78,78	0
58	PUT	DA	3002	6/6	0.96	0.21	-1.03	39,41,44,47	0
55	MG	AA	1657	1/1	0.73	0.20	-1.07	144,144,144,144	0
55	MG	DA	3113	1/1	0.98	0.21	-1.07	25,25,25,25	0
55	MG	CA	3010	1/1	0.97	0.27	-1.08	99,99,99,99	0
55	MG	BA	1626	1/1	0.36	0.20	-1.11	264,264,264,264	0
55	MG	BA	1615	1/1	0.94	0.18	-1.19	70,70,70,70	0
55	MG	CA	3053	1/1	0.26	0.18	-1.30	134,134,134,134	0
55	MG	AA	1668	1/1	0.97	0.14	-1.31	40,40,40,40	0
55	MG	CA	3017	1/1	0.85	0.17	-1.37	124,124,124,124	0
60	ZN	C5	101	1/1	0.97	0.08	-1.40	139,139,139,139	0
55	MG	CA	3008	1/1	0.90	0.23	-1.42	244,244,244,244	0
55	MG	AA	1644	1/1	0.76	0.14	-1.47	83,83,83,83	0
55	MG	DA	3018	1/1	0.98	0.19	-1.49	29,29,29,29	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
55	MG	CA	3060	1/1	0.58	0.15	-1.51	256,256,256,256	0
55	MG	CA	3102	1/1	0.81	0.18	-1.53	115,115,115,115	0
55	MG	CA	3062	1/1	0.84	0.24	-1.62	196,196,196,196	0
55	MG	DB	201	1/1	0.96	0.14	-1.65	63,63,63,63	0
55	MG	DA	3010	1/1	0.98	0.15	-1.70	24,24,24,24	0
60	ZN	D5	101	1/1	0.98	0.15	-1.76	55,55,55,55	0
55	MG	CA	3099	1/1	0.90	0.21	-1.81	101,101,101,101	0
55	MG	CA	3078	1/1	0.88	0.20	-1.86	134,134,134,134	0
59	TAC	BA	1602	32/32	0.85	0.15	-1.91	170,172,172,172	0
55	MG	BA	1624	1/1	0.87	0.12	-1.99	97,97,97,97	0
55	MG	CA	3094	1/1	0.94	0.08	-2.19	73,73,73,73	0
55	MG	AA	1637	1/1	0.86	0.08	-2.28	49,49,49,49	0
55	MG	CB	202	1/1	0.78	0.08	-2.29	128,128,128,128	0
55	MG	DA	3011	1/1	0.97	0.16	-2.34	24,24,24,24	0
55	MG	DA	3047	1/1	0.99	0.20	-2.38	34,34,34,34	0
55	MG	DA	3007	1/1	0.96	0.10	-2.41	111,111,111,111	0
55	MG	DA	3015	1/1	0.98	0.18	-2.42	17,17,17,17	0
55	MG	AA	1663	1/1	0.88	0.17	-2.47	76,76,76,76	0
55	MG	DA	3136	1/1	0.77	0.15	-2.60	100,100,100,100	0
55	MG	CB	201	1/1	0.96	0.06	-2.66	157,157,157,157	0
55	MG	DA	3036	1/1	0.94	0.18	-2.66	41,41,41,41	0
55	MG	BA	1614	1/1	0.93	0.13	-2.69	123,123,123,123	0
55	MG	CA	3012	1/1	0.72	0.21	-2.69	134,134,134,134	0
55	MG	BA	1610	1/1	0.66	0.15	-2.75	119,119,119,119	0
55	MG	DA	3104	1/1	0.99	0.13	-2.78	59,59,59,59	0
55	MG	DA	3227	1/1	0.93	0.14	-2.98	52,52,52,52	0
55	MG	DA	3123	1/1	0.95	0.15	-3.00	83,83,83,83	0
55	MG	BA	1619	1/1	0.40	0.13	-3.14	122,122,122,122	0
55	MG	DA	3044	1/1	0.98	0.14	-3.15	36,36,36,36	0
55	MG	DA	3032	1/1	0.95	0.19	-3.22	34,34,34,34	0
55	MG	CA	3050	1/1	0.94	0.16	-3.23	102,102,102,102	0
55	MG	DA	3059	1/1	0.98	0.14	-3.26	32,32,32,32	0
55	MG	DA	3019	1/1	0.98	0.12	-3.27	47,47,47,47	0
55	MG	CA	3039	1/1	0.65	0.12	-3.37	124,124,124,124	0
55	MG	DA	3110	1/1	0.99	0.20	-3.39	20,20,20,20	0
55	MG	BA	1607	1/1	0.89	0.09	-3.50	118,118,118,118	0
55	MG	AA	1633	1/1	0.84	0.12	-3.51	110,110,110,110	0
55	MG	DA	3060	1/1	0.98	0.13	-3.53	29,29,29,29	0
55	MG	BA	1622	1/1	0.95	0.11	-3.53	82,82,82,82	0
55	MG	DA	3064	1/1	0.97	0.12	-3.56	63,63,63,63	0
55	MG	CA	3085	1/1	0.69	0.18	-3.63	82,82,82,82	0
55	MG	DA	3072	1/1	0.98	0.12	-3.65	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
55	MG	CA	3051	1/1	0.88	0.11	-3.73	82,82,82,82	0
55	MG	CA	3005	1/1	0.85	0.18	-3.84	224,224,224,224	0
55	MG	DA	3051	1/1	0.98	0.14	-3.88	24,24,24,24	0
55	MG	CA	3100	1/1	0.83	0.10	-3.90	135,135,135,135	0
55	MG	CA	3019	1/1	0.87	0.09	-3.91	102,102,102,102	0
55	MG	DA	3085	1/1	0.98	0.15	-3.92	45,45,45,45	0
55	MG	AA	1656	1/1	0.91	0.14	-4.05	124,124,124,124	0
55	MG	AA	1639	1/1	0.87	0.07	-4.22	120,120,120,120	0
55	MG	CA	3087	1/1	0.90	0.10	-4.44	91,91,91,91	0
55	MG	AA	1643	1/1	0.97	0.14	-4.77	64,64,64,64	0
60	ZN	AB	301	1/1	0.71	0.18	-4.80	198,198,198,198	0
55	MG	BA	1617	1/1	0.97	0.07	-5.12	65,65,65,65	0
55	MG	DA	3067	1/1	0.99	0.09	-5.15	51,51,51,51	0
55	MG	CA	3023	1/1	0.92	0.13	-5.24	134,134,134,134	0
55	MG	BA	1634	1/1	0.93	0.09	-5.32	66,66,66,66	0
55	MG	AA	1659	1/1	0.92	0.04	-5.49	73,73,73,73	0
55	MG	DA	3229	1/1	0.98	0.08	-5.51	38,38,38,38	0
55	MG	BA	1604	1/1	0.91	0.07	-5.55	99,99,99,99	0
55	MG	DA	3102	1/1	0.96	0.11	-5.63	52,52,52,52	0
55	MG	DA	3093	1/1	0.95	0.16	-5.83	31,31,31,31	0
63	PGE	DA	3186	10/10	0.96	0.15	-5.84	29,33,36,37	0
55	MG	CA	3043	1/1	0.96	0.10	-5.84	73,73,73,73	0
55	MG	DA	3100	1/1	0.96	0.16	-5.91	34,34,34,34	0
55	MG	CA	3143	1/1	0.80	0.08	-6.14	85,85,85,85	0
55	MG	BA	1612	1/1	0.87	0.07	-6.29	101,101,101,101	0
55	MG	AA	1631	1/1	0.98	0.07	-6.54	60,60,60,60	0
55	MG	DA	3030	1/1	0.97	0.13	-6.66	14,14,14,14	0
55	MG	DA	3096	1/1	0.93	0.10	-6.91	51,51,51,51	0
55	MG	AA	1646	1/1	0.95	0.07	-6.93	53,53,53,53	0
55	MG	DA	3098	1/1	0.97	0.08	-6.96	39,39,39,39	0
55	MG	DA	3005	1/1	0.88	0.12	-7.00	69,69,69,69	0
55	MG	DA	3151	1/1	0.80	0.10	-7.84	54,54,54,54	0
55	MG	DD	302	1/1	0.97	0.09	-7.92	53,53,53,53	0
55	MG	DA	3028	1/1	0.98	0.16	-8.37	41,41,41,41	0
55	MG	DA	3048	1/1	0.99	0.12	-11.06	47,47,47,47	0
55	MG	DA	3103	1/1	0.93	0.10	-11.21	46,46,46,46	0
55	MG	AA	1629	1/1	0.97	0.08	-12.81	82,82,82,82	0
55	MG	AA	1648	1/1	0.98	0.09	-13.04	63,63,63,63	0
55	MG	AA	1653	1/1	0.95	0.06	-14.03	81,81,81,81	0
55	MG	DA	3008	1/1	0.97	0.07	-21.33	73,73,73,73	0
55	MG	DA	3037	1/1	0.99	0.21	-	26,26,26,26	0
58	PUT	DA	3184	6/6	0.87	0.36	-	45,45,47,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
55	MG	AA	1604	1/1	0.83	0.35	-	64,64,64,64	0
55	MG	DA	3086	1/1	0.97	0.16	-	41,41,41,41	0
57	MPD	DT	201	8/8	0.76	0.36	-	85,87,92,92	0
55	MG	DA	3112	1/1	0.63	0.50	-	291,291,291,291	0
55	MG	DA	3049	1/1	0.93	0.13	-	31,31,31,31	0
55	MG	DR	203	1/1	0.92	0.44	-	108,108,108,108	0
55	MG	BA	1609	1/1	0.89	0.35	-	172,172,172,172	0
57	MPD	DA	3209	8/8	0.86	0.35	-	65,68,71,72	0
55	MG	DB	209	1/1	0.74	0.81	-	87,87,87,87	0
55	MG	DA	3122	1/1	0.88	0.26	-	86,86,86,86	0
55	MG	CA	3026	1/1	0.73	0.30	-	123,123,123,123	0
55	MG	DA	3173	1/1	0.56	0.89	-	77,77,77,77	0
55	MG	CA	3097	1/1	0.93	0.10	-	110,110,110,110	0
55	MG	CA	3057	1/1	0.70	0.34	-	128,128,128,128	0
55	MG	AA	1625	1/1	0.81	0.35	-	63,63,63,63	0
55	MG	CA	3024	1/1	0.92	0.25	-	104,104,104,104	0
55	MG	CA	3034	1/1	0.88	0.31	-	144,144,144,144	0
55	MG	BA	1629	1/1	0.63	1.63	-	124,124,124,124	0
55	MG	AA	1609	1/1	0.76	0.28	-	96,96,96,96	0
55	MG	AA	1610	1/1	0.76	0.52	-	97,97,97,97	0
55	MG	CB	203	1/1	0.13	0.11	-	146,146,146,146	0
55	MG	DA	3156	1/1	0.92	0.27	-	74,74,74,74	0
55	MG	BA	1608	1/1	0.47	0.18	-	243,243,243,243	0
55	MG	AA	1650	1/1	0.97	0.08	-	75,75,75,75	0
62	EDO	DA	3194	4/4	0.88	0.29	-	60,61,62,63	0
55	MG	DA	3041	1/1	0.94	0.08	-	50,50,50,50	0
55	MG	AA	1638	1/1	0.96	0.22	-	94,94,94,94	0
55	MG	DA	3134	1/1	0.82	0.25	-	65,65,65,65	0
55	MG	CA	3107	1/1	0.82	0.35	-	90,90,90,90	0
55	MG	AA	1613	1/1	0.91	0.97	-	68,68,68,68	0
55	MG	CA	3149	1/1	0.92	0.63	-	73,73,73,73	0
55	MG	CA	3045	1/1	0.95	0.08	-	142,142,142,142	0
55	MG	CA	3037	1/1	-0.11	0.45	-	256,256,256,256	0
55	MG	CA	3080	1/1	0.86	0.08	-	120,120,120,120	0
62	EDO	DA	3208	4/4	0.57	0.57	-	88,90,91,91	0
55	MG	DA	3142	1/1	0.92	0.36	-	73,73,73,73	0
56	PG4	DR	202	13/13	0.79	0.47	-	55,64,74,75	0
55	MG	DA	3118	1/1	0.88	0.24	-	65,65,65,65	0
58	PUT	DA	3188	6/6	0.93	0.25	-	30,31,33,39	0
55	MG	DA	3140	1/1	0.97	0.12	-	43,43,43,43	0
55	MG	CA	3059	1/1	0.02	0.72	-	240,240,240,240	0
55	MG	DA	3021	1/1	0.98	0.09	-	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
55	MG	DA	3063	1/1	0.92	0.24	-	219,219,219,219	0
55	MG	DA	3109	1/1	0.98	0.10	-	29,29,29,29	0
55	MG	CA	3072	1/1	0.97	0.51	-	255,255,255,255	0
55	MG	DA	3082	1/1	0.93	0.08	-	57,57,57,57	0
55	MG	AA	1626	1/1	0.47	1.85	-	104,104,104,104	0
55	MG	CA	3139	1/1	-0.17	0.64	-	128,128,128,128	0
55	MG	DA	3045	1/1	0.85	0.14	-	90,90,90,90	0
55	MG	DA	3121	1/1	0.93	0.40	-	90,90,90,90	0
55	MG	DA	3076	1/1	0.98	0.12	-	25,25,25,25	0
55	MG	DA	3074	1/1	0.98	0.16	-	32,32,32,32	0
55	MG	CA	3061	1/1	0.93	0.21	-	227,227,227,227	0
55	MG	CA	3110	1/1	0.30	1.04	-	141,141,141,141	0
55	MG	CA	3124	1/1	0.85	0.49	-	127,127,127,127	0
55	MG	AA	1623	1/1	0.76	0.68	-	74,74,74,74	0
55	MG	CA	3148	1/1	0.69	0.70	-	80,80,80,80	0
55	MG	CA	3027	1/1	0.47	0.26	-	277,277,277,277	0
55	MG	BA	1631	1/1	0.84	0.67	-	151,151,151,151	0
55	MG	CA	3127	1/1	0.73	0.27	-	85,85,85,85	0
55	MG	AA	1617	1/1	0.64	0.42	-	93,93,93,93	0
55	MG	CA	3120	1/1	0.88	0.38	-	75,75,75,75	0
55	MG	CA	3129	1/1	-0.01	0.75	-	118,118,118,118	0
55	MG	DA	3012	1/1	0.97	0.14	-	39,39,39,39	0
55	MG	CA	3013	1/1	0.62	0.22	-	251,251,251,251	0
55	MG	DA	3137	1/1	0.98	0.25	-	55,55,55,55	0
55	MG	DA	3126	1/1	0.78	0.26	-	70,70,70,70	0
55	MG	AA	1654	1/1	0.23	0.35	-	241,241,241,241	0
55	MG	BA	1606	1/1	0.53	0.26	-	190,190,190,190	0
55	MG	DA	3144	1/1	0.87	0.47	-	65,65,65,65	0
58	PUT	DA	3222	6/6	0.94	0.25	-	46,49,51,52	0
55	MG	DA	3145	1/1	0.41	0.81	-	111,111,111,111	0
55	MG	CA	3090	1/1	0.88	0.11	-	106,106,106,106	0
55	MG	DA	3114	1/1	0.90	0.10	-	59,59,59,59	0
55	MG	DA	3080	1/1	0.93	0.08	-	105,105,105,105	0
55	MG	BA	1645	1/1	0.98	0.06	-	87,87,87,87	0
55	MG	DA	3046	1/1	0.98	0.05	-	47,47,47,47	0
55	MG	DA	3056	1/1	0.97	0.21	-	39,39,39,39	0
55	MG	CA	3044	1/1	0.76	0.09	-	93,93,93,93	0
55	MG	BA	1642	1/1	0.89	0.70	-	164,164,164,164	0
55	MG	DA	3147	1/1	0.72	0.37	-	98,98,98,98	0
55	MG	AA	1624	1/1	0.61	1.11	-	92,92,92,92	0
55	MG	DA	3162	1/1	0.94	0.20	-	70,70,70,70	0
55	MG	DA	3174	1/1	0.85	0.39	-	79,79,79,79	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
55	MG	DA	3101	1/1	0.98	0.19	-	30,30,30,30	0
55	MG	BA	1625	1/1	0.61	1.00	-	231,231,231,231	0
55	MG	DA	3062	1/1	0.98	0.15	-	33,33,33,33	0
55	MG	CA	3122	1/1	-0.23	1.55	-	182,182,182,182	0
55	MG	DA	3179	1/1	0.34	0.71	-	100,100,100,100	0
55	MG	DA	3135	1/1	0.91	0.40	-	73,73,73,73	0
55	MG	CA	3155	1/1	-0.02	0.24	-	240,240,240,240	0
55	MG	AA	1636	1/1	0.65	0.24	-	103,103,103,103	0
55	MG	CA	3009	1/1	0.46	0.23	-	217,217,217,217	0
55	MG	DA	3017	1/1	0.98	0.12	-	56,56,56,56	0
55	MG	AA	1641	1/1	0.89	0.08	-	81,81,81,81	0
61	PEG	DA	3199	7/7	0.83	0.41	-	62,66,69,69	0
55	MG	DA	3092	1/1	0.99	0.15	-	18,18,18,18	0
55	MG	CA	3119	1/1	0.50	0.61	-	188,188,188,188	0
55	MG	CA	3091	1/1	0.77	0.35	-	202,202,202,202	0
55	MG	DA	3050	1/1	0.93	0.14	-	35,35,35,35	0
55	MG	CA	3131	1/1	0.78	0.48	-	145,145,145,145	0
55	MG	CA	3049	1/1	0.86	0.13	-	81,81,81,81	0
55	MG	CA	3069	1/1	0.81	0.06	-	95,95,95,95	0
55	MG	BA	1621	1/1	0.94	0.15	-	103,103,103,103	0
55	MG	DA	3119	1/1	0.97	0.07	-	53,53,53,53	0
62	EDO	DA	3207	4/4	0.89	0.33	-	57,58,59,59	0
55	MG	AA	1665	1/1	0.78	0.31	-	158,158,158,158	0
55	MG	CA	3046	1/1	0.70	0.45	-	228,228,228,228	0
55	MG	CA	3029	1/1	0.94	0.16	-	113,113,113,113	0
55	MG	AA	1615	1/1	0.59	0.55	-	81,81,81,81	0
55	MG	CA	3154	1/1	0.86	0.37	-	200,200,200,200	0
55	MG	DA	3159	1/1	0.43	0.62	-	74,74,74,74	0
55	MG	DA	3139	1/1	0.91	0.64	-	58,58,58,58	1
55	MG	AA	1605	1/1	0.53	0.64	-	97,97,97,97	0
55	MG	DA	3040	1/1	0.93	0.16	-	30,30,30,30	0
55	MG	DA	3115	1/1	0.96	0.16	-	35,35,35,35	0
57	MPD	DK	201	8/8	0.83	0.25	-	91,92,94,95	0
55	MG	AA	1619	1/1	0.83	0.34	-	94,94,94,94	0
55	MG	BA	1627	1/1	0.68	0.21	-	264,264,264,264	0
55	MG	CA	3123	1/1	0.78	0.24	-	199,199,199,199	0
55	MG	DA	3078	1/1	0.96	0.10	-	32,32,32,32	0
55	MG	DA	3154	1/1	0.84	0.40	-	58,58,58,58	0
55	MG	BA	1643	1/1	0.75	0.32	-	134,134,134,134	0
55	MG	DA	3043	1/1	0.94	0.13	-	34,34,34,34	0
55	MG	CA	3079	1/1	0.77	0.52	-	177,177,177,177	0
55	MG	AA	1632	1/1	0.69	0.15	-	110,110,110,110	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
55	MG	CA	3081	1/1	0.73	0.35	-	153,153,153,153	0
55	MG	DA	3129	1/1	0.72	1.15	-	69,69,69,69	0
55	MG	CA	3115	1/1	0.92	0.60	-	76,76,76,76	0
55	MG	DA	3079	1/1	0.90	0.08	-	76,76,76,76	0
55	MG	CA	3052	1/1	0.94	0.19	-	96,96,96,96	0
55	MG	CA	3011	1/1	0.60	0.27	-	120,120,120,120	0
55	MG	CA	3063	1/1	0.77	0.61	-	257,257,257,257	0
55	MG	CA	3020	1/1	0.89	0.54	-	269,269,269,269	0
55	MG	BA	1639	1/1	0.81	0.67	-	88,88,88,88	0
55	MG	CA	3055	1/1	0.27	0.58	-	94,94,94,94	0
55	MG	DA	3016	1/1	0.97	0.18	-	62,62,62,62	0
55	MG	DA	3124	1/1	0.65	0.32	-	102,102,102,102	0
55	MG	CA	3141	1/1	0.26	0.41	-	115,115,115,115	0
55	MG	CA	3065	1/1	0.82	0.17	-	119,119,119,119	0
55	MG	BA	1633	1/1	0.90	0.08	-	57,57,57,57	0
55	MG	DA	3034	1/1	0.98	0.15	-	29,29,29,29	0
55	MG	DA	3088	1/1	0.96	0.14	-	56,56,56,56	0
55	MG	DA	3107	1/1	1.00	0.16	-	39,39,39,39	0
55	MG	CA	3082	1/1	0.74	0.20	-	229,229,229,229	0
55	MG	DA	3171	1/1	0.37	0.55	-	83,83,83,83	0
55	MG	DA	3132	1/1	0.88	0.29	-	66,66,66,66	0
55	MG	DA	3149	1/1	0.94	0.20	-	66,66,66,66	0
55	MG	CA	3108	1/1	0.93	0.41	-	72,72,72,72	0
55	MG	AA	1655	1/1	0.85	0.07	-	100,100,100,100	0
55	MG	CA	3070	1/1	0.42	0.20	-	188,188,188,188	0
55	MG	CA	3033	1/1	0.47	0.42	-	246,246,246,246	0
55	MG	DA	3029	1/1	0.94	0.14	-	49,49,49,49	0
55	MG	CA	3022	1/1	0.89	0.16	-	142,142,142,142	0
55	MG	DA	3157	1/1	0.72	0.46	-	69,69,69,69	0
68	TRS	DA	3219	8/8	0.71	0.48	-	95,98,100,101	0
55	MG	CA	3040	1/1	0.85	0.11	-	71,71,71,71	0
55	MG	AA	1614	1/1	0.65	0.51	-	126,126,126,126	0
55	MG	DA	3083	1/1	0.95	0.07	-	60,60,60,60	0
55	MG	CA	3066	1/1	0.68	0.78	-	284,284,284,284	0
55	MG	DA	3097	1/1	0.87	0.12	-	45,45,45,45	0
55	MG	DA	3077	1/1	0.95	0.14	-	22,22,22,22	0
55	MG	CA	3103	1/1	0.80	0.47	-	260,260,260,260	0
55	MG	BA	1618	1/1	0.87	0.12	-	144,144,144,144	0
55	MG	CA	3095	1/1	0.86	0.10	-	112,112,112,112	0
55	MG	DM	201	1/1	0.94	0.04	-	55,55,55,55	0
55	MG	DA	3057	1/1	0.95	0.12	-	49,49,49,49	0
55	MG	BA	1630	1/1	0.97	0.12	-	101,101,101,101	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
55	MG	AA	1652	1/1	0.98	0.24	-	40,40,40,40	0
55	MG	DA	3120	1/1	0.97	0.33	-	48,48,48,48	0
55	MG	DB	207	1/1	0.90	0.91	-	99,99,99,99	0
55	MG	CA	3092	1/1	0.57	0.13	-	113,113,113,113	0
55	MG	DA	3090	1/1	0.92	0.20	-	21,21,21,21	0
55	MG	DA	3180	1/1	0.49	1.29	-	99,99,99,99	0
55	MG	CA	3004	1/1	0.12	1.51	-	243,243,243,243	0
55	MG	CA	3042	1/1	0.96	0.09	-	92,92,92,92	0
66	ACY	DA	3196	4/4	0.80	0.29	-	79,80,80,80	0
55	MG	CA	3134	1/1	0.67	0.58	-	99,99,99,99	0
55	MG	DB	208	1/1	0.91	0.26	-	66,66,66,66	0
55	MG	DA	3175	1/1	0.58	0.60	-	85,85,85,85	0
55	MG	DA	3026	1/1	1.00	0.10	-	29,29,29,29	0
55	MG	AA	1621	1/1	0.74	0.43	-	88,88,88,88	0
55	MG	BA	1623	1/1	0.80	0.28	-	37,37,37,37	0
55	MG	CA	3047	1/1	0.91	0.15	-	94,94,94,94	0
55	MG	CA	3075	1/1	0.47	0.11	-	215,215,215,215	0
55	MG	CA	3016	1/1	0.77	0.08	-	106,106,106,106	0
55	MG	DA	3054	1/1	0.97	0.09	-	47,47,47,47	0
55	MG	BA	1605	1/1	0.67	0.32	-	250,250,250,250	0
66	ACY	DA	3191	4/4	0.96	0.18	-	55,55,56,57	0
55	MG	CA	3076	1/1	0.65	0.59	-	246,246,246,246	0
55	MG	CA	3073	1/1	0.93	0.28	-	197,197,197,197	0
55	MG	DA	3058	1/1	0.98	0.06	-	37,37,37,37	0
55	MG	CA	3153	1/1	0.48	0.48	-	138,138,138,138	0
55	MG	DA	3116	1/1	0.98	0.12	-	45,45,45,45	0
55	MG	AA	1651	1/1	0.92	0.14	-	68,68,68,68	0
55	MG	CA	3054	1/1	0.41	0.16	-	201,201,201,201	0
55	MG	AA	1608	1/1	0.86	0.51	-	97,97,97,97	0
55	MG	DA	3035	1/1	0.98	0.17	-	20,20,20,20	0
55	MG	DA	3020	1/1	0.96	0.31	-	11,11,11,11	0
55	MG	BA	1611	1/1	0.85	0.13	-	191,191,191,191	0
61	PEG	DA	3226	7/7	0.89	0.32	-	55,59,63,64	0
55	MG	CA	3096	1/1	0.88	0.14	-	117,117,117,117	0
55	MG	AA	1627	1/1	0.73	0.36	-	88,88,88,88	0
55	MG	DA	3164	1/1	0.85	0.40	-	75,75,75,75	0
55	MG	DA	3033	1/1	0.97	0.19	-	19,19,19,19	0
55	MG	DA	3152	1/1	0.94	0.29	-	43,43,43,43	0
55	MG	DA	3106	1/1	0.99	0.17	-	32,32,32,32	0
55	MG	DA	3170	1/1	0.71	0.45	-	80,80,80,80	0
55	MG	DR	201	1/1	0.79	0.63	-	55,55,55,55	0
62	EDO	DA	3004	4/4	0.76	0.42	-	112,113,114,114	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
55	MG	CA	3114	1/1	0.80	0.37	-	102,102,102,102	0
55	MG	AA	1645	1/1	0.91	0.07	-	48,48,48,48	0
55	MG	CA	3140	1/1	0.70	0.47	-	91,91,91,91	0
55	MG	AA	1630	1/1	0.86	0.18	-	124,124,124,124	0
55	MG	CA	3067	1/1	0.66	0.18	-	239,239,239,239	0
55	MG	BA	1640	1/1	0.48	0.77	-	101,101,101,101	0
55	MG	CA	3068	1/1	0.81	0.19	-	107,107,107,107	0
55	MG	BA	1644	1/1	0.74	0.12	-	87,87,87,87	0
55	MG	DA	3108	1/1	0.90	0.18	-	39,39,39,39	0
55	MG	DA	3052	1/1	0.97	0.12	-	33,33,33,33	0
55	MG	AA	1669	1/1	0.92	0.11	-	109,109,109,109	0
55	MG	DA	3143	1/1	0.89	0.38	-	93,93,93,93	0
55	MG	DA	3158	1/1	0.94	0.09	-	55,55,55,55	0
55	MG	DA	3230	1/1	0.97	0.34	-	37,37,37,37	0
55	MG	DB	206	1/1	0.44	0.48	-	106,106,106,106	0
55	MG	CA	3137	1/1	0.82	0.13	-	95,95,95,95	0
55	MG	DA	3131	1/1	0.79	0.32	-	85,85,85,85	0
62	EDO	DA	3003	4/4	0.86	0.44	-	47,49,50,50	0
57	MPD	DA	3190	8/8	0.89	0.26	-	87,88,89,93	0
55	MG	DA	3166	1/1	0.79	0.96	-	92,92,92,92	0
55	MG	CA	3038	1/1	0.60	0.58	-	154,154,154,154	0
55	MG	AA	1601	1/1	0.70	1.54	-	100,100,100,100	0
55	MG	DA	3031	1/1	0.99	0.17	-	35,35,35,35	0
55	MG	DA	3176	1/1	0.69	0.46	-	91,91,91,91	0
55	MG	DA	3155	1/1	0.76	0.58	-	71,71,71,71	0
55	MG	CA	3015	1/1	0.75	0.29	-	143,143,143,143	0
62	EDO	DA	3214	4/4	0.88	0.28	-	74,74,74,75	0
55	MG	AA	1622	1/1	-0.27	1.24	-	119,119,119,119	0
55	MG	AA	1634	1/1	0.86	0.11	-	106,106,106,106	0
55	MG	AA	1649	1/1	0.92	0.10	-	58,58,58,58	0
55	MG	DA	3069	1/1	0.99	0.19	-	36,36,36,36	0
55	MG	BA	1635	1/1	0.66	0.13	-	226,226,226,226	0
55	MG	DA	3165	1/1	0.86	0.29	-	74,74,74,74	0
55	MG	DA	3075	1/1	0.98	0.06	-	39,39,39,39	0
61	PEG	DP	201	7/7	0.77	0.61	-	90,92,94,94	0
55	MG	CA	3145	1/1	0.22	0.49	-	234,234,234,234	0
55	MG	CA	3064	1/1	0.81	0.14	-	107,107,107,107	0
55	MG	DB	205	1/1	0.94	0.20	-	64,64,64,64	0
55	MG	CA	3035	1/1	0.88	0.33	-	201,201,201,201	0
55	MG	DA	3066	1/1	0.97	0.14	-	22,22,22,22	0
55	MG	DA	3146	1/1	0.94	0.13	-	73,73,73,73	0
55	MG	AA	1664	1/1	0.94	0.13	-	161,161,161,161	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
55	MG	BA	1641	1/1	0.79	0.35	-	98,98,98,98	0
55	MG	AA	1606	1/1	0.32	0.45	-	108,108,108,108	0
55	MG	CA	3077	1/1	0.92	0.23	-	189,189,189,189	0
55	MG	BA	1636	1/1	0.72	0.08	-	112,112,112,112	0
55	MG	DA	3105	1/1	0.95	0.17	-	31,31,31,31	0
55	MG	AA	1602	1/1	0.96	0.29	-	82,82,82,82	0
55	MG	AA	1635	1/1	0.81	0.09	-	96,96,96,96	0
55	MG	DA	3070	1/1	0.98	0.18	-	54,54,54,54	0
55	MG	DA	3006	1/1	0.96	0.10	-	60,60,60,60	0
62	EDO	DB	211	4/4	0.93	0.26	-	74,74,75,75	0
55	MG	CA	3112	1/1	0.81	0.48	-	77,77,77,77	0
55	MG	CA	3003	1/1	0.88	0.35	-	218,218,218,218	0
55	MG	C3	101	1/1	0.48	0.48	-	299,299,299,299	0
55	MG	DA	3013	1/1	0.92	0.15	-	67,67,67,67	0
55	MG	CA	3007	1/1	0.46	0.11	-	175,175,175,175	0
55	MG	CA	3089	1/1	0.88	0.94	-	209,209,209,209	0
55	MG	CA	3084	1/1	0.96	0.06	-	75,75,75,75	0
55	MG	DD	303	1/1	0.89	0.26	-	53,53,53,53	0
55	MG	BA	1637	1/1	0.95	0.20	-	99,99,99,99	0
55	MG	CA	3001	1/1	0.43	0.28	-	258,258,258,258	0
55	MG	CA	3121	1/1	0.16	1.41	-	125,125,125,125	0
55	MG	DA	3053	1/1	0.88	0.12	-	78,78,78,78	0
55	MG	DA	3178	1/1	0.49	0.55	-	100,100,100,100	0
55	MG	DA	3084	1/1	0.97	0.10	-	44,44,44,44	0
55	MG	DB	204	1/1	0.92	0.15	-	65,65,65,65	0
55	MG	CA	3041	1/1	0.86	0.10	-	90,90,90,90	0
55	MG	DA	3160	1/1	0.88	0.16	-	56,56,56,56	0
55	MG	DA	3068	1/1	0.93	0.08	-	67,67,67,67	0
55	MG	CA	3138	1/1	0.21	0.97	-	125,125,125,125	0
55	MG	AA	1677	1/1	0.97	0.12	-	78,78,78,78	0
55	MG	BA	1632	1/1	0.37	0.07	-	219,219,219,219	0
55	MG	AA	1658	1/1	0.96	0.13	-	83,83,83,83	0
55	MG	CA	3118	1/1	0.74	0.74	-	123,123,123,123	0
55	MG	AA	1616	1/1	0.27	0.72	-	94,94,94,94	0
55	MG	CA	3126	1/1	0.94	0.15	-	78,78,78,78	0
55	MG	CA	3086	1/1	0.94	0.07	-	93,93,93,93	0
55	MG	DA	3081	1/1	0.91	0.13	-	94,94,94,94	0
57	MPD	DT	202	8/8	0.74	0.41	-	88,89,90,92	0
55	MG	AA	1618	1/1	0.86	0.71	-	81,81,81,81	0
55	MG	AA	1628	1/1	0.18	0.59	-	142,142,142,142	0
55	MG	CA	3083	1/1	0.93	0.30	-	209,209,209,209	0
55	MG	DA	3089	1/1	0.98	0.11	-	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
55	MG	CA	3048	1/1	0.75	0.12	-	92,92,92,92	0
55	MG	AA	1667	1/1	0.93	0.12	-	51,51,51,51	0
55	MG	AA	1620	1/1	0.89	0.34	-	67,67,67,67	0
55	MG	AA	1603	1/1	0.55	0.60	-	110,110,110,110	0
55	MG	AA	1666	1/1	0.98	0.04	-	54,54,54,54	0
55	MG	DA	3055	1/1	0.98	0.09	-	55,55,55,55	0
61	PEG	DA	3225	7/7	0.80	0.34	-	60,63,70,71	0
55	MG	DA	3181	1/1	0.71	0.49	-	58,58,58,58	0
55	MG	CA	3028	1/1	0.86	0.31	-	172,172,172,172	0
55	MG	CA	3113	1/1	0.94	0.38	-	57,57,57,57	0
55	MG	CA	3133	1/1	-0.20	0.62	-	194,194,194,194	0
55	MG	DA	3138	1/1	0.67	0.25	-	80,80,80,80	0
55	MG	CA	3106	1/1	0.68	0.52	-	83,83,83,83	0
55	MG	DB	203	1/1	0.99	0.09	-	37,37,37,37	0
58	PUT	AA	1675	6/6	0.73	0.54	-	82,83,84,84	0
55	MG	DA	3073	1/1	0.92	0.18	-	45,45,45,45	0
55	MG	CA	3144	1/1	0.78	0.29	-	62,62,62,62	0
55	MG	DA	3009	1/1	0.95	0.08	-	89,89,89,89	0
55	MG	DA	3150	1/1	0.96	0.10	-	51,51,51,51	0
55	MG	DA	3039	1/1	0.98	0.15	-	27,27,27,27	0
55	MG	DA	3042	1/1	0.93	0.21	-	28,28,28,28	0
55	MG	DA	3071	1/1	0.95	0.08	-	90,90,90,90	0
55	MG	BA	1620	1/1	0.61	0.14	-	97,97,97,97	0
55	MG	DA	3130	1/1	0.35	0.34	-	81,81,81,81	0
55	MG	AA	1660	1/1	0.86	0.28	-	275,275,275,275	0
55	MG	CA	3147	1/1	0.64	0.82	-	80,80,80,80	1
55	MG	DA	3153	1/1	0.80	0.27	-	100,100,100,100	0
55	MG	AA	1640	1/1	0.91	0.09	-	61,61,61,61	0
55	MG	CA	3125	1/1	0.76	0.39	-	120,120,120,120	0
55	MG	CA	3074	1/1	0.43	1.09	-	243,243,243,243	0
55	MG	CA	3117	1/1	0.94	0.54	-	85,85,85,85	0
55	MG	CA	3006	1/1	0.72	0.62	-	242,242,242,242	0
55	MG	CA	3071	1/1	0.82	0.84	-	257,257,257,257	0
55	MG	CA	3116	1/1	0.72	0.78	-	101,101,101,101	0
55	MG	CA	3111	1/1	0.76	0.60	-	91,91,91,91	0
55	MG	CA	3105	1/1	0.50	0.36	-	92,92,92,92	0
55	MG	DA	3228	1/1	0.97	0.07	-	44,44,44,44	0
63	PGE	DA	3216	10/10	0.84	0.44	-	57,60,68,70	0
55	MG	CA	3151	1/1	0.80	0.33	-	209,209,209,209	0
55	MG	DA	3141	1/1	0.95	0.20	-	82,82,82,82	0
55	MG	CA	3058	1/1	0.91	0.22	-	137,137,137,137	0
55	MG	DA	3168	1/1	0.19	0.75	-	109,109,109,109	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
55	MG	DA	3167	1/1	0.63	0.50	-	80,80,80,80	0
55	MG	DA	3022	1/1	0.89	0.14	-	50,50,50,50	0
55	MG	DA	3099	1/1	0.88	0.15	-	81,81,81,81	0
62	EDO	DB	210	4/4	0.84	0.34	-	76,77,77,78	0
55	MG	CA	3014	1/1	0.95	0.26	-	71,71,71,71	0
55	MG	DA	3061	1/1	0.98	0.16	-	19,19,19,19	0
55	MG	DA	3161	1/1	0.82	0.39	-	69,69,69,69	0
55	MG	CA	3128	1/1	-0.10	0.46	-	135,135,135,135	0
55	MG	DA	3087	1/1	0.93	0.18	-	45,45,45,45	0
55	MG	BA	1613	1/1	0.90	0.14	-	54,54,54,54	0
57	MPD	DN	201	8/8	0.85	0.40	-	83,88,90,91	0
55	MG	DB	202	1/1	0.99	0.14	-	33,33,33,33	0
55	MG	DA	3169	1/1	0.97	0.20	-	72,72,72,72	0
55	MG	DA	3117	1/1	0.96	0.06	-	32,32,32,32	0
55	MG	BA	1638	1/1	0.94	0.86	-	175,175,175,175	0
55	MG	CA	3142	1/1	0.89	0.42	-	85,85,85,85	0
55	MG	CA	3056	1/1	0.72	0.20	-	119,119,119,119	0

6.5 Other polymers [i](#)

There are no such residues in this entry.