



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2017 – 05:44 PM EST

PDB ID : 5J6Q
Title : Cwp8 from Clostridium difficile
Authors : Renko, M.; Usenik, A.; Turk, D.
Deposited on : 2016-04-05
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20028442
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20028442


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	595	<div> <div>10%</div> <div>73%</div> <div>24%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	707	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 10474 atoms, of which 5468 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cell wall binding protein cwp8.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	595	9197	2835	4644	772	945	1	4725	0	0

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Cl	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	412	Total	H	O	824	0
			1236	824	412		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cell wall binding protein cwp8



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	45.45Å 63.43Å 86.41Å 97.25° 100.53° 91.96°	Depositor
Resolution (Å)	42.09 – 2.10 42.09 – 2.10	Depositor EDS
% Data completeness (in resolution range)	95.0 (42.09-2.10) 91.9 (42.09-2.10)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.40 (at 2.10Å)	Xtriage
Refinement program	MAIN	Depositor
R, R_{free}	0.229 , 0.255 0.222 , 0.224	Depositor DCC
R_{free} test set	2609 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	46.1	Xtriage
Anisotropy	0.128	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 74.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10474	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.92	2/4591 (0.0%)	0.88	7/6186 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	564	GLU	CA-C	5.47	1.67	1.52
1	A	295	SER	C-N	5.37	1.42	1.33

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	45	VAL	CA-CB-CG2	6.18	120.16	110.90
1	A	90	VAL	CA-CB-CG2	6.00	119.91	110.90
1	A	45	VAL	CA-CB-CG1	5.89	119.73	110.90
1	A	90	VAL	CA-CB-CG1	5.76	119.55	110.90
1	A	165	GLY	N-CA-C	-5.46	99.44	113.10
1	A	90	VAL	CG1-CB-CG2	5.34	119.44	110.90
1	A	535	LEU	CB-CG-CD1	-5.24	102.09	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4553	4644	4638	104	1
2	A	40	0	0	2	0
3	A	1	0	0	1	0
4	A	412	824	0	13	0
All	All	5006	5468	4638	104	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:161:THR:HA	1:A:167:PHE:O	1.92	0.69
1:A:464:LEU:HB3	1:A:469:LEU:HD21	1.74	0.68
1:A:319:ILE:HD12	1:A:360:ILE:HD13	1.77	0.66
1:A:385:GLU:O	1:A:388:GLU:HG2	1.96	0.66
1:A:97:ASN:OD1	1:A:152:GLN:HA	1.97	0.65
1:A:11:THR:HG21	1:A:188:LYS:HE3	1.79	0.65
1:A:154:LEU:HD23	1:A:170:TYR:HB3	1.79	0.64
1:A:549:LYS:HE3	4:A:995:HOH:O	1.98	0.63
1:A:44:ARG:HB3	4:A:851:HOH:O	2.00	0.61
1:A:435:ALA:O	1:A:438:ILE:HG22	2.01	0.60
1:A:329:ASP:HB3	1:A:376:VAL:HG12	1.81	0.60
1:A:195:ILE:HG13	1:A:265:VAL:HG12	1.83	0.59
1:A:423:THR:HG22	4:A:1137:HOH:O	2.02	0.59
1:A:461:GLU:HG3	1:A:489:ILE:HG21	1.85	0.58
1:A:424:ALA:HB3	1:A:469:LEU:HD23	1.85	0.58
1:A:277:HIS:HD2	4:A:1081:HOH:O	1.86	0.58
1:A:356:ILE:O	1:A:360:ILE:HG12	2.05	0.57
1:A:223:LEU:O	1:A:284:LYS:HD2	2.05	0.57
1:A:595:LYS:HE2	4:A:1014:HOH:O	2.05	0.56
1:A:335:PRO:HA	1:A:443:ALA:HA	1.88	0.56
1:A:461:GLU:HG3	1:A:489:ILE:HD13	1.89	0.54
1:A:572:LYS:HB2	4:A:825:HOH:O	2.08	0.53
1:A:132:THR:HG22	1:A:148:ASN:ND2	2.22	0.53
1:A:201:PHE:HD2	1:A:272:LEU:HD13	1.74	0.53
1:A:225:PHE:O	1:A:226:GLU:HG3	2.09	0.52
1:A:31:LYS:HG2	1:A:42:ASN:O	2.10	0.52
1:A:154:LEU:HD23	1:A:170:TYR:CB	2.40	0.51
1:A:322:VAL:HG22	1:A:326:ALA:HB3	1.92	0.51
1:A:418:LYS:O	1:A:421:PHE:HD2	1.93	0.51
1:A:19:LYS:O	1:A:23:GLU:HG3	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:227:ASN:HA	4:A:1118:HOH:O	2.10	0.50
1:A:380:SER:C	1:A:381:LYS:HD2	2.32	0.50
1:A:111:TYR:O	1:A:115:LEU:HB3	2.12	0.50
1:A:247:SER:O	1:A:266:SER:HA	2.12	0.50
1:A:515:TYR:CD1	1:A:551:PRO:HB3	2.48	0.49
1:A:34:ASP:HB3	1:A:91:VAL:HG12	1.94	0.49
1:A:211:ARG:HD3	3:A:709:CL:CL	2.49	0.49
1:A:381:LYS:HD2	1:A:381:LYS:N	2.27	0.49
1:A:444:GLN:O	1:A:444:GLN:HG2	2.13	0.49
1:A:9:ASN:HD22	1:A:9:ASN:N	2.11	0.49
1:A:310:ARG:NH2	1:A:343:PRO:HA	2.27	0.49
1:A:195:ILE:CG1	1:A:265:VAL:HG12	2.42	0.49
1:A:437:SER:O	1:A:510:VAL:HG11	2.13	0.49
1:A:379:GLU:HA	1:A:382:VAL:O	2.12	0.49
1:A:253:LEU:HD22	1:A:253:LEU:N	2.28	0.48
1:A:578:VAL:HG11	2:A:707:SO4:O1	2.14	0.48
1:A:190:ALA:CA	1:A:259:LYS:HE2	2.43	0.48
1:A:406:ARG:NH2	1:A:429:GLY:O	2.47	0.48
1:A:20:LEU:O	1:A:23:GLU:HB2	2.14	0.48
1:A:247:SER:HB2	1:A:270:HIS:CD2	2.49	0.48
1:A:223:LEU:HD23	1:A:224:THR:N	2.29	0.48
1:A:74:LEU:HD12	1:A:74:LEU:C	2.35	0.47
1:A:349:LYS:HE3	1:A:379:GLU:O	2.14	0.47
1:A:190:ALA:HA	1:A:259:LYS:HE2	1.95	0.47
1:A:453:GLY:HA3	4:A:1048:HOH:O	2.14	0.47
1:A:74:LEU:HD12	1:A:74:LEU:O	2.15	0.47
1:A:137:ARG:O	1:A:141:SER:HA	2.15	0.47
1:A:319:ILE:HG21	1:A:360:ILE:CD1	2.45	0.47
1:A:557:GLU:HG3	4:A:1145:HOH:O	2.14	0.47
1:A:591:LYS:HD3	1:A:591:LYS:HA	1.71	0.46
1:A:80:ASP:OD1	1:A:83:HIS:HD2	1.99	0.46
1:A:50:VAL:HG11	1:A:64:LYS:HD2	1.97	0.46
1:A:578:VAL:HG21	2:A:707:SO4:O1	2.16	0.46
1:A:541:ALA:CB	1:A:580:ILE:HG13	2.46	0.45
1:A:9:ASN:ND2	1:A:9:ASN:N	2.64	0.45
1:A:116:ALA:O	1:A:117:GLU:HB2	2.17	0.45
1:A:55:LEU:HD21	1:A:61:LEU:HB2	1.98	0.45
1:A:419:ASP:HA	1:A:421:PHE:CE2	2.53	0.44
1:A:201:PHE:HD2	1:A:272:LEU:CD1	2.29	0.44
1:A:421:PHE:CE1	1:A:467:LYS:HD2	2.52	0.44
1:A:349:LYS:HA	1:A:381:LYS:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:GLN:O	1:A:154:LEU:HD12	2.17	0.44
1:A:520:LYS:HE2	1:A:576:LYS:HD3	2.00	0.44
1:A:231:LEU:HD11	1:A:244:PRO:HG2	1.99	0.44
1:A:536:VAL:HA	1:A:539:LEU:HD23	2.00	0.43
1:A:110:ALA:O	1:A:114:THR:HB	2.18	0.43
1:A:216:LYS:O	1:A:221:TYR:HD1	2.00	0.43
1:A:35:THR:HA	1:A:92:ASP:OD1	2.19	0.43
1:A:423:THR:HG23	1:A:447:ALA:HB2	2.00	0.43
1:A:245:GLU:HG2	1:A:245:GLU:O	2.17	0.43
1:A:406:ARG:CG	1:A:407:PHE:N	2.82	0.43
1:A:319:ILE:HD12	1:A:360:ILE:CD1	2.47	0.43
1:A:318:ALA:HB3	1:A:342:ALA:HB2	2.00	0.42
1:A:32:PHE:HA	1:A:90:VAL:HG22	2.01	0.42
1:A:397:LYS:HE2	1:A:399:GLU:HB2	2.02	0.42
1:A:329:ASP:HB3	1:A:376:VAL:CG1	2.48	0.42
1:A:19:LYS:HB3	4:A:849:HOH:O	2.18	0.42
1:A:443:ALA:HB3	1:A:546:ALA:HB2	2.02	0.42
1:A:275:ASP:O	1:A:278:LYS:HB2	2.20	0.42
1:A:278:LYS:HG3	4:A:871:HOH:O	2.18	0.42
1:A:201:PHE:CD2	1:A:272:LEU:HD13	2.54	0.42
1:A:136:LYS:HB3	1:A:144:VAL:HG22	2.02	0.41
1:A:588:ALA:O	1:A:592:ILE:HG13	2.20	0.41
1:A:536:VAL:HA	1:A:539:LEU:CD2	2.51	0.41
1:A:230:ILE:HA	1:A:247:SER:OG	2.20	0.41
1:A:41:VAL:HG23	4:A:958:HOH:O	2.21	0.41
1:A:168:GLU:HG3	1:A:168:GLU:H	1.66	0.41
1:A:22:GLU:OE1	1:A:26:LYS:HE3	2.20	0.41
1:A:195:ILE:O	1:A:265:VAL:HA	2.21	0.41
1:A:573:ASN:HB2	4:A:918:HOH:O	2.21	0.40
1:A:246:LYS:HG3	1:A:267:SER:C	2.40	0.40
1:A:496:GLU:OE2	1:A:513:LYS:NZ	2.54	0.40
1:A:574:ALA:HB3	1:A:596:ILE:HD12	2.03	0.40
1:A:246:LYS:HG3	1:A:267:SER:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63:ASN:ND2	1:A:512:ASN:HD21[1_445]	1.59	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	593/595 (100%)	561 (95%)	30 (5%)	2 (0%)	46	45

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	120	ASP
1	A	166	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	504/504 (100%)	470 (93%)	34 (7%)	20	16

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	VAL
1	A	7	ASP
1	A	8	LYS
1	A	9	ASN
1	A	31	LYS
1	A	42	ASN
1	A	62	GLN
1	A	99	LYS
1	A	128	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	161	THR
1	A	162	SER
1	A	166	THR
1	A	168	GLU
1	A	173	ARG
1	A	194	ASP
1	A	216	LYS
1	A	239	ASP
1	A	246	LYS
1	A	247	SER
1	A	254	SER
1	A	272	LEU
1	A	380	SER
1	A	381	LYS
1	A	393	LEU
1	A	422	LYS
1	A	423	THR
1	A	432	GLU
1	A	467	LYS
1	A	481	GLU
1	A	539	LEU
1	A	551	PRO
1	A	557	GLU
1	A	572	LYS
1	A	591	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	ASN
1	A	83	HIS
1	A	143	ASN
1	A	148	ASN
1	A	215	ASN
1	A	219	ASN
1	A	270	HIS
1	A	444	GLN
1	A	476	ASN
1	A	493	ASN
1	A	573	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	701	-	4,4,4	2.37	3 (75%)	6,6,6	0.38	0
2	SO4	A	702	-	4,4,4	1.77	1 (25%)	6,6,6	0.13	0
2	SO4	A	703	-	4,4,4	2.00	2 (50%)	6,6,6	0.31	0
2	SO4	A	704	-	4,4,4	0.64	0	6,6,6	0.43	0
2	SO4	A	705	-	4,4,4	0.55	0	6,6,6	0.30	0
2	SO4	A	706	-	4,4,4	1.49	1 (25%)	6,6,6	0.37	0
2	SO4	A	707	-	4,4,4	1.83	1 (25%)	6,6,6	0.97	0
2	SO4	A	708	-	4,4,4	0.10	0	6,6,6	0.13	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	701	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	702	-	-	0/0/0/0	0/0/0/0
2	SO4	A	703	-	-	0/0/0/0	0/0/0/0
2	SO4	A	704	-	-	0/0/0/0	0/0/0/0
2	SO4	A	705	-	-	0/0/0/0	0/0/0/0
2	SO4	A	706	-	-	0/0/0/0	0/0/0/0
2	SO4	A	707	-	-	0/0/0/0	0/0/0/0
2	SO4	A	708	-	-	0/0/0/0	0/0/0/0

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	702	SO4	O2-S	-3.20	1.35	1.47
2	A	703	SO4	O2-S	-2.97	1.36	1.47
2	A	703	SO4	O3-S	-2.03	1.40	1.47
2	A	701	SO4	O2-S	2.25	1.55	1.47
2	A	706	SO4	O1-S	2.40	1.55	1.47
2	A	701	SO4	O1-S	2.47	1.55	1.47
2	A	701	SO4	O4-S	3.28	1.59	1.47
2	A	707	SO4	O2-S	3.51	1.59	1.47

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	707	SO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	595/595 (100%)	0.66	61 (10%) 9 12	25, 62, 178, 199	29 (4%)

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	167	PHE	6.7
1	A	600	THR	6.3
1	A	169	GLY	5.9
1	A	231	LEU	5.8
1	A	113	ALA	5.7
1	A	114	THR	5.5
1	A	142	ALA	5.4
1	A	7	ASP	5.4
1	A	118	ASP	5.1
1	A	156	PHE	5.1
1	A	240	ASP	4.7
1	A	166	THR	4.6
1	A	123	LEU	4.1
1	A	6	VAL	4.0
1	A	238	SER	3.6
1	A	243	LYS	3.6
1	A	239	ASP	3.5
1	A	85	VAL	3.5
1	A	143	ASN	3.4
1	A	163	GLU	3.3
1	A	489	ILE	3.3
1	A	122	LYS	3.2
1	A	232	THR	3.2
1	A	230	ILE	3.2
1	A	138	ALA	3.1
1	A	491	LEU	2.9
1	A	164	GLU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	242	ASP	2.9
1	A	90	VAL	2.9
1	A	141	SER	2.9
1	A	233	GLN	2.8
1	A	438	ILE	2.8
1	A	161	THR	2.8
1	A	112	ASN	2.7
1	A	160	ILE	2.7
1	A	111	TYR	2.7
1	A	91	VAL	2.6
1	A	116	ALA	2.6
1	A	95	ILE	2.6
1	A	137	ARG	2.6
1	A	108	VAL	2.5
1	A	110	ALA	2.5
1	A	144	VAL	2.5
1	A	241	LYS	2.5
1	A	487	VAL	2.4
1	A	235	GLN	2.4
1	A	495	VAL	2.4
1	A	124	THR	2.4
1	A	107	ALA	2.3
1	A	486	LEU	2.3
1	A	237	ASP	2.2
1	A	535	LEU	2.2
1	A	442	ALA	2.2
1	A	159	VAL	2.1
1	A	333	SER	2.1
1	A	88	GLY	2.1
1	A	332	ALA	2.1
1	A	540	THR	2.1
1	A	115	LEU	2.0
1	A	135	VAL	2.0
1	A	334	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	SO4	A	708	5/5	0.91	0.21	1.71	155,156,157,157	0
2	SO4	A	703	5/5	0.94	0.19	1.40	79,79,80,82	0
2	SO4	A	707	5/5	0.92	0.15	0.35	69,71,75,77	0
2	SO4	A	706	5/5	0.96	0.12	-0.02	80,82,83,87	0
2	SO4	A	701	5/5	0.94	0.13	-0.22	58,60,65,67	0
2	SO4	A	702	5/5	0.99	0.18	-0.44	52,52,53,59	0
3	CL	A	709	1/1	0.99	0.08	-2.44	42,42,42,42	0
2	SO4	A	704	5/5	0.95	0.17	-	95,96,98,98	0
2	SO4	A	705	5/5	0.91	0.17	-	98,102,102,105	0

6.5 Other polymers [i](#)

There are no such residues in this entry.