



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 03:01 AM GMT

PDB ID : 2JJ1
Title : THE STRUCTURE OF F1-ATPASE INHIBITED BY PICEATANNOL.
Authors : Gledhill, J.R.; Montgomery, M.G.; Leslie, A.G.W.; Walker, J.E.
Deposited on : 2007-07-03
Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	510	<div> <div></div> <div>79% 15% • 5%</div> </div>
1	B	510	<div> <div></div> <div>75% 18% • 6%</div> </div>
1	C	510	<div> <div>2%</div> <div>78% 17% • •</div> </div>
1	H	510	<div> <div></div> <div>77% 17% • 5%</div> </div>
1	I	510	<div> <div></div> <div>79% 14% • 6%</div> </div>
1	J	510	<div> <div></div> <div>79% 16% • •</div> </div>
2	D	482	<div> <div></div> <div>81% 15% •</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	482	
2	F	482	
2	K	482	
2	L	482	
2	M	482	
3	G	272	
3	N	272	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	PIT	G	1273	-	-	-	X
10	PIT	N	1273	-	-	-	X
6	GOL	B	1512	-	-	-	X
6	GOL	B	1513	-	-	-	X
6	GOL	H	1514	-	-	-	X
6	GOL	K	1479	-	-	-	X
8	AZI	K	1478	-	-	-	X

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 47647 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	487	Total	C	N	O	S	0	0	0
			3715	2341	656	706	12			
1	B	479	Total	C	N	O	S	0	0	0
			3658	2305	647	694	12			
1	C	495	Total	C	N	O	S	0	0	0
			3768	2374	664	718	12			
1	H	487	Total	C	N	O	S	0	0	0
			3715	2341	656	706	12			
1	I	479	Total	C	N	O	S	0	0	0
			3658	2305	647	694	12			
1	J	495	Total	C	N	O	S	0	0	0
			3768	2374	664	718	12			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLU	GLN	SEE REMARK 999	UNP P19483
B	1	GLU	GLN	SEE REMARK 999	UNP P19483
C	1	GLU	GLN	SEE REMARK 999	UNP P19483
H	1	GLU	GLN	SEE REMARK 999	UNP P19483
I	1	GLU	GLN	SEE REMARK 999	UNP P19483
J	1	GLU	GLN	SEE REMARK 999	UNP P19483

- Molecule 2 is a protein called ATP SYNTHASE SUBUNIT BETA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	467	Total	C	N	O	S	0	0	0
			3539	2243	601	684	11			
2	E	466	Total	C	N	O	S	0	0	0
			3530	2238	600	681	11			
2	F	466	Total	C	N	O	S	0	0	0
			3530	2238	600	681	11			

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	K	467	Total	C	N	O	S	0	0	0
			3539	2243	601	684	11			
2	L	466	Total	C	N	O	S	0	0	0
			3530	2238	600	681	11			
2	M	466	Total	C	N	O	S	0	0	0
			3530	2238	600	681	11			

- Molecule 3 is a protein called ATP SYNTHASE GAMMA CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	167	Total	C	N	O	S	0	0	0
			1296	810	237	242	7			
3	N	167	Total	C	N	O	S	0	0	0
			1296	810	237	242	7			

- Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	H	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
4	I	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
4	J	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
4	M	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	J	1	Total	Mg	0	0
			1	1		
5	D	1	Total	Mg	0	0
			1	1		
5	K	1	Total	Mg	0	0
			1	1		
5	H	1	Total	Mg	0	0
			1	1		
5	B	1	Total	Mg	0	0
			1	1		
5	I	1	Total	Mg	0	0
			1	1		
5	C	1	Total	Mg	0	0
			1	1		
5	A	1	Total	Mg	0	0
			1	1		
5	F	1	Total	Mg	0	0
			1	1		
5	M	1	Total	Mg	0	0
			1	1		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	H	1	Total	C	O	0	0
			6	3	3		
6	H	1	Total	C	O	0	0
			6	3	3		
6	I	1	Total	C	O	0	0
			6	3	3		
6	J	1	Total	C	O	0	0
			6	3	3		
6	K	1	Total	C	O	0	0
			6	3	3		
6	K	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
7	K	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 8 is AZIDE ION (three-letter code: AZI) (formula: N₃).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	D	1	Total	N	0	0
			3	3		
8	K	1	Total	N	0	0
			3	3		

- Molecule 9 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	E	1	Total	O	P	0	0
			5	4	1		
9	L	1	Total	O	P	0	0
			5	4	1		

- Molecule 10 is PICEATANNOL (three-letter code: PIT) (formula: $\text{C}_{14}\text{H}_{12}\text{O}_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	G	1	Total	C	O	0	0
			18	14	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	N	1	Total	C	O	0	0
			18	14	4		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	A	101	Total	O		0	0
			101	101			
11	B	81	Total	O		0	0
			81	81			
11	C	107	Total	O		0	0
			107	107			
11	D	98	Total	O		0	0
			98	98			
11	E	76	Total	O		0	0
			76	76			
11	F	104	Total	O		0	0
			104	104			
11	G	20	Total	O		0	0
			20	20			
11	H	79	Total	O		0	0
			79	79			
11	I	86	Total	O		0	0
			86	86			
11	J	104	Total	O		0	0
			104	104			
11	K	93	Total	O		0	0
			93	93			
11	L	64	Total	O		0	0
			64	64			
11	M	104	Total	O		0	0
			104	104			
11	N	22	Total	O		0	0
			22	22			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM




• Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM




• Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM









• Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM




• Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM




• Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM




• Molecule 2: ATP SYNTHASE SUBUNIT BETA




• Molecule 2: ATP SYNTHASE SUBUNIT BETA




• Molecule 2: ATP SYNTHASE SUBUNIT BETA





• Molecule 2: ATP SYNTHASE SUBUNIT BETA








• Molecule 2: ATP SYNTHASE SUBUNIT BETA




• Molecule 2: ATP SYNTHASE SUBUNIT BETA



• Molecule 3: ATP SYNTHASE GAMMA CHAIN



• Molecule 3: ATP SYNTHASE GAMMA CHAIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	106.96Å 281.18Å 138.78Å 90.00° 89.58° 90.00°	Depositor
Resolution (Å)	72.74 – 2.70 67.37 – 2.70	Depositor EDS
% Data completeness (in resolution range)	90.0 (72.74-2.70) 88.1 (67.37-2.70)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.81 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.202 , 0.269 0.207 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	40.9	Xtriage
Anisotropy	0.050	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 29.8	EDS
Estimated twinning fraction	0.388 for h,-k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.22$	Xtriage
Outliers	0 of 201330 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	47647	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AZI, MG, ADP, GOL, PO4, ANP, PIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/3766	0.63	0/5080
1	B	0.47	0/3706	0.62	0/4998
1	C	0.48	0/3819	0.64	0/5153
1	H	0.47	0/3766	0.62	0/5080
1	I	0.46	0/3706	0.62	0/4998
1	J	0.50	0/3819	0.63	0/5153
2	D	0.47	0/3596	0.61	0/4879
2	E	0.44	0/3587	0.61	1/4867 (0.0%)
2	F	0.47	0/3587	0.63	1/4867 (0.0%)
2	K	0.47	0/3596	0.61	0/4879
2	L	0.45	0/3587	0.61	1/4867 (0.0%)
2	M	0.46	0/3587	0.62	0/4867
3	G	0.40	0/1304	0.53	0/1737
3	N	0.40	0/1304	0.53	0/1737
All	All	0.46	0/46730	0.62	3/63162 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	431	LEU	CA-CB-CG	6.01	129.13	115.30
2	F	237	LEU	CA-CB-CG	5.77	128.57	115.30
2	E	431	LEU	CA-CB-CG	5.60	128.18	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3715	0	3812	57	0
1	B	3658	0	3767	57	0
1	C	3768	0	3867	64	0
1	H	3715	0	3812	60	0
1	I	3658	0	3767	43	0
1	J	3768	0	3868	58	0
2	D	3539	0	3592	48	0
2	E	3530	0	3587	49	0
2	F	3530	0	3586	58	0
2	K	3539	0	3592	54	0
2	L	3530	0	3587	67	0
2	M	3530	0	3586	57	0
3	G	1296	0	1365	20	0
3	N	1296	0	1365	16	0
4	A	31	0	13	2	0
4	B	31	0	13	1	0
4	C	31	0	13	0	0
4	F	31	0	13	1	0
4	H	31	0	13	1	0
4	I	31	0	13	0	0
4	J	31	0	13	0	0
4	M	31	0	13	1	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	F	1	0	0	0	0
5	H	1	0	0	0	0
5	I	1	0	0	0	0
5	J	1	0	0	0	0
5	K	1	0	0	0	0
5	M	1	0	0	0	0
6	A	12	0	16	0	0
6	B	12	0	16	3	0
6	C	6	0	8	0	0
6	D	6	0	8	0	0
6	H	12	0	16	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	I	6	0	8	0	0
6	J	6	0	8	0	0
6	K	12	0	16	0	0
7	D	27	0	12	1	0
7	K	27	0	12	1	0
8	D	3	0	0	0	0
8	K	3	0	0	0	0
9	E	5	0	0	0	0
9	L	5	0	0	0	0
10	G	18	0	8	2	0
10	N	18	0	8	3	0
11	A	101	0	0	2	0
11	B	81	0	0	8	0
11	C	107	0	0	6	0
11	D	98	0	0	6	0
11	E	76	0	0	7	0
11	F	104	0	0	5	0
11	G	20	0	0	1	0
11	H	79	0	0	7	0
11	I	86	0	0	2	0
11	J	104	0	0	4	0
11	K	93	0	0	2	0
11	L	64	0	0	10	0
11	M	104	0	0	9	0
11	N	22	0	0	3	0
All	All	47647	0	47393	681	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 681 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:62:MET:HE3	1:A:64:LEU:HD21	1.32	1.09
1:A:62:MET:CE	1:A:64:LEU:HD21	1.84	1.06
1:A:52:MET:HG3	1:A:95:VAL:HG22	1.47	0.95
1:B:171:ARG:HD3	11:B:2032:HOH:O	1.64	0.95
2:K:104:GLU:HG2	11:K:2022:HOH:O	1.66	0.93

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	485/510 (95%)	458 (94%)	25 (5%)	2 (0%)	39	69
1	B	475/510 (93%)	457 (96%)	15 (3%)	3 (1%)	30	59
1	C	493/510 (97%)	470 (95%)	23 (5%)	0	100	100
1	H	485/510 (95%)	458 (94%)	26 (5%)	1 (0%)	52	80
1	I	475/510 (93%)	453 (95%)	22 (5%)	0	100	100
1	J	493/510 (97%)	473 (96%)	19 (4%)	1 (0%)	52	80
2	D	465/482 (96%)	436 (94%)	27 (6%)	2 (0%)	39	69
2	E	464/482 (96%)	443 (96%)	19 (4%)	2 (0%)	39	69
2	F	464/482 (96%)	436 (94%)	25 (5%)	3 (1%)	30	59
2	K	465/482 (96%)	443 (95%)	19 (4%)	3 (1%)	30	59
2	L	464/482 (96%)	442 (95%)	20 (4%)	2 (0%)	39	69
2	M	464/482 (96%)	440 (95%)	22 (5%)	2 (0%)	39	69
3	G	155/272 (57%)	151 (97%)	4 (3%)	0	100	100
3	N	155/272 (57%)	150 (97%)	5 (3%)	0	100	100
All	All	6002/6496 (92%)	5710 (95%)	271 (4%)	21 (0%)	46	75

5 of 21 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	401	ALA
1	H	401	ALA
2	K	314	ALA
2	L	347	ALA
2	D	385	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	393/413 (95%)	376 (96%)	17 (4%)	35	66
1	B	389/413 (94%)	373 (96%)	16 (4%)	37	69
1	C	399/413 (97%)	381 (96%)	18 (4%)	34	65
1	H	393/413 (95%)	378 (96%)	15 (4%)	40	71
1	I	389/413 (94%)	374 (96%)	15 (4%)	39	70
1	J	399/413 (97%)	387 (97%)	12 (3%)	48	79
2	D	377/386 (98%)	372 (99%)	5 (1%)	76	92
2	E	376/386 (97%)	353 (94%)	23 (6%)	23	49
2	F	376/386 (97%)	365 (97%)	11 (3%)	50	80
2	K	377/386 (98%)	372 (99%)	5 (1%)	76	92
2	L	376/386 (97%)	360 (96%)	16 (4%)	35	66
2	M	376/386 (97%)	364 (97%)	12 (3%)	46	77
3	G	140/230 (61%)	127 (91%)	13 (9%)	11	25
3	N	140/230 (61%)	126 (90%)	14 (10%)	9	22
All	All	4900/5254 (93%)	4708 (96%)	192 (4%)	39	70

5 of 192 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	F	247	GLU
1	H	99	VAL
2	M	455	GLN
2	F	274	ARG
3	G	137	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 63 such sidechains are listed below:

Mol	Chain	Res	Type
3	G	211	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	172	GLN
2	M	385	GLN
1	H	42	HIS
1	H	396	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 38 ligands modelled in this entry, 10 are monoatomic - leaving 28 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	ANP	A	1511	5	27,33,33	2.20	6 (22%)	30,52,52	2.42	6 (20%)
6	GOL	A	1513	-	5,5,5	0.25	0	5,5,5	0.54	0
6	GOL	A	1514	-	5,5,5	0.28	0	5,5,5	0.42	0
4	ANP	B	1510	5	27,33,33	2.08	8 (29%)	30,52,52	2.07	7 (23%)
6	GOL	B	1512	-	5,5,5	0.34	0	5,5,5	0.62	0
6	GOL	B	1513	-	5,5,5	0.37	0	5,5,5	0.46	0
4	ANP	C	1511	5	27,33,33	2.23	9 (33%)	30,52,52	2.22	9 (30%)
6	GOL	C	1513	-	5,5,5	0.34	0	5,5,5	0.36	0
7	ADP	D	1476	5	22,29,29	1.14	2 (9%)	27,45,45	1.92	6 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	AZI	D	1478	-	0,2,2	0.00	-	0,1,1	0.00	-
6	GOL	D	1479	-	5,5,5	0.42	0	5,5,5	0.52	0
9	PO4	E	1475	-	4,4,4	0.47	0	6,6,6	0.28	0
4	ANP	F	1475	5	27,33,33	1.96	7 (25%)	30,52,52	2.29	7 (23%)
10	PIT	G	1273	-	19,19,19	0.50	0	26,26,26	0.93	2 (7%)
4	ANP	H	1511	5	27,33,33	2.07	6 (22%)	30,52,52	2.55	6 (20%)
6	GOL	H	1513	-	5,5,5	0.25	0	5,5,5	0.50	0
6	GOL	H	1514	-	5,5,5	0.44	0	5,5,5	0.48	0
4	ANP	I	1510	5	27,33,33	2.14	8 (29%)	30,52,52	2.08	5 (16%)
6	GOL	I	1512	-	5,5,5	0.43	0	5,5,5	0.53	0
4	ANP	J	1511	5	27,33,33	2.18	9 (33%)	30,52,52	2.08	7 (23%)
6	GOL	J	1513	-	5,5,5	0.33	0	5,5,5	0.28	0
7	ADP	K	1476	5	22,29,29	0.99	1 (4%)	27,45,45	1.89	4 (14%)
8	AZI	K	1478	-	0,2,2	0.00	-	0,1,1	0.00	-
6	GOL	K	1479	-	5,5,5	0.47	0	5,5,5	0.42	0
6	GOL	K	1480	-	5,5,5	0.36	0	5,5,5	0.21	0
9	PO4	L	1475	-	4,4,4	0.43	0	6,6,6	0.28	0
4	ANP	M	1475	5	27,33,33	1.98	8 (29%)	30,52,52	2.22	6 (20%)
10	PIT	N	1273	-	19,19,19	0.32	0	26,26,26	0.83	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ANP	A	1511	5	-	1/12/38/38	0/3/3/3
6	GOL	A	1513	-	-	0/4/4/4	0/0/0/0
6	GOL	A	1514	-	-	0/4/4/4	0/0/0/0
4	ANP	B	1510	5	-	0/12/38/38	0/3/3/3
6	GOL	B	1512	-	-	0/4/4/4	0/0/0/0
6	GOL	B	1513	-	-	0/4/4/4	0/0/0/0
4	ANP	C	1511	5	-	0/12/38/38	0/3/3/3
6	GOL	C	1513	-	-	0/4/4/4	0/0/0/0
7	ADP	D	1476	5	-	0/12/32/32	0/3/3/3
8	AZI	D	1478	-	-	0/0/0/0	0/0/0/0
6	GOL	D	1479	-	-	0/4/4/4	0/0/0/0
9	PO4	E	1475	-	-	0/0/0/0	0/0/0/0
4	ANP	F	1475	5	-	0/12/38/38	0/3/3/3
10	PIT	G	1273	-	-	0/5/5/5	0/2/2/2
4	ANP	H	1511	5	-	0/12/38/38	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	H	1513	-	-	0/4/4/4	0/0/0/0
6	GOL	H	1514	-	-	0/4/4/4	0/0/0/0
4	ANP	I	1510	5	-	1/12/38/38	0/3/3/3
6	GOL	I	1512	-	-	0/4/4/4	0/0/0/0
4	ANP	J	1511	5	-	1/12/38/38	0/3/3/3
6	GOL	J	1513	-	-	0/4/4/4	0/0/0/0
7	ADP	K	1476	5	-	0/12/32/32	0/3/3/3
8	AZI	K	1478	-	-	0/0/0/0	0/0/0/0
6	GOL	K	1479	-	-	0/4/4/4	0/0/0/0
6	GOL	K	1480	-	-	0/4/4/4	0/0/0/0
9	PO4	L	1475	-	-	0/0/0/0	0/0/0/0
4	ANP	M	1475	5	-	0/12/38/38	0/3/3/3
10	PIT	N	1273	-	-	0/5/5/5	0/2/2/2

The worst 5 of 64 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	J	1511	ANP	PB-O2B	-2.64	1.49	1.56
4	C	1511	ANP	PB-O2B	-2.56	1.49	1.56
4	I	1510	ANP	PB-O2B	-2.41	1.50	1.56
4	A	1511	ANP	PB-O2B	-2.34	1.50	1.56
4	M	1475	ANP	PB-O2B	-2.33	1.50	1.56

The worst 5 of 66 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	1511	ANP	O1G-PG-N3B	-9.10	97.94	111.90
4	A	1511	ANP	N3-C2-N1	-8.51	122.38	128.89
4	C	1511	ANP	N3-C2-N1	-8.43	122.44	128.89
4	I	1510	ANP	N3-C2-N1	-8.19	122.63	128.89
4	A	1511	ANP	O1G-PG-N3B	-7.30	100.70	111.90

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	J	1511	ANP	O1B-PB-N3B-PG
4	I	1510	ANP	O1B-PB-N3B-PG
4	A	1511	ANP	O1B-PB-N3B-PG

There are no ring outliers.

11 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1511	ANP	2	0
4	B	1510	ANP	1	0
6	B	1513	GOL	3	0
7	D	1476	ADP	1	0
4	F	1475	ANP	1	0
10	G	1273	PIT	2	0
4	H	1511	ANP	1	0
6	H	1514	GOL	2	0
7	K	1476	ADP	1	0
4	M	1475	ANP	1	0
10	N	1273	PIT	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	487/510 (95%)	-0.04	3 (0%) 90 91	14, 34, 57, 88	0
1	B	479/510 (93%)	-0.16	4 (0%) 87 88	14, 31, 67, 88	0
1	C	495/510 (97%)	-0.28	8 (1%) 74 75	15, 28, 47, 82	0
1	H	487/510 (95%)	-0.01	5 (1%) 84 85	16, 34, 57, 88	0
1	I	479/510 (93%)	-0.19	4 (0%) 87 88	12, 31, 66, 87	0
1	J	495/510 (97%)	-0.28	5 (1%) 84 85	12, 28, 48, 83	0
2	D	467/482 (96%)	-0.15	7 (1%) 76 76	12, 29, 58, 79	0
2	E	466/482 (96%)	0.09	12 (2%) 59 59	13, 37, 75, 103	0
2	F	466/482 (96%)	-0.24	3 (0%) 90 91	13, 30, 54, 75	0
2	K	467/482 (96%)	-0.11	4 (0%) 85 86	12, 29, 60, 79	0
2	L	466/482 (96%)	0.12	12 (2%) 59 59	15, 38, 75, 104	0
2	M	466/482 (96%)	-0.26	0 100 100	13, 31, 53, 75	0
3	G	167/272 (61%)	1.08	44 (26%) 1 1	15, 64, 93, 99	0
3	N	167/272 (61%)	0.70	19 (11%) 7 5	11, 62, 96, 100	0
All	All	6054/6496 (93%)	-0.07	130 (2%) 67 68	11, 32, 69, 104	0

The worst 5 of 130 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	G	42	ARG	7.7
3	G	40	PRO	7.6
3	G	207	TYR	6.8
2	E	424	PHE	6.2
3	G	209	LEU	5.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
6	GOL	K	1479	6/6	0.94	0.37	7.98	46,48,51,54	0
6	GOL	B	1513	6/6	0.96	0.19	5.47	28,29,32,35	0
10	PIT	G	1273	18/18	0.94	0.20	3.53	46,47,48,48	0
6	GOL	H	1514	6/6	0.92	0.19	2.70	20,31,32,38	0
10	PIT	N	1273	18/18	0.90	0.21	2.60	58,59,60,60	0
8	AZI	K	1478	3/3	0.98	0.18	2.53	9,9,16,19	0
6	GOL	B	1512	6/6	0.96	0.19	2.49	17,21,23,24	0
6	GOL	I	1512	6/6	0.98	0.17	1.99	10,17,19,25	0
6	GOL	K	1480	6/6	0.89	0.24	1.51	60,62,66,67	0
6	GOL	A	1513	6/6	0.94	0.22	1.24	26,27,30,32	0
6	GOL	C	1513	6/6	0.96	0.16	1.09	22,24,28,28	0
8	AZI	D	1478	3/3	0.91	0.15	0.82	20,20,31,33	0
6	GOL	A	1514	6/6	0.93	0.16	0.58	34,38,40,41	0
6	GOL	D	1479	6/6	0.97	0.15	-0.02	36,40,44,45	0
9	PO4	E	1475	5/5	0.94	0.18	-0.17	81,83,85,85	0
6	GOL	H	1513	6/6	0.95	0.17	-0.66	31,32,34,35	0
4	ANP	I	1510	31/31	0.97	0.12	-0.84	19,30,36,39	0
4	ANP	A	1511	31/31	0.96	0.14	-1.07	21,27,31,32	0
4	ANP	F	1475	31/31	0.98	0.10	-1.44	7,21,27,27	0
6	GOL	J	1513	6/6	0.98	0.12	-1.55	18,21,25,29	0
4	ANP	J	1511	31/31	0.98	0.09	-1.58	12,20,26,29	0
9	PO4	L	1475	5/5	0.95	0.14	-1.64	71,71,74,75	0
4	ANP	B	1510	31/31	0.97	0.11	-1.75	14,29,36,39	0
5	MG	K	1477	1/1	0.98	0.11	-1.93	22,22,22,22	0
7	ADP	K	1476	27/27	0.98	0.09	-2.04	16,25,30,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	ANP	M	1475	31/31	0.98	0.09	-2.04	11,26,31,31	0
7	ADP	D	1476	27/27	0.98	0.10	-2.14	11,32,38,41	0
4	ANP	H	1511	31/31	0.97	0.12	-2.42	11,32,39,40	0
4	ANP	C	1511	31/31	0.98	0.09	-2.70	13,23,27,28	0
5	MG	F	1476	1/1	0.94	0.05	-4.48	15,15,15,15	0
5	MG	D	1477	1/1	0.98	0.04	-5.61	18,18,18,18	0
5	MG	M	1476	1/1	0.99	0.03	-11.06	18,18,18,18	0
5	MG	A	1512	1/1	0.98	0.03	-	19,19,19,19	0
5	MG	I	1511	1/1	0.96	0.12	-	24,24,24,24	0
5	MG	C	1512	1/1	0.98	0.05	-	5,5,5,5	0
5	MG	J	1512	1/1	0.95	0.07	-	4,4,4,4	0
5	MG	H	1512	1/1	0.99	0.05	-	28,28,28,28	0
5	MG	B	1511	1/1	0.95	0.05	-	27,27,27,27	0

6.5 Other polymers [i](#)

There are no such residues in this entry.