



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:49 PM GMT

PDB ID : 4JLJ
Title : Human dCK C4S-S74E mutant in complex with UDP and the F2.1.1 inhibitor
(2-[(2-[3-(2-FLUOROETHOXY)-4-METHOXYPHENYL]-1,3-THIAZOL-4-YL)METHYL]SULFANYL]PYRIMIDINE-4,6-DIAMINE)
Authors : Nomme, J.; Lavie, A.
Deposited on : 2013-03-12
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	<div> <div>17%</div> <div> <div>59%</div> <div>23%</div> <div>•</div> <div>17%</div> </div> </div>
1	B	280	<div> <div>15%</div> <div> <div>57%</div> <div>24%</div> <div>•</div> <div>17%</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4165 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deoxycytidine kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	232	Total	C	N	O	S	0	3	0
			1932	1238	320	366	8			
1	B	233	Total	C	N	O	S	0	5	0
			1956	1254	323	372	7			

There are 50 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	INITIATING METHIONINE	UNP P27707
A	-18	GLY	-	EXPRESSION TAG	UNP P27707
A	-17	SER	-	EXPRESSION TAG	UNP P27707
A	-16	SER	-	EXPRESSION TAG	UNP P27707
A	-15	HIS	-	EXPRESSION TAG	UNP P27707
A	-14	HIS	-	EXPRESSION TAG	UNP P27707
A	-13	HIS	-	EXPRESSION TAG	UNP P27707
A	-12	HIS	-	EXPRESSION TAG	UNP P27707
A	-11	HIS	-	EXPRESSION TAG	UNP P27707
A	-10	HIS	-	EXPRESSION TAG	UNP P27707
A	-9	SER	-	EXPRESSION TAG	UNP P27707
A	-8	SER	-	EXPRESSION TAG	UNP P27707
A	-7	GLY	-	EXPRESSION TAG	UNP P27707
A	-6	LEU	-	EXPRESSION TAG	UNP P27707
A	-5	VAL	-	EXPRESSION TAG	UNP P27707
A	-4	PRO	-	EXPRESSION TAG	UNP P27707
A	-3	ARG	-	EXPRESSION TAG	UNP P27707
A	-2	GLY	-	EXPRESSION TAG	UNP P27707
A	-1	SER	-	EXPRESSION TAG	UNP P27707
A	0	HIS	-	EXPRESSION TAG	UNP P27707
A	9	SER	CYS	ENGINEERED MUTATION	UNP P27707
A	45	SER	CYS	ENGINEERED MUTATION	UNP P27707
A	59	SER	CYS	ENGINEERED MUTATION	UNP P27707
A	74	GLU	SER	ENGINEERED MUTATION	UNP P27707
A	146	SER	CYS	ENGINEERED MUTATION	UNP P27707

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	INITIATING METHIONINE	UNP P27707
B	-18	GLY	-	EXPRESSION TAG	UNP P27707
B	-17	SER	-	EXPRESSION TAG	UNP P27707
B	-16	SER	-	EXPRESSION TAG	UNP P27707
B	-15	HIS	-	EXPRESSION TAG	UNP P27707
B	-14	HIS	-	EXPRESSION TAG	UNP P27707
B	-13	HIS	-	EXPRESSION TAG	UNP P27707
B	-12	HIS	-	EXPRESSION TAG	UNP P27707
B	-11	HIS	-	EXPRESSION TAG	UNP P27707
B	-10	HIS	-	EXPRESSION TAG	UNP P27707
B	-9	SER	-	EXPRESSION TAG	UNP P27707
B	-8	SER	-	EXPRESSION TAG	UNP P27707
B	-7	GLY	-	EXPRESSION TAG	UNP P27707
B	-6	LEU	-	EXPRESSION TAG	UNP P27707
B	-5	VAL	-	EXPRESSION TAG	UNP P27707
B	-4	PRO	-	EXPRESSION TAG	UNP P27707
B	-3	ARG	-	EXPRESSION TAG	UNP P27707
B	-2	GLY	-	EXPRESSION TAG	UNP P27707
B	-1	SER	-	EXPRESSION TAG	UNP P27707
B	0	HIS	-	EXPRESSION TAG	UNP P27707
B	9	SER	CYS	ENGINEERED MUTATION	UNP P27707
B	45	SER	CYS	ENGINEERED MUTATION	UNP P27707
B	59	SER	CYS	ENGINEERED MUTATION	UNP P27707
B	74	GLU	SER	ENGINEERED MUTATION	UNP P27707
B	146	SER	CYS	ENGINEERED MUTATION	UNP P27707

- Molecule 2 is 2-[(2-{3-(2-FLUOROETHOXY)-4-METHOXYPHENYL}-1,3-THIAZOL-4-YL)METHYL]SULFANYL]PYRIMIDINE-4,6-DIAMINE (three-letter code: 1NM) (formula: C₁₇H₁₈FN₅O₂S₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			27	17	1	5	2	2		
2	A	1	Total	C	F	N	O	S	0	0
			27	17	1	5	2	2		
2	B	1	Total	C	F	N	O	S	0	0
			27	17	1	5	2	2		
2	B	1	Total	C	F	N	O	S	0	0
			27	17	1	5	2	2		

- Molecule 3 is URIDINE-5'-DIPHOSPHATE (three-letter code: UDP) (formula: C₉H₁₄N₂O₁₂P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
3	B	1	Total	C	N	O	P	0	0
			25	9	2	12	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	59	Total	O	0	0
			59	59		
4	B	60	Total	O	0	0
			60	60		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Deoxycytidine kinase



• Molecule 1: Deoxycytidine kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	69.00 Å 69.00 Å 123.18 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	26.04 – 2.00 28.12 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.9 (26.04-2.00) 98.0 (28.12-2.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.09 (at 1.99 Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.184 , 0.230 0.184 , 0.235	Depositor DCC
R_{free} test set	1925 reflections (5.31%)	DCC
Wilson B-factor (Å ²)	44.3	Xtriage
Anisotropy	0.074	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 46.5	EDS
Estimated twinning fraction	0.507 for H, K, L 0.493 for -H, K, -L 0.468 for h,-k,-l	Xtriage
Reported twinning fraction	0.507 for H, K, L 0.493 for -H, K, -L	Depositor
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 38933 reflections (0.003%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4165	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 1NM, UDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/1986	0.74	1/2686 (0.0%)
1	B	0.57	0/2017	0.75	3/2726 (0.1%)
All	All	0.58	0/4003	0.74	4/5412 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	106	ARG	NE-CZ-NH2	-5.88	117.36	120.30
1	A	240	GLU	OE1-CD-OE2	-5.44	116.77	123.30
1	B	41	LEU	CA-CB-CG	5.42	127.76	115.30
1	B	82	LEU	CA-CB-CG	5.30	127.49	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1932	0	1875	48	0
1	B	1956	0	1904	53	0
2	A	54	0	36	4	0
2	B	54	0	36	3	0
3	A	25	0	11	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	25	0	11	1	0
4	A	59	0	0	5	0
4	B	60	0	0	6	0
All	All	4165	0	3873	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:301:1NM:CAJ	2:A:301:1NM:FAD	1.59	1.40
2:B:301:1NM:FAD	2:B:301:1NM:CAJ	1.65	1.33
1:A:162:MET:HE1	1:B:162:MET:HE2	1.50	0.92
1:A:162:MET:HE2	1:A:162:MET:HA	1.50	0.90
1:B:42:LYS:O	4:B:433:HOH:O	1.93	0.85
1:A:108:GLN:NE2	4:A:411:HOH:O	2.04	0.85
1:A:157:ASP:OD1	1:B:106:ARG:NH2	2.11	0.81
1:B:83:GLN:O	1:B:87:GLU:HG2	1.80	0.80
1:B:140:ASN:OD1	4:B:441:HOH:O	1.98	0.80
1:A:162:MET:HE1	1:B:162:MET:CE	2.12	0.78
1:A:48:TRP:O	4:A:408:HOH:O	2.02	0.77
1:A:127:GLU:OE1	4:A:409:HOH:O	2.05	0.74
1:A:153:THR:HG22	1:B:77:ASN:HD21	1.54	0.72
1:B:72:THR:OG1	1:B:75:GLN:HG2	1.89	0.72
1:A:114:GLY:O	1:A:115:LYS:O	2.08	0.72
1:B:160:ASP:OD2	4:B:460:HOH:O	2.09	0.70
1:B:57:ARG:NH1	1:B:75:GLN:HE22	1.91	0.69
1:B:57:ARG:HH11	1:B:75:GLN:HE22	1.41	0.68
1:A:143:GLU:OE1	1:A:211:LYS:NZ	2.27	0.67
1:B:228:LEU:HA	1:B:231:VAL:HG23	1.77	0.65
1:B:158:TRP:NE1	1:B:162:MET:HE3	2.13	0.64
1:A:49:GLU:HG3	1:A:116:LEU:HG	1.81	0.63
1:B:204:TYR:CE2	1:B:208:LEU:HD11	2.34	0.62
1:B:135:TYR:O	1:B:211:LYS:HE3	2.02	0.59
1:A:237:ASP:OD2	1:A:239:ASN:ND2	2.38	0.57
1:A:116:LEU:HD12	1:A:124:LEU:HD13	1.86	0.57
1:A:94:PHE:O	1:A:98:THR:HG23	2.04	0.57
2:B:301:1NM:H3	2:B:301:1NM:OAP	2.04	0.56
2:A:301:1NM:H8	2:A:302:1NM:H1	1.88	0.56
1:A:162:MET:CE	1:B:162:MET:CE	2.82	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:162:MET:HE1	1:A:166:PHE:HE1	1.70	0.55
1:A:25:SER:HB2	1:A:172:LEU:HD13	1.88	0.55
1:A:50:VAL:HG12	1:A:52:PRO:HD3	1.88	0.54
1:A:162:MET:CE	1:A:166:PHE:HE1	2.20	0.54
1:B:187:HIS:O	1:B:190:TYR:HB3	2.09	0.53
2:B:301:1NM:OAP	2:B:301:1NM:CAK	2.57	0.52
1:B:72:THR:HG1	1:B:75:GLN:HG2	1.72	0.52
1:A:140:ASN:HB2	1:A:211:LYS:HE2	1.92	0.51
1:A:157:ASP:CG	1:B:106:ARG:HH22	2.08	0.50
1:B:158:TRP:NE1	1:B:162:MET:CE	2.74	0.50
1:B:164:ASN:OD1	1:B:164:ASN:C	2.49	0.50
1:B:196:GLU:H	1:B:196:GLU:CD	2.14	0.50
1:A:187:HIS:HD2	4:A:429:HOH:O	1.94	0.50
1:A:57:ARG:C	1:A:75:GLN:HE22	2.16	0.49
1:B:149:GLU:HB2	4:B:405:HOH:O	2.12	0.49
1:B:203:GLU:O	1:B:207:LYS:HG3	2.12	0.49
1:A:161:TRP:CE3	1:A:162:MET:HE3	2.47	0.49
1:B:194:ARG:HD2	1:B:197:GLU:CD	2.33	0.48
1:A:86:TYR:HD1	2:A:301:1NM:H10	1.78	0.48
1:B:91:ARG:HG3	1:B:92:TRP:CE2	2.49	0.47
1:B:34:LYS:O	1:B:38:VAL:HG22	2.14	0.47
2:A:301:1NM:H4	2:A:302:1NM:H9	1.97	0.47
1:A:188:ARG:NH1	1:A:238:VAL:O	2.40	0.47
1:B:219:ARG:NH2	1:B:228:LEU:O	2.49	0.46
1:B:40:ILE:HD13	1:B:246:TYR:CD2	2.50	0.46
1:A:162:MET:CE	1:A:162:MET:HA	2.35	0.46
1:B:218:HIS:HB2	1:B:220:THR:HG23	1.97	0.46
1:A:119:ALA:HB3	1:A:122:PRO:HB3	1.96	0.46
1:A:73:MET:HB2	1:A:76:LYS:NZ	2.31	0.46
1:A:34:LYS:O	1:A:38:VAL:HG13	2.16	0.46
1:A:162:MET:CE	1:B:162:MET:HE1	2.46	0.46
1:A:47:ASP:O	1:A:116:LEU:HD21	2.15	0.45
1:B:167:GLY:O	1:B:171:GLU:HG3	2.16	0.45
1:B:49:GLU:OE2	1:B:115:LYS:HE3	2.16	0.45
1:B:80:ASN:O	1:B:84[B]:MET:SD	2.75	0.45
1:A:116:LEU:HD22	1:A:122:PRO:HB3	1.98	0.45
1:A:49:GLU:HB2	1:A:124:LEU:CD1	2.46	0.45
1:A:53:GLU:HB2	4:A:431:HOH:O	2.16	0.45
1:A:117:LYS:HA	1:A:118:ASP:HA	1.79	0.45
1:A:49:GLU:CG	1:A:116:LEU:HG	2.46	0.44
1:B:204:TYR:CZ	1:B:208:LEU:HD11	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:201:PRO:HD2	1:B:204:TYR:HB3	1.99	0.44
1:B:133:ASP:HB3	4:B:401:HOH:O	2.16	0.44
1:B:72:THR:OG1	1:B:75:GLN:CG	2.62	0.44
1:B:84[B]:MET:HB3	1:B:92:TRP:CD1	2.53	0.44
1:B:192:ARG:HD3	1:B:194:ARG:CZ	2.48	0.43
1:B:222:LYS:HD2	1:B:223:THR:H	1.83	0.43
1:B:139:SER:O	1:B:143:GLU:HG3	2.18	0.43
1:B:175:ILE:HB	1:B:233:ILE:HG12	1.99	0.43
1:A:118:ASP:OD2	1:A:118:ASP:N	2.49	0.43
1:B:152:TRP:O	1:B:156:GLN:HG3	2.19	0.43
1:B:177:TYR:HB2	1:B:216:LEU:HD13	2.01	0.43
1:A:84[B]:MET:HE2	1:A:84[B]:MET:HB2	1.87	0.43
1:B:222:LYS:HD2	1:B:223:THR:N	2.33	0.43
1:B:19:THR:HA	1:B:20:ARG:HA	1.74	0.43
1:A:255:GLU:O	1:A:259:THR:HG23	2.18	0.42
1:A:49:GLU:HB2	1:A:124:LEU:HD13	2.02	0.42
1:A:26:ILE:HD13	1:A:176:ILE:HB	2.01	0.42
1:B:135:TYR:HB3	1:B:221:LEU:HD21	2.02	0.41
1:B:192:ARG:NH2	3:B:303:UDP:O2B	2.45	0.41
1:A:176:ILE:HD13	1:A:253:VAL:HG22	2.03	0.41
1:B:54:PRO:O	1:B:57:ARG:HB2	2.21	0.41
1:B:22:LYS:HA	1:B:22:LYS:HD3	1.85	0.41
1:A:187:HIS:O	1:A:191:LEU:HG	2.21	0.41
1:A:253:VAL:O	1:A:257:LEU:HG	2.21	0.41
1:B:151:GLU:OE1	4:B:412:HOH:O	2.22	0.41
1:B:210:TYR:C	1:B:210:TYR:CD2	2.95	0.41
1:A:228:LEU:O	1:A:230:GLU:N	2.53	0.40
1:A:200:ILE:HA	1:A:201:PRO:HD3	1.93	0.40
1:A:183:GLU:OE2	1:A:183:GLU:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/280 (82%)	218 (94%)	10 (4%)	3 (1%)	15	7
1	B	234/280 (84%)	223 (95%)	10 (4%)	1 (0%)	39	33
All	All	465/560 (83%)	441 (95%)	20 (4%)	4 (1%)	21	13

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	115	LYS
1	A	128	ARG
1	A	229	GLN
1	B	258	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/256 (83%)	198 (93%)	14 (7%)	21	14
1	B	216/256 (84%)	202 (94%)	14 (6%)	21	15
All	All	428/512 (84%)	400 (94%)	28 (6%)	20	15

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	ARG
1	A	59	SER
1	A	71	LEU
1	A	73	MET
1	A	85	MET
1	A	88	LYS
1	A	106	ARG
1	A	124	LEU
1	A	132	SER
1	A	162	MET
1	A	168	GLN
1	A	203	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	214	SER
1	A	220	THR
1	B	35	SER
1	B	49	GLU
1	B	81	VAL
1	B	102	LEU
1	B	132	SER
1	B	153	THR
1	B	164	ASN
1	B	196	GLU
1	B	222	LYS
1	B	223	THR
1	B	224	ASN
1	B	227	TYR
1	B	240	GLU
1	B	244	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	GLN
1	A	168	GLN
1	A	179	GLN
1	A	224	ASN
1	A	229	GLN
1	B	75	GLN
1	B	77	ASN
1	B	113	ASN
1	B	140	ASN
1	B	156	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	1NM	A	301	-	25,29,29	1.87	3 (12%)	28,39,39	1.90	5 (17%)
2	1NM	A	302	-	25,29,29	1.71	3 (12%)	28,39,39	1.79	5 (17%)
3	UDP	A	303	-	18,26,26	0.64	0	26,40,40	1.37	2 (7%)
2	1NM	B	301	-	25,29,29	2.13	4 (16%)	28,39,39	2.20	11 (39%)
2	1NM	B	302	-	25,29,29	1.69	3 (12%)	28,39,39	1.74	3 (10%)
3	UDP	B	303	-	18,26,26	0.97	1 (5%)	26,40,40	1.68	2 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1NM	A	301	-	-	0/14/15/15	0/3/3/3
2	1NM	A	302	-	-	0/14/15/15	0/3/3/3
3	UDP	A	303	-	-	0/12/32/32	0/2/2/2
2	1NM	B	301	-	-	0/14/15/15	0/3/3/3
2	1NM	B	302	-	-	0/14/15/15	0/3/3/3
3	UDP	B	303	-	-	0/12/32/32	0/2/2/2

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	302	1NM	CBA-SAS	-6.67	1.64	1.73
2	A	302	1NM	CBA-SAS	-6.66	1.64	1.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	1NM	CBA-SAS	-6.24	1.65	1.73
2	B	301	1NM	CBA-SAS	-6.08	1.65	1.73
2	B	301	1NM	CAG-SAS	-3.75	1.64	1.70
2	A	302	1NM	CAG-SAS	-2.56	1.66	1.70
2	B	302	1NM	CBA-NAO	2.12	1.34	1.31
2	B	301	1NM	CBA-NAO	2.19	1.34	1.31
2	B	302	1NM	C2-SAR	2.28	1.79	1.75
3	B	303	UDP	O4'-C1'	2.43	1.44	1.41
2	A	302	1NM	FAD-CAJ	2.60	1.49	1.38
2	A	301	1NM	CAL-CAV	2.62	1.54	1.50
2	A	301	1NM	FAD-CAJ	5.03	1.59	1.38
2	B	301	1NM	FAD-CAJ	6.54	1.65	1.38

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	1NM	CAA-OAP-CAY	-4.43	110.82	117.54
2	B	301	1NM	CAA-OAP-CAY	-4.25	111.10	117.54
2	B	302	1NM	N3-C2-N1	-3.43	120.21	126.75
2	A	302	1NM	N3-C2-N1	-3.41	120.25	126.75
2	B	301	1NM	N3-C2-N1	-3.26	120.54	126.75
2	A	301	1NM	N3-C2-N1	-2.88	121.26	126.75
2	B	301	1NM	OAP-CAY-CAF	-2.69	119.82	124.35
3	A	303	UDP	PA-O3A-PB	-2.37	124.72	132.67
2	B	301	1NM	OAQ-CAZ-CAI	-2.14	118.64	123.72
3	B	303	UDP	O3A-PA-O5'	-2.02	97.58	102.94
2	A	302	1NM	CAL-SAR-C2	2.25	104.97	102.57
2	A	301	1NM	NAC-C4-N3	2.25	120.60	116.50
2	B	301	1NM	OAQ-CAZ-CAY	2.41	120.84	115.78
2	B	301	1NM	NAC-C4-N3	2.51	121.08	116.50
2	A	302	1NM	NAB-C6-N1	2.70	121.42	116.50
2	B	301	1NM	CAK-OAQ-CAZ	2.74	124.38	117.64
2	B	301	1NM	NAB-C6-N1	3.03	122.02	116.50
2	A	301	1NM	C2-N1-C6	3.43	119.31	115.97
2	B	301	1NM	OAP-CAY-CAZ	3.71	120.69	115.40
2	B	301	1NM	C2-N1-C6	3.75	119.63	115.97
2	B	302	1NM	C2-N1-C6	4.68	120.53	115.97
2	A	302	1NM	C2-N1-C6	4.69	120.54	115.97
2	A	302	1NM	C2-N3-C4	4.97	120.81	115.97
2	B	301	1NM	C2-N3-C4	5.30	121.14	115.97
2	B	302	1NM	C2-N3-C4	5.56	121.39	115.97
2	A	301	1NM	C2-N3-C4	5.59	121.42	115.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	A	303	UDP	C4-N3-C2	5.75	119.84	114.14
3	B	303	UDP	C4-N3-C2	6.68	120.76	114.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	1NM	4	0
2	A	302	1NM	2	0
2	B	301	1NM	3	0
3	B	303	UDP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	232/280 (82%)	1.06	48 (20%) 1 1	33, 43, 58, 64	0
1	B	233/280 (83%)	1.14	42 (18%) 2 2	34, 43, 58, 62	0
All	All	465/560 (83%)	1.10	90 (19%) 1 2	33, 43, 58, 64	0

All (90) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	71	LEU	6.7
1	B	167	GLY	6.4
1	B	71	LEU	6.3
1	B	60	ASN	5.6
1	A	118	ASP	5.5
1	B	19	THR	5.1
1	A	26	ILE	5.1
1	A	70	GLU	5.0
1	B	118	ASP	5.0
1	B	26	ILE	4.6
1	B	260	LEU	4.4
1	B	164	ASN	4.3
1	A	210	TYR	4.3
1	B	229	GLN	4.0
1	B	166	PHE	4.0
1	B	222	LYS	3.9
1	A	60	ASN	3.8
1	B	70	GLU	3.7
1	B	190	TYR	3.7
1	A	119	ALA	3.6
1	A	176	ILE	3.5
1	B	125	PHE	3.5
1	A	220	THR	3.4
1	A	113	ASN	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	218	HIS	3.3
1	A	115	LYS	3.2
1	A	178	LEU	3.2
1	B	168	GLN	3.2
1	B	161	TRP	3.2
1	A	224	ASN	3.1
1	B	132	SER	3.1
1	B	114	GLY	3.0
1	A	226	ASP	3.0
1	A	230	GLU	3.0
1	A	28	GLY	3.0
1	B	130	VAL	3.0
1	A	126	PHE	3.0
1	B	117	LYS	3.0
1	B	176	ILE	2.9
1	B	115	LYS	2.9
1	B	210	TYR	2.9
1	A	229	GLN	2.9
1	B	137	PHE	2.9
1	B	230	GLU	2.9
1	A	128	ARG	2.9
1	A	166	PHE	2.9
1	A	125	PHE	2.8
1	B	72	THR	2.7
1	B	129	SER	2.7
1	A	132	SER	2.7
1	A	195	ASN	2.7
1	A	136	ILE	2.6
1	B	128	ARG	2.6
1	B	20	ARG	2.6
1	A	55	VAL	2.6
1	A	98	THR	2.5
1	A	168	GLN	2.5
1	A	217	LEU	2.5
1	A	25	SER	2.4
1	B	94	PHE	2.4
1	B	218	HIS	2.4
1	B	126	PHE	2.4
1	B	178	LEU	2.4
1	B	120	GLU	2.4
1	B	195	ASN	2.4
1	A	94	PHE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	226	ASP	2.3
1	B	25[A]	SER	2.3
1	B	24	ILE	2.3
1	A	240	GLU	2.3
1	A	86	TYR	2.2
1	A	259	THR	2.2
1	B	221	LEU	2.2
1	A	51	VAL	2.2
1	A	129	SER	2.2
1	A	24	ILE	2.2
1	A	46	GLU	2.2
1	B	100	ALA	2.1
1	A	20	ARG	2.1
1	A	133	ASP	2.1
1	A	155	TYR	2.1
1	B	175	ILE	2.1
1	A	41	LEU	2.1
1	A	202	LEU	2.1
1	A	100	ALA	2.1
1	A	34	LYS	2.0
1	B	43	GLN	2.0
1	A	219	ARG	2.0
1	A	222	LYS	2.0
1	A	137	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	1NM	B	302	27/27	0.83	0.17	0.25	50,53,58,58	0
2	1NM	A	302	27/27	0.90	0.17	0.02	44,49,57,61	0
2	1NM	A	301	27/27	0.85	0.19	0.00	33,48,58,62	0
2	1NM	B	301	27/27	0.92	0.16	-0.46	33,49,58,64	0
3	UDP	A	303	25/25	0.96	0.11	-0.97	34,42,45,47	0
3	UDP	B	303	25/25	0.96	0.12	-1.03	34,42,54,55	0

6.5 Other polymers [i](#)

There are no such residues in this entry.