



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 09:18 PM BST

PDB ID : 2JO7
Title : Solution structure of the adhesion protein Bd37 from Babesia divergens
Authors : Auguin, D.; Yang, Y.; Lohr, F.; Arold, S.; Schetters, T.; Precigout, E.; Gorenflot, A.; Delbecq, S.; Roumestand, C.
Deposited on : 2007-02-26

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 76%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	224	

2 Ensemble composition and analysis ⓘ

This entry contains 10 models. Model 9 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *closest to the average*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:81-A:160, A:177-A:241, A:246-A:260, A:264-A:288 (185)	0.48	9

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 1 single-model cluster was found.

Cluster number	Models
1	2, 4, 5, 9, 10
2	1, 3, 6, 7
Single-model clusters	8

3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 3526 atoms, of which 1792 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Glycosylphosphatidylinositol-anchored merozoite surface protein.


Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	224	3526	1103	1792	284	341	6	0

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Glycosylphosphatidylinositol-anchored merozoite surface protein




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1


- Molecule 1: Glycosylphosphatidylinositol-anchored merozoite surface protein



4.2.2 Score per residue for model 2


- Molecule 1: Glycosylphosphatidylinositol-anchored merozoite surface protein






4.2.3 Score per residue for model 3

- Molecule 1: Glycosylphosphatidylinositol-anchored merozoite surface protein




4.2.4 Score per residue for model 4

- Molecule 1: Glycosylphosphatidylinositol-anchored merozoite surface protein




4.2.5 Score per residue for model 5

- Molecule 1: Glycosylphosphatidylinositol-anchored merozoite surface protein




4.2.6 Score per residue for model 6

- Molecule 1: Glycosylphosphatidylinositol-anchored merozoite surface protein




4.2.7 Score per residue for model 7

- Molecule 1: Glycosylphosphatidylinositol-anchored merozoite surface protein




4.2.8 Score per residue for model 8

- Molecule 1: Glycosylphosphatidylinositol-anchored merozoite surface protein




4.2.9 Score per residue for model 9 (medoid)

- Molecule 1: Glycosylphosphatidylinositol-anchored merozoite surface protein



4.2.10 Score per residue for model 10

- Molecule 1: Glycosylphosphatidylinositol-anchored merozoite surface protein



5 Refinement protocol and experimental data overview

The models were refined using the following method: *molecular dynamics*.

Of the 100 calculated structures, 10 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
PREDITOR	geometry optimization	1
CYANA	structure solution	
AMBER	refinement	8
TALOS	geometry optimization	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 15158
Number of chemical shift lists	1
Total number of shifts	2668
Number of shifts mapped to atoms	2353
Number of unparsed shifts	3
Number of shifts with mapping errors	312
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	76%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality

6.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.68±0.01	0±0/1463 (0.0±0.0%)	1.00±0.01	2±1/1969 (0.1±0.1%)
All	All	0.68	0/14630 (0.0%)	1.00	23/19690 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	1.9±1.0
All	All	0	19

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	83	ARG	NE-CZ-NH1	9.75	125.17	120.30	7	7
1	A	278	ARG	NE-CZ-NH1	7.98	124.29	120.30	9	4
1	A	107	ARG	NE-CZ-NH1	7.81	124.20	120.30	4	7
1	A	139	ARG	NE-CZ-NH1	5.62	123.11	120.30	3	3
1	A	181	PHE	CB-CG-CD2	-5.47	116.97	120.80	10	1
1	A	106	LEU	CB-CA-C	5.01	119.72	110.20	3	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	132	TYR	Sidechain	5
1	A	238	TYR	Sidechain	4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group	Models (Total)
1	A	278	ARG	Sidechain	4
1	A	105	TYR	Sidechain	3
1	A	107	ARG	Sidechain	2
1	A	232	TYR	Sidechain	1

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1441	1500	1497	1±1
All	All	14410	15000	14970	9

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:215:LYS:HB3	1:A:270:LEU:HD11	0.46	1.86	8	1
1:A:103:VAL:HG22	1:A:238:TYR:CE2	0.43	2.48	10	4
1:A:215:LYS:CB	1:A:270:LEU:HD11	0.42	2.44	8	2
1:A:247:TRP:CZ3	1:A:278:ARG:HD3	0.42	2.50	2	1
1:A:235:VAL:HG22	1:A:247:TRP:CD2	0.41	2.51	8	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	185/224 (83%)	167±3 (90±1%)	12±2 (7±1%)	6±1 (3±1%)	9	42
All	All	1850/2240 (83%)	1674 (90%)	121 (7%)	55 (3%)	9	42

All 10 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	197	GLY	10
1	A	97	PHE	9
1	A	238	TYR	7
1	A	236	PRO	6
1	A	138	ILE	5
1	A	141	ASP	5
1	A	96	PRO	5
1	A	94	ASP	4
1	A	137	GLY	3
1	A	237	GLU	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	157/190 (83%)	146±2 (93±1%)	11±2 (7±1%)	24	69
All	All	1570/1900 (83%)	1462 (93%)	108 (7%)	24	69

All 43 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	106	LEU	10
1	A	216	PHE	9
1	A	247	TRP	9
1	A	223	PHE	7
1	A	278	ARG	7
1	A	270	LEU	5
1	A	255	HIS	3
1	A	83	ARG	3
1	A	138	ILE	3
1	A	251	GLU	3
1	A	132	TYR	3
1	A	107	ARG	3
1	A	102	LEU	3
1	A	219	LEU	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	103	VAL	2
1	A	118	ASP	2
1	A	201	LEU	2
1	A	281	MET	2
1	A	248	LYS	2
1	A	193	SER	2
1	A	105	TYR	2
1	A	98	THR	2
1	A	285	LEU	1
1	A	209	HIS	1
1	A	84	GLU	1
1	A	276	GLU	1
1	A	275	ILE	1
1	A	115	LEU	1
1	A	150	LEU	1
1	A	212	LEU	1
1	A	139	ARG	1
1	A	134	GLU	1
1	A	113	LEU	1
1	A	108	VAL	1
1	A	196	LYS	1
1	A	267	LEU	1
1	A	99	ILE	1
1	A	233	LEU	1
1	A	130	LYS	1
1	A	101	GLN	1
1	A	136	ILE	1
1	A	220	THR	1
1	A	117	VAL	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.6 Ligand geometry

There are no ligands in this entry.

6.7 Other polymers

There are no such molecules in this entry.

6.8 Polymer linkage issues

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 76% for the well-defined parts and 75% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 15158

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2668
Number of shifts mapped to atoms	2353
Number of unparsed shifts	3
Number of shifts with mapping errors	312
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	5

The following errors were found when reading this chemical shift list.

- Chemical shift has been reported more than once. All 3 occurrences are reported below.

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
2635	A	287	GLY	H	8.497	0.01	1
2637	A	287	GLY	CA	45.21	0.05	1
2638	A	287	GLY	N	110.786	0.1	1

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Residue not found in structure. All 312 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	3	ASN	N	121.088	0.1	1
A	48	ALA	C	178.27	0.05	1
A	10	PRO	C	176.72	0.05	1
A	38	SER	CA	58.09	0.05	1
A	11	ALA	CA	52.11	0.05	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	8	GLN	H	8.389	0.01	1
A	27	ALA	H	8.301	0.01	1
A	51	THR	CB	69.13	0.05	1
A	17	VAL	H	8.132	0.01	1
A	5	ASN	CA	53.26	0.05	1
A	23	ASP	N	120.745	0.1	1
A	282	CYS	CB	40.28	0.05	1
A	290	SER	N	115.692	0.1	1
A	290	SER	CA	58.41	0.05	1
A	56	VAL	CA	61.94	0.05	1
A	52	THR	H	8.126	0.01	1
A	56	VAL	CB	31.71	0.05	1
A	288	GLN	CB	28.38	0.05	1
A	292	LYS	N	123.198	0.1	1
A	42	GLN	C	175.67	0.05	1
A	47	ALA	N	125.847	0.1	1
A	5	ASN	N	118.684	0.1	1
A	6	GLY	C	174.22	0.05	1
A	53	ALA	CB	18.31	0.05	1
A	49	GLY	C	174.11	0.05	1
A	28	GLY	H	8.342	0.01	1
A	27	ALA	C	178.35	0.05	1
A	46	GLN	CA	55.53	0.05	1
A	14	ASN	CB	38.26	0.05	1
A	54	THR	H	8.106	0.01	1
A	31	GLN	N	121.726	0.1	1
A	6	GLY	N	109.216	0.1	1
A	281	ASP	CB	40.75	0.05	1
A	36	SER	C	174.46	0.05	1
A	40	PRO	C	176.96	0.05	1
A	22	ASN	CA	53.19	0.05	1
A	54	THR	C	176.32	0.05	1
A	14	ASN	H	8.265	0.01	1
A	24	ALA	CA	52.76	0.05	1
A	30	GLN	N	122.56	0.1	1
A	13	ALA	C	177.16	0.05	1
A	19	THR	N	118.243	0.1	1
A	285	GLY	H	8.301	0.01	1
A	21	GLY	CA	44.96	0.05	1
A	5	ASN	CB	38.19	0.05	1
A	50	GLU	N	120.647	0.1	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	294	ASN	H	7.885	0.01	1
A	31	GLN	H	8.44	0.01	1
A	26	GLN	CA	55.66	0.05	1
A	22	ASN	N	118.831	0.1	1
A	4	LEU	C	177.28	0.05	1
A	45	GLN	CB	28.43	0.05	1
A	29	THR	H	7.988	0.01	1
A	49	GLY	H	8.291	0.01	1
A	47	ALA	C	177.37	0.05	1
A	16	VAL	H	8.147	0.01	1
A	39	VAL	CA	59.63	0.05	1
A	31	GLN	CB	28.38	0.05	1
A	283	ALA	C	177.41	0.05	1
A	8	GLN	CA	55.38	0.05	1
A	18	SER	CA	57.85	0.05	1
A	50	GLU	CA	56.31	0.05	1
A	291	SER	N	118.243	0.1	1
A	51	THR	C	174.71	0.05	1
A	292	LYS	C	176.14	0.05	1
A	291	SER	CB	63.1	0.05	1
A	25	GLN	H	8.24	0.01	1
A	291	SER	C	174.22	0.05	1
A	26	GLN	H	8.229	0.01	1
A	2	THR	N	115.299	0.1	1
A	44	PRO	CB	31.01	0.05	1
A	30	GLN	H	8.435	0.01	1
A	15	PRO	CB	31.01	0.05	1
A	28	GLY	C	174.57	0.05	1
A	36	SER	CB	63.04	0.05	1
A	55	VAL	CB	31.85	0.05	1
A	45	GLN	H	8.491	0.01	1
A	41	GLU	CB	29.15	0.05	1
A	34	ALA	N	123.885	0.1	1
A	25	GLN	CB	28.13	0.05	1
A	34	ALA	C	177.76	0.05	1
A	3	ASN	C	175.15	0.05	1
A	55	VAL	H	8.111	0.01	1
A	286	SER	CB	63.34	0.05	1
A	11	ALA	C	177.42	0.05	1
A	47	ALA	H	8.358	0.01	1
A	34	ALA	CA	52.55	0.05	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	3	ASN	CA	53.07	0.05	1
A	11	ALA	CB	18.28	0.05	1
A	45	GLN	CA	55.68	0.05	1
A	10	PRO	CA	63.0	0.05	1
A	47	ALA	CB	18.24	0.05	1
A	15	PRO	C	176.73	0.05	1
A	41	GLU	N	120.745	0.1	1
A	32	GLY	N	110.295	0.1	1
A	21	GLY	H	8.445	0.01	1
A	49	GLY	CA	44.92	0.05	1
A	16	VAL	C	176.23	0.05	1
A	25	GLN	N	118.537	0.1	1
A	284	ALA	N	121.922	0.1	1
A	20	PRO	CB	30.88	0.05	1
A	14	ASN	N	118.831	0.1	1
A	15	PRO	CA	63.01	0.05	1
A	43	GLN	C	181.89	0.05	1
A	286	SER	N	115.495	0.1	1
A	38	SER	H	8.234	0.01	1
A	37	LYS	H	8.27	0.01	1
A	55	VAL	CA	61.93	0.05	1
A	12	ALA	N	123.1	0.1	1
A	41	GLU	CA	56.53	0.05	1
A	32	GLY	CA	45.11	0.05	1
A	283	ALA	H	8.903	0.01	1
A	50	GLU	H	8.245	0.01	1
A	292	LYS	H	8.255	0.01	1
A	23	ASP	C	176.31	0.05	1
A	14	ASN	CA	51.1	0.05	1
A	11	ALA	N	124.081	0.1	1
A	6	GLY	H	8.26	0.01	1
A	32	GLY	C	174.65	0.05	1
A	286	SER	CA	58.38	0.05	1
A	294	ASN	CA	54.54	0.05	1
A	29	THR	N	113.14	0.1	1
A	27	ALA	N	125.062	0.1	1
A	13	ALA	CA	51.99	0.05	1
A	23	ASP	CA	54.39	0.05	1
A	22	ASN	CB	38.42	0.05	1
A	45	GLN	N	120.598	0.1	1
A	293	LEU	H	8.255	0.01	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	22	ASN	C	175.11	0.05	1
A	4	LEU	H	8.24	0.01	1
A	50	GLU	CB	29.43	0.05	1
A	29	THR	CA	61.73	0.05	1
A	24	ALA	C	178.12	0.05	1
A	47	ALA	CA	52.14	0.05	1
A	12	ALA	CB	18.28	0.05	1
A	8	GLN	C	175.67	0.05	1
A	289	GLY	H	8.486	0.01	1
A	288	GLN	H	8.26	0.01	1
A	4	LEU	CB	40.95	0.05	1
A	292	LYS	CA	55.99	0.05	1
A	26	GLN	CB	28.17	0.05	1
A	20	PRO	CA	63.37	0.05	1
A	24	ALA	H	8.183	0.01	1
A	2	THR	CB	69.15	0.05	1
A	289	GLY	CA	45.13	0.05	1
A	31	GLN	CA	55.8	0.05	1
A	36	SER	N	116.133	0.1	1
A	8	GLN	CB	28.66	0.05	1
A	6	GLY	CA	45.26	0.05	1
A	27	ALA	CB	18.23	0.05	1
A	28	GLY	CA	45.15	0.05	1
A	283	ALA	CA	52.39	0.05	1
A	54	THR	N	114.661	0.1	1
A	44	PRO	C	176.96	0.05	1
A	291	SER	CA	58.29	0.05	1
A	7	SER	CA	58.21	0.05	1
A	17	VAL	CB	31.84	0.05	1
A	13	ALA	H	8.168	0.01	1
A	289	GLY	C	174.58	0.05	1
A	31	GLN	C	176.55	0.05	1
A	46	GLN	C	175.59	0.05	1
A	282	CYS	H	8.543	0.01	1
A	35	ASN	H	8.404	0.01	1
A	44	PRO	CA	63.05	0.05	1
A	30	GLN	C	176.03	0.05	1
A	52	THR	CB	69.11	0.05	1
A	289	GLY	N	110.148	0.1	1
A	12	ALA	H	8.142	0.01	1
A	42	GLN	CB	28.66	0.05	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	24	ALA	N	124.081	0.1	1
A	36	SER	CA	58.42	0.05	1
A	34	ALA	H	8.291	0.01	1
A	13	ALA	CB	18.26	0.05	1
A	7	SER	N	115.593	0.1	1
A	43	GLN	CB	27.95	0.05	1
A	9	GLU	CA	53.52	0.05	1
A	53	ALA	H	8.281	0.01	1
A	32	GLY	H	8.44	0.01	1
A	51	THR	H	8.27	0.01	1
A	285	GLY	CA	45.04	0.05	1
A	56	VAL	N	125.7	0.1	1
A	21	GLY	C	174.08	0.05	1
A	40	PRO	CB	31.01	0.05	1
A	8	GLN	N	121.873	0.1	1
A	54	THR	CB	69.13	0.05	1
A	284	ALA	C	178.33	0.05	1
A	33	GLY	CA	44.88	0.05	1
A	3	ASN	CB	37.98	0.05	1
A	16	VAL	CA	62.26	0.05	1
A	288	GLN	CA	55.76	0.05	1
A	2	THR	CA	61.82	0.05	1
A	10	PRO	CB	30.91	0.05	1
A	37	LYS	CA	55.93	0.05	1
A	52	THR	N	116.575	0.1	1
A	26	GLN	C	175.92	0.05	1
A	42	GLN	N	121.039	0.1	1
A	19	THR	H	8.193	0.01	1
A	43	GLN	CA	53.55	0.05	1
A	3	ASN	H	8.44	0.01	1
A	33	GLY	N	108.774	0.1	1
A	55	VAL	C	175.67	0.05	1
A	5	ASN	H	8.378	0.01	1
A	37	LYS	C	176.51	0.05	1
A	56	VAL	C	175.82	0.05	1
A	38	SER	N	117.114	0.1	1
A	37	LYS	N	122.756	0.1	1
A	52	THR	CA	61.67	0.05	1
A	23	ASP	H	8.368	0.01	1
A	43	GLN	N	122.805	0.1	1
A	24	ALA	CB	18.06	0.05	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	291	SER	H	8.193	0.01	1
A	284	ALA	CA	52.43	0.05	1
A	9	GLU	CB	27.94	0.05	1
A	41	GLU	H	8.461	0.01	1
A	20	PRO	C	177.52	0.05	1
A	35	ASN	CA	53.08	0.05	1
A	29	THR	C	174.82	0.05	1
A	9	GLU	H	8.414	0.01	1
A	56	VAL	H	8.26	0.01	1
A	293	LEU	N	123.885	0.1	1
A	4	LEU	N	122.854	0.1	1
A	16	VAL	CB	31.52	0.05	1
A	46	GLN	N	121.726	0.1	1
A	23	ASP	CB	40.24	0.05	1
A	5	ASN	C	175.71	0.05	1
A	35	ASN	N	117.36	0.1	1
A	33	GLY	H	8.25	0.01	1
A	286	SER	H	8.224	0.01	1
A	12	ALA	CA	51.98	0.05	1
A	288	GLN	C	176.63	0.05	1
A	17	VAL	N	124.032	0.1	1
A	48	ALA	CA	52.38	0.05	1
A	293	LEU	CA	54.99	0.05	1
A	7	SER	C	174.44	0.05	1
A	38	SER	C	174.08	0.05	1
A	4	LEU	CA	55.29	0.05	1
A	281	ASP	C	176.23	0.05	1
A	292	LYS	CB	31.81	0.05	1
A	17	VAL	C	175.95	0.05	1
A	36	SER	H	8.142	0.01	1
A	282	CYS	N	119.715	0.1	1
A	294	ASN	N	124.277	0.1	1
A	30	GLN	CA	55.74	0.05	1
A	19	THR	CA	59.38	0.05	1
A	21	GLY	N	109.216	0.1	1
A	27	ALA	CA	52.59	0.05	1
A	18	SER	C	174.13	0.05	1
A	293	LEU	CB	41.33	0.05	1
A	13	ALA	N	123.345	0.1	1
A	7	SER	CB	63.15	0.05	1
A	17	VAL	CA	61.73	0.05	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	48	ALA	N	123.737	0.1	1
A	290	SER	CB	63.26	0.05	1
A	286	SER	C	175.26	0.05	1
A	26	GLN	N	120.745	0.1	1
A	7	SER	H	8.162	0.01	1
A	281	ASP	CA	54.14	0.05	1
A	16	VAL	N	120.499	0.1	1
A	18	SER	N	120.009	0.1	1
A	290	SER	H	8.322	0.01	1
A	45	GLN	C	176.03	0.05	1
A	33	GLY	C	174.2	0.05	1
A	285	GLY	C	174.32	0.05	1
A	11	ALA	H	8.322	0.01	1
A	288	GLN	N	119.862	0.1	1
A	281	ASP	N	122.217	0.1	1
A	40	PRO	CA	63.11	0.05	1
A	28	GLY	N	107.94	0.1	1
A	54	THR	CA	61.84	0.05	1
A	39	VAL	H	8.075	0.01	1
A	43	GLN	H	8.389	0.01	1
A	48	ALA	CB	18.24	0.05	1
A	282	CYS	CA	55.44	0.05	1
A	38	SER	CB	63.06	0.05	1
A	50	GLU	C	176.9	0.05	1
A	37	LYS	CB	31.8	0.05	1
A	42	GLN	CA	55.4	0.05	1
A	39	VAL	CB	31.69	0.05	1
A	30	GLN	CB	28.21	0.05	1
A	19	THR	CB	69.25	0.05	1
A	29	THR	CB	69.21	0.05	1
A	51	THR	CA	62.33	0.05	1
A	18	SER	CB	63.16	0.05	1
A	283	ALA	CB	18.28	0.05	1
A	48	ALA	H	8.286	0.01	1
A	281	ASP	H	8.517	0.01	1
A	39	VAL	N	122.609	0.1	1
A	284	ALA	CB	18.24	0.05	1
A	9	GLU	N	122.903	0.1	1
A	12	ALA	C	177.42	0.05	1
A	18	SER	H	8.347	0.01	1
A	285	GLY	N	108.087	0.1	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	283	ALA	N	125.406	0.1	1
A	46	GLN	H	8.353	0.01	1
A	51	THR	N	115.201	0.1	1
A	2	THR	H	8.224	0.01	1
A	22	ASN	H	8.265	0.01	1
A	35	ASN	C	176.32	0.05	1
A	52	THR	C	174.17	0.05	1
A	284	ALA	H	8.07	0.01	1
A	53	ALA	CA	52.26	0.05	1
A	49	GLY	N	108.087	0.1	1
A	25	GLN	CA	55.97	0.05	1
A	46	GLN	CB	28.55	0.05	1
A	53	ALA	C	177.65	0.05	1
A	35	ASN	CB	41.63	0.05	1
A	282	CYS	C	174.46	0.05	1
A	25	GLN	C	176.35	0.05	1
A	55	VAL	N	123.737	0.1	1
A	42	GLN	H	8.306	0.01	1
A	53	ALA	N	126.681	0.1	1
A	34	ALA	CB	18.08	0.05	1

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	284	-0.19 ± 0.09	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	251	1.19 ± 0.08	Should be applied
$^{13}\text{C}'$	262	-0.56 ± 0.20	Should be applied
^{15}N	277	0.03 ± 0.19	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 76%, i.e. 1727 atoms were assigned a chemical shift out of a possible 2268. 8 out of 40 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	876/913 (96%)	355/364 (98%)	345/370 (93%)	176/179 (98%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Sidechain	793/1226 (65%)	592/713 (83%)	201/474 (42%)	0/39 (0%)
Aromatic	58/129 (45%)	58/67 (87%)	0/55 (0%)	0/7 (0%)
Overall	1727/2268 (76%)	1005/1144 (88%)	546/899 (61%)	176/225 (78%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 75%, i.e. 2052 atoms were assigned a chemical shift out of a possible 2718. 10 out of 48 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	1059/1108 (96%)	426/442 (96%)	419/448 (94%)	214/218 (98%)
Sidechain	935/1465 (64%)	694/850 (82%)	241/566 (43%)	0/49 (0%)
Aromatic	58/145 (40%)	58/75 (77%)	0/59 (0%)	0/11 (0%)
Overall	2052/2718 (75%)	1178/1367 (86%)	660/1073 (62%)	214/278 (77%)

7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	111	THR	HG23	5.18	2.29 – -0.01	17.5
1	A	111	THR	HG22	5.18	2.29 – -0.01	17.5
1	A	111	THR	HG21	5.18	2.29 – -0.01	17.5
1	A	206	LYS	CB	54.73	41.68 – 23.88	12.3
1	A	112	ASP	CB	30.94	49.06 – 32.66	-6.0

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

