



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 09:38 PM BST

PDB ID : 2JP9  
Title : Structure of the Wilms Tumor Suppressor Protein Zinc Finger Domain Bound to DNA  
Authors : Stoll, R.; Lee, B.M.; Debler, E.W.; Laity, J.H.; Wilson, I.A.; Dyson, H.J.; Wright, P.E.  
Deposited on : 2007-04-30

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : unknown  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : rb-20027457  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027457


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 9%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	B	17	<div> <div style="width: 41%; background-color: green;"></div> <div style="width: 53%; background-color: yellow;"></div> <div style="width: 6%; background-color: orange;"></div> </div> <div>41% 53% 6%</div>
2	C	17	<div> <div style="width: 59%; background-color: green;"></div> <div style="width: 41%; background-color: yellow;"></div> </div> <div>59% 41%</div>
3	A	119	<div> <div style="width: 66%; background-color: green;"></div> <div style="width: 18%; background-color: yellow;"></div> <div style="width: 1%; background-color: orange;"></div> <div style="width: 13%; background-color: cyan;"></div> </div> <div>66% 18% • 13%</div>

## 2 Ensemble composition and analysis ⓘ

This entry contains 20 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:7-A:32 (26)	0.30	11
2	A:37-A:39, A:46-A:119 (77)	0.35	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 3 single-model clusters were found.

Cluster number	Models
1	2, 4, 7, 9, 10, 15, 17
2	1, 6, 11, 12, 13, 14, 20
3	3, 5, 16
Single-model clusters	8; 18; 19

### 3 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3069 atoms, of which 1357 are hydrogens and 0 are deuteriums.

- Molecule 1 is a DNA chain called DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3').

Mol	Chain	Residues	Atoms						Trace
1	B	17	Total	C	H	N	O	P	0
			541	164	189	67	104	17	

- Molecule 2 is a DNA chain called DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3').

Mol	Chain	Residues	Atoms						Trace
2	C	17	Total	C	H	N	O	P	0
			532	161	187	67	100	17	

- Molecule 3 is a protein called Wilms tumor 1.

Mol	Chain	Residues	Atoms						Trace
3	A	119	Total	C	H	N	O	S	0
			1992	622	981	210	168	11	

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ALA	-	EXPRESSION TAG	UNP Q4VXV4

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	
4	A	4	Total	Zn
			4	4

## 4 Residue-property plots

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')



- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')



- Molecule 3: Wilms tumor 1



### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

#### 4.2.1 Score per residue for model 1 (medoid)

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')






- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DCP\*DCP\*DCP\*DG)-3')




- Molecule 3: Wilms tumor 1




#### 4.2.2 Score per residue for model 2


- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')



- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DCP\*DCP\*DG)-3')




- Molecule 3: Wilms tumor 1



### 4.2.3 Score per residue for model 3

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 



- Molecule 3: Wilms tumor 1


Chain A: 



### 4.2.4 Score per residue for model 4

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 



- Molecule 3: Wilms tumor 1

Chain A: 



### 4.2.5 Score per residue for model 5

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 



- Molecule 3: Wilms tumor 1

Chain A: 



### 4.2.6 Score per residue for model 6

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 



- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')


Chain C: 



- Molecule 3: Wilms tumor 1

Chain A: 





#### 4.2.7 Score per residue for model 7


- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')



- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')



- Molecule 3: Wilms tumor 1



#### 4.2.8 Score per residue for model 8

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')





- Molecule 3: Wilms tumor 1

Chain A: 65% 15% 7% 13%



#### 4.2.9 Score per residue for model 9

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 41% 59%




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 47% 53%



- Molecule 3: Wilms tumor 1

Chain A: 66% 16% 13% 13%



#### 4.2.10 Score per residue for model 10

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 41% 41% 18%




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 



- Molecule 3: Wilms tumor 1

Chain A: 



#### 4.2.11 Score per residue for model 11


- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 



- Molecule 3: Wilms tumor 1

Chain A: 



#### 4.2.12 Score per residue for model 12

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 



- Molecule 3: Wilms tumor 1

Chain A: 



#### 4.2.13 Score per residue for model 13

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 



- Molecule 3: Wilms tumor 1

Chain A: 





#### 4.2.14 Score per residue for model 14

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 35% 53% 12%




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 53% 35% 12%



- Molecule 3: Wilms tumor 1

Chain A: 62% 18% 6% 13%



#### 4.2.15 Score per residue for model 15

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 41% 59%




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 47% 47% 6%



- Molecule 3: Wilms tumor 1


Chain A: 



#### 4.2.16 Score per residue for model 16

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 



- Molecule 3: Wilms tumor 1


Chain A: 



#### 4.2.17 Score per residue for model 17

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 



- Molecule 3: Wilms tumor 1

Chain A: 



#### 4.2.18 Score per residue for model 18


- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 



- Molecule 3: Wilms tumor 1


Chain A: 



#### 4.2.19 Score per residue for model 19

- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 




- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')

Chain C: 



- Molecule 3: Wilms tumor 1

Chain A: 



#### 4.2.20 Score per residue for model 20


- Molecule 1: DNA (5'-D(P\*DCP\*DGP\*DCP\*DGP\*DGP\*DGP\*DGP\*DCP\*DGP\*DTP\*DCP\*DTP\*DGP\*DCP\*DGP\*DC)-3')

Chain B: 



- Molecule 2: DNA (5'-D(P\*DGP\*DCP\*DGP\*DCP\*DAP\*DGP\*DAP\*DCP\*DGP\*DCP\*DCP\*DCP\*DCP\*DCP\*DGP\*DCP\*DG)-3')


Chain C: 



- Molecule 3: Wilms tumor 1

Chain A: 





## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *molecular dynamics*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
AMBER	structure solution	
AMBER	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 15532
Number of chemical shift lists	1
Total number of shifts	220
Number of shifts mapped to atoms	220
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	9%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality i

### 6.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	B	1.68±0.13	4±3/394 (0.9±0.7%)	1.64±0.08	10±3/607 (1.6±0.5%)
2	C	1.51±0.06	1±1/386 (0.1±0.2%)	1.57±0.05	8±2/592 (1.3±0.4%)
3	A	0.72±0.00	0±0/910 (0.0±0.0%)	1.06±0.05	10±2/1211 (0.8±0.2%)
All	All	1.21	84/33800 (0.2%)	1.36	550/48200 (1.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	B	0.0±0.0	2.1±1.5
2	C	0.0±0.0	0.9±0.8
3	A	0.0±0.0	2.9±1.4
All	All	0	120

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	B	134	DT	C5-C7	13.61	1.58	1.50	9	9
1	B	136	DT	C5-C7	12.60	1.57	1.50	13	8
1	B	135	DC	C5'-C4'	9.39	1.61	1.51	11	3
1	B	128	DG	C4'-C3'	8.38	1.61	1.53	6	1
1	B	127	DG	C2'-C1'	8.14	1.60	1.52	19	1
1	B	134	DT	C5-C6	7.79	1.39	1.34	17	2
1	B	134	DT	C2'-C1'	7.60	1.59	1.52	11	2
1	B	136	DT	C5-C6	7.55	1.39	1.34	11	1
1	B	134	DT	C4-C5	7.46	1.51	1.45	17	2
1	B	136	DT	N3-C4	7.43	1.44	1.38	13	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	B	134	DT	O3'-P	7.35	1.70	1.61	17	1
1	B	134	DT	N1-C2	7.30	1.43	1.38	17	4
1	B	134	DT	N3-C4	6.98	1.44	1.38	13	1
1	B	134	DT	P-O5'	6.79	1.66	1.59	13	3
1	B	136	DT	C2'-C1'	6.72	1.59	1.52	14	2
1	B	135	DC	N1-C6	-6.48	1.33	1.37	13	2
2	C	147	DA	C4'-O4'	-6.42	1.38	1.45	3	1
2	C	145	DA	N9-C4	-6.32	1.34	1.37	13	1
1	B	134	DT	C4'-O4'	-6.30	1.38	1.45	14	3
1	B	135	DC	C4'-O4'	-6.15	1.38	1.45	20	1
1	B	137	DG	P-O5'	6.09	1.65	1.59	16	2
1	B	130	DG	C4'-O4'	-5.99	1.39	1.45	10	1
1	B	128	DG	C4'-O4'	-5.85	1.39	1.45	15	1
1	B	135	DC	N3-C4	-5.66	1.29	1.33	14	1
2	C	144	DC	C4-N4	-5.65	1.28	1.33	1	1
1	B	136	DT	P-O5'	5.63	1.65	1.59	9	1
1	B	135	DC	C4-N4	-5.61	1.28	1.33	9	2
1	B	136	DT	C4'-C3'	5.53	1.58	1.53	9	1
2	C	154	DC	C4'-O4'	-5.51	1.39	1.45	19	1
1	B	135	DC	O4'-C1'	5.47	1.48	1.42	11	1
1	B	136	DT	O3'-P	5.46	1.67	1.61	14	1
1	B	136	DT	C5'-C4'	5.45	1.57	1.51	16	1
1	B	135	DC	P-O5'	5.45	1.65	1.59	17	1
2	C	145	DA	C6-N6	-5.43	1.29	1.33	10	1
1	B	134	DT	N1-C6	-5.41	1.34	1.38	14	1
2	C	153	DC	C2'-C1'	5.38	1.57	1.52	6	1
1	B	136	DT	N1-C2	5.33	1.42	1.38	11	1
1	B	133	DG	P-O5'	5.31	1.65	1.59	18	1
1	B	135	DC	C2-N3	5.30	1.40	1.35	11	1
1	B	130	DG	P-O5'	5.25	1.65	1.59	14	1
1	B	134	DT	C2-N3	5.25	1.42	1.37	17	1
1	B	127	DG	C4'-O4'	-5.21	1.39	1.45	19	1
2	C	151	DC	C2'-C1'	5.20	1.57	1.52	19	1
1	B	133	DG	C4'-O4'	-5.15	1.39	1.45	17	1
2	C	144	DC	P-O5'	5.14	1.64	1.59	7	2
1	B	137	DG	C2-N2	-5.14	1.29	1.34	16	1
1	B	136	DT	C3'-C2'	5.13	1.58	1.52	13	2
1	B	127	DG	C2-N2	-5.05	1.29	1.34	19	1
2	C	146	DG	C4'-O4'	-5.05	1.40	1.45	19	1
2	C	149	DG	P-O5'	5.04	1.64	1.59	16	1
1	B	129	DG	C2-N3	5.01	1.36	1.32	12	1

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	B	134	DT	O4'-C4'-C3'	12.64	113.59	106.00	11	9
3	A	23	HIS	CA-CB-CG	11.10	132.47	113.60	15	20
2	C	150	DC	O4'-C4'-C3'	10.56	112.33	106.00	15	17
2	C	155	DG	O4'-C4'-C3'	10.14	112.08	106.00	8	8
1	B	130	DG	O4'-C4'-C3'	9.71	111.83	106.00	20	11
3	A	29	ARG	NE-CZ-NH1	9.71	125.15	120.30	16	14
3	A	60	ARG	NE-CZ-NH1	9.57	125.08	120.30	1	18
1	B	127	DG	O4'-C4'-C3'	9.52	111.72	106.00	14	6
3	A	108	ARG	NE-CZ-NH2	-9.38	115.61	120.30	8	4
3	A	98	ARG	NE-CZ-NH1	9.19	124.89	120.30	9	17
3	A	78	ARG	NE-CZ-NH2	-9.09	115.75	120.30	20	1
1	B	135	DC	O4'-C4'-C3'	9.03	111.42	106.00	7	3
3	A	108	ARG	NE-CZ-NH1	8.99	124.79	120.30	20	5
2	C	151	DC	O4'-C4'-C3'	8.87	111.32	106.00	3	7
1	B	132	DC	O4'-C4'-C3'	8.68	111.21	106.00	18	15
3	A	59	ARG	NE-CZ-NH1	8.68	124.64	120.30	2	12
2	C	149	DG	O4'-C4'-C3'	8.65	111.19	106.00	12	9
2	C	156	DC	O4'-C4'-C3'	8.63	111.18	106.00	18	13
2	C	153	DC	O4'-C4'-C3'	8.59	111.16	106.00	14	6
3	A	17	ARG	NE-CZ-NH1	8.54	124.57	120.30	9	11
1	B	138	DC	O4'-C4'-C3'	8.52	111.11	106.00	8	6
1	B	133	DG	O4'-C4'-C3'	8.48	111.09	106.00	7	7
1	B	136	DT	O4'-C4'-C3'	8.42	111.05	106.00	4	10
2	C	142	DC	O4'-C4'-C3'	8.30	110.98	106.00	5	11
3	A	114	ARG	NE-CZ-NH1	8.30	124.45	120.30	14	2
1	B	128	DG	O4'-C4'-C3'	8.29	110.98	106.00	18	3
3	A	113	VAL	CA-CB-CG2	8.26	123.29	110.90	11	1
2	C	154	DC	O4'-C4'-C3'	8.25	110.95	106.00	2	9
1	B	137	DG	O4'-C4'-C3'	8.25	110.95	106.00	7	11
3	A	56	ARG	NE-CZ-NH1	8.21	124.41	120.30	13	13
3	A	47	ARG	NE-CZ-NH1	7.90	124.25	120.30	15	15
1	B	134	DT	C1'-O4'-C4'	-7.90	102.20	110.10	17	1
2	C	144	DC	O4'-C4'-C3'	7.87	110.72	106.00	2	10
2	C	145	DA	O4'-C4'-C3'	7.82	110.69	106.00	3	9
3	A	87	ARG	NE-CZ-NH1	7.67	124.13	120.30	13	18
1	B	128	DG	C1'-O4'-C4'	-7.62	102.48	110.10	19	2
3	A	74	ARG	NE-CZ-NH1	7.57	124.09	120.30	6	12
3	A	46	ARG	NE-CZ-NH1	7.56	124.08	120.30	20	14
2	C	148	DC	O4'-C4'-C3'	7.55	110.53	106.00	11	4
2	C	141	DG	O4'-C4'-C3'	7.48	110.49	106.00	3	7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
3	A	78	ARG	NE-CZ-NH1	7.45	124.03	120.30	20	3
1	B	134	DT	O4'-C1'-C2'	-7.42	99.96	105.90	4	5
1	B	133	DG	C4'-C3'-C2'	-7.42	96.43	103.10	7	3
1	B	126	DC	O4'-C1'-C2'	-7.41	99.97	105.90	19	4
3	A	74	ARG	NE-CZ-NH2	-7.40	116.60	120.30	6	1
1	B	132	DC	C4'-C3'-C2'	-7.34	96.50	103.10	13	1
1	B	139	DG	O4'-C4'-C3'	7.28	110.37	106.00	9	7
1	B	129	DG	C8-N9-C4	-7.01	103.59	106.40	12	1
3	A	60	ARG	CD-NE-CZ	7.01	133.41	123.60	1	1
2	C	143	DG	O4'-C4'-C3'	7.00	110.20	106.00	19	4
1	B	131	DG	O4'-C4'-C3'	6.98	110.19	106.00	9	3
2	C	147	DA	O4'-C4'-C3'	6.93	110.16	106.00	3	9
1	B	128	DG	C3'-C2'-C1'	-6.89	94.23	102.50	9	1
1	B	129	DG	O4'-C4'-C3'	6.88	110.13	106.00	4	2
1	B	136	DT	O3'-P-O5'	-6.86	90.97	104.00	11	3
1	B	124	DC	O4'-C4'-C3'	6.81	110.09	106.00	2	1
2	C	145	DA	P-O3'-C3'	6.79	127.85	119.70	14	3
2	C	151	DC	O4'-C1'-C2'	-6.78	100.48	105.90	19	1
1	B	133	DG	O4'-C1'-C2'	-6.76	100.49	105.90	17	2
1	B	125	DG	O4'-C4'-C3'	6.73	110.04	106.00	8	8
2	C	145	DA	O4'-C1'-C2'	-6.51	100.69	105.90	14	1
2	C	142	DC	P-O3'-C3'	6.45	127.43	119.70	10	4
1	B	128	DG	O3'-P-O5'	-6.41	91.81	104.00	6	1
1	B	136	DT	C5-C6-N1	-6.37	119.88	123.70	17	3
1	B	135	DC	C4'-C3'-C2'	-6.37	97.37	103.10	7	3
1	B	126	DC	O4'-C4'-C3'	6.36	109.81	106.00	12	4
1	B	135	DC	O4'-C1'-C2'	-6.32	100.84	105.90	1	7
3	A	50	ARG	NE-CZ-NH1	6.24	123.42	120.30	9	3
3	A	50	ARG	NE-CZ-NH2	-6.20	117.20	120.30	2	2
2	C	153	DC	O4'-C1'-C2'	-6.16	100.98	105.90	8	2
1	B	126	DC	C1'-O4'-C4'	-6.12	103.98	110.10	7	5
1	B	134	DT	C3'-C2'-C1'	-6.12	95.16	102.50	17	1
1	B	134	DT	C4'-C3'-C2'	-6.08	97.62	103.10	14	2
1	B	134	DT	C5-C6-N1	-6.05	120.07	123.70	16	4
1	B	136	DT	P-O3'-C3'	6.03	126.94	119.70	11	1
1	B	129	DG	O3'-P-O5'	-5.88	92.83	104.00	12	1
3	A	39	CYS	CA-CB-SG	-5.85	103.47	114.00	9	4
2	C	153	DC	P-O3'-C3'	5.82	126.69	119.70	18	1
1	B	133	DG	C8-N9-C4	-5.82	104.07	106.40	11	2
1	B	127	DG	C8-N9-C4	-5.82	104.07	106.40	19	1
1	B	136	DT	C4'-C3'-C2'	-5.77	97.90	103.10	17	2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	B	128	DG	P-O3'-C3'	5.77	126.63	119.70	6	1
1	B	130	DG	C4'-C3'-C2'	-5.75	97.92	103.10	20	2
1	B	135	DC	P-O3'-C3'	5.72	126.57	119.70	13	1
2	C	154	DC	O4'-C1'-C2'	5.72	110.48	105.90	19	1
2	C	152	DC	O4'-C4'-C3'	5.71	109.42	106.00	4	2
1	B	131	DG	C4'-C3'-C2'	-5.66	98.00	103.10	9	1
3	A	84	THR	CA-CB-CG2	5.63	120.28	112.40	18	5
2	C	146	DG	O4'-C4'-C3'	5.57	109.34	106.00	7	4
2	C	153	DC	C4'-C3'-C2'	-5.57	98.09	103.10	12	1
1	B	137	DG	C4'-C3'-C2'	-5.56	98.09	103.10	11	2
1	B	136	DT	C4-C5-C6	5.49	121.29	118.00	9	2
1	B	124	DC	O4'-C1'-C2'	5.48	110.28	105.90	2	1
2	C	157	DG	O4'-C4'-C3'	5.47	109.28	106.00	7	1
1	B	131	DG	O4'-C1'-C2'	-5.46	101.53	105.90	18	2
1	B	134	DT	C5'-C4'-C3'	-5.45	104.29	114.10	8	2
1	B	133	DG	O3'-P-O5'	-5.44	93.67	104.00	17	2
2	C	145	DA	C4'-C3'-C2'	-5.42	98.22	103.10	20	1
1	B	126	DC	C4'-C3'-C2'	-5.41	98.24	103.10	12	1
1	B	127	DG	C3'-C2'-C1'	5.33	108.89	102.50	14	1
1	B	126	DC	C3'-C2'-C1'	-5.32	96.12	102.50	7	1
2	C	147	DA	C1'-O4'-C4'	-5.31	104.79	110.10	13	2
3	A	56	ARG	NE-CZ-NH2	-5.30	117.65	120.30	1	1
3	A	74	ARG	CD-NE-CZ	5.30	131.03	123.60	6	1
2	C	150	DC	C4'-C3'-C2'	-5.29	98.33	103.10	9	1
2	C	143	DG	P-O3'-C3'	5.26	126.01	119.70	8	1
1	B	128	DG	O4'-C1'-C2'	5.24	110.10	105.90	19	1
3	A	32	THR	CA-CB-CG2	5.24	119.73	112.40	8	2
2	C	150	DC	C3'-C2'-C1'	5.23	108.77	102.50	9	2
1	B	132	DC	O4'-C1'-C2'	-5.23	101.72	105.90	13	1
1	B	137	DG	O4'-C1'-C2'	5.21	110.07	105.90	13	1
2	C	149	DG	C4'-C3'-C2'	-5.20	98.42	103.10	20	1
1	B	129	DG	O4'-C1'-C2'	-5.18	101.76	105.90	5	1
2	C	144	DC	P-O3'-C3'	5.16	125.90	119.70	16	2
1	B	136	DT	O4'-C1'-C2'	5.16	110.03	105.90	8	1
1	B	134	DT	C4-C5-C6	5.15	121.09	118.00	3	2
1	B	140	DC	O4'-C4'-C3'	5.14	109.09	106.00	20	2
1	B	129	DG	P-O3'-C3'	5.12	125.84	119.70	6	1
1	B	137	DG	O3'-P-O5'	-5.10	94.31	104.00	7	1
3	A	114	ARG	NE-CZ-NH2	-5.07	117.77	120.30	14	1
3	A	98	ARG	NE-CZ-NH2	-5.04	117.78	120.30	4	2
1	B	137	DG	P-O3'-C3'	5.04	125.75	119.70	17	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
3	A	18	TYR	Sidechain	19
1	B	127	DG	Sidechain	12
1	B	129	DG	Sidechain	9
3	A	11	TYR	Sidechain	9
3	A	48	PHE	Sidechain	8
2	C	157	DG	Sidechain	7
3	A	23	HIS	Sidechain	7
1	B	134	DT	Sidechain	6
2	C	146	DG	Sidechain	5
3	A	37	TYR	Sidechain	4
3	A	47	ARG	Sidechain	3
2	C	149	DG	Sidechain	3
1	B	128	DG	Sidechain	3
1	B	131	DG	Sidechain	3
1	B	124	DC	Sidechain	3
1	B	133	DG	Sidechain	3
3	A	78	ARG	Sidechain	2
2	C	155	DG	Sidechain	2
1	B	130	DG	Sidechain	2
3	A	106	PHE	Sidechain	1
1	B	135	DC	Sidechain	1
3	A	29	ARG	Sidechain	1
2	C	156	DC	Sidechain	1
3	A	98	ARG	Sidechain	1
3	A	56	ARG	Sidechain	1
3	A	60	ARG	Sidechain	1
2	C	145	DA	Sidechain	1
1	B	132	DC	Sidechain	1
3	A	74	ARG	Sidechain	1

## 6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	B	352	189	188	2±1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes
2	C	345	187	188	1±0
3	A	884	863	863	7±2
All	All	31700	24780	24810	159

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
3:A:18:TYR:CD2	3:A:24:LEU:HD23	0.69	2.22	18	3
3:A:37:TYR:HB3	3:A:54:LEU:HD22	0.67	1.65	18	9
3:A:18:TYR:CD1	3:A:24:LEU:HD23	0.66	2.26	20	16
3:A:67:PHE:HB3	3:A:82:LEU:HD13	0.62	1.72	16	7
3:A:109:SER:O	3:A:113:VAL:HG13	0.56	2.00	11	1
1:B:128:DG:C8	3:A:81:HIS:CE1	0.52	2.98	16	9
1:B:129:DG:N7	3:A:81:HIS:CE1	0.50	2.80	11	20
2:C:144:DC:N4	3:A:29:ARG:HH22	0.50	2.04	6	1
3:A:48:PHE:CZ	3:A:57:HIS:CG	0.50	3.00	2	16
1:B:129:DG:H3'	3:A:60:ARG:NE	0.49	2.22	11	1
3:A:9:CYS:SG	3:A:10:ALA:N	0.49	2.86	14	11
2:C:156:DC:H2''	2:C:157:DG:C8	0.49	2.43	18	15
3:A:24:LEU:HD22	3:A:24:LEU:O	0.46	2.10	1	9
1:B:134:DT:H2''	1:B:135:DC:C6	0.46	2.45	16	2
3:A:102:CYS:SG	3:A:103:GLN:N	0.46	2.89	6	8
3:A:24:LEU:O	3:A:24:LEU:HD22	0.46	2.11	2	6
1:B:129:DG:N7	3:A:81:HIS:HE1	0.46	2.09	4	4
1:B:134:DT:H2''	1:B:135:DC:C5	0.46	2.46	7	2
3:A:60:ARG:N	3:A:60:ARG:HD3	0.45	2.27	11	1
3:A:11:TYR:CD2	3:A:31:HIS:CE1	0.45	3.05	4	2
3:A:102:CYS:SG	3:A:104:LYS:CE	0.44	3.06	13	1
1:B:129:DG:H2'	3:A:60:ARG:CZ	0.44	2.43	5	1
1:B:135:DC:H41	3:A:29:ARG:NH2	0.43	2.11	11	1
3:A:14:CYS:SG	3:A:15:ASN:N	0.43	2.91	1	1
3:A:14:CYS:SG	3:A:16:LYS:HE3	0.43	2.54	13	1
3:A:19:PHE:O	3:A:20:LYS:C	0.42	2.57	18	1
1:B:134:DT:C2	1:B:135:DC:C4	0.41	3.08	4	1
3:A:68:GLN:NE2	3:A:68:GLN:H	0.41	2.13	17	1
2:C:149:DG:C4	2:C:150:DC:C5	0.41	3.09	1	1
3:A:25:GLN:HE21	3:A:29:ARG:NH1	0.41	2.14	2	1
3:A:19:PHE:CG	3:A:20:LYS:N	0.41	2.89	18	1
3:A:72:CYS:SG	3:A:73:GLN:N	0.41	2.90	7	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
3:A:18:TYR:CE1	3:A:27:HIS:CD2	0.40	3.09	4	2
3:A:69:CYS:SG	3:A:70:LYS:HE2	0.40	2.56	2	1
3:A:72:CYS:O	3:A:73:GLN:CB	0.40	2.69	8	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	102/119 (86%)	95±2 (93±2%)	6±2 (6±2%)	1±1 (1±1%)	38	79
All	All	2040/2380 (86%)	1904 (93%)	125 (6%)	11 (1%)	38	79

All 6 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
3	A	103	GLN	3
3	A	13	GLY	3
3	A	15	ASN	2
3	A	99	TRP	1
3	A	20	LYS	1
3	A	73	GLN	1

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	98/112 (88%)	87±2 (89±2%)	11±2 (11±2%)	12	55
All	All	1960/2240 (88%)	1738 (89%)	222 (11%)	12	55

All 43 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
3	A	71	THR	20
3	A	23	HIS	20
3	A	24	LEU	20
3	A	117	ASN	15
3	A	70	LYS	14
3	A	47	ARG	9
3	A	15	ASN	9
3	A	74	ARG	7
3	A	51	SER	7
3	A	17	ARG	6
3	A	30	LYS	6
3	A	103	GLN	5
3	A	38	GLN	5
3	A	29	ARG	5
3	A	26	MET	5
3	A	16	LYS	5
3	A	32	THR	4
3	A	104	LYS	4
3	A	73	GLN	4
3	A	92	GLU	4
3	A	25	GLN	4
3	A	8	MET	4
3	A	46	ARG	4
3	A	98	ARG	3
3	A	60	ARG	3
3	A	59	ARG	3
3	A	52	ASP	3
3	A	21	LEU	3
3	A	39	CYS	3
3	A	61	HIS	2
3	A	58	GLN	2
3	A	89	HIS	2
3	A	55	LYS	2
3	A	20	LYS	1
3	A	9	CYS	1
3	A	53	GLN	1
3	A	87	ARG	1
3	A	22	SER	1
3	A	114	ARG	1
3	A	75	LYS	1
3	A	49	SER	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
3	A	105	LYS	1
3	A	37	TYR	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 9% for the well-defined parts and 9% for the entire structure.

### 7.1 Chemical shift list 1

File name: BMRB entry 15532

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	220
Number of shifts mapped to atoms	220
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

#### 7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	0	—	—
$^{13}\text{C}_\beta$	0	—	—
$^{13}\text{C}'$	0	—	—
$^{15}\text{N}$	109	$-0.35 \pm 0.37$	None needed ( $< 0.5$ ppm)

#### 7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 9%, i.e. 196 atoms were assigned a chemical shift out of a possible 2142. 0 out of 7 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	194/507 (38%)	97/202 (48%)	0/206 (0%)	97/99 (98%)
Sidechain	0/768 (0%)	0/468 (0%)	0/238 (0%)	0/62 (0%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	2/176 (1%)	1/97 (1%)	0/67 (0%)	1/12 (8%)
Overall	196/2142 (9%)	98/1186 (8%)	0/734 (0%)	98/222 (44%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 9%, i.e. 220 atoms were assigned a chemical shift out of a possible 2342. 0 out of 7 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	218/583 (37%)	109/232 (47%)	0/238 (0%)	109/113 (96%)
Sidechain	0/883 (0%)	0/538 (0%)	0/277 (0%)	0/68 (0%)
Aromatic	2/185 (1%)	1/102 (1%)	0/71 (0%)	1/12 (8%)
Overall	220/2342 (9%)	110/1291 (9%)	0/809 (0%)	110/242 (45%)

#### 7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

#### 7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

