



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:55 PM GMT

PDB ID : 4JX6
Title : Structure of the carboxyl transferase domain Y628A from Rhizobium etli pyruvate carboxylase with pyruvate
Authors : Lietzan, A.D.; St Maurice, M.
Deposited on : 2013-03-27
Resolution : 2.78 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3004 (2.80-2.76)
Clashscore	102246	3480 (2.80-2.76)
Ramachandran outliers	100387	3423 (2.80-2.76)
Sidechain outliers	100360	3425 (2.80-2.76)
RSRZ outliers	91569	3016 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	632	<div> <div>7%</div> <div>84%</div> <div>10%</div> <div>6%</div> </div>
1	B	632	<div> <div>7%</div> <div>81%</div> <div>13%</div> <div>6%</div> </div>
1	C	632	<div> <div>9%</div> <div>77%</div> <div>14%</div> <div>7%</div> </div>
1	D	632	<div> <div>10%</div> <div>75%</div> <div>16%</div> <div>8%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PYR	A	1101	-	-	-	X
5	GOL	C	1101	-	-	-	X

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 17344 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate carboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	595	Total	C	N	O	S	0	1	0
			4456	2841	739	853	23			
1	B	593	Total	C	N	O	S	0	0	0
			4342	2745	729	846	22			
1	C	588	Total	C	N	O	S	0	1	0
			4247	2691	712	822	22			
1	D	584	Total	C	N	O	S	0	0	0
			4213	2665	706	820	22			

There are 120 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	436	MET	-	EXPRESSION TAG	UNP Q2K340
A	437	GLY	-	EXPRESSION TAG	UNP Q2K340
A	438	SER	-	EXPRESSION TAG	UNP Q2K340
A	439	SER	-	EXPRESSION TAG	UNP Q2K340
A	440	HIS	-	EXPRESSION TAG	UNP Q2K340
A	441	HIS	-	EXPRESSION TAG	UNP Q2K340
A	442	HIS	-	EXPRESSION TAG	UNP Q2K340
A	443	HIS	-	EXPRESSION TAG	UNP Q2K340
A	444	HIS	-	EXPRESSION TAG	UNP Q2K340
A	445	HIS	-	EXPRESSION TAG	UNP Q2K340
A	446	HIS	-	EXPRESSION TAG	UNP Q2K340
A	447	HIS	-	EXPRESSION TAG	UNP Q2K340
A	448	ASP	-	EXPRESSION TAG	UNP Q2K340
A	449	TYR	-	EXPRESSION TAG	UNP Q2K340
A	450	ASP	-	EXPRESSION TAG	UNP Q2K340
A	451	ILE	-	EXPRESSION TAG	UNP Q2K340
A	452	PRO	-	EXPRESSION TAG	UNP Q2K340
A	453	THR	-	EXPRESSION TAG	UNP Q2K340
A	454	SER	-	EXPRESSION TAG	UNP Q2K340
A	455	GLU	-	EXPRESSION TAG	UNP Q2K340
A	456	ASN	-	EXPRESSION TAG	UNP Q2K340

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	457	LEU	-	EXPRESSION TAG	UNP Q2K340
A	458	TYR	-	EXPRESSION TAG	UNP Q2K340
A	459	PHE	-	EXPRESSION TAG	UNP Q2K340
A	460	GLN	-	EXPRESSION TAG	UNP Q2K340
A	461	GLY	-	EXPRESSION TAG	UNP Q2K340
A	462	LEU	-	EXPRESSION TAG	UNP Q2K340
A	463	LEU	-	EXPRESSION TAG	UNP Q2K340
A	464	HIS	-	EXPRESSION TAG	UNP Q2K340
A	628	ALA	TYR	ENGINEERED MUTATION	UNP Q2K340
B	436	MET	-	EXPRESSION TAG	UNP Q2K340
B	437	GLY	-	EXPRESSION TAG	UNP Q2K340
B	438	SER	-	EXPRESSION TAG	UNP Q2K340
B	439	SER	-	EXPRESSION TAG	UNP Q2K340
B	440	HIS	-	EXPRESSION TAG	UNP Q2K340
B	441	HIS	-	EXPRESSION TAG	UNP Q2K340
B	442	HIS	-	EXPRESSION TAG	UNP Q2K340
B	443	HIS	-	EXPRESSION TAG	UNP Q2K340
B	444	HIS	-	EXPRESSION TAG	UNP Q2K340
B	445	HIS	-	EXPRESSION TAG	UNP Q2K340
B	446	HIS	-	EXPRESSION TAG	UNP Q2K340
B	447	HIS	-	EXPRESSION TAG	UNP Q2K340
B	448	ASP	-	EXPRESSION TAG	UNP Q2K340
B	449	TYR	-	EXPRESSION TAG	UNP Q2K340
B	450	ASP	-	EXPRESSION TAG	UNP Q2K340
B	451	ILE	-	EXPRESSION TAG	UNP Q2K340
B	452	PRO	-	EXPRESSION TAG	UNP Q2K340
B	453	THR	-	EXPRESSION TAG	UNP Q2K340
B	454	SER	-	EXPRESSION TAG	UNP Q2K340
B	455	GLU	-	EXPRESSION TAG	UNP Q2K340
B	456	ASN	-	EXPRESSION TAG	UNP Q2K340
B	457	LEU	-	EXPRESSION TAG	UNP Q2K340
B	458	TYR	-	EXPRESSION TAG	UNP Q2K340
B	459	PHE	-	EXPRESSION TAG	UNP Q2K340
B	460	GLN	-	EXPRESSION TAG	UNP Q2K340
B	461	GLY	-	EXPRESSION TAG	UNP Q2K340
B	462	LEU	-	EXPRESSION TAG	UNP Q2K340
B	463	LEU	-	EXPRESSION TAG	UNP Q2K340
B	464	HIS	-	EXPRESSION TAG	UNP Q2K340
B	628	ALA	TYR	ENGINEERED MUTATION	UNP Q2K340
C	436	MET	-	EXPRESSION TAG	UNP Q2K340
C	437	GLY	-	EXPRESSION TAG	UNP Q2K340
C	438	SER	-	EXPRESSION TAG	UNP Q2K340

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	439	SER	-	EXPRESSION TAG	UNP Q2K340
C	440	HIS	-	EXPRESSION TAG	UNP Q2K340
C	441	HIS	-	EXPRESSION TAG	UNP Q2K340
C	442	HIS	-	EXPRESSION TAG	UNP Q2K340
C	443	HIS	-	EXPRESSION TAG	UNP Q2K340
C	444	HIS	-	EXPRESSION TAG	UNP Q2K340
C	445	HIS	-	EXPRESSION TAG	UNP Q2K340
C	446	HIS	-	EXPRESSION TAG	UNP Q2K340
C	447	HIS	-	EXPRESSION TAG	UNP Q2K340
C	448	ASP	-	EXPRESSION TAG	UNP Q2K340
C	449	TYR	-	EXPRESSION TAG	UNP Q2K340
C	450	ASP	-	EXPRESSION TAG	UNP Q2K340
C	451	ILE	-	EXPRESSION TAG	UNP Q2K340
C	452	PRO	-	EXPRESSION TAG	UNP Q2K340
C	453	THR	-	EXPRESSION TAG	UNP Q2K340
C	454	SER	-	EXPRESSION TAG	UNP Q2K340
C	455	GLU	-	EXPRESSION TAG	UNP Q2K340
C	456	ASN	-	EXPRESSION TAG	UNP Q2K340
C	457	LEU	-	EXPRESSION TAG	UNP Q2K340
C	458	TYR	-	EXPRESSION TAG	UNP Q2K340
C	459	PHE	-	EXPRESSION TAG	UNP Q2K340
C	460	GLN	-	EXPRESSION TAG	UNP Q2K340
C	461	GLY	-	EXPRESSION TAG	UNP Q2K340
C	462	LEU	-	EXPRESSION TAG	UNP Q2K340
C	463	LEU	-	EXPRESSION TAG	UNP Q2K340
C	464	HIS	-	EXPRESSION TAG	UNP Q2K340
C	628	ALA	TYR	ENGINEERED MUTATION	UNP Q2K340
D	436	MET	-	EXPRESSION TAG	UNP Q2K340
D	437	GLY	-	EXPRESSION TAG	UNP Q2K340
D	438	SER	-	EXPRESSION TAG	UNP Q2K340
D	439	SER	-	EXPRESSION TAG	UNP Q2K340
D	440	HIS	-	EXPRESSION TAG	UNP Q2K340
D	441	HIS	-	EXPRESSION TAG	UNP Q2K340
D	442	HIS	-	EXPRESSION TAG	UNP Q2K340
D	443	HIS	-	EXPRESSION TAG	UNP Q2K340
D	444	HIS	-	EXPRESSION TAG	UNP Q2K340
D	445	HIS	-	EXPRESSION TAG	UNP Q2K340
D	446	HIS	-	EXPRESSION TAG	UNP Q2K340
D	447	HIS	-	EXPRESSION TAG	UNP Q2K340
D	448	ASP	-	EXPRESSION TAG	UNP Q2K340
D	449	TYR	-	EXPRESSION TAG	UNP Q2K340
D	450	ASP	-	EXPRESSION TAG	UNP Q2K340

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	451	ILE	-	EXPRESSION TAG	UNP Q2K340
D	452	PRO	-	EXPRESSION TAG	UNP Q2K340
D	453	THR	-	EXPRESSION TAG	UNP Q2K340
D	454	SER	-	EXPRESSION TAG	UNP Q2K340
D	455	GLU	-	EXPRESSION TAG	UNP Q2K340
D	456	ASN	-	EXPRESSION TAG	UNP Q2K340
D	457	LEU	-	EXPRESSION TAG	UNP Q2K340
D	458	TYR	-	EXPRESSION TAG	UNP Q2K340
D	459	PHE	-	EXPRESSION TAG	UNP Q2K340
D	460	GLN	-	EXPRESSION TAG	UNP Q2K340
D	461	GLY	-	EXPRESSION TAG	UNP Q2K340
D	462	LEU	-	EXPRESSION TAG	UNP Q2K340
D	463	LEU	-	EXPRESSION TAG	UNP Q2K340
D	464	HIS	-	EXPRESSION TAG	UNP Q2K340
D	628	ALA	TYR	ENGINEERED MUTATION	UNP Q2K340

- Molecule 2 is PYRUVIC ACID (three-letter code: PYR) (formula: $C_3H_4O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Zn	0	0
			1	1		
3	A	1	Total	Zn	0	0
			1	1		
3	D	1	Total	Zn	0	0
			1	1		
3	C	1	Total	Zn	0	0
			1	1		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg	0	0
			1	1		
4	A	1	Total	Mg	0	0
			1	1		
4	D	1	Total	Mg	0	0
			1	1		
4	C	1	Total	Mg	0	0
			1	1		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	28	Total 28	O 28	0	0
6	B	12	Total 12	O 12	0	0
6	C	12	Total 12	O 12	0	0
6	D	8	Total 8	O 8	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyruvate carboxylase




• Molecule 1: Pyruvate carboxylase





• Molecule 1: Pyruvate carboxylase





• Molecule 1: Pyruvate carboxylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.81Å 157.28Å 245.88Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.78 48.22 – 2.78	Depositor EDS
% Data completeness (in resolution range)	99.8 (50.00-2.78) 99.9 (48.22-2.78)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.01 (at 2.77Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.209 , 0.258 0.211 , 0.259	Depositor DCC
R_{free} test set	4182 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	61.2	Xtriage
Anisotropy	0.023	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 56.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 83906 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	17344	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, GOL, MG, PYR, KCX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	3/4542 (0.1%)	0.73	0/6192
1	B	0.55	4/4420 (0.1%)	0.67	1/6040 (0.0%)
1	C	0.59	3/4329 (0.1%)	0.69	0/5919
1	D	0.52	5/4292 (0.1%)	0.61	0/5872
All	All	0.58	15/17583 (0.1%)	0.68	1/24023 (0.0%)

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	659	TRP	CD2-CE2	6.77	1.49	1.41
1	C	659	TRP	CD2-CE2	5.94	1.48	1.41
1	D	659	TRP	CD2-CE2	5.48	1.48	1.41
1	D	584	TRP	CD2-CE2	5.46	1.47	1.41
1	B	533	TRP	CD2-CE2	5.44	1.47	1.41
1	B	601	TRP	CD2-CE2	5.31	1.47	1.41
1	D	533	TRP	CD2-CE2	5.21	1.47	1.41
1	D	861	TRP	CD2-CE2	5.20	1.47	1.41
1	D	933	TRP	CD2-CE2	5.14	1.47	1.41
1	A	861	TRP	CD2-CE2	5.13	1.47	1.41
1	C	601	TRP	CD2-CE2	5.07	1.47	1.41
1	A	533	TRP	CD2-CE2	5.04	1.47	1.41
1	B	659	TRP	CD2-CE2	5.03	1.47	1.41
1	C	933	TRP	CD2-CE2	5.03	1.47	1.41
1	B	861	TRP	CD2-CE2	5.01	1.47	1.41

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	476	LEU	CB-CG-CD1	-5.50	101.65	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4456	0	4275	27	0
1	B	4342	0	4039	47	0
1	C	4247	0	3885	55	0
1	D	4213	0	3832	62	0
2	A	6	0	3	0	0
2	B	6	0	3	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	C	6	0	8	3	0
6	A	28	0	0	0	0
6	B	12	0	0	3	0
6	C	12	0	0	0	0
6	D	8	0	0	0	0
All	All	17344	0	16045	185	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (185) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:677:CYS:H	1:D:713:HIS:CD2	1.81	0.97
1:C:883:PRO:HG2	1:C:926:LEU:HD21	1.45	0.95
1:C:566:ARG:HH11	1:C:566:ARG:CG	1.80	0.93
1:D:677:CYS:H	1:D:713:HIS:HD2	0.94	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:677:CYS:H	1:C:713:HIS:HD2	1.16	0.91
1:A:891[B]:MET:CE	1:A:918:VAL:HG21	2.01	0.89
1:C:566:ARG:HH11	1:C:566:ARG:HG2	1.35	0.89
1:A:891[B]:MET:HE3	1:A:918:VAL:HG21	1.59	0.84
1:D:793:LEU:O	1:D:796:SER:HB3	1.82	0.79
1:C:790:VAL:HG13	1:C:800:PRO:HG2	1.64	0.78
1:D:619:LEU:HD11	1:D:718:KCX:HE2	1.71	0.73
1:D:677:CYS:N	1:D:713:HIS:HD2	1.78	0.72
1:C:566:ARG:NH1	1:C:566:ARG:HG2	1.97	0.70
1:C:679:ALA:HB1	1:C:707:LEU:HD13	1.74	0.69
1:C:562:TYR:O	1:C:566:ARG:HG3	1.93	0.68
1:C:677:CYS:H	1:C:713:HIS:CD2	2.06	0.68
1:B:764:GLU:OE1	1:B:764:GLU:HA	1.93	0.68
1:A:953:GLY:HA2	1:A:956:LEU:HD12	1.74	0.68
1:B:938:GLN:HE22	1:B:947:PRO:HG3	1.58	0.67
1:B:482:ASP:OD2	1:B:1066:ARG:NH2	2.28	0.67
1:B:619:LEU:HD13	6:B:1211:HOH:O	1.94	0.67
1:D:549:ASP:HB3	1:D:783:GLN:HE22	1.63	0.64
1:C:520:GLN:O	1:C:524:THR:CG2	2.46	0.64
1:C:901:THR:O	1:C:904:ASP:HB2	1.97	0.63
1:C:664:ARG:HH21	1:C:710:ALA:HA	1.62	0.63
1:D:548:ARG:HB3	1:D:582:GLU:OE1	2.00	0.62
1:A:780:ASN:H	5:C:1101:GOL:H12	1.64	0.62
1:C:629:THR:OG1	1:C:630:ASN:N	2.32	0.61
1:D:679:ALA:HB1	1:D:707:LEU:HD22	1.81	0.61
1:C:621:ARG:O	1:C:623:ALA:N	2.34	0.61
1:D:486:ASN:HD21	1:D:1066:ARG:H	1.49	0.61
1:B:1043:ASP:C	1:B:1043:ASP:OD1	2.39	0.61
1:B:756:ALA:CB	1:D:754:ILE:HG22	2.32	0.60
1:C:928:GLN:NE2	1:C:949:THR:HA	2.17	0.59
1:B:1026:ILE:HG12	1:B:1032:LEU:CD1	2.32	0.59
1:D:558:ARG:O	1:D:821:TYR:HE1	1.86	0.59
1:D:535:ARG:HD3	1:D:741:GLY:O	2.02	0.59
1:A:891[B]:MET:HE2	1:A:891[B]:MET:HA	1.85	0.58
1:C:679:ALA:CB	1:C:707:LEU:HD13	2.32	0.58
1:A:555:LEU:HD11	1:A:818:ARG:HG3	1.85	0.58
1:B:486:ASN:ND2	1:B:1066:ARG:H	2.01	0.58
1:D:566:ARG:CG	1:D:566:ARG:HH11	2.16	0.57
1:B:844:GLN:HG2	1:B:844:GLN:O	2.03	0.57
1:B:567:ILE:HD13	1:B:813:TYR:CD2	2.40	0.56
1:C:566:ARG:HH11	1:C:566:ARG:HG3	1.65	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:799:ASP:OD1	1:A:800:PRO:HD2	2.06	0.56
1:D:543:THR:HG1	1:D:745:HIS:CE1	2.24	0.56
1:B:1026:ILE:HG12	1:B:1032:LEU:HD11	1.87	0.55
1:C:597:THR:HB	1:C:1004:VAL:HG21	1.89	0.55
1:A:778:SER:OG	1:C:831:PRO:HG2	2.07	0.55
1:C:664:ARG:NH2	1:C:710:ALA:HA	2.22	0.55
1:C:520:GLN:O	1:C:524:THR:HG23	2.06	0.54
1:B:836:TYR:CD2	1:D:791:GLU:HG2	2.42	0.54
1:B:744:ILE:HG13	6:B:1207:HOH:O	2.07	0.54
1:B:922:LEU:HB3	1:B:938:GLN:HG3	1.90	0.53
1:D:488:HIS:ND1	1:D:489:PRO:HD2	2.23	0.53
1:B:915:PRO:HB2	1:B:918:VAL:HG23	1.90	0.53
1:D:938:GLN:NE2	1:D:947:PRO:HB3	2.24	0.53
1:D:518:THR:HB	1:D:615:LEU:HG	1.92	0.52
1:B:720:MET:HG3	1:B:881:VAL:HG23	1.92	0.52
1:C:554:LEU:HD12	1:C:777:LEU:HD23	1.92	0.52
1:C:549:ASP:HB3	1:C:783:GLN:HE22	1.74	0.52
1:A:919:VAL:HG13	1:A:942:LEU:HD23	1.91	0.52
1:A:633:ASP:OD1	1:A:665:VAL:HG21	2.09	0.52
1:A:750:ASP:OD2	5:C:1101:GOL:O1	2.26	0.52
1:B:535:ARG:HD3	1:B:741:GLY:O	2.09	0.52
1:C:618:MET:HB3	1:C:648:ILE:HD12	1.92	0.52
1:B:494:ARG:HD2	1:B:823:ALA:O	2.09	0.51
1:C:520:GLN:O	1:C:524:THR:HG22	2.09	0.51
1:D:479:TYR:HB2	1:D:1001:TYR:HB3	1.92	0.51
1:C:1021:GLU:CG	1:C:1035:VAL:HG22	2.41	0.51
1:D:615:LEU:HA	1:D:649:ASP:OD2	2.11	0.51
1:A:549:ASP:HB3	1:A:783:GLN:HE22	1.76	0.51
1:A:907:SER:O	1:A:940:LYS:NZ	2.37	0.50
1:C:660:VAL:HG13	1:C:707:LEU:HD23	1.93	0.50
1:B:535:ARG:HD2	1:B:737:ARG:NH1	2.27	0.50
1:B:621:ARG:HB2	1:B:624:ASN:HB2	1.93	0.49
1:D:753:GLY:HA3	1:D:831:PRO:HB3	1.94	0.49
1:B:632:PRO:HB3	1:B:958:GLU:HA	1.93	0.49
1:D:566:ARG:CG	1:D:566:ARG:NH1	2.74	0.49
1:C:539:ARG:HG3	1:C:539:ARG:O	2.12	0.49
1:B:697:LEU:HD11	1:B:735:ALA:CB	2.43	0.49
1:D:683:TYR:CE1	1:D:724:LEU:HD13	2.48	0.49
1:D:542:LEU:HD13	1:D:770:VAL:HG23	1.95	0.48
1:C:987:TYR:HB3	1:C:990:VAL:HB	1.94	0.48
1:D:554:LEU:HD13	1:D:818:ARG:HH21	1.79	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:545:THR:HA	1:D:582:GLU:HB3	1.96	0.48
1:A:987:TYR:HB3	1:A:990:VAL:HB	1.93	0.48
1:B:835:VAL:HA	1:B:838:HIS:CE1	2.49	0.48
1:B:744:ILE:CG1	6:B:1207:HOH:O	2.60	0.48
1:B:965:ARG:NH2	1:B:976:VAL:O	2.47	0.47
1:C:661:GLU:HA	1:C:664:ARG:HG3	1.96	0.47
1:D:535:ARG:HH22	1:D:737:ARG:HB3	1.80	0.47
1:A:753:GLY:HA3	1:A:831:PRO:HB3	1.96	0.47
1:B:753:GLY:HA3	1:B:831:PRO:HB3	1.96	0.47
1:A:1025:ASP:OD2	1:A:1031:THR:OG1	2.26	0.47
1:D:562:TYR:O	1:D:566:ARG:HG3	2.15	0.47
1:D:615:LEU:HD22	1:D:649:ASP:HB3	1.97	0.47
1:C:1021:GLU:HG2	1:C:1035:VAL:HG22	1.96	0.46
1:A:537:GLU:HG3	1:A:539:ARG:HG2	1.97	0.46
1:D:656:CYS:SG	1:D:883:PRO:HD2	2.56	0.46
1:C:615:LEU:HD22	1:C:649:ASP:HB3	1.96	0.46
1:C:655:ASP:HB2	1:C:663:MET:HG2	1.97	0.46
1:A:887:VAL:HG13	1:A:918:VAL:HA	1.97	0.46
1:D:594:ARG:HD3	1:D:595:PHE:CE2	2.50	0.46
1:D:566:ARG:HH11	1:D:566:ARG:HG3	1.79	0.46
1:B:551:HIS:CE1	1:B:559:MET:HB3	2.51	0.46
1:B:1026:ILE:HA	1:B:1026:ILE:HD13	1.58	0.46
1:D:1026:ILE:HD11	1:D:1032:LEU:CG	2.45	0.46
1:D:922:LEU:O	1:D:938:GLN:NE2	2.49	0.46
1:A:520:GLN:O	1:A:524:THR:HG23	2.16	0.46
1:D:558:ARG:NH1	1:D:595:PHE:CD2	2.84	0.46
1:B:874:MET:C	1:B:876:GLY:H	2.20	0.45
1:D:549:ASP:HB3	1:D:783:GLN:NE2	2.30	0.45
1:D:752:SER:HB2	1:D:754:ILE:HG12	1.99	0.45
1:D:619:LEU:HD11	1:D:718:KCX:CE	2.45	0.45
1:D:838:HIS:HA	1:D:869:ALA:HB2	1.99	0.45
1:A:599:ASP:OD1	1:A:601:TRP:N	2.48	0.45
1:A:786:LEU:O	1:A:790:VAL:HG23	2.16	0.45
1:D:549:ASP:HB2	1:D:582:GLU:OE1	2.17	0.45
1:D:861:TRP:O	1:D:861:TRP:CG	2.70	0.45
1:A:715:ILE:HB	1:A:744:ILE:HD13	1.98	0.45
1:D:746:PHE:HB3	1:D:770:VAL:HG12	1.99	0.44
1:C:716:ALA:HA	1:C:745:HIS:O	2.17	0.44
1:D:678:GLU:OE2	1:D:716:ALA:HB2	2.17	0.44
1:D:759:VAL:HG11	1:D:789:ILE:HD13	2.00	0.44
1:C:678:GLU:OE1	1:C:745:HIS:ND1	2.44	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:655:ASP:OD1	1:C:662:ASN:HB3	2.18	0.44
1:B:837:LEU:HD21	1:B:866:GLN:OE1	2.18	0.44
1:D:915:PRO:HD2	1:D:918:VAL:HB	1.99	0.44
1:C:676:LEU:HD22	1:C:714:ILE:HD11	1.99	0.44
1:B:541:LEU:HB3	1:B:579:LEU:HB2	1.99	0.44
1:C:541:LEU:O	1:C:769:ALA:HA	2.18	0.43
1:C:627:GLY:HA3	1:C:631:TYR:HE2	1.83	0.43
1:B:987:TYR:HB3	1:B:990:VAL:HB	2.00	0.43
1:D:554:LEU:HD13	1:D:818:ARG:NH2	2.32	0.43
1:B:667:MET:HG2	1:B:677:CYS:SG	2.58	0.43
1:A:541:LEU:O	1:A:769:ALA:HA	2.17	0.43
1:B:485:VAL:HG12	1:B:486:ASN:ND2	2.34	0.43
1:C:584:TRP:HB3	1:C:618:MET:HB2	2.01	0.43
1:C:692:ARG:HH22	1:C:839:GLU:CD	2.22	0.43
1:B:525:LEU:O	1:B:529:LYS:HB2	2.18	0.43
1:B:482:ASP:CG	1:B:1066:ARG:HH21	2.21	0.43
1:B:812:PHE:CD1	1:B:812:PHE:N	2.86	0.43
1:C:951:ARG:HA	1:C:952:PRO:HD3	1.76	0.43
1:C:926:LEU:HA	1:C:926:LEU:HD12	1.74	0.43
1:C:476:LEU:O	1:C:479:TYR:N	2.52	0.43
1:B:963:ALA:O	1:B:967:VAL:HG23	2.18	0.43
1:D:558:ARG:O	1:D:821:TYR:CE1	2.68	0.43
1:B:766:GLY:HA2	1:B:798:ARG:NH1	2.34	0.43
1:D:590:ASP:HB2	1:D:987:TYR:CZ	2.53	0.43
1:D:567:ILE:HB	1:D:813:TYR:CE2	2.54	0.42
1:B:535:ARG:CZ	1:B:737:ARG:HD3	2.49	0.42
1:B:669:ALA:O	1:B:673:GLU:HG2	2.19	0.42
1:C:477:LEU:HD11	1:C:1054:LEU:HD22	2.01	0.42
1:D:794:SER:HA	1:D:799:ASP:OD2	2.19	0.42
1:C:793:LEU:HD23	1:C:793:LEU:HA	1.76	0.42
1:B:603:ARG:O	1:B:607:ILE:HG13	2.19	0.42
1:C:743:PRO:HA	1:C:768:ASP:OD2	2.20	0.42
1:B:486:ASN:HD21	1:B:1066:ARG:H	1.68	0.42
1:D:486:ASN:ND2	1:D:1066:ARG:H	2.14	0.42
1:D:987:TYR:HB3	1:D:990:VAL:HB	2.00	0.41
1:D:721:ALA:HA	1:D:841:PRO:HA	2.01	0.41
1:D:541:LEU:HB3	1:D:579:LEU:HB2	2.02	0.41
1:B:834:GLU:HA	1:D:808:ARG:HD2	2.03	0.41
1:B:477:LEU:HD11	1:B:1054:LEU:HD22	2.03	0.41
1:C:981:PHE:O	1:C:985:LEU:HG	2.21	0.41
1:C:750:ASP:OD2	5:C:1101:GOL:C3	2.69	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:1009:THR:HB	1:D:1010:PRO:HD3	2.03	0.41
1:C:535:ARG:HD3	1:C:741:GLY:O	2.21	0.41
1:A:540:VAL:HG21	1:A:763:VAL:HG22	2.03	0.41
1:A:756:ALA:CB	1:C:754:ILE:HG22	2.51	0.41
1:B:1043:ASP:OD1	1:B:1045:GLN:N	2.54	0.41
1:B:756:ALA:HB1	1:D:754:ILE:HG22	2.03	0.41
1:D:832:ALA:O	1:D:835:VAL:HG12	2.21	0.41
1:C:656:CYS:HA	1:C:881:VAL:CG1	2.52	0.40
1:A:928:GLN:HA	1:A:929:PRO:HD3	1.88	0.40
1:D:556:ALA:O	1:D:558:ARG:HD3	2.22	0.40
1:C:753:GLY:HA3	1:C:831:PRO:HB3	2.03	0.40
1:A:894:MET:HE1	1:A:915:PRO:HD3	2.02	0.40
1:C:872:ASN:O	1:C:876:GLY:O	2.39	0.40
1:D:477:LEU:HD11	1:D:1054:LEU:HD22	2.02	0.40
1:C:901:THR:N	1:C:904:ASP:HB2	2.36	0.40
1:D:551:HIS:CG	1:D:559:MET:HB2	2.56	0.40
1:D:669:ALA:O	1:D:673:GLU:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	591/632 (94%)	563 (95%)	27 (5%)	1 (0%)	52	84
1	B	586/632 (93%)	549 (94%)	35 (6%)	2 (0%)	46	78
1	C	582/632 (92%)	533 (92%)	44 (8%)	5 (1%)	21	53
1	D	575/632 (91%)	542 (94%)	27 (5%)	6 (1%)	19	50
All	All	2334/2528 (92%)	2187 (94%)	133 (6%)	14 (1%)	30	63

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	501	ALA
1	C	622	GLY
1	C	943	LYS
1	D	622	GLY
1	B	908	PRO
1	C	1041	ALA
1	C	1055	ASN
1	D	508	TYR
1	D	944	GLY
1	A	500	ASN
1	D	1026	ILE
1	D	930	PRO
1	C	492	LYS
1	D	1003	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	443/518 (86%)	425 (96%)	18 (4%)	37	70
1	B	419/518 (81%)	405 (97%)	14 (3%)	45	78
1	C	394/518 (76%)	367 (93%)	27 (7%)	19	45
1	D	395/518 (76%)	375 (95%)	20 (5%)	29	62
All	All	1651/2072 (80%)	1572 (95%)	79 (5%)	31	64

All (79) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	524	THR
1	A	557	THR
1	A	584	TRP
1	A	594	ARG
1	A	597	THR
1	A	633	ASP
1	A	720	MET
1	A	754	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	854	SER
1	A	882	THR
1	A	897	SER
1	A	899	ASP
1	A	911	GLU
1	A	917	SER
1	A	935	GLU
1	A	950	VAL
1	A	1008	PRO
1	A	1016	LEU
1	B	584	TRP
1	B	692	ARG
1	B	720	MET
1	B	737	ARG
1	B	752	SER
1	B	791	GLU
1	B	826	SER
1	B	855	LEU
1	B	882	THR
1	B	901	THR
1	B	926	LEU
1	B	975	GLU
1	B	998	SER
1	B	1026	ILE
1	C	510	ASN
1	C	521	LEU
1	C	524	THR
1	C	546	THR
1	C	553	SER
1	C	557	THR
1	C	566	ARG
1	C	577	ASN
1	C	584	TRP
1	C	597	THR
1	C	629	THR
1	C	661	GLU
1	C	664	ARG
1	C	689	ASN
1	C	699	TYR
1	C	720	MET
1	C	767	VAL
1	C	777	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	794	SER
1	C	848	LEU
1	C	882	THR
1	C	899	ASP
1	C	951	ARG
1	C	1005	SER
1	C	1021	GLU
1	C	1025	ASP
1	C	1047	MET
1	D	471	ASP
1	D	516	ASP
1	D	518	THR
1	D	557	THR
1	D	566	ARG
1	D	584	TRP
1	D	661	GLU
1	D	684	THR
1	D	720	MET
1	D	794	SER
1	D	797	GLU
1	D	854	SER
1	D	863	GLN
1	D	882	THR
1	D	885	SER
1	D	897	SER
1	D	931	SER
1	D	999	ASP
1	D	1026	ILE
1	D	1044	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	486	ASN
1	A	630	ASN
1	A	783	GLN
1	B	486	ASN
1	B	630	ASN
1	B	783	GLN
1	B	938	GLN
1	C	630	ASN
1	C	689	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	713	HIS
1	C	783	GLN
1	C	866	GLN
1	D	486	ASN
1	D	630	ASN
1	D	713	HIS
1	D	783	GLN
1	D	938	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	KCX	A	718	1,3	7,11,12	0.76	0	7,12,14	4.61	2 (28%)
1	KCX	B	718	1,3	7,11,12	0.74	0	7,12,14	1.41	1 (14%)
1	KCX	C	718	1,3	7,11,12	0.65	0	7,12,14	1.23	0
1	KCX	D	718	1,3	7,11,12	0.61	0	7,12,14	1.72	2 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	A	718	1,3	-	1/6/10/12	0/0/0/0
1	KCX	B	718	1,3	-	0/6/10/12	0/0/0/0
1	KCX	C	718	1,3	-	0/6/10/12	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	D	718	1,3	-	0/6/10/12	0/0/0/0

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	718	KCX	CD-CE-NZ	2.34	117.79	111.46
1	B	718	KCX	CE-NZ-CX	2.90	126.78	123.49
1	D	718	KCX	CE-NZ-CX	3.20	127.12	123.49
1	A	718	KCX	CD-CE-NZ	3.82	121.81	111.46
1	A	718	KCX	CE-NZ-CX	11.40	136.41	123.49

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	718	KCX	CD-CE-NZ-CX

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	D	718	KCX	2	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 8 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PYR	A	1101	-	2,5,5	0.28	0	2,6,6	0.17	0
2	PYR	B	1101	-	2,5,5	0.33	0	2,6,6	0.26	0
5	GOL	C	1101	-	5,5,5	0.38	0	5,5,5	1.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PYR	A	1101	-	-	0/0/4/4	0/0/0/0
2	PYR	B	1101	-	-	0/0/4/4	0/0/0/0
5	GOL	C	1101	-	-	0/4/4/4	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	1101	GOL	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	594/632 (93%)	-0.12	8 (1%) 79 74	32, 51, 74, 124	18 (3%)
1	B	592/632 (93%)	0.25	45 (7%) 17 10	40, 71, 138, 196	19 (3%)
1	C	587/632 (92%)	0.44	56 (9%) 10 6	33, 83, 158, 199	15 (2%)
1	D	583/632 (92%)	0.52	64 (10%) 7 4	58, 89, 126, 147	15 (2%)
All	All	2356/2528 (93%)	0.27	173 (7%) 18 12	32, 71, 136, 199	67 (2%)

All (173) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	934	PRO	6.8
1	C	936	ALA	5.9
1	D	914	PHE	5.5
1	C	981	PHE	4.9
1	B	909	ASP	4.9
1	B	941	ALA	4.7
1	C	940	LYS	4.7
1	C	937	LEU	4.6
1	D	896	VAL	4.6
1	D	713	HIS	4.5
1	B	872	ASN	4.4
1	B	908	PRO	4.4
1	B	874	MET	4.4
1	C	933	TRP	4.3
1	B	878	ILE	4.2
1	B	963	ALA	4.2
1	B	700	TYR	4.1
1	D	941	ALA	4.0
1	C	876	GLY	4.0
1	D	891	MET	3.9
1	B	902	VAL	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	1048	VAL	3.9
1	D	525	LEU	3.9
1	C	893	LEU	3.8
1	D	937	LEU	3.8
1	B	961	LEU	3.8
1	B	900	LEU	3.8
1	C	976	VAL	3.8
1	C	906	VAL	3.7
1	D	479	TYR	3.7
1	C	1047	MET	3.6
1	C	1039	VAL	3.6
1	D	676	LEU	3.6
1	D	938	GLN	3.5
1	D	1067	ALA	3.5
1	D	897	SER	3.5
1	D	875	PHE	3.4
1	D	1018	ASP	3.4
1	D	483	VAL	3.4
1	B	933	TRP	3.4
1	C	874	MET	3.3
1	D	963	ALA	3.3
1	D	631	TYR	3.3
1	D	1036	ASN	3.3
1	C	938	GLN	3.3
1	D	917	SER	3.3
1	C	1016	LEU	3.2
1	D	942	LEU	3.2
1	C	891	MET	3.2
1	D	898	GLN	3.2
1	B	934	PRO	3.2
1	B	830	GLY	3.2
1	D	966	LYS	3.1
1	C	510	ASN	3.1
1	C	659	TRP	3.1
1	D	639	PHE	3.1
1	D	1039	VAL	3.1
1	D	944	GLY	3.1
1	C	941	ALA	3.0
1	C	1063	VAL	3.0
1	D	894	MET	3.0
1	C	894	MET	3.0
1	B	906	VAL	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	891	MET	3.0
1	D	943	LYS	3.0
1	C	1050	VAL	3.0
1	B	936	ALA	3.0
1	C	963	ALA	3.0
1	D	1019	GLY	3.0
1	B	864	VAL	3.0
1	D	930	PRO	2.9
1	D	972	LEU	2.9
1	D	1001	TYR	2.9
1	D	1063	VAL	2.9
1	B	876	GLY	2.9
1	D	933	TRP	2.9
1	C	1049	THR	2.8
1	D	959	ALA	2.8
1	C	753	GLY	2.8
1	D	703	LEU	2.8
1	D	976	VAL	2.8
1	D	502	ALA	2.8
1	D	948	TYR	2.8
1	D	980	GLU	2.8
1	D	950	VAL	2.8
1	C	904	ASP	2.8
1	C	622	GLY	2.7
1	C	932	GLY	2.7
1	D	925	ASP	2.7
1	B	937	LEU	2.7
1	B	635	VAL	2.7
1	D	1038	ALA	2.7
1	D	1015	GLY	2.6
1	D	984	TYR	2.6
1	B	965	ARG	2.6
1	C	487	GLY	2.6
1	C	546	THR	2.6
1	C	485	VAL	2.6
1	C	782	SER	2.6
1	C	479	TYR	2.6
1	D	1014	TYR	2.6
1	A	968	ILE	2.6
1	D	714	ILE	2.6
1	B	893	LEU	2.5
1	C	875	PHE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	857	LEU	2.5
1	A	779	GLY	2.5
1	D	977	SER	2.5
1	D	1041	ALA	2.5
1	B	863	GLN	2.5
1	D	530	PHE	2.5
1	D	481	ALA	2.4
1	A	512	ASN	2.4
1	C	942	LEU	2.4
1	D	675	LYS	2.4
1	B	992	THR	2.4
1	B	938	GLN	2.4
1	C	830	GLY	2.4
1	A	751	THR	2.4
1	B	913	SER	2.4
1	C	897	SER	2.4
1	B	974	ARG	2.4
1	C	831	PRO	2.4
1	D	979	PHE	2.3
1	D	1052	PHE	2.3
1	B	750	ASP	2.3
1	B	948	TYR	2.3
1	D	1044	SER	2.3
1	C	975	GLU	2.3
1	A	750	ASP	2.3
1	C	781	THR	2.3
1	C	930	PRO	2.3
1	D	527	PRO	2.3
1	B	877	ASP	2.3
1	D	700	TYR	2.3
1	A	961	LEU	2.3
1	D	927	GLY	2.3
1	C	1052	PHE	2.2
1	B	907	SER	2.2
1	B	931	SER	2.2
1	C	483	VAL	2.2
1	C	780	ASN	2.2
1	B	892	ALA	2.2
1	B	968	ILE	2.2
1	B	875	PHE	2.2
1	B	634	ASN	2.2
1	C	481	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	502	ALA	2.2
1	C	964	GLU	2.2
1	B	867	ALA	2.2
1	B	501	ALA	2.1
1	B	912	VAL	2.1
1	C	919	VAL	2.1
1	B	754	ILE	2.1
1	C	1034	ILE	2.1
1	B	975	GLU	2.1
1	B	873	GLN	2.1
1	B	928	GLN	2.1
1	A	972	LEU	2.1
1	B	751	THR	2.1
1	D	921	MET	2.1
1	C	1067	ALA	2.1
1	C	557	THR	2.1
1	D	1037	GLN	2.1
1	C	773	ALA	2.1
1	D	647	GLY	2.1
1	C	903	ALA	2.1
1	A	778	SER	2.0
1	C	867	ALA	2.0
1	D	1050	VAL	2.0
1	C	943	LYS	2.0
1	D	934	PRO	2.0
1	D	533	TRP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	KCX	C	718	12/13	0.96	0.19	-	64,67,76,77	0
1	KCX	D	718	12/13	0.95	0.19	-	73,77,87,90	0
1	KCX	A	718	12/13	0.98	0.22	-	40,42,58,59	0
1	KCX	B	718	12/13	0.97	0.19	-	68,71,78,81	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	GOL	C	1101	6/6	0.91	0.79	11.06	22,24,24,25	6
2	PYR	A	1101	6/6	0.93	0.32	4.78	24,26,26,27	6
2	PYR	B	1101	6/6	0.89	0.25	1.97	74,80,88,91	0
4	MG	C	1103	1/1	0.91	0.11	-1.54	55,55,55,55	0
4	MG	D	1102	1/1	0.78	0.09	-1.67	75,75,75,75	0
3	ZN	A	1102	1/1	0.99	0.16	-1.83	58,58,58,58	0
4	MG	A	1103	1/1	0.89	0.11	-1.92	71,71,71,71	0
4	MG	B	1103	1/1	0.99	0.07	-2.71	54,54,54,54	0
3	ZN	C	1102	1/1	0.97	0.16	-3.12	72,72,72,72	0
3	ZN	D	1101	1/1	0.96	0.12	-	77,77,77,77	0
3	ZN	B	1102	1/1	0.98	0.11	-	78,78,78,78	0

6.5 Other polymers [i](#)

There are no such residues in this entry.