



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:01 PM GMT

PDB ID : 4K67
Title : Structure of an airborne transmissible avian influenza H5 hemagglutinin mutant from the influenza virus A/Indonesia/5/2005 complexed with human receptor analog LSTc
Authors : Zhang, W.; Shi, Y.; Lu, X.; Shu, Y.; Gao, G.F.
Deposited on : 2013-04-15
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	321	 2% 85% 14% •
1	C	321	 2% 85% 14% •
1	E	321	 6% 85% 14% •
1	G	321	 6% 86% 13% •
2	B	164	 18% 84% 15% •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	164	<div><div></div><div>18%</div><div>84%</div><div>15%</div><div></div></div>
2	F	164	<div><div></div><div>44%</div><div>84%</div><div>14%</div><div></div></div>
2	H	164	<div><div></div><div>46%</div><div>85%</div><div>13%</div><div></div></div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 15692 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	321	Total	C	N	O	S	0	0	0
			2542	1609	433	485	15			
1	C	321	Total	C	N	O	S	0	0	0
			2542	1609	433	485	15			
1	E	321	Total	C	N	O	S	0	0	0
			2542	1609	433	485	15			
1	G	321	Total	C	N	O	S	0	0	0
			2542	1609	433	485	15			


There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	4	GLN	-	EXPRESSION TAG	UNP A8HWY8
A	107	TYR	HIS	ENGINEERED MUTATION	UNP A8HWY8
A	160	ALA	THR	ENGINEERED MUTATION	UNP A8HWY8
A	226	LEU	GLN	ENGINEERED MUTATION	UNP A8HWY8
A	228	SER	GLY	ENGINEERED MUTATION	UNP A8HWY8
C	4	GLN	-	EXPRESSION TAG	UNP A8HWY8
C	107	TYR	HIS	ENGINEERED MUTATION	UNP A8HWY8
C	160	ALA	THR	ENGINEERED MUTATION	UNP A8HWY8
C	226	LEU	GLN	ENGINEERED MUTATION	UNP A8HWY8
C	228	SER	GLY	ENGINEERED MUTATION	UNP A8HWY8
E	4	GLN	-	EXPRESSION TAG	UNP A8HWY8
E	107	TYR	HIS	ENGINEERED MUTATION	UNP A8HWY8
E	160	ALA	THR	ENGINEERED MUTATION	UNP A8HWY8
E	226	LEU	GLN	ENGINEERED MUTATION	UNP A8HWY8
E	228	SER	GLY	ENGINEERED MUTATION	UNP A8HWY8
G	4	GLN	-	EXPRESSION TAG	UNP A8HWY8
G	107	TYR	HIS	ENGINEERED MUTATION	UNP A8HWY8
G	160	ALA	THR	ENGINEERED MUTATION	UNP A8HWY8
G	226	LEU	GLN	ENGINEERED MUTATION	UNP A8HWY8
G	228	SER	GLY	ENGINEERED MUTATION	UNP A8HWY8

- Molecule 2 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	164	Total	C	N	O	S	0	0	0
			1328	828	229	263	8			
2	D	164	Total	C	N	O	S	0	0	0
			1328	828	229	263	8			
2	F	164	Total	C	N	O	S	0	0	0
			1328	828	229	263	8			
2	H	164	Total	C	N	O	S	0	0	0
			1328	828	229	263	8			

- Molecule 3 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		
3	G	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	2	Total	C	N	O	0	0
			32	17	1	14		
4	C	2	Total	C	N	O	0	0
			32	17	1	14		


- Molecule 5 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	E	3	Total	C	N	O	0	0
			46	25	2	19		
5	G	3	Total	C	N	O	0	0
			46	25	2	19		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Hemagglutinin




• Molecule 1: Hemagglutinin



• Molecule 1: Hemagglutinin





• Molecule 1: Hemagglutinin









• Molecule 2: Hemagglutinin





• Molecule 2: Hemagglutinin



• Molecule 2: Hemagglutinin



• Molecule 2: Hemagglutinin



4 Data and refinement statistics

Property	Value	Source
Space group	P 3	Depositor
Cell constants a, b, c, α , β , γ	70.63Å 70.63Å 494.52Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.12 – 2.70 49.12 – 2.70	Depositor EDS
% Data completeness (in resolution range)	95.2 (49.12-2.70) 95.3 (49.12-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.50 (at 2.69Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.227 , 0.255 0.218 , 0.251	Depositor DCC
R_{free} test set	3626 reflections (5.02%)	DCC
Wilson B-factor (Å ²)	51.0	Xtriage
Anisotropy	0.531	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 33.2	EDS
Estimated twinning fraction	0.221 for -h,-k,l 0.437 for -h,-k,l 0.069 for h,-h-k,-l 0.062 for -k,-h,-l	Xtriage
Reported twinning fraction	0.221 for -h,-k,l	Depositor
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 72276 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	15692	wwPDB-VP
Average B, all atoms (Å ²)	77.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 21.78 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 6.5285e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SIA, GAL, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/2604	0.51	0/3539
1	C	0.32	0/2604	0.51	0/3539
1	E	0.33	0/2604	0.68	3/3539 (0.1%)
1	G	0.32	0/2604	0.51	0/3539
2	B	0.27	0/1355	0.43	0/1823
2	D	0.27	0/1355	0.43	0/1823
2	F	0.27	0/1355	0.43	0/1823
2	H	0.27	0/1355	0.44	0/1823
All	All	0.31	0/15836	0.52	3/21448 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	57	ARG	NE-CZ-NH1	-19.37	110.61	120.30
1	E	57	ARG	NE-CZ-NH2	15.61	128.10	120.30
1	E	57	ARG	CD-NE-CZ	10.20	137.88	123.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2542	0	2483	22	0
1	C	2542	0	2483	23	0
1	E	2542	0	2483	18	1
1	G	2542	0	2483	18	1
2	B	1328	0	1231	12	0
2	D	1328	0	1231	13	0
2	F	1328	0	1231	9	1
2	H	1328	0	1231	8	1
3	A	14	0	13	0	0
3	C	14	0	13	0	0
3	E	14	0	13	0	0
3	G	14	0	13	0	0
4	A	32	0	27	1	0
4	C	32	0	27	2	0
5	E	46	0	39	1	0
5	G	46	0	39	1	0
All	All	15692	0	15040	104	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:216:LYS:O	1:E:220:ARG:NH2	2.22	0.73
1:A:216:LYS:O	1:A:220:ARG:NH2	2.23	0.72
1:C:216:LYS:O	1:C:220:ARG:NH2	2.24	0.71
1:G:216:LYS:O	1:G:220:ARG:NH2	2.25	0.70
1:C:95:TYR:OH	4:C:602:SIA:H91	2.00	0.62
1:G:51:VAL:HG13	1:G:81:SER:HB3	1.83	0.61
1:A:51:VAL:HG13	1:A:81:SER:HB3	1.83	0.60
1:E:51:VAL:HG13	1:E:81:SER:HB3	1.84	0.59
1:C:51:VAL:HG13	1:C:81:SER:HB3	1.84	0.58
1:C:12:HIS:HB2	2:D:355:TRP:HA	1.86	0.57
1:C:317:LEU:HD21	2:D:389:ILE:HD12	1.86	0.56
1:A:317:LEU:HD21	2:B:389:ILE:HD12	1.88	0.55
1:C:321:LEU:HB3	2:D:445:HIS:CD2	2.43	0.54
1:G:310:VAL:HG12	1:G:312:SER:H	1.75	0.52
1:A:12:HIS:HB2	2:B:355:TRP:HA	1.91	0.52
1:G:170:ASN:HB2	1:G:237:LEU:HD13	1.92	0.52
1:G:195:TYR:O	1:G:197:ASN:N	2.41	0.52
1:C:170:ASN:HB2	1:C:237:LEU:HD13	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:97:GLY:HA3	1:A:230:MET:O	2.11	0.51
1:E:170:ASN:HB2	1:E:237:LEU:HD13	1.93	0.51
1:A:321:LEU:HB3	2:B:445:HIS:CD2	2.46	0.51
1:E:310:VAL:HG12	1:E:312:SER:H	1.75	0.50
1:E:312:SER:OG	2:F:431:GLU:OE2	2.19	0.50
1:A:310:VAL:HG12	1:A:312:SER:H	1.75	0.50
1:G:97:GLY:HA3	1:G:230:MET:O	2.12	0.50
1:C:195:TYR:O	1:C:197:ASN:N	2.43	0.49
1:E:133:SER:O	5:E:602:SIA:H113	2.13	0.49
1:C:310:VAL:HG12	1:C:312:SER:H	1.75	0.49
1:E:164:ILE:O	1:E:246:GLU:HA	2.12	0.49
2:B:343:PHE:CD1	2:B:344:ILE:HG13	2.48	0.49
1:C:311:LYS:HE3	2:D:423:LEU:HD11	1.92	0.49
1:E:156:LYS:HD2	1:E:196:GLN:HG2	1.94	0.49
1:A:311:LYS:HE3	2:B:423:LEU:HD11	1.93	0.48
1:C:97:GLY:HA3	1:C:230:MET:O	2.13	0.48
1:A:222:LYS:HA	1:A:226:LEU:O	2.14	0.48
2:F:343:PHE:CD1	2:F:344:ILE:HG13	2.49	0.48
1:E:97:GLY:HA3	1:E:230:MET:O	2.14	0.48
1:C:164:ILE:O	1:C:246:GLU:HA	2.13	0.48
2:B:463:ASN:OD1	2:B:463:ASN:N	2.47	0.48
2:D:343:PHE:CD1	2:D:344:ILE:HG13	2.48	0.48
1:G:164:ILE:O	1:G:246:GLU:HA	2.13	0.48
1:A:170:ASN:HB2	1:A:237:LEU:HD13	1.96	0.48
1:C:68:ASN:HB3	1:C:71:CYS:SG	2.53	0.47
1:G:156:LYS:HD2	1:G:196:GLN:HG2	1.96	0.47
1:A:300:PRO:HG2	1:A:301:LEU:HD12	1.96	0.47
2:F:463:ASN:OD1	2:F:463:ASN:N	2.47	0.47
1:G:68:ASN:HB3	1:G:71:CYS:SG	2.54	0.47
1:A:164:ILE:O	1:A:246:GLU:HA	2.13	0.47
1:G:311:LYS:HE3	2:H:423:LEU:HD11	1.97	0.47
1:C:300:PRO:HG2	1:C:301:LEU:HD12	1.97	0.47
2:H:343:PHE:CD1	2:H:344:ILE:HG13	2.49	0.47
1:C:317:LEU:HD13	2:D:434:VAL:HG22	1.97	0.47
1:E:311:LYS:HE3	2:F:423:LEU:HD11	1.97	0.47
1:G:133:SER:O	5:G:602:SIA:H113	2.14	0.47
2:D:463:ASN:OD1	2:D:463:ASN:N	2.47	0.47
1:C:315:LEU:HD22	2:D:434:VAL:HG21	1.98	0.46
1:E:68:ASN:HB3	1:E:71:CYS:SG	2.56	0.46
1:G:300:PRO:HG2	1:G:301:LEU:HD12	1.97	0.46
1:E:300:PRO:HG2	1:E:301:LEU:HD12	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:LYS:HD2	1:A:196:GLN:HG2	1.97	0.46
2:H:463:ASN:N	2:H:463:ASN:OD1	2.47	0.46
1:C:156:LYS:HD2	1:C:196:GLN:HG2	1.97	0.46
1:E:195:TYR:O	1:E:197:ASN:N	2.44	0.45
1:E:13:ALA:HB2	2:F:347:GLY:HA3	1.99	0.45
1:C:315:LEU:HA	1:C:315:LEU:HD23	1.82	0.45
1:C:222:LYS:HA	1:C:226:LEU:O	2.16	0.45
1:A:315:LEU:HD22	2:B:434:VAL:HG21	1.99	0.45
1:C:190:GLU:OE2	4:C:602:SIA:O9	2.35	0.45
1:A:308:LYS:HB3	2:B:396:GLN:NE2	2.31	0.45
1:G:222:LYS:HA	1:G:226:LEU:O	2.16	0.45
1:A:317:LEU:HD13	2:B:434:VAL:HG22	1.98	0.44
1:A:68:ASN:HB3	1:A:71:CYS:SG	2.56	0.44
1:E:222:LYS:HA	1:E:226:LEU:O	2.18	0.44
2:B:493:TYR:O	2:B:495:GLN:N	2.51	0.43
2:D:452:LEU:HD12	2:D:452:LEU:HA	1.89	0.43
1:G:317:LEU:HA	1:G:317:LEU:HD12	1.87	0.43
1:E:176:LEU:HD23	1:E:176:LEU:HA	1.86	0.43
1:C:308:LYS:HB3	2:D:396:GLN:NE2	2.32	0.43
1:A:195:TYR:O	1:A:197:ASN:N	2.44	0.43
2:D:493:TYR:O	2:D:495:GLN:N	2.51	0.42
2:D:466:GLU:HA	2:D:472:PHE:HD2	1.84	0.42
2:F:452:LEU:HD12	2:F:452:LEU:HA	1.90	0.42
1:G:176:LEU:HA	1:G:176:LEU:HD23	1.86	0.42
1:A:317:LEU:HD12	1:A:317:LEU:HA	1.85	0.42
2:H:493:TYR:O	2:H:495:GLN:N	2.53	0.42
2:B:466:GLU:HA	2:B:472:PHE:HD2	1.84	0.42
2:F:493:TYR:O	2:F:495:GLN:N	2.53	0.42
1:A:133:SER:O	4:A:602:SIA:H113	2.19	0.42
2:F:466:GLU:HA	2:F:472:PHE:HD2	1.85	0.42
2:D:421:GLY:O	2:D:425:VAL:HG13	2.20	0.41
2:B:421:GLY:O	2:B:425:VAL:HG13	2.20	0.41
1:G:69:PRO:HG3	1:G:147:PHE:O	2.20	0.41
1:C:53:PRO:HB3	1:C:82:TYR:CZ	2.55	0.41
1:G:315:LEU:HA	1:G:315:LEU:HD23	1.82	0.41
1:G:13:ALA:HB2	2:H:347:GLY:HA3	2.02	0.41
2:H:421:GLY:O	2:H:425:VAL:HG13	2.21	0.41
2:H:466:GLU:HA	2:H:472:PHE:HD2	1.85	0.41
1:C:237:LEU:HD23	1:C:237:LEU:HA	1.93	0.41
1:A:180:TRP:HB3	1:A:254:PRO:HG3	2.03	0.40
1:E:53:PRO:HB3	1:E:82:TYR:CZ	2.57	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:53:PRO:HB3	1:A:82:TYR:CZ	2.56	0.40
1:E:69:PRO:HG3	1:E:147:PHE:O	2.21	0.40
2:H:458:LEU:HA	2:H:458:LEU:HD13	1.94	0.40
2:F:492:ASN:OD1	2:F:494:PRO:HD2	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:26:LYS:NZ	2:H:388:SER:OG[3_665]	2.06	0.14
1:E:26:LYS:NZ	2:F:388:SER:OG[3_655]	2.06	0.14

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	319/321 (99%)	305 (96%)	13 (4%)	1 (0%)	46	75
1	C	319/321 (99%)	306 (96%)	12 (4%)	1 (0%)	46	75
1	E	319/321 (99%)	307 (96%)	11 (3%)	1 (0%)	46	75
1	G	319/321 (99%)	306 (96%)	12 (4%)	1 (0%)	46	75
2	B	162/164 (99%)	150 (93%)	10 (6%)	2 (1%)	16	39
2	D	162/164 (99%)	149 (92%)	11 (7%)	2 (1%)	16	39
2	F	162/164 (99%)	149 (92%)	11 (7%)	2 (1%)	16	39
2	H	162/164 (99%)	150 (93%)	10 (6%)	2 (1%)	16	39
All	All	1924/1940 (99%)	1822 (95%)	90 (5%)	12 (1%)	30	59

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	496	TYR
2	D	496	TYR
2	F	496	TYR
2	H	496	TYR
2	B	494	PRO
2	D	494	PRO
2	F	494	PRO
2	H	494	PRO
1	A	196	GLN
1	C	196	GLN
1	G	196	GLN
1	E	196	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	288/288 (100%)	271 (94%)	17 (6%)	24	51
1	C	288/288 (100%)	271 (94%)	17 (6%)	24	51
1	E	288/288 (100%)	271 (94%)	17 (6%)	24	51
1	G	288/288 (100%)	271 (94%)	17 (6%)	24	51
2	B	140/140 (100%)	127 (91%)	13 (9%)	11	25
2	D	140/140 (100%)	128 (91%)	12 (9%)	13	29
2	F	140/140 (100%)	127 (91%)	13 (9%)	11	25
2	H	140/140 (100%)	127 (91%)	13 (9%)	11	25
All	All	1712/1712 (100%)	1593 (93%)	119 (7%)	19	42

All (119) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	THR
1	A	56	LEU
1	A	111	ARG
1	A	149	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	152	VAL
1	A	194	LEU
1	A	208	THR
1	A	212	ARG
1	A	237	LEU
1	A	261	VAL
1	A	274	GLU
1	A	277	ASN
1	A	284	THR
1	A	293	MET
1	A	302	THR
1	A	313	ASN
1	A	315	LEU
2	B	377	LYS
2	B	379	ILE
2	B	395	THR
2	B	412	GLU
2	B	418	MET
2	B	420	ASP
2	B	423	LEU
2	B	425	VAL
2	B	427	THR
2	B	463	ASN
2	B	485	SER
2	B	490	THR
2	B	498	GLU
1	C	17	THR
1	C	56	LEU
1	C	111	ARG
1	C	149	ARG
1	C	152	VAL
1	C	194	LEU
1	C	208	THR
1	C	212	ARG
1	C	237	LEU
1	C	261	VAL
1	C	274	GLU
1	C	277	ASN
1	C	284	THR
1	C	293	MET
1	C	302	THR
1	C	313	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	315	LEU
2	D	377	LYS
2	D	379	ILE
2	D	395	THR
2	D	412	GLU
2	D	418	MET
2	D	420	ASP
2	D	423	LEU
2	D	425	VAL
2	D	427	THR
2	D	463	ASN
2	D	485	SER
2	D	490	THR
1	E	17	THR
1	E	56	LEU
1	E	111	ARG
1	E	149	ARG
1	E	152	VAL
1	E	194	LEU
1	E	208	THR
1	E	212	ARG
1	E	237	LEU
1	E	261	VAL
1	E	274	GLU
1	E	277	ASN
1	E	284	THR
1	E	293	MET
1	E	302	THR
1	E	313	ASN
1	E	315	LEU
2	F	377	LYS
2	F	379	ILE
2	F	395	THR
2	F	409	ARG
2	F	412	GLU
2	F	418	MET
2	F	420	ASP
2	F	423	LEU
2	F	425	VAL
2	F	427	THR
2	F	463	ASN
2	F	485	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	490	THR
1	G	17	THR
1	G	56	LEU
1	G	111	ARG
1	G	149	ARG
1	G	152	VAL
1	G	194	LEU
1	G	208	THR
1	G	212	ARG
1	G	237	LEU
1	G	261	VAL
1	G	274	GLU
1	G	277	ASN
1	G	284	THR
1	G	293	MET
1	G	302	THR
1	G	313	ASN
1	G	315	LEU
2	H	377	LYS
2	H	379	ILE
2	H	395	THR
2	H	409	ARG
2	H	412	GLU
2	H	418	MET
2	H	420	ASP
2	H	423	LEU
2	H	425	VAL
2	H	427	THR
2	H	463	ASN
2	H	485	SER
2	H	490	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	396	GLN
2	D	396	GLN
1	E	12	HIS
2	F	396	GLN
1	G	12	HIS
2	H	396	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

10 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	SIA	A	602	4	16,20,21	2.69	5 (31%)	18,28,31	2.25	3 (16%)
4	GAL	A	603	4	12,12,12	0.48	0	17,17,17	1.24	1 (5%)
4	SIA	C	602	4	16,20,21	2.72	6 (37%)	18,28,31	2.02	3 (16%)
4	GAL	C	603	4	12,12,12	0.44	0	17,17,17	0.91	1 (5%)
5	SIA	E	602	5	16,20,21	2.77	6 (37%)	18,28,31	2.21	3 (16%)
5	GAL	E	603	5	11,11,12	0.62	0	14,15,17	1.77	1 (7%)
5	NAG	E	604	5	15,15,15	0.39	0	17,21,21	0.97	0
5	SIA	G	602	5	16,20,21	2.82	6 (37%)	18,28,31	2.28	4 (22%)
5	GAL	G	603	5	11,11,12	0.66	0	14,15,17	1.61	1 (7%)
5	NAG	G	604	5	15,15,15	0.40	0	17,21,21	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SIA	A	602	4	-	0/14/34/38	0/1/1/1
4	GAL	A	603	4	-	0/2/22/22	0/1/1/1
4	SIA	C	602	4	-	0/14/34/38	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GAL	C	603	4	-	0/2/22/22	0/1/1/1
5	SIA	E	602	5	-	0/14/34/38	0/1/1/1
5	GAL	E	603	5	-	0/2/19/22	0/1/1/1
5	NAG	E	604	5	-	0/6/26/26	0/1/1/1
5	SIA	G	602	5	-	0/14/34/38	0/1/1/1
5	GAL	G	603	5	-	0/2/19/22	0/1/1/1
5	NAG	G	604	5	-	0/6/26/26	0/1/1/1

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	602	SIA	C7-C6	-8.30	1.42	1.52
5	E	602	SIA	C7-C6	-8.23	1.42	1.52
4	C	602	SIA	C7-C6	-7.90	1.42	1.52
4	A	602	SIA	C7-C6	-7.82	1.43	1.52
5	G	602	SIA	O7-C7	-2.27	1.37	1.43
4	A	602	SIA	O8-C8	-2.26	1.38	1.43
4	C	602	SIA	O8-C8	-2.13	1.38	1.43
4	C	602	SIA	O7-C7	-2.07	1.38	1.43
4	A	602	SIA	O7-C7	-2.06	1.38	1.43
5	E	602	SIA	O7-C7	-2.04	1.38	1.43
5	E	602	SIA	C5-N5	2.06	1.49	1.45
5	E	602	SIA	C3-C2	2.11	1.56	1.52
4	C	602	SIA	C5-N5	2.19	1.49	1.45
5	G	602	SIA	C5-N5	2.31	1.49	1.45
5	G	602	SIA	C3-C2	2.41	1.56	1.52
4	C	602	SIA	O6-C6	3.44	1.49	1.43
4	A	602	SIA	O6-C6	3.48	1.49	1.43
5	E	602	SIA	O6-C6	3.56	1.49	1.43
5	G	602	SIA	O6-C6	3.64	1.49	1.43
4	C	602	SIA	C10-N5	3.86	1.49	1.34
4	A	602	SIA	C10-N5	4.00	1.49	1.34
5	E	602	SIA	C10-N5	4.01	1.49	1.34
5	G	602	SIA	C10-N5	4.10	1.50	1.34

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	602	SIA	O6-C2-C3	-7.22	95.97	109.86
4	A	602	SIA	O6-C2-C3	-7.07	96.27	109.86
5	E	602	SIA	O6-C2-C3	-6.88	96.63	109.86
4	C	602	SIA	O6-C2-C3	-6.42	97.51	109.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	603	GAL	C1-O5-C5	-5.73	104.98	112.25
5	G	603	GAL	C1-O5-C5	-5.59	105.16	112.25
5	E	602	SIA	C8-C7-C6	-3.96	105.05	113.01
4	A	602	SIA	C8-C7-C6	-3.20	106.58	113.01
5	G	602	SIA	C8-C7-C6	-2.69	107.59	113.01
4	C	602	SIA	C8-C7-C6	-2.57	107.84	113.01
4	A	603	GAL	C6-C5-C4	-2.47	106.93	113.02
4	C	603	GAL	C6-C5-C4	-2.35	107.22	113.02
5	G	602	SIA	C3-C4-C5	2.49	114.25	111.47
4	C	602	SIA	C3-C4-C5	2.77	114.56	111.47
5	G	602	SIA	O9-C9-C8	3.10	117.83	111.10
5	E	602	SIA	C3-C4-C5	3.17	115.01	111.47
4	A	602	SIA	C3-C4-C5	3.74	115.64	111.47

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	602	SIA	1	0
4	C	602	SIA	2	0
5	E	602	SIA	1	0
5	G	602	SIA	1	0

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	601	1	14,14,15	0.48	0	15,19,21	1.47	2 (13%)
3	NAG	C	601	1	14,14,15	0.45	0	15,19,21	1.42	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	E	601	1	14,14,15	0.53	0	15,19,21	0.91	0
3	NAG	G	601	1	14,14,15	0.54	0	15,19,21	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	601	1	-	0/6/23/26	0/1/1/1
3	NAG	C	601	1	-	0/6/23/26	0/1/1/1
3	NAG	E	601	1	-	0/6/23/26	0/1/1/1
3	NAG	G	601	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	NAG	C2-N2-C7	-2.85	119.38	123.04
3	C	601	NAG	C2-N2-C7	-2.84	119.39	123.04
3	C	601	NAG	C1-O5-C5	3.42	116.58	112.25
3	A	601	NAG	C1-O5-C5	3.62	116.84	112.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	321/321 (100%)	0.16	8 (2%) 61 61	19, 46, 102, 171	0
1	C	321/321 (100%)	0.12	5 (1%) 74 75	18, 46, 99, 165	0
1	E	321/321 (100%)	0.33	19 (5%) 26 24	18, 48, 130, 244	0
1	G	321/321 (100%)	0.29	18 (5%) 28 26	22, 46, 124, 234	0
2	B	164/164 (100%)	1.03	30 (18%) 2 1	27, 103, 164, 204	0
2	D	164/164 (100%)	1.08	30 (18%) 2 1	28, 103, 167, 189	0
2	F	164/164 (100%)	2.33	72 (43%) 0 0	26, 144, 214, 255	0
2	H	164/164 (100%)	2.46	76 (46%) 0 0	28, 147, 223, 253	0
All	All	1940/1940 (100%)	0.73	258 (13%) 4 3	18, 58, 177, 255	0

All (258) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	356	TYR	11.8
1	E	10	GLY	10.9
1	G	10	GLY	10.8
2	F	491	TYR	9.6
2	H	366	SER	9.5
2	F	465	LYS	9.2
2	H	493	TYR	8.9
2	H	494	PRO	8.6
2	H	465	LYS	8.3
2	F	475	TYR	8.2
2	H	472	PHE	7.9
2	F	493	TYR	7.9
2	H	491	TYR	7.9
2	F	357	GLY	7.7
2	H	355	TRP	7.7
1	E	6	GLN	7.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	472	PHE	7.5
2	H	357	GLY	7.5
2	F	356	TYR	7.4
2	H	475	TYR	7.3
2	H	353	ASP	7.2
2	H	487	ARG	7.2
2	F	358	TYR	7.0
2	F	369	ALA	6.9
2	F	474	PHE	6.9
2	F	494	PRO	6.5
2	H	369	ALA	6.5
2	F	466	GLU	6.4
2	H	490	THR	6.4
2	H	468	GLY	6.3
2	F	492	ASN	6.3
2	F	481	GLU	6.2
2	F	366	SER	6.1
1	E	9	ILE	6.1
2	H	348	TRP	6.0
2	H	492	ASN	6.0
2	F	468	GLY	5.9
2	F	343	PHE	5.9
2	H	365	GLY	5.8
2	H	358	TYR	5.7
1	E	8	CYS	5.6
2	F	355	TRP	5.6
2	F	467	LEU	5.5
2	F	339	ALA	5.5
2	F	462	ASP	5.5
2	H	466	GLU	5.5
2	H	361	SER	5.5
2	H	363	GLU	5.4
2	H	467	LEU	5.4
2	H	473	GLU	5.4
2	F	360	HIS	5.3
2	F	363	GLU	5.2
2	H	339	ALA	5.2
2	D	361	SER	5.1
2	F	473	GLU	5.1
2	F	489	GLY	5.0
2	D	465	LYS	5.0
2	H	360	HIS	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	495	GLN	4.9
2	H	449	VAL	4.9
2	F	348	TRP	4.9
2	D	475	TYR	4.8
2	H	474	PHE	4.8
1	G	9	ILE	4.8
2	F	458	LEU	4.8
2	H	374	SER	4.7
2	H	481	GLU	4.7
2	F	446	ASP	4.7
2	D	481	GLU	4.7
2	F	490	THR	4.5
2	F	460	LEU	4.5
1	E	16	SER	4.4
2	D	492	ASN	4.4
2	F	372	LYS	4.4
2	H	489	GLY	4.3
2	H	359	HIS	4.3
2	H	372	LYS	4.3
1	G	4	GLN	4.3
2	H	367	GLY	4.3
2	F	476	HIS	4.2
2	D	487	ARG	4.2
2	H	446	ASP	4.2
2	H	370	ALA	4.1
2	F	487	ARG	4.1
2	F	453	TYR	4.1
1	E	17	THR	4.1
1	G	8	CYS	4.1
2	F	498	GLU	4.1
1	G	7	ILE	4.0
2	F	336	LEU	4.0
2	F	350	GLY	3.9
2	F	359	HIS	3.9
2	H	378	ALA	3.9
2	H	343	PHE	3.9
2	B	360	HIS	3.8
1	A	6	GLN	3.8
2	H	453	TYR	3.8
2	B	369	ALA	3.8
1	E	7	ILE	3.7
1	E	5	ASP	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	353	ASP	3.7
2	H	368	TYR	3.7
2	B	491	TYR	3.7
2	B	373	GLU	3.7
2	D	493	TYR	3.7
2	H	460	LEU	3.7
2	D	360	HIS	3.7
2	B	494	PRO	3.7
2	H	373	GLU	3.7
2	H	440	ARG	3.6
2	F	361	SER	3.6
2	H	482	CYS	3.6
2	H	337	PHE	3.6
2	B	487	ARG	3.6
2	B	363	GLU	3.6
1	G	320	GLY	3.6
2	D	367	GLY	3.6
2	F	338	GLY	3.6
1	G	17	THR	3.6
2	B	465	LYS	3.5
2	B	481	GLU	3.5
2	B	372	LYS	3.5
2	F	365	GLY	3.4
2	F	375	THR	3.4
2	H	336	LEU	3.4
2	D	494	PRO	3.4
1	E	4	GLN	3.4
2	F	374	SER	3.4
2	F	337	PHE	3.4
2	D	476	HIS	3.3
2	F	349	GLN	3.3
2	B	458	LEU	3.3
2	H	442	LEU	3.3
2	F	347	GLY	3.3
2	F	368	TYR	3.3
2	D	456	VAL	3.2
2	H	350	GLY	3.2
1	A	7	ILE	3.2
2	F	495	GLN	3.2
2	D	373	GLU	3.2
2	F	452	LEU	3.2
2	D	491	TYR	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	493	TYR	3.2
2	F	461	ARG	3.1
1	A	9	ILE	3.1
1	E	15	ASN	3.1
1	G	11	TYR	3.1
2	F	449	VAL	3.1
2	B	475	TYR	3.1
2	D	472	PHE	3.1
2	B	367	GLY	3.1
2	F	464	ALA	3.1
1	C	9	ILE	3.1
2	H	456	VAL	3.1
2	B	355	TRP	3.1
2	D	363	GLU	3.0
2	D	369	ALA	3.0
1	G	20	VAL	3.0
2	H	444	PHE	3.0
2	H	486	ILE	3.0
2	B	476	HIS	3.0
1	G	319	THR	3.0
2	H	450	LYS	2.9
1	G	6	GLN	2.9
2	B	477	LYS	2.9
2	H	497	SER	2.9
2	H	458	LEU	2.9
2	F	488	ASN	2.9
2	B	460	LEU	2.9
2	D	343	PHE	2.9
1	G	5	ASP	2.8
2	H	376	GLN	2.8
2	H	479	ASP	2.8
2	F	354	GLY	2.8
2	B	348	TRP	2.8
1	C	7	ILE	2.8
2	F	497	SER	2.8
2	B	486	ILE	2.8
2	F	351	MET	2.8
1	E	20	VAL	2.8
2	H	477	LYS	2.8
1	A	321	LEU	2.8
2	H	459	GLN	2.7
2	D	357	GLY	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	373	GLU	2.7
2	H	462	ASP	2.7
1	E	317	LEU	2.7
1	C	314	ARG	2.7
1	G	318	ALA	2.7
2	D	466	GLU	2.7
1	G	317	LEU	2.6
1	G	23	ILE	2.6
2	H	476	HIS	2.6
2	D	382	VAL	2.6
2	F	469	ASN	2.6
2	H	432	LEU	2.6
2	H	351	MET	2.6
2	F	477	LYS	2.6
2	B	357	GLY	2.5
2	H	375	THR	2.5
2	H	483	MET	2.5
2	H	345	GLU	2.5
1	E	23	ILE	2.5
2	H	457	ARG	2.5
2	B	488	ASN	2.5
2	D	350	GLY	2.5
2	F	470	GLY	2.5
1	E	321	LEU	2.5
2	F	340	ILE	2.5
1	E	11	TYR	2.5
2	H	452	LEU	2.4
2	D	352	VAL	2.4
2	F	486	ILE	2.4
2	F	440	ARG	2.4
2	B	482	CYS	2.4
1	C	6	GLN	2.4
1	A	36	ILE	2.4
2	B	466	GLU	2.4
2	H	461	ARG	2.4
2	D	474	PHE	2.4
2	H	478	CYS	2.4
2	F	370	ALA	2.3
2	F	459	GLN	2.3
2	D	354	GLY	2.3
2	B	354	GLY	2.3
2	F	442	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	358	TYR	2.3
1	A	18	GLU	2.3
2	D	370	ALA	2.3
2	H	377	LYS	2.3
1	E	324	SER	2.3
2	D	355	TRP	2.3
2	B	490	THR	2.3
1	G	321	LEU	2.3
1	E	36	ILE	2.2
2	B	358	TYR	2.2
2	F	441	THR	2.2
1	E	314	ARG	2.2
1	G	32	HIS	2.2
1	A	15	ASN	2.2
1	G	34	GLN	2.1
2	D	490	THR	2.1
2	B	472	PHE	2.1
2	D	359	HIS	2.1
2	F	383	THR	2.1
2	F	379	ILE	2.1
2	B	451	ASN	2.1
2	H	384	ASN	2.1
2	F	457	ARG	2.1
1	E	18	GLU	2.1
2	F	367	GLY	2.1
2	H	340	ILE	2.1
2	H	454	ASP	2.1
1	A	324	SER	2.1
2	B	349	GLN	2.0
2	H	441	THR	2.0
1	C	5	ASP	2.0
2	H	352	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	SIA	E	602	20/21	0.96	0.16	-0.67	31,47,59,61	0
4	SIA	C	602	20/21	0.97	0.14	-1.16	26,46,56,58	0
4	SIA	A	602	20/21	0.97	0.14	-1.42	30,43,49,53	0
5	SIA	G	602	20/21	0.97	0.13	-2.15	35,47,57,60	0
4	GAL	A	603	12/12	0.82	0.24	-	87,101,125,135	0
5	NAG	G	604	15/15	0.82	0.19	-	95,118,133,134	0
5	NAG	E	604	15/15	0.78	0.23	-	110,121,137,139	0
4	GAL	C	603	12/12	0.86	0.17	-	71,111,126,129	0
5	GAL	E	603	11/12	0.87	0.19	-	61,88,126,129	0
5	GAL	G	603	11/12	0.90	0.16	-	60,92,113,123	0

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	NAG	G	601	14/15	0.90	0.16	0.25	40,68,80,82	0
3	NAG	E	601	14/15	0.90	0.16	-0.32	44,68,84,85	0
3	NAG	C	601	14/15	0.91	0.15	-0.41	50,64,83,96	0
3	NAG	A	601	14/15	0.91	0.15	-0.56	49,75,89,98	0

6.5 Other polymers

There are no such residues in this entry.