



# wwPDB X-ray Structure Validation Summary Report ⓘ

Jan 31, 2016 – 08:31 PM GMT

PDB ID : 1K73  
Title : Co-crystal Structure of Anisomycin Bound to the 50S Ribosomal Subunit  
Authors : Hansen, J.; Ban, N.; Nissen, P.; Moore, P.B.; Steitz, T.A.  
Deposited on : 2001-10-18  
Resolution : 3.01 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2117 (3.04-3.00)
Ramachandran outliers	100387	2050 (3.04-3.00)
Sidechain outliers	100360	2053 (3.04-3.00)
RSRZ outliers	91569	1788 (3.04-3.00)
RNA backbone	2183	1050 (3.44-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2922	<div> <div>4%</div> <div>59% 29% 5% • 6%</div> </div>
2	B	122	<div> <div>4%</div> <div>54% 32% 8% 6%</div> </div>
3	C	239	<div> <div>3%</div> <div>56% 37% 6% •</div> </div>
4	D	337	<div> <div></div> <div>53% 42% 5%</div> </div>
5	E	246	<div> <div></div> <div>61% 35% 5%</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	F	176	
7	G	177	
8	H	119	
9	I	348	
10	J	167	
11	K	145	
12	L	132	
13	M	164	
14	N	194	
15	O	186	
16	P	115	
17	Q	148	
18	R	95	
19	S	154	
20	T	84	
21	U	119	
22	V	66	
23	W	70	
24	X	154	
25	Y	91	
26	Z	240	
27	1	73	
28	2	56	
29	3	48	
30	4	92	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
31	ANM	A	9000	-	-	-	X
32	MG	A	8044	-	-	-	X
32	MG	A	8064	-	-	-	X
32	MG	A	8114	-	-	-	X
33	K	A	8200	-	-	-	X
33	K	A	8201	-	-	-	X
34	NA	A	8303	-	-	-	X
34	NA	A	8310	-	-	-	X
34	NA	A	8321	-	-	-	X
34	NA	A	8325	-	-	-	X
34	NA	A	8326	-	-	-	X
34	NA	A	8331	-	-	-	X
34	NA	A	8332	-	-	-	X
34	NA	A	8335	-	-	-	X
34	NA	A	8340	-	-	-	X
34	NA	A	8350	-	-	-	X
34	NA	A	8356	-	-	-	X
34	NA	A	8361	-	-	-	X
34	NA	A	8362	-	-	-	X
34	NA	A	8364	-	-	-	X
34	NA	A	8365	-	-	-	X
34	NA	A	8366	-	-	-	X
34	NA	A	8367	-	-	-	X
34	NA	A	8368	-	-	-	X
34	NA	A	8369	-	-	-	X
34	NA	A	8371	-	-	-	X
34	NA	A	8372	-	-	-	X
34	NA	A	8373	-	-	-	X
34	NA	A	8374	-	-	-	X
34	NA	A	8378	-	-	-	X
34	NA	A	8379	-	-	-	X
34	NA	A	8381	-	-	-	X
34	NA	A	8382	-	-	-	X
34	NA	B	8383	-	-	-	X
34	NA	M	8380	-	-	-	X
34	NA	S	8386	-	-	-	X
35	CL	A	8505	-	-	-	X
35	CL	A	8515	-	-	-	X
35	CL	D	8519	-	-	-	X
35	CL	P	8508	-	-	-	X

## 2 Entry composition

There are 37 unique types of molecules in this entry. The entry contains 98548 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S RRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	2754	Total	C	N	O	P	0	0	0
			59017	26346	10878	19048	2745			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	560	C	U	CONFLICT	? 3377779

- Molecule 2 is a RNA chain called 5S RRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	122	Total	C	N	O	P	0	0	0
			2600	1160	472	847	121			

- Molecule 3 is a protein called RIBOSOMAL PROTEIN L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	237	Total	C	N	O	S	0	0	0
			1754	1072	352	325	5			

- Molecule 4 is a protein called RIBOSOMAL PROTEIN L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	337	Total	C	N	O	S	0	0	0
			2624	1616	493	510	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	PRO	DELETION	UNP P20279
D	310	ARG	PHE	CONFLICT	UNP P20279

- Molecule 5 is a protein called RIBOSOMAL PROTEIN L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	246	Total	C	N	O	S	0	0	0
			1858	1131	344	382	1			

- Molecule 6 is a protein called RIBOSOMAL PROTEIN L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	140	Total	C	N	O	S	0	0	0
			1094	685	195	210	4			

- Molecule 7 is a protein called RIBOSOMAL PROTEIN L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	172	Total	C	N	O	S	0	0	0
			1357	840	224	289	4			

- Molecule 8 is a protein called RIBOSOMAL PROTEIN L7AE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	119	Total	C	N	O	S	0	0	0
			885	552	141	191	1			

- Molecule 9 is a protein called RIBOSOMAL PROTEIN L10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	29	Total	C	N	O	S	0	0	0
			240	149	39	51	1			

- Molecule 10 is a protein called RIBOSOMAL PROTEIN L10E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	156	Total	C	N	O	S	0	0	0
			1215	766	233	212	4			

- Molecule 11 is a protein called RIBOSOMAL PROTEIN L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	142	Total	C	N	O	S	0	0	0
			1119	696	199	221	3			

- Molecule 12 is a protein called RIBOSOMAL PROTEIN L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	132	Total	C	N	O	S	0	0	0
			993	609	189	191	4			

- Molecule 13 is a protein called RIBOSOMAL PROTEIN L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	145	Total	C	N	O	S	0	0	0
			1114	668	222	224				

- Molecule 14 is a protein called RIBOSOMAL PROTEIN L15E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	194	Total	C	N	O	S	0	0	0
			1605	988	346	266	5			

- Molecule 15 is a protein called RIBOSOMAL PROTEIN L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	O	186	Total	C	N	O	S	0	0	0
			1444	895	262	285	2			

- Molecule 16 is a protein called RIBOSOMAL PROTEIN L18E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	P	115	Total	C	N	O	S	0	0	0
			864	529	161	174				

- Molecule 17 is a protein called RIBOSOMAL PROTEIN L19E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	Q	143	Total	C	N	O	S	0	0	0
			1133	680	230	223				

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	71	LYS	TYR	CONFLICT	UNP P14119

- Molecule 18 is a protein called RIBOSOMAL PROTEIN L21E.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	R	95	Total	C	N	O			
			734	450	141	143	0	0	0

- Molecule 19 is a protein called RIBOSOMAL PROTEIN L22.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
19	S	150	Total	C	N	O	S		
			1149	713	209	223	4	0	0

- Molecule 20 is a protein called RIBOSOMAL PROTEIN L23.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
20	T	81	Total	C	N	O	S		
			641	389	111	138	3	0	0

- Molecule 21 is a protein called RIBOSOMAL PROTEIN L24.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	U	119	Total	C	N	O			
			949	568	180	201		0	0

- Molecule 22 is a protein called RIBOSOMAL PROTEIN L24E.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
22	V	53	Total	C	N	O	S		
			410	244	75	86	5	0	0

- Molecule 23 is a protein called RIBOSOMAL PROTEIN L29.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
23	W	65	Total	C	N	O	S		
			499	304	94	100	1	0	0

- Molecule 24 is a protein called RIBOSOMAL PROTEIN L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
24	X	154	Total	C	N	O	S		
			1195	737	209	243	6	0	0

- Molecule 25 is a protein called RIBOSOMAL PROTEIN L31E.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	Y	82	Total	C	N	O	S	0	0	0
			654	402	129	122	1			

- Molecule 26 is a protein called RIBOSOMAL PROTEIN L32E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	Z	142	Total	C	N	O		0	0	0
			1130	686	228	216				

- Molecule 27 is a protein called RIBOSOMAL PROTEIN L37Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	1	73	Total	C	N	O	S	0	0	0
			563	359	111	86	7			

- Molecule 28 is a protein called RIBOSOMAL PROTEIN L37E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	2	56	Total	C	N	O	S	0	0	0
			430	258	86	82	4			

- Molecule 29 is a protein called RIBOSOMAL PROTEIN L39E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	3	46	Total	C	N	O	S	0	0	0
			393	238	86	68	1			


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
3	?	-	ARG	DELETION	UNP P22452

- Molecule 30 is a protein called RIBOSOMAL PROTEIN L44E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	4	92	Total	C	N	O	S	0	0	0
			755	458	153	137	7			

- Molecule 31 is ANISOMYCIN (three-letter code: ANM) (formula: C<sub>14</sub>H<sub>19</sub>NO<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
31	A	1	Total	C	N	O	0	0
			19	14	1	4		

- Molecule 32 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
32	D	1	Total	Mg	0	0
			1	1		
32	B	1	Total	Mg	0	0
			1	1		
32	C	2	Total	Mg	0	0
			2	2		
32	Z	1	Total	Mg	0	0
			1	1		
32	A	109	Total	Mg	0	0
			109	109		
32	4	1	Total	Mg	0	0
			1	1		
32	U	1	Total	Mg	0	0
			1	1		
32	L	1	Total	Mg	0	0
			1	1		

- Molecule 33 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
33	A	2	Total K 2 2	0	0

- Molecule 34 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
34	J	2	Total Na 2 2	0	0
34	K	1	Total Na 1 1	0	0
34	E	1	Total Na 1 1	0	0
34	B	2	Total Na 2 2	0	0
34	C	1	Total Na 1 1	0	0
34	A	71	Total Na 71 71	0	0
34	T	1	Total Na 1 1	0	0
34	N	1	Total Na 1 1	0	0
34	U	1	Total Na 1 1	0	0
34	R	1	Total Na 1 1	0	0
34	S	3	Total Na 3 3	0	0
34	M	1	Total Na 1 1	0	0

- Molecule 35 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
35	P	1	Total Cl 1 1	0	0
35	D	1	Total Cl 1 1	0	0
35	K	3	Total Cl 3 3	0	0
35	C	1	Total Cl 1 1	0	0
35	Z	1	Total Cl 1 1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
35	A	9	Total 9	Cl 9	0	0
35	4	1	Total 1	Cl 1	0	0
35	N	1	Total 1	Cl 1	0	0
35	O	1	Total 1	Cl 1	0	0
35	R	1	Total 1	Cl 1	0	0
35	S	1	Total 1	Cl 1	0	0
35	M	1	Total 1	Cl 1	0	0

- Molecule 36 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
36	P	1	Total 1	Cd 1	0	0
36	2	1	Total 1	Cd 1	0	0
36	1	1	Total 1	Cd 1	0	0
36	4	1	Total 1	Cd 1	0	0
36	V	1	Total 1	Cd 1	0	0

- Molecule 37 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
37	A	5924	Total 5924	O 5924	0	0
37	B	143	Total 143	O 143	0	0
37	C	127	Total 127	O 127	0	0
37	D	146	Total 146	O 146	0	0
37	E	164	Total 164	O 164	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
37	F	54	Total 54	O 54	0	0
37	G	42	Total 42	O 42	0	0
37	H	28	Total 28	O 28	0	0
37	I	22	Total 22	O 22	0	0
37	J	79	Total 79	O 79	0	0
37	K	56	Total 56	O 56	0	0
37	L	62	Total 62	O 62	0	0
37	M	81	Total 81	O 81	0	0
37	N	126	Total 126	O 126	0	0
37	O	66	Total 66	O 66	0	0
37	P	44	Total 44	O 44	0	0
37	Q	65	Total 65	O 65	0	0
37	R	54	Total 54	O 54	0	0
37	S	86	Total 86	O 86	0	0
37	T	35	Total 35	O 35	0	0
37	U	41	Total 41	O 41	0	0
37	V	25	Total 25	O 25	0	0
37	W	15	Total 15	O 15	0	0
37	X	67	Total 67	O 67	0	0
37	Y	29	Total 29	O 29	0	0
37	Z	92	Total 92	O 92	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
37	1	38	Total 38	O 38	0	0
37	2	56	Total 56	O 56	0	0
37	3	40	Total 40	O 40	0	0
37	4	72	Total 72	O 72	0	0

### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: 23S rRNA




G2634	A2509	A2413	C2309	C	G2068	G1947	C1826	A1712	C1613	G1497	A1375	G1239	G1167
A2635	C2510	A2414	G2310	C	G2072	G1948	C1829	G1713	G1614	G1497	G1376	A1242	C1168
C2636	A2511	G2415	A2311	G	G2073	G1951	A1830	C1714	A1615	U1500	C1377	A1243	U1169
A2637	C2515	G2416	G2312	U	A2074	U	U1835	C1715	G1616	A1501	U1380	U1244	U1170
G2638	G2516	G2418	G2314	C	A2081	A	G1834	A1717	G1617	A1502	C1384	G1245	G1172
G2642	G2524	U2419	C2315	G	G2082	A	U1835	U1722	U1625	U1503	U1384	G1246	A1173
G2643	G2525	G2420	C2316	U	A2083	C	A1840	G1723	A1626	A1504	A1393	U1249	A1174
A2649	G2526	U2422	G2317	G	G2083	U	U1840	U1724	G1627	U1505	C1394	C1251	C1176
U2652	U2527	C	U2320	C	C2087	U	A1845	C1725	A1630	U1506	A1177	G1251	A1177
U2653	A2321	A2425	A2321	G	C2088	U	U1846	G1730	A1630	A1515	G1398	U1266	G1178
A2653	U2322	G2426	U2322	U	A2089	A	A1847	C1731	C1633	C1516	A1399	U1267	C1179
C2654	G2323	G2427	G2323	A	G2090	C	G1848	G1731	C1633	U1517	A1407	G1268	U1180
U2655	G2324	G2428	G2324	C	G2091	C	U1849	A1732	G1634	U1517	A1407	G1268	A1181
G2656	G2325	U2434	G2325	A	G2092	C	U1850	A1733	U1635	G1523	U1408	G1269	C1182
G2657	U2326	U2435	U2326	G	G2093	U1964	G1851	C1734	G1636	U1524	G1409	U1270	C1183
U2661	G2329	C	G2329	G	A2095	C1965	A1852	G1735	A1637	G1525	A1414	C1273	C1184
U2667	U2330	U2443	U2330	U	A2096	U1966	C1853	A1736	A1641	A1526	A1414	U1273	U1185
A2664	G2338	U2444	G	A	C2101	G1971	C1854	A1737	A1642	A1527	G1415	C1273	U1186
A	A	U2445	A	C	G2102	U1972	C1855	C1738	A1642	A1528	G1415	U1279	C1187
U	C	G2446	A	C	A2103	A1973	A1856	U1741	C1643	G1529	U1417	C1289	A1188
G2667	A2251	G2456	C	G	C2104	G1974	C1857	A1742	A1654	C1535	U1418	G1290	G1190
G2670	A2252	U2457	A	C	G	A1978	C1862	G1751	G1655	C1536	U1422	U1298	A1191
U2671	G2256	U2462	G	G	G2110	G1979	G1868	G1752	G1656	U1543	C1423	U1299	A1193
C2672	G2257	G2463	A	U	G2111	U1980	U1874	G1752	A1657	U1544	A1424	G1299	U1197
U2673	A2258	A2464	C	A	A2112	G1981	U1874	A1766	A1658	C1545	G1430	U1304	C1305
C2676	U2265	G2465	C	G	G2113	C1982	G1877	A1767	A1658	G1546	G1436	U1306	A1199
U2676	A2266	U2466	G	C	G2128	U1986	G1878	C1768	C1666	G1555	C1436	U1306	U1197
U2687	A2267	A2467	G	G	G2136	A1997	U1879	C1769	A1667	G1555	A1437	U1306	U1197
A2689	C2268	G2468	G	G	G2136	U1997	U1879	U1770	U1668	A1559	G1441	U1309	U1197
U2690	C2269	A2469	C	C	A	G2001	U1879	U1771	A1669	U1559	G1441	U1310	A1202
C2682	G2270	G2472	C	C	C	U2003	C1882	C1772	A1670	U1561	G1442	G1311	G1203
U2687	G2271	U2472	A	A	G	U2003	U1887	G1773	C1679	C1562	G1443	G1312	C1204
U2688	C2272	C2476	C	C	C	U2004	G1902	A1778	G1680	G1563	G1444	A1313	U1205
A2689	G2273	U2476	C	U	G	G2005	U1903	A1779	G1681	C1564	G1445	U1314	U1207
U2690	G2275	A2482	G	G	U2008	U2008	U1904	U1788	A1682	C1574	U1447	G1325	C1208
A2691	U2276	G2483	G	A	C	A2010	A1909	C1789	A1684	C1574	C1450	A1328	C1209
U2694	U2277	U2484	U	U	C	A2011	A1910	G1789	A1685	A1580	C1451	A1329	G1210
A2697	C2281	A2485	C	C	C	U2012	A1910	C1798	G1688	A1580	C1451	A1329	C1213
G2698	U2282	U2487	A	A	G	G2013	A1919	C1798	G1688	G1586	A1458	U1333	G1214
A2699	G2289	C2489	C	C	A	G2013	C1920	A1804	C1692	U1587	A1458	U1333	A1215
U2710	U2290	G2490	A	A	U2019	A2019	A1921	G1805	A1693	C1593	C1462	C1334	G1216
U2711	A2291	U2490	G	G	G	G2033	A1922	G1809	G1694	C1593	A1463	C1335	G1217
G2712	C2292	C2493	U	U	U	U2034	G1923	G1809	C1699	C1594	A1470	G1340	U1218
G2713	G2293	U2493	G	G	C	U2034	A1924	A1815	C1700	G1595	A1470	A1341	U1219
G2716	U2297	G2501	A	A	A	G2044	G1925	C1816	A1701	U1596	C1474	C1342	C1229
C2717	U2297	C2502	A	A	A	A1927	A1927	C1816	A1701	U1596	C1474	C1342	C1229
C2718	A2300	A2504	U	U	C	G2050	C1940	G1819	U1702	A1598	U1478	C1353	A1232
A2719	A2301	G2505	C	C	U	A2054	A1941	G1820	G1706	A1603	A1482	U1234	U1234
C2720	A2302	U2506	U	U	A	A1942	A1942	A1821	G1707	G1604	A1482	G1235	A1236
U2721	U2308	C2508	A	A	G	U2064	C1943	A1822	A1710	A1606	U1237	U1237	C1238







- Molecule 2: 5S rRNA




- Molecule 3: RIBOSOMAL PROTEIN L2




- Molecule 4: RIBOSOMAL PROTEIN L3




- Molecule 5: RIBOSOMAL PROTEIN L4




- Molecule 6: RIBOSOMAL PROTEIN L5



- Molecule 7: RIBOSOMAL PROTEIN L6




- Molecule 8: RIBOSOMAL PROTEIN L7AE




- Molecule 9: RIBOSOMAL PROTEIN L10








• Molecule 14: RIBOSOMAL PROTEIN L15E




• Molecule 15: RIBOSOMAL PROTEIN L18



• Molecule 16: RIBOSOMAL PROTEIN L18E




• Molecule 17: RIBOSOMAL PROTEIN L19E





• Molecule 18: RIBOSOMAL PROTEIN L21E





• Molecule 19: RIBOSOMAL PROTEIN L22



• Molecule 20: RIBOSOMAL PROTEIN L23




• Molecule 21: RIBOSOMAL PROTEIN L24



• Molecule 22: RIBOSOMAL PROTEIN L24E




• Molecule 23: RIBOSOMAL PROTEIN L29




- Molecule 24: RIBOSOMAL PROTEIN L30

Chain X: 




- Molecule 25: RIBOSOMAL PROTEIN L31E

Chain Y: 




- Molecule 26: RIBOSOMAL PROTEIN L32E

Chain Z: 



- Molecule 27: RIBOSOMAL PROTEIN L37Ae

Chain 1: 




- Molecule 28: RIBOSOMAL PROTEIN L37E


Chain 2: 



- Molecule 29: RIBOSOMAL PROTEIN L39E



● Molecule 30: RIBOSOMAL PROTEIN L44E



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	213.25Å 300.75Å 574.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 3.01 49.94 – 3.01	Depositor EDS
% Data completeness (in resolution range)	90.9 (20.00-3.01) 90.9 (49.94-3.01)	Depositor EDS
$R_{merge}$	0.17	Depositor
$R_{sym}$	0.17	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.01 (at 3.01Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.212 , 0.246 0.210 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	45.6	Xtriage
Anisotropy	0.295	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 62.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	1 of 360115 reflections (0.000%)	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	98548	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.50% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL, ANM, K, CD, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.76	25/66076 (0.0%)	0.79	41/103052 (0.0%)
2	B	0.69	3/2905 (0.1%)	0.85	7/4528 (0.2%)
3	C	0.51	0/1787	0.76	0/2409
4	D	0.53	0/2689	0.74	0/3652
5	E	0.59	0/1883	0.78	0/2551
6	F	0.44	0/1111	0.66	0/1498
7	G	0.49	0/1382	0.66	0/1880
8	H	0.53	0/896	0.65	0/1219
9	I	0.41	0/241	0.57	0/324
10	J	0.57	0/1246	0.83	1/1686 (0.1%)
11	K	0.56	0/1135	0.71	0/1530
12	L	0.53	0/1003	0.78	0/1351
13	M	0.51	0/1126	0.77	0/1504
14	N	0.59	0/1633	0.81	0/2180
15	O	0.50	0/1473	0.74	0/1999
16	P	0.57	0/873	0.77	0/1181
17	Q	0.49	0/1143	0.68	0/1521
18	R	0.57	0/748	0.79	0/1005
19	S	0.58	0/1172	0.78	0/1578
20	T	0.50	0/648	0.68	0/875
21	U	0.48	0/957	0.74	0/1289
22	V	0.52	0/417	0.68	0/562
23	W	0.45	0/502	0.60	0/675
24	X	0.59	1/1218 (0.1%)	0.76	0/1655
25	Y	0.51	0/664	0.70	0/895
26	Z	0.53	0/1146	0.75	0/1536
27	1	0.56	0/575	0.80	0/763
28	2	0.61	0/437	0.80	0/578
29	3	0.51	0/398	0.63	0/527
30	4	0.57	1/771 (0.1%)	0.77	0/1024
All	All	0.70	30/98255 (0.0%)	0.78	49/147027 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	58
2	B	1	2
All	All	2	60

The worst 5 of 30 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	2486	A	O3'-P	41.07	2.10	1.61
1	A	2487	C	P-OP2	9.93	1.65	1.49
1	A	2486	A	C4'-C3'	-8.66	1.43	1.53
1	A	2487	C	P-O5'	-8.62	1.51	1.59
1	A	2486	A	C3'-C2'	-6.98	1.45	1.52

The worst 5 of 49 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1165	G	O5'-P-OP1	-20.25	86.40	110.70
1	A	1164	U	OP1-P-O3'	-19.15	63.06	105.20
1	A	1164	U	OP2-P-O3'	-16.02	69.95	105.20
1	A	1165	G	O5'-P-OP2	-13.21	93.81	105.70
2	B	3003	A	O5'-P-OP1	-11.17	95.65	105.70

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	1563	G	C3'
2	B	3024	U	C3'

5 of 60 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	174	A	Sidechain
1	A	246	G	Sidechain
1	A	321	A	Sidechain
1	A	333	G	Sidechain
1	A	396	U	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	59017	0	29807	895	0
2	B	2600	0	1326	83	0
3	C	1754	0	1763	120	0
4	D	2624	0	2533	173	0
5	E	1858	0	1816	111	0
6	F	1094	0	1085	134	0
7	G	1357	0	1266	74	0
8	H	885	0	854	62	0
9	I	240	0	231	21	0
10	J	1215	0	1215	153	0
11	K	1119	0	1098	57	0
12	L	993	0	1027	53	0
13	M	1114	0	1072	59	0
14	N	1605	0	1676	148	0
15	O	1444	0	1401	121	0
16	P	864	0	873	30	0
17	Q	1133	0	1127	44	0
18	R	734	0	728	15	0
19	S	1149	0	1122	56	0
20	T	641	0	605	23	0
21	U	949	0	923	52	0
22	V	410	0	364	33	0
23	W	499	0	511	27	0
24	X	1195	0	1137	88	0
25	Y	654	0	653	45	0
26	Z	1130	0	1133	55	0
27	1	563	0	597	56	0
28	2	430	0	426	22	0
29	3	393	0	406	28	0
30	4	755	0	730	36	0
31	A	19	0	19	1	0
32	4	1	0	0	0	0
32	A	109	0	0	0	0
32	B	1	0	0	0	0
32	C	2	0	0	0	0
32	D	1	0	0	0	0
32	L	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
32	U	1	0	0	0	0
32	Z	1	0	0	0	0
33	A	2	0	0	0	0
34	A	71	0	0	0	0
34	B	2	0	0	0	0
34	C	1	0	0	0	0
34	E	1	0	0	0	0
34	J	2	0	0	0	0
34	K	1	0	0	0	0
34	M	1	0	0	0	0
34	N	1	0	0	0	0
34	R	1	0	0	0	0
34	S	3	0	0	0	0
34	T	1	0	0	0	0
34	U	1	0	0	0	0
35	4	1	0	0	0	0
35	A	9	0	0	0	0
35	C	1	0	0	0	0
35	D	1	0	0	0	0
35	K	3	0	0	1	0
35	M	1	0	0	0	0
35	N	1	0	0	1	0
35	O	1	0	0	0	0
35	P	1	0	0	0	0
35	R	1	0	0	0	0
35	S	1	0	0	0	0
35	Z	1	0	0	0	0
36	1	1	0	0	0	0
36	2	1	0	0	0	0
36	4	1	0	0	0	0
36	P	1	0	0	0	0
36	V	1	0	0	0	0
37	1	38	0	0	14	0
37	2	56	0	0	1	0
37	3	40	0	0	6	0
37	4	72	0	0	9	0
37	A	5924	0	0	183	0
37	B	143	0	0	15	0
37	C	127	0	0	22	0
37	D	146	0	0	24	0
37	E	164	0	0	28	0
37	F	54	0	0	20	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
37	G	42	0	0	11	0
37	H	28	0	0	9	0
37	I	22	0	0	6	0
37	J	79	0	0	23	0
37	K	56	0	0	5	0
37	L	62	0	0	10	0
37	M	81	0	0	18	0
37	N	126	0	0	21	0
37	O	66	0	0	17	0
37	P	44	0	0	5	0
37	Q	65	0	0	3	0
37	R	54	0	0	2	0
37	S	86	0	0	11	0
37	T	35	0	0	5	0
37	U	41	0	0	4	0
37	V	25	0	0	6	0
37	W	15	0	0	2	0
37	X	67	0	0	8	0
37	Y	29	0	0	4	0
37	Z	92	0	0	16	0
All	All	98548	0	59524	2621	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

The worst 5 of 2621 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1160:G:H5'	1:A:1161:A:H5'	1.24	1.18
5:E:236:THR:HG22	5:E:239:ALA:H	1.04	1.14
10:J:86:ARG:NH1	10:J:133:ILE:HG13	1.64	1.12
1:A:1134:G:H4'	10:J:151:MET:HE1	1.31	1.10
1:A:2486:A:O3'	1:A:2487:C:P	2.10	1.09

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	235/239 (98%)	212 (90%)	19 (8%)	4 (2%)	11	44
4	D	335/337 (99%)	310 (92%)	18 (5%)	7 (2%)	9	38
5	E	244/246 (99%)	222 (91%)	22 (9%)	0	100	100
6	F	134/176 (76%)	99 (74%)	24 (18%)	11 (8%)	1	5
7	G	170/177 (96%)	162 (95%)	8 (5%)	0	100	100
8	H	117/119 (98%)	105 (90%)	10 (8%)	2 (2%)	11	44
9	I	25/348 (7%)	24 (96%)	1 (4%)	0	100	100
10	J	152/167 (91%)	132 (87%)	15 (10%)	5 (3%)	5	25
11	K	140/145 (97%)	130 (93%)	7 (5%)	3 (2%)	9	38
12	L	130/132 (98%)	121 (93%)	7 (5%)	2 (2%)	13	48
13	M	141/164 (86%)	122 (86%)	17 (12%)	2 (1%)	14	50
14	N	192/194 (99%)	177 (92%)	12 (6%)	3 (2%)	12	46
15	O	184/186 (99%)	167 (91%)	10 (5%)	7 (4%)	4	21
16	P	113/115 (98%)	109 (96%)	4 (4%)	0	100	100
17	Q	141/148 (95%)	137 (97%)	4 (3%)	0	100	100
18	R	93/95 (98%)	87 (94%)	6 (6%)	0	100	100
19	S	148/154 (96%)	142 (96%)	6 (4%)	0	100	100
20	T	79/84 (94%)	75 (95%)	4 (5%)	0	100	100
21	U	117/119 (98%)	111 (95%)	6 (5%)	0	100	100
22	V	51/66 (77%)	47 (92%)	4 (8%)	0	100	100
23	W	63/70 (90%)	58 (92%)	3 (5%)	2 (3%)	5	26
24	X	152/154 (99%)	146 (96%)	4 (3%)	2 (1%)	15	52
25	Y	80/91 (88%)	70 (88%)	9 (11%)	1 (1%)	15	52
26	Z	140/240 (58%)	140 (100%)	0	0	100	100
27	1	71/73 (97%)	64 (90%)	5 (7%)	2 (3%)	6	29

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
28	2	54/56 (96%)	53 (98%)	1 (2%)	0	100	100
29	3	42/48 (88%)	42 (100%)	0	0	100	100
30	4	90/92 (98%)	87 (97%)	1 (1%)	2 (2%)	8	36
All	All	3633/4235 (86%)	3351 (92%)	227 (6%)	55 (2%)	13	48

5 of 55 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	D	139	ASP
6	F	93	LEU
6	F	95	THR
6	F	137	PRO
6	F	173	GLU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	179/181 (99%)	166 (93%)	13 (7%)	17	51
4	D	282/282 (100%)	263 (93%)	19 (7%)	20	55
5	E	193/193 (100%)	178 (92%)	15 (8%)	16	48
6	F	117/147 (80%)	108 (92%)	9 (8%)	16	48
7	G	152/155 (98%)	148 (97%)	4 (3%)	54	85
8	H	92/92 (100%)	91 (99%)	1 (1%)	80	94
9	I	27/283 (10%)	27 (100%)	0	100	100
10	J	122/122 (100%)	112 (92%)	10 (8%)	14	45
11	K	118/121 (98%)	108 (92%)	10 (8%)	13	43
12	L	106/106 (100%)	103 (97%)	3 (3%)	51	84
13	M	112/126 (89%)	109 (97%)	3 (3%)	52	84
14	N	166/166 (100%)	157 (95%)	9 (5%)	27	65
15	O	149/149 (100%)	143 (96%)	6 (4%)	38	76

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
16	P	93/93 (100%)	91 (98%)	2 (2%)	60	88
17	Q	113/116 (97%)	110 (97%)	3 (3%)	52	84
18	R	79/79 (100%)	74 (94%)	5 (6%)	22	58
19	S	117/121 (97%)	113 (97%)	4 (3%)	44	81
20	T	71/73 (97%)	71 (100%)	0	100	100
21	U	105/105 (100%)	101 (96%)	4 (4%)	40	77
22	V	44/52 (85%)	44 (100%)	0	100	100
23	W	51/56 (91%)	51 (100%)	0	100	100
24	X	130/130 (100%)	121 (93%)	9 (7%)	19	54
25	Y	66/73 (90%)	62 (94%)	4 (6%)	23	60
26	Z	120/195 (62%)	111 (92%)	9 (8%)	17	50
27	1	56/56 (100%)	52 (93%)	4 (7%)	18	53
28	2	46/46 (100%)	46 (100%)	0	100	100
29	3	42/44 (96%)	41 (98%)	1 (2%)	57	86
30	4	79/79 (100%)	76 (96%)	3 (4%)	40	77
All	All	3027/3441 (88%)	2877 (95%)	150 (5%)	30	69

5 of 150 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
10	J	86	ARG
12	L	98	VAL
26	Z	189	ASN
10	J	150	LYS
11	K	112	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 93 such sidechains are listed below:

Mol	Chain	Res	Type
14	N	26	HIS
17	Q	50	GLN
28	2	28	HIS
14	N	58	GLN
15	O	21	HIS



### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	2747/2922 (94%)	237 (8%)	35 (1%)
2	B	121/122 (99%)	19 (15%)	7 (5%)
All	All	2868/3044 (94%)	256 (8%)	42 (1%)

5 of 256 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	11	A
1	A	31	C
1	A	60	A
1	A	67	A
1	A	69	A

5 of 42 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	1450	C
1	A	1942	A
2	B	3024	U
1	A	1506	U
1	A	1685	A

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 233 ligands modelled in this entry, 232 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
31	ANM	A	9000	33	19,20,20	1.68	4 (21%)	22,27,27	1.67	5 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
31	ANM	A	9000	33	-	0/10/23/23	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	A	9000	ANM	O1-C9	2.27	1.42	1.37
31	A	9000	ANM	C11-C12	2.65	1.44	1.38
31	A	9000	ANM	C10-C9	2.76	1.44	1.38
31	A	9000	ANM	C1-C9	5.18	1.49	1.38

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	A	9000	ANM	C10-C9-C1	-2.98	115.37	120.20
31	A	9000	ANM	C12-C15-C16	-2.77	109.08	113.48
31	A	9000	ANM	O2-C5-O3	2.09	127.09	122.92
31	A	9000	ANM	C13-C1-C9	2.51	122.91	119.74
31	A	9000	ANM	C2-O2-C5	3.51	123.15	117.70

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
31	A	9000	ANM	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	2754/2922 (94%)	-0.15	42 (1%) 76 48	20, 45, 89, 137	0
2	B	122/122 (100%)	0.19	5 (4%) 41 16	33, 61, 88, 146	0
3	C	237/239 (99%)	-0.00	8 (3%) 49 21	27, 49, 83, 104	0
4	D	337/337 (100%)	-0.17	1 (0%) 94 84	25, 54, 79, 88	0
5	E	246/246 (100%)	-0.24	0 100 100	18, 44, 68, 79	0
6	F	140/176 (79%)	1.16	30 (21%) 1 0	51, 96, 114, 118	0
7	G	172/177 (97%)	0.41	3 (1%) 73 44	44, 66, 85, 91	0
8	H	119/119 (100%)	0.39	4 (3%) 49 21	50, 68, 93, 100	0
9	I	29/348 (8%)	1.78	11 (37%) 0 0	73, 88, 96, 100	0
10	J	156/167 (93%)	-0.03	2 (1%) 79 52	34, 55, 84, 88	0
11	K	142/145 (97%)	-0.23	0 100 100	34, 49, 70, 90	0
12	L	132/132 (100%)	-0.13	1 (0%) 87 67	30, 50, 71, 78	0
13	M	145/164 (88%)	0.34	9 (6%) 24 9	23, 64, 101, 112	0
14	N	194/194 (100%)	-0.29	0 100 100	29, 43, 60, 72	0
15	O	186/186 (100%)	0.35	11 (5%) 26 10	40, 61, 101, 114	0
16	P	115/115 (100%)	-0.11	0 100 100	38, 53, 69, 75	0
17	Q	143/148 (96%)	-0.01	1 (0%) 89 70	35, 54, 68, 75	0
18	R	95/95 (100%)	-0.24	1 (1%) 82 57	33, 43, 58, 71	0
19	S	150/154 (97%)	-0.30	0 100 100	24, 43, 65, 71	0
20	T	81/84 (96%)	-0.05	1 (1%) 81 55	41, 58, 78, 81	0
21	U	119/119 (100%)	0.23	3 (2%) 61 30	37, 56, 79, 92	0
22	V	53/66 (80%)	0.11	0 100 100	40, 55, 72, 79	0
23	W	65/70 (92%)	0.89	9 (13%) 4 1	49, 71, 105, 112	0
24	X	154/154 (100%)	-0.37	0 100 100	34, 46, 65, 75	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
25	Y	82/91 (90%)	0.14	3 (3%) 45 19	42, 57, 82, 99	0
26	Z	142/240 (59%)	-0.10	1 (0%) 89 70	26, 44, 65, 83	0
27	1	73/73 (100%)	-0.02	1 (1%) 78 51	45, 59, 75, 84	0
28	2	56/56 (100%)	-0.47	0 100 100	21, 34, 39, 41	0
29	3	46/48 (95%)	0.23	2 (4%) 39 16	35, 60, 85, 96	0
30	4	92/92 (100%)	0.12	0 100 100	35, 55, 69, 80	0
All	All	6577/7279 (90%)	-0.04	149 (2%) 64 33	18, 50, 90, 146	0

The worst 5 of 149 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
23	W	1	THR	8.5
2	B	3001	U	7.3
2	B	3025	G	6.1
6	F	63	ILE	4.9
9	I	27	ILE	4.4

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
34	NA	A	8373	1/1	0.83	0.65	51.16	49,49,49,49	0
34	NA	A	8374	1/1	0.83	0.71	30.71	65,65,65,65	0
34	NA	A	8356	1/1	0.95	0.52	27.59	53,53,53,53	0

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
34	NA	A	8362	1/1	0.93	0.38	27.24	66,66,66,66	0
34	NA	B	8383	1/1	0.87	0.73	22.53	52,52,52,52	0
34	NA	M	8380	1/1	0.92	0.55	19.98	48,48,48,48	0
34	NA	A	8361	1/1	0.76	0.48	19.02	60,60,60,60	0
34	NA	A	8371	1/1	0.53	0.37	18.91	47,47,47,47	0
34	NA	A	8372	1/1	0.84	0.53	18.75	60,60,60,60	0
34	NA	A	8364	1/1	0.84	0.27	16.69	43,43,43,43	0
34	NA	A	8332	1/1	0.91	0.36	16.60	42,42,42,42	0
32	MG	A	8064	1/1	0.94	0.33	15.46	20,20,20,20	0
34	NA	A	8382	1/1	0.82	0.36	14.87	71,71,71,71	0
32	MG	A	8044	1/1	0.97	0.31	14.01	51,51,51,51	0
34	NA	A	8381	1/1	0.88	0.31	13.64	44,44,44,44	0
34	NA	A	8321	1/1	0.93	0.40	13.23	39,39,39,39	0
34	NA	A	8310	1/1	0.88	0.36	13.06	32,32,32,32	0
32	MG	A	8114	1/1	0.94	0.29	11.81	54,54,54,54	0
34	NA	S	8386	1/1	0.53	0.53	11.76	83,83,83,83	0
35	CL	A	8515	1/1	0.96	0.32	11.64	68,68,68,68	0
34	NA	A	8369	1/1	0.84	0.51	11.46	49,49,49,49	0
33	K	A	8201	1/1	0.97	0.29	10.95	69,69,69,69	0
34	NA	A	8378	1/1	0.92	0.40	10.23	41,41,41,41	0
34	NA	A	8303	1/1	0.98	0.31	9.46	62,62,62,62	0
34	NA	A	8326	1/1	0.72	0.56	8.43	61,61,61,61	0
34	NA	A	8325	1/1	0.94	0.21	7.86	51,51,51,51	0
34	NA	A	8335	1/1	0.94	0.27	7.58	52,52,52,52	0
35	CL	D	8519	1/1	0.95	0.28	7.44	57,57,57,57	0
34	NA	A	8331	1/1	0.92	0.26	6.80	51,51,51,51	0
34	NA	A	8340	1/1	0.81	0.26	6.74	47,47,47,47	0
34	NA	A	8368	1/1	0.80	0.20	5.46	57,57,57,57	0
34	NA	A	8350	1/1	0.96	0.23	5.00	45,45,45,45	0
33	K	A	8200	1/1	0.95	0.21	4.86	66,66,66,66	0
34	NA	A	8365	1/1	0.85	0.47	4.73	36,36,36,36	0
34	NA	A	8367	1/1	0.93	0.17	4.25	41,41,41,41	0
31	ANM	A	9000	19/19	0.95	0.21	3.54	27,35,41,42	0
34	NA	A	8379	1/1	0.97	0.15	3.47	44,44,44,44	0
35	CL	P	8508	1/1	0.97	0.38	3.28	85,85,85,85	0
34	NA	A	8366	1/1	0.95	0.25	2.97	60,60,60,60	0
35	CL	A	8505	1/1	0.89	0.23	2.74	85,85,85,85	0
34	NA	A	8323	1/1	0.95	0.17	1.96	33,33,33,33	0
32	MG	A	8052	1/1	0.93	0.18	1.41	63,63,63,63	0
34	NA	E	8304	1/1	0.85	0.26	0.85	35,35,35,35	0
32	MG	A	8108	1/1	0.87	0.18	0.56	79,79,79,79	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
32	MG	Z	8109	1/1	0.88	0.18	0.40	41,41,41,41	0
32	MG	A	8013	1/1	0.98	0.16	0.40	39,39,39,39	0
34	NA	S	8337	1/1	0.86	0.19	0.17	41,41,41,41	0
35	CL	M	8510	1/1	0.79	0.23	0.11	74,74,74,74	0
34	NA	A	8339	1/1	0.96	0.14	0.09	15,15,15,15	0
35	CL	N	8518	1/1	0.92	0.20	0.08	53,53,53,53	0
35	CL	A	8512	1/1	0.95	0.15	-0.31	22,22,22,22	0
34	NA	A	8302	1/1	0.91	0.14	-0.41	44,44,44,44	0
35	CL	4	8504	1/1	0.89	0.24	-0.44	54,54,54,54	0
32	MG	A	8086	1/1	0.97	0.16	-0.52	47,47,47,47	0
34	NA	A	8305	1/1	0.95	0.14	-0.52	34,34,34,34	0
34	NA	A	8320	1/1	0.99	0.14	-0.60	31,31,31,31	0
34	NA	A	8324	1/1	0.92	0.14	-0.62	43,43,43,43	0
34	NA	K	8346	1/1	0.92	0.17	-1.23	35,35,35,35	0
32	MG	A	8096	1/1	0.95	0.13	-1.37	52,52,52,52	0
34	NA	U	8343	1/1	0.94	0.14	-1.37	24,24,24,24	0
32	MG	A	8053	1/1	0.92	0.10	-1.54	34,34,34,34	0
32	MG	A	8003	1/1	0.96	0.13	-1.63	17,17,17,17	0
36	CD	4	8404	1/1	0.97	0.07	-1.72	62,62,62,62	0
34	NA	A	8314	1/1	0.95	0.11	-1.72	13,13,13,13	0
34	NA	A	8333	1/1	0.84	0.13	-1.97	38,38,38,38	0
34	NA	C	8345	1/1	0.98	0.14	-1.98	52,52,52,52	0
34	NA	A	8327	1/1	0.94	0.12	-1.99	18,18,18,18	0
32	MG	A	8067	1/1	0.99	0.14	-2.00	48,48,48,48	0
32	MG	A	8027	1/1	0.98	0.07	-2.11	45,45,45,45	0
34	NA	A	8317	1/1	0.92	0.06	-2.12	29,29,29,29	0
36	CD	1	8403	1/1	0.99	0.09	-2.20	60,60,60,60	0
35	CL	K	8521	1/1	0.95	0.13	-2.27	44,44,44,44	0
32	MG	A	8060	1/1	0.98	0.12	-2.32	29,29,29,29	0
34	NA	J	8309	1/1	0.99	0.09	-2.34	18,18,18,18	0
36	CD	2	8402	1/1	0.99	0.06	-2.37	59,59,59,59	0
32	MG	U	8073	1/1	0.81	0.17	-2.39	52,52,52,52	0
34	NA	S	8338	1/1	0.91	0.07	-2.54	38,38,38,38	0
32	MG	A	8018	1/1	0.95	0.10	-2.55	49,49,49,49	0
32	MG	4	8078	1/1	0.98	0.05	-2.57	45,45,45,45	0
32	MG	A	8107	1/1	0.98	0.03	-2.63	41,41,41,41	0
34	NA	R	8348	1/1	0.85	0.11	-2.64	34,34,34,34	0
32	MG	A	8057	1/1	0.97	0.12	-2.83	31,31,31,31	0
36	CD	V	8401	1/1	1.00	0.05	-2.92	59,59,59,59	0
32	MG	A	8015	1/1	0.98	0.08	-2.96	47,47,47,47	0
34	NA	A	8344	1/1	0.97	0.10	-2.98	29,29,29,29	0
32	MG	A	8091	1/1	0.89	0.10	-3.23	52,52,52,52	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
32	MG	A	8058	1/1	0.98	0.09	-3.50	42,42,42,42	0
32	MG	A	8112	1/1	0.86	0.12	-3.65	45,45,45,45	0
34	NA	A	8353	1/1	0.97	0.07	-3.75	27,27,27,27	0
32	MG	A	8074	1/1	0.98	0.05	-3.75	16,16,16,16	0
32	MG	D	8055	1/1	0.96	0.08	-3.79	34,34,34,34	0
32	MG	A	8014	1/1	0.97	0.09	-3.88	18,18,18,18	0
32	MG	C	8065	1/1	0.98	0.07	-4.02	35,35,35,35	0
32	MG	A	8008	1/1	0.90	0.07	-4.29	37,37,37,37	0
32	MG	A	8056	1/1	0.96	0.08	-4.36	37,37,37,37	0
32	MG	A	8032	1/1	0.97	0.05	-4.39	30,30,30,30	0
32	MG	A	8017	1/1	0.99	0.03	-4.69	20,20,20,20	0
34	NA	N	8347	1/1	0.97	0.05	-4.75	12,12,12,12	0
32	MG	A	8077	1/1	0.97	0.04	-4.87	20,20,20,20	0
32	MG	A	8004	1/1	0.98	0.05	-5.32	24,24,24,24	0
32	MG	A	8035	1/1	0.93	0.09	-5.60	38,38,38,38	0
32	MG	A	8012	1/1	0.99	0.07	-5.63	29,29,29,29	0
32	MG	A	8020	1/1	0.98	0.07	-5.72	38,38,38,38	0
32	MG	A	8010	1/1	0.98	0.07	-5.84	26,26,26,26	0
32	MG	A	8110	1/1	0.97	0.06	-6.17	20,20,20,20	0
32	MG	A	8059	1/1	0.96	0.08	-6.39	32,32,32,32	0
32	MG	A	8071	1/1	0.97	0.04	-7.26	75,75,75,75	0
32	MG	A	8038	1/1	0.99	0.05	-7.44	16,16,16,16	0
32	MG	A	8019	1/1	0.98	0.05	-7.99	27,27,27,27	0
32	MG	A	8002	1/1	0.98	0.06	-8.67	32,32,32,32	0
32	MG	A	8033	1/1	0.98	0.06	-8.76	27,27,27,27	0
32	MG	A	8080	1/1	0.98	0.06	-9.43	55,55,55,55	0
32	MG	A	8007	1/1	0.97	0.06	-9.45	14,14,14,14	0
32	MG	A	8021	1/1	0.98	0.05	-9.72	22,22,22,22	0
32	MG	A	8001	1/1	0.96	0.06	-11.16	16,16,16,16	0
32	MG	A	8084	1/1	0.98	0.06	-11.17	49,49,49,49	0
32	MG	A	8054	1/1	0.97	0.07	-11.22	40,40,40,40	0
32	MG	A	8039	1/1	0.95	0.04	-12.35	47,47,47,47	0
32	MG	A	8028	1/1	0.97	0.04	-13.70	41,41,41,41	0
32	MG	A	8006	1/1	0.98	0.05	-14.04	46,46,46,46	0
32	MG	A	8082	1/1	0.89	0.23	-	60,60,60,60	0
32	MG	A	8031	1/1	0.98	0.04	-	22,22,22,22	0
32	MG	A	8099	1/1	0.86	0.19	-	47,47,47,47	0
32	MG	A	8081	1/1	0.91	0.17	-	60,60,60,60	0
32	MG	A	8005	1/1	0.98	0.09	-	49,49,49,49	0
32	MG	A	8072	1/1	0.97	0.11	-	60,60,60,60	0
34	NA	A	8334	1/1	0.95	0.08	-	30,30,30,30	0
32	MG	A	8106	1/1	0.87	0.34	-	50,50,50,50	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
32	MG	C	8105	1/1	0.90	0.15	-	6,6,6,6	0
32	MG	A	8043	1/1	0.96	0.07	-	23,23,23,23	0
32	MG	A	8088	1/1	0.93	0.15	-	24,24,24,24	0
34	NA	A	8313	1/1	0.80	0.43	-	64,64,64,64	0
32	MG	A	8026	1/1	0.99	0.03	-	12,12,12,12	0
34	NA	A	8355	1/1	0.86	0.36	-	58,58,58,58	0
32	MG	A	8115	1/1	0.88	0.08	-	41,41,41,41	0
32	MG	A	8079	1/1	0.95	0.09	-	39,39,39,39	0
34	NA	A	8360	1/1	0.96	0.85	-	53,53,53,53	0
35	CL	A	8522	1/1	0.88	0.39	-	85,85,85,85	0
32	MG	A	8045	1/1	0.91	0.12	-	49,49,49,49	0
32	MG	A	8093	1/1	0.90	0.09	-	37,37,37,37	0
34	NA	J	8322	1/1	0.67	0.40	-	59,59,59,59	0
35	CL	Z	8520	1/1	0.88	0.17	-	39,39,39,39	0
32	MG	A	8068	1/1	0.87	0.09	-	57,57,57,57	0
32	MG	A	8100	1/1	0.97	0.10	-	72,72,72,72	0
34	NA	A	8315	1/1	0.93	0.24	-	36,36,36,36	0
32	MG	A	8094	1/1	0.95	0.15	-	65,65,65,65	0
32	MG	A	8024	1/1	0.88	0.20	-	29,29,29,29	0
32	MG	A	8047	1/1	0.97	0.12	-	55,55,55,55	0
32	MG	A	8049	1/1	0.68	0.46	-	68,68,68,68	0
32	MG	A	8062	1/1	0.97	0.08	-	64,64,64,64	0
35	CL	R	8511	1/1	0.94	0.19	-	63,63,63,63	0
32	MG	A	8042	1/1	0.94	0.19	-	41,41,41,41	0
34	NA	A	8385	1/1	0.62	0.44	-	50,50,50,50	0
32	MG	A	8076	1/1	0.87	0.18	-	68,68,68,68	0
35	CL	A	8503	1/1	0.93	0.21	-	60,60,60,60	0
34	NA	A	8349	1/1	0.94	0.27	-	49,49,49,49	0
34	NA	A	8308	1/1	0.92	0.13	-	53,53,53,53	0
32	MG	A	8103	1/1	0.96	0.31	-	49,49,49,49	0
34	NA	A	8328	1/1	0.86	0.47	-	41,41,41,41	0
32	MG	A	8102	1/1	0.78	0.18	-	48,48,48,48	0
35	CL	S	8506	1/1	0.97	0.12	-	44,44,44,44	0
32	MG	A	8061	1/1	0.96	0.04	-	22,22,22,22	0
34	NA	A	8307	1/1	0.88	0.36	-	45,45,45,45	0
32	MG	A	8041	1/1	0.88	0.15	-	43,43,43,43	0
32	MG	A	8022	1/1	0.99	0.09	-	53,53,53,53	0
32	MG	A	8030	1/1	0.98	0.08	-	19,19,19,19	0
32	MG	A	8036	1/1	0.99	0.05	-	25,25,25,25	0
36	CD	P	8405	1/1	0.95	0.07	-	82,82,82,82	0
32	MG	A	8051	1/1	0.95	0.18	-	70,70,70,70	0
32	MG	A	8040	1/1	0.98	0.06	-	49,49,49,49	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
32	MG	A	8117	1/1	0.96	0.11	-	40,40,40,40	0
34	NA	A	8306	1/1	0.70	0.63	-	39,39,39,39	0
32	MG	A	8011	1/1	0.98	0.06	-	20,20,20,20	0
32	MG	A	8085	1/1	0.91	0.13	-	63,63,63,63	0
32	MG	A	8070	1/1	0.94	0.12	-	33,33,33,33	0
34	NA	A	8311	1/1	0.90	0.12	-	55,55,55,55	0
32	MG	B	8095	1/1	0.94	0.16	-	75,75,75,75	0
34	NA	A	8342	1/1	0.96	0.17	-	28,28,28,28	0
34	NA	A	8363	1/1	0.52	0.87	-	54,54,54,54	0
32	MG	A	8016	1/1	0.88	0.15	-	46,46,46,46	0
34	NA	A	8330	1/1	0.86	0.35	-	41,41,41,41	0
32	MG	A	8009	1/1	0.99	0.04	-	37,37,37,37	0
35	CL	K	8502	1/1	0.91	0.10	-	62,62,62,62	0
32	MG	A	8048	1/1	0.96	0.06	-	39,39,39,39	0
34	NA	B	8351	1/1	0.83	0.14	-	30,30,30,30	0
34	NA	A	8336	1/1	0.94	0.12	-	45,45,45,45	0
34	NA	A	8357	1/1	0.88	0.09	-	50,50,50,50	0
32	MG	A	8066	1/1	0.93	0.20	-	94,94,94,94	0
35	CL	A	8516	1/1	0.93	0.15	-	45,45,45,45	0
34	NA	A	8375	1/1	0.88	0.24	-	47,47,47,47	0
34	NA	A	8341	1/1	0.80	0.21	-	36,36,36,36	0
32	MG	A	8083	1/1	0.96	0.08	-	35,35,35,35	0
32	MG	A	8034	1/1	0.98	0.03	-	10,10,10,10	0
34	NA	A	8352	1/1	0.91	0.25	-	49,49,49,49	0
32	MG	A	8087	1/1	0.82	0.14	-	67,67,67,67	0
34	NA	A	8359	1/1	0.88	0.43	-	53,53,53,53	0
35	CL	A	8513	1/1	0.95	0.10	-	44,44,44,44	0
32	MG	A	8046	1/1	0.90	0.08	-	53,53,53,53	0
32	MG	A	8111	1/1	0.82	0.11	-	49,49,49,49	0
32	MG	A	8063	1/1	0.98	0.08	-	78,78,78,78	0
32	MG	A	8097	1/1	0.95	0.20	-	30,30,30,30	0
34	NA	A	8354	1/1	0.95	0.48	-	39,39,39,39	0
34	NA	A	8384	1/1	0.48	1.22	-	79,79,79,79	0
32	MG	A	8104	1/1	0.93	0.14	-	42,42,42,42	0
34	NA	A	8377	1/1	0.76	0.33	-	61,61,61,61	0
32	MG	A	8029	1/1	0.98	0.09	-	49,49,49,49	0
32	MG	A	8089	1/1	0.92	0.24	-	63,63,63,63	0
34	NA	A	8316	1/1	0.91	0.33	-	52,52,52,52	0
35	CL	C	8509	1/1	0.92	0.19	-	64,64,64,64	0
35	CL	O	8507	1/1	0.92	0.28	-	65,65,65,65	0
34	NA	A	8318	1/1	0.94	0.13	-	40,40,40,40	0
34	NA	A	8370	1/1	0.75	0.32	-	58,58,58,58	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
32	MG	A	8092	1/1	0.96	0.18	-	75,75,75,75	0
32	MG	L	8069	1/1	0.94	0.11	-	55,55,55,55	0
32	MG	A	8113	1/1	0.92	0.19	-	25,25,25,25	0
34	NA	A	8358	1/1	0.82	0.55	-	86,86,86,86	0
34	NA	A	8376	1/1	0.94	0.30	-	38,38,38,38	0
34	NA	A	8301	1/1	0.90	0.17	-	16,16,16,16	0
35	CL	A	8514	1/1	0.93	0.12	-	67,67,67,67	0
34	NA	A	8329	1/1	0.76	0.48	-	60,60,60,60	0
32	MG	A	8050	1/1	0.88	0.15	-	57,57,57,57	0
32	MG	A	8090	1/1	0.89	0.30	-	55,55,55,55	0
32	MG	A	8101	1/1	0.94	0.12	-	55,55,55,55	0
34	NA	T	8312	1/1	0.86	0.16	-	39,39,39,39	0
35	CL	A	8517	1/1	0.90	0.11	-	52,52,52,52	0
32	MG	A	8075	1/1	0.87	0.13	-	51,51,51,51	0
32	MG	A	8025	1/1	0.99	0.04	-	37,37,37,37	0
35	CL	K	8501	1/1	0.99	0.13	-	58,58,58,58	0
34	NA	A	8319	1/1	0.94	0.12	-	23,23,23,23	0
32	MG	A	8023	1/1	0.96	0.05	-	33,33,33,33	0
32	MG	A	8116	1/1	0.95	0.14	-	46,46,46,46	0
32	MG	A	8037	1/1	0.99	0.05	-	34,34,34,34	0
32	MG	A	8098	1/1	0.97	0.11	-	18,18,18,18	0

## 6.5 Other polymers

There are no such residues in this entry.