



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:01 PM GMT

PDB ID : 4K9T  
Title : Complex of CYP3A4 with a desoxyritonavir analog  
Authors : Sevrioukova, I.F.; Poulos, T.L.  
Deposited on : 2013-04-21  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	487	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3804 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cytochrome P450 3A4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	455	Total	C	N	O	S	0	0	0
			3660	2383	597	656	24			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LEU	DELETION	UNP P08684
A	?	-	ILE	DELETION	UNP P08684
A	?	-	PRO	DELETION	UNP P08684
A	?	-	ASP	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	?	-	ALA	DELETION	UNP P08684
A	?	-	MET	DELETION	UNP P08684
A	?	-	GLU	DELETION	UNP P08684
A	?	-	THR	DELETION	UNP P08684
A	?	-	TRP	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	?	-	ALA	DELETION	UNP P08684
A	?	-	VAL	DELETION	UNP P08684
A	?	-	SER	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	?	-	VAL	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	?	-	LEU	DELETION	UNP P08684
A	504	HIS	-	EXPRESSION TAG	UNP P08684
A	505	HIS	-	EXPRESSION TAG	UNP P08684
A	506	HIS	-	EXPRESSION TAG	UNP P08684
A	507	HIS	-	EXPRESSION TAG	UNP P08684

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is N 2 -(METHYL{[2-(PROPAN-2-YL)-1,3-THIAZOL-4-YL]METHYL}CARBAMOYL)-N-(4-[(1,3-THIAZOL-5-YLMETHOXY)CARBONYL]AMINO}BUTYL)-L-VALINAMIDE (three-letter code: 1RD) (formula:  $C_{23}H_{36}N_6O_4S_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 35	C 23	N 6	O 4	S 2	0	0
3	A	1	Total 35	C 23	N 6	O 4	S 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	31	Total 31	O 31	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Cytochrome P450 3A4



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	77.50Å 100.81Å 130.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.19 – 2.50 40.19 – 2.50	Depositor EDS
% Data completeness (in resolution range)	96.5 (40.19-2.50) 96.5 (40.19-2.50)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.19 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.212 , 0.282 0.215 , 0.274	Depositor DCC
$R_{free}$ test set	918 reflections (5.56%)	DCC
Wilson B-factor (Å <sup>2</sup> )	68.9	Xtriage
Anisotropy	0.082	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 51.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 17383 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	3804	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.42% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, 1RD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.48	2/3748 (0.1%)	0.64	0/5070

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	126	TRP	CD2-CE2	5.16	1.47	1.41
1	A	408	TRP	CD2-CE2	5.01	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3660	0	3740	160	0
2	A	43	0	30	7	0
3	A	70	0	72	19	0
4	A	31	0	0	2	0
All	All	3804	0	3842	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:GLU:OE1	1:A:262:GLU:HA	1.46	1.09
1:A:211:LEU:HA	1:A:213:PHE:H	1.19	1.06
1:A:211:LEU:CD2	1:A:307:TYR:CE1	2.49	0.95
1:A:211:LEU:HD22	1:A:307:TYR:CE1	2.02	0.94
1:A:194:ASP:CG	1:A:197:ASN:HD22	1.71	0.93
1:A:184:ILE:HA	1:A:187:THR:OG1	1.70	0.92
1:A:189:PHE:CD1	1:A:272:LEU:HD23	2.05	0.91
1:A:211:LEU:HA	1:A:213:PHE:N	1.86	0.89
1:A:371:MET:HE2	1:A:483:LEU:HD13	1.55	0.88
1:A:172:LEU:HD11	1:A:491:LEU:HD12	1.55	0.88
1:A:211:LEU:CD1	1:A:308:GLU:HB2	2.03	0.87
1:A:189:PHE:HD1	1:A:272:LEU:HD23	1.35	0.87
1:A:263:ASP:O	1:A:264:THR:HB	1.73	0.87
1:A:211:LEU:CD2	1:A:307:TYR:HE1	1.90	0.85
1:A:309:THR:HB	2:A:601:HEM:HAB	1.55	0.85
1:A:211:LEU:HD13	1:A:307:TYR:HD1	1.41	0.84
1:A:211:LEU:HD13	1:A:307:TYR:CD1	2.14	0.81
1:A:211:LEU:HD21	1:A:307:TYR:HE1	1.42	0.81
1:A:253:VAL:O	1:A:257:LYS:HB2	1.82	0.80
1:A:47:LEU:HG	1:A:50:ILE:HD11	1.62	0.80
1:A:189:PHE:CE2	1:A:260:ARG:HD2	2.17	0.79
1:A:210:LEU:O	1:A:211:LEU:HB3	1.84	0.78
1:A:276:ILE:HA	1:A:279:GLN:NE2	1.98	0.77
1:A:479:LEU:HD22	1:A:479:LEU:H	1.47	0.77
1:A:276:ILE:HA	1:A:279:GLN:HE21	1.48	0.77
1:A:263:ASP:O	1:A:264:THR:CB	2.34	0.76
1:A:146:VAL:HB	1:A:147:PRO:HD3	1.68	0.76
1:A:178:ALA:HB1	1:A:195:SER:OG	1.86	0.76
1:A:258:GLU:HA	1:A:262:GLU:HG2	1.65	0.75
1:A:189:PHE:CE1	1:A:256:MET:HB2	2.21	0.75
1:A:189:PHE:CZ	1:A:256:MET:HB2	2.23	0.73
1:A:384:ASN:O	1:A:384:ASN:OD1	2.06	0.73
1:A:211:LEU:HD11	1:A:308:GLU:HB2	1.71	0.72
1:A:209:LYS:O	1:A:211:LEU:N	2.21	0.72
3:A:603:1RD:H29	3:A:603:1RD:H19	1.72	0.72
1:A:134:SER:HB2	1:A:135:PRO:HD3	1.71	0.71
1:A:262:GLU:CA	1:A:262:GLU:OE1	2.33	0.71
1:A:198:ASN:N	1:A:199:PRO:HD3	2.06	0.71
1:A:187:THR:O	1:A:270:ASP:HB2	1.91	0.70
1:A:256:MET:HA	1:A:260:ARG:HB2	1.76	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:193:ILE:HG21	1:A:204:VAL:HG23	1.76	0.68
1:A:309:THR:HB	2:A:601:HEM:CAB	2.25	0.67
1:A:189:PHE:HB3	1:A:191:VAL:HG23	1.77	0.67
1:A:275:MET:HB3	1:A:295:LEU:HD11	1.77	0.66
3:A:603:1RD:H29	3:A:603:1RD:H23	1.63	0.64
1:A:194:ASP:OD1	1:A:197:ASN:ND2	2.30	0.64
1:A:210:LEU:O	1:A:211:LEU:CB	2.46	0.64
1:A:189:PHE:HE2	1:A:260:ARG:HD2	1.63	0.64
1:A:371:MET:CE	1:A:483:LEU:HD13	2.26	0.63
1:A:149:ILE:CG2	1:A:183:VAL:HG13	2.28	0.63
1:A:188:SER:O	1:A:272:LEU:HB3	2.00	0.61
1:A:211:LEU:HD21	1:A:307:TYR:CE1	2.22	0.61
1:A:210:LEU:HD11	1:A:300:ILE:HG23	1.81	0.60
1:A:258:GLU:CA	1:A:262:GLU:HG2	2.31	0.60
1:A:258:GLU:O	1:A:262:GLU:HB2	2.05	0.57
1:A:149:ILE:HG21	1:A:183:VAL:HG13	1.87	0.57
1:A:142:LEU:HB3	1:A:347:TYR:HE1	1.70	0.57
1:A:189:PHE:CD1	1:A:256:MET:HB2	2.39	0.57
1:A:192:ASN:C	1:A:193:ILE:HG13	2.24	0.56
1:A:263:ASP:OD2	1:A:264:THR:N	2.31	0.56
1:A:271:PHE:O	1:A:275:MET:HG3	2.04	0.56
1:A:193:ILE:HG21	1:A:204:VAL:CG2	2.35	0.56
1:A:188:SER:O	1:A:270:ASP:OD2	2.22	0.56
1:A:211:LEU:CD1	1:A:307:TYR:CD1	2.88	0.56
1:A:479:LEU:CD2	1:A:479:LEU:H	2.16	0.56
1:A:189:PHE:CE2	1:A:256:MET:CB	2.89	0.56
1:A:362:GLU:HG3	1:A:416:PRO:HA	1.88	0.55
1:A:215:PHE:CE2	3:A:602:1RD:H7	2.42	0.55
1:A:198:ASN:C	1:A:200:GLN:H	2.10	0.55
1:A:252:SER:O	1:A:256:MET:HG2	2.07	0.55
1:A:65:HIS:HE1	1:A:404:ASP:OD2	1.89	0.55
1:A:215:PHE:O	3:A:602:1RD:C01	2.55	0.55
1:A:189:PHE:CE2	1:A:256:MET:HB2	2.42	0.54
1:A:422:LYS:HB3	1:A:422:LYS:NZ	2.22	0.54
1:A:270:ASP:OD2	1:A:273:GLN:HG2	2.08	0.54
1:A:189:PHE:CZ	1:A:256:MET:CB	2.91	0.54
1:A:184:ILE:CA	1:A:187:THR:OG1	2.51	0.53
1:A:211:LEU:HD12	1:A:304:PHE:CE1	2.44	0.53
1:A:194:ASP:C	1:A:195:SER:HG	2.12	0.52
1:A:211:LEU:HD12	1:A:308:GLU:HB2	1.90	0.52
1:A:138:THR:HG22	1:A:140:GLY:H	1.75	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:254:LYS:O	1:A:258:GLU:HG2	2.10	0.51
1:A:190:GLY:O	1:A:192:ASN:OD1	2.28	0.51
2:A:601:HEM:C1B	3:A:602:1RD:H4	2.45	0.51
1:A:249:LEU:HA	1:A:252:SER:HB2	1.92	0.51
1:A:130:ARG:HH22	1:A:441:ASN:ND2	2.09	0.51
1:A:149:ILE:HG22	1:A:183:VAL:HG13	1.92	0.51
1:A:304:PHE:CD2	3:A:603:1RD:H30	2.47	0.50
1:A:211:LEU:HD23	1:A:211:LEU:C	2.31	0.50
1:A:145:MET:CE	4:A:725:HOH:O	2.58	0.50
1:A:189:PHE:CD1	1:A:272:LEU:CD2	2.87	0.50
1:A:64:CYS:HB3	1:A:72:TRP:CE2	2.47	0.50
1:A:198:ASN:N	1:A:199:PRO:CD	2.74	0.49
2:A:601:HEM:C4A	3:A:602:1RD:H4	2.47	0.49
1:A:197:ASN:O	1:A:198:ASN:OD1	2.30	0.49
3:A:602:1RD:H6	3:A:603:1RD:C34	2.42	0.49
1:A:309:THR:CB	2:A:601:HEM:HAB	2.34	0.49
1:A:198:ASN:O	1:A:200:GLN:N	2.45	0.49
1:A:65:HIS:HD2	1:A:69:GLY:O	1.96	0.49
1:A:130:ARG:HH22	1:A:441:ASN:HD22	1.59	0.49
1:A:241:PHE:CE2	3:A:603:1RD:H35	2.47	0.49
1:A:250:ARG:HH21	1:A:251:LYS:HE2	1.77	0.49
1:A:200:GLN:O	1:A:201:ASP:C	2.48	0.49
1:A:241:PHE:HE2	3:A:603:1RD:H35	1.78	0.48
1:A:189:PHE:CZ	1:A:260:ARG:HB2	2.48	0.48
1:A:226:PHE:CB	1:A:229:LEU:HD12	2.43	0.48
1:A:313:VAL:O	1:A:317:ILE:HG13	2.14	0.48
1:A:258:GLU:O	1:A:262:GLU:HG2	2.13	0.48
1:A:371:MET:HE3	1:A:481:GLY:O	2.13	0.48
1:A:250:ARG:HE	1:A:251:LYS:HE2	1.79	0.48
1:A:257:LYS:HE2	1:A:258:GLU:OE1	2.14	0.48
1:A:189:PHE:CE1	1:A:256:MET:O	2.67	0.48
1:A:198:ASN:H	1:A:199:PRO:HD3	1.79	0.47
1:A:86:ASP:O	1:A:90:ILE:HG13	2.14	0.47
1:A:275:MET:HB3	1:A:295:LEU:CD1	2.43	0.47
1:A:250:ARG:HG3	1:A:251:LYS:N	2.29	0.47
1:A:203:PHE:HA	1:A:248:PHE:CE2	2.50	0.47
1:A:111:VAL:HG11	1:A:120:ILE:HG21	1.97	0.47
1:A:371:MET:HE3	1:A:481:GLY:C	2.35	0.47
2:A:601:HEM:NA	3:A:602:1RD:H4	2.25	0.47
1:A:211:LEU:CD1	1:A:307:TYR:CE1	2.99	0.46
1:A:215:PHE:O	3:A:602:1RD:H36	2.16	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:211:LEU:CA	1:A:213:PHE:H	2.09	0.46
1:A:87:PRO:HG3	1:A:431:ILE:HD11	1.97	0.46
1:A:189:PHE:O	1:A:191:VAL:N	2.49	0.45
1:A:184:ILE:O	1:A:187:THR:OG1	2.29	0.45
1:A:258:GLU:H	1:A:258:GLU:HG2	1.60	0.45
3:A:602:1RD:H8	3:A:602:1RD:O23	2.18	0.44
1:A:475:LEU:HD11	1:A:485:PRO:HB3	1.98	0.44
3:A:603:1RD:H23	3:A:603:1RD:C34	2.27	0.44
1:A:210:LEU:HD23	1:A:210:LEU:HA	1.79	0.44
2:A:601:HEM:NC	3:A:602:1RD:C29	2.79	0.44
1:A:163:GLU:HG2	1:A:170:VAL:HG13	1.98	0.44
1:A:195:SER:O	1:A:198:ASN:N	2.50	0.44
1:A:223:ILE:HA	1:A:223:ILE:HD12	1.91	0.44
1:A:220:PHE:HB2	3:A:602:1RD:H35	1.99	0.43
1:A:198:ASN:C	1:A:200:GLN:N	2.72	0.43
1:A:422:LYS:HB3	1:A:422:LYS:HZ3	1.83	0.43
1:A:362:GLU:HG3	1:A:415:LEU:O	2.19	0.43
1:A:349:THR:O	1:A:353:MET:HG3	2.19	0.43
1:A:471:THR:HG22	1:A:473:ILE:HG13	2.01	0.43
1:A:149:ILE:HG13	1:A:454:LEU:HD13	2.00	0.43
1:A:169:PRO:HG3	1:A:468:CYS:SG	2.59	0.42
1:A:257:LYS:HG2	1:A:276:ILE:HD12	2.01	0.42
1:A:215:PHE:O	3:A:602:1RD:H34	2.19	0.42
1:A:143:LYS:HG3	1:A:347:TYR:CD1	2.54	0.42
1:A:186:SER:HA	1:A:190:GLY:HA2	2.02	0.42
1:A:369:ILE:HA	1:A:483:LEU:HB2	2.01	0.42
1:A:203:PHE:HA	1:A:248:PHE:HE2	1.83	0.42
1:A:34:LYS:NZ	4:A:714:HOH:O	2.50	0.42
1:A:138:THR:HB	1:A:141:LYS:HG2	2.02	0.42
1:A:373:LEU:HB2	1:A:396:ILE:HB	2.02	0.42
1:A:211:LEU:CA	1:A:213:PHE:N	2.71	0.41
1:A:226:PHE:HB3	1:A:229:LEU:HD12	2.02	0.41
1:A:189:PHE:CE2	1:A:256:MET:HB3	2.54	0.41
1:A:189:PHE:CE2	1:A:260:ARG:CB	3.03	0.41
1:A:182:ASP:OD2	1:A:195:SER:HB3	2.21	0.41
1:A:314:LEU:O	1:A:318:MET:HG2	2.20	0.41
1:A:195:SER:OG	1:A:196:LEU:N	2.53	0.41
1:A:465:PHE:CE2	1:A:493:VAL:HG22	2.56	0.41
1:A:371:MET:HB2	1:A:371:MET:HE2	1.68	0.40
1:A:181:MET:HE2	1:A:185:THR:HG23	2.03	0.40
1:A:94:LEU:HD21	1:A:396:ILE:HD13	2.02	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:258:GLU:C	1:A:262:GLU:HG2	2.42	0.40
1:A:305:ALA:CB	3:A:602:1RD:H3	2.52	0.40
1:A:189:PHE:O	1:A:190:GLY:C	2.60	0.40
1:A:428:ASP:HA	1:A:429:PRO:HD3	1.95	0.40
1:A:478:SER:HB2	1:A:484:GLN:HG2	2.03	0.40
1:A:216:LEU:HA	3:A:602:1RD:H34	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	449/487 (92%)	408 (91%)	33 (7%)	8 (2%)	11	18

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	210	LEU
1	A	190	GLY
1	A	199	PRO
1	A	211	LEU
1	A	418	ARG
1	A	198	ASN
1	A	212	ARG
1	A	169	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	416/443 (94%)	374 (90%)	42 (10%)	9 17

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	LYS
1	A	47	LEU
1	A	62	MET
1	A	66	LYS
1	A	71	VAL
1	A	88	ASP
1	A	142	LEU
1	A	160	LEU
1	A	163	GLU
1	A	187	THR
1	A	193	ILE
1	A	196	LEU
1	A	200	GLN
1	A	209	LYS
1	A	210	LEU
1	A	212	ARG
1	A	216	LEU
1	A	217	ASP
1	A	221	LEU
1	A	237	ASN
1	A	250	ARG
1	A	252	SER
1	A	258	GLU
1	A	261	LEU
1	A	262	GLU
1	A	278	SER
1	A	290	LEU
1	A	346	THR
1	A	371	MET
1	A	373	LEU
1	A	381	VAL
1	A	422	LYS
1	A	423	ASN
1	A	425	ASP
1	A	441	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	458	ARG
1	A	469	LYS
1	A	479	LEU
1	A	482	LEU
1	A	483	LEU
1	A	484	GLN
1	A	495	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	HIS
1	A	197	ASN
1	A	247	ASN
1	A	279	GLN
1	A	441	ASN
1	A	451	ASN
1	A	484	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	HEM	A	601	1,3	30,50,50	2.98	13 (43%)	24,82,82	2.75	9 (37%)
3	1RD	A	602	2	31,36,36	1.14	2 (6%)	31,47,47	2.27	10 (32%)
3	1RD	A	603	-	31,36,36	1.21	2 (6%)	31,47,47	2.20	6 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	601	1,3	-	0/10/54/54	0/0/8/8
3	1RD	A	602	2	-	0/34/38/38	0/2/2/2
3	1RD	A	603	-	-	0/34/38/38	0/2/2/2

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	HEM	C3B-C4B	-4.40	1.47	1.51
2	A	601	HEM	C2D-C3D	-2.92	1.45	1.54
2	A	601	HEM	CAD-C3D	-2.01	1.50	1.54
2	A	601	HEM	CHD-C1D	2.16	1.44	1.38
3	A	602	1RD	C34-S35	2.52	1.74	1.70
2	A	601	HEM	C1A-CHA	2.66	1.47	1.39
2	A	601	HEM	FE-ND	2.73	2.12	1.97
3	A	603	1RD	C34-S35	2.74	1.74	1.70
2	A	601	HEM	FE-NB	2.79	2.12	1.97
2	A	601	HEM	CHC-C4B	3.14	1.47	1.38
2	A	601	HEM	C2A-C3A	3.18	1.47	1.37
2	A	601	HEM	CHD-C4C	3.35	1.44	1.36
2	A	601	HEM	CHC-C1C	4.41	1.46	1.36
3	A	602	1RD	O24-C22	4.95	1.45	1.35
3	A	603	1RD	O24-C22	5.28	1.46	1.35
2	A	601	HEM	C4C-NC	8.18	1.46	1.36
2	A	601	HEM	C1C-NC	8.70	1.46	1.36

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	HEM	CBD-CAD-C3D	-4.06	101.74	113.55
3	A	602	1RD	O24-C22-O23	-2.85	118.36	124.22
3	A	603	1RD	O24-C22-O23	-2.50	119.08	124.22
2	A	601	HEM	C3B-CAB-CBB	-2.49	120.63	124.46
3	A	602	1RD	O11-C10-N08	-2.05	118.61	122.18
2	A	601	HEM	C1D-CHD-C4C	-2.05	122.40	125.82
3	A	602	1RD	C20-N21-C22	2.29	125.36	121.88
3	A	602	1RD	C19-C20-N21	2.48	119.45	112.19
3	A	603	1RD	C25-C26-C27	2.52	133.56	128.26
3	A	602	1RD	C13-N12-C10	2.65	126.95	121.46
3	A	602	1RD	C25-C26-C27	3.00	134.57	128.26
3	A	602	1RD	C25-O24-C22	3.36	123.91	115.91
2	A	601	HEM	C2C-C1C-NC	3.41	115.95	110.21
3	A	603	1RD	C13-N12-C10	3.52	128.77	121.46
2	A	601	HEM	CMD-C2D-C3D	3.69	130.66	114.35
3	A	603	1RD	C02-C04-N05	4.31	132.53	124.27
3	A	603	1RD	O24-C22-N21	4.54	118.46	110.62
3	A	602	1RD	O24-C22-N21	4.72	118.76	110.62
2	A	601	HEM	CAD-C3D-C2D	4.74	126.84	113.22
2	A	601	HEM	CMC-C2C-C3C	4.88	128.72	116.53
2	A	601	HEM	CAD-C3D-C4D	5.01	130.15	112.47
3	A	602	1RD	C27-N28-C29	5.83	114.91	105.71
2	A	601	HEM	CMB-C2B-C3B	6.10	131.75	116.53
3	A	602	1RD	C02-C04-N05	6.29	136.32	124.27
3	A	603	1RD	C27-N28-C29	8.65	119.35	105.71

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	HEM	7	0
3	A	602	1RD	13	0
3	A	603	1RD	7	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	455/487 (93%)	0.27	26 (5%)	27 31	45, 72, 117, 167	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	259	SER	5.8
1	A	189	PHE	4.4
1	A	261	LEU	4.0
1	A	260	ARG	3.9
1	A	256	MET	3.4
1	A	190	GLY	3.3
1	A	191	VAL	3.1
1	A	289	ALA	3.0
1	A	311	SER	2.8
1	A	202	PRO	2.7
1	A	273	GLN	2.6
1	A	469	LYS	2.6
1	A	262	GLU	2.5
1	A	203	PHE	2.4
1	A	275	MET	2.3
1	A	384	ASN	2.3
1	A	270	ASP	2.3
1	A	497	ASP	2.3
1	A	276	ILE	2.2
1	A	212	ARG	2.2
1	A	250	ARG	2.1
1	A	493	VAL	2.1
1	A	264	THR	2.1
1	A	251	LYS	2.1
1	A	255	ARG	2.0
1	A	254	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	1RD	A	603	35/35	0.94	0.22	1.28	60,64,78,83	0
2	HEM	A	601	43/43	0.98	0.20	0.63	43,49,55,59	0
3	1RD	A	602	35/35	0.95	0.20	0.33	45,55,66,71	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.