



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 10:44 PM BST

PDB ID : 2KAV
Title : Solution structure of the human Voltage-gated Sodium Channel, brain isoform (Nav1.2)
Authors : Miloushev, V.Z.; Levine, J.A.; Arbing, M.A.; Hunt, J.F.; Pitt, G.S.; Palmer, A.G.
Deposited on : 2008-11-15

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 86%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	129	<div> <div>41%</div> <div>9%</div> <div>•</div> <div>31%</div> <div>18%</div> </div>

2 Ensemble composition and analysis

This entry contains 15 models. Model 9 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1791-A:1842, A:1852-A:1865 (66)	0.24	9

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters. No single-model clusters were found.

Cluster number	Models
1	1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 14
2	10, 12, 13, 15

3 Entry composition


There is only 1 type of molecule in this entry. The entry contains 1667 atoms, of which 816 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Sodium channel protein type 2 subunit alpha.

Mol	Chain	Residues	Atoms						Trace
1	A	106	Total	C	H	N	O	S	0
			1667	544	816	131	170	6	

There are 23 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1754	MET	-	EXPRESSION TAG	UNP Q99250
A	1755	GLY	-	EXPRESSION TAG	UNP Q99250
A	1756	SER	-	EXPRESSION TAG	UNP Q99250
A	1757	SER	-	EXPRESSION TAG	UNP Q99250
A	1758	HIS	-	EXPRESSION TAG	UNP Q99250
A	1759	HIS	-	EXPRESSION TAG	UNP Q99250
A	1760	HIS	-	EXPRESSION TAG	UNP Q99250
A	1761	HIS	-	EXPRESSION TAG	UNP Q99250
A	1762	HIS	-	EXPRESSION TAG	UNP Q99250
A	1763	HIS	-	EXPRESSION TAG	UNP Q99250
A	1764	SER	-	EXPRESSION TAG	UNP Q99250
A	1765	SER	-	EXPRESSION TAG	UNP Q99250
A	1766	GLY	-	EXPRESSION TAG	UNP Q99250
A	1767	LEU	-	EXPRESSION TAG	UNP Q99250
A	1768	VAL	-	EXPRESSION TAG	UNP Q99250
A	1769	PRO	-	EXPRESSION TAG	UNP Q99250
A	1770	ARG	-	EXPRESSION TAG	UNP Q99250
A	1771	GLY	-	EXPRESSION TAG	UNP Q99250
A	1772	SER	-	EXPRESSION TAG	UNP Q99250
A	1773	HIS	-	EXPRESSION TAG	UNP Q99250
A	1774	MET	-	EXPRESSION TAG	UNP Q99250
A	1775	ALA	-	EXPRESSION TAG	UNP Q99250
A	1776	SER	-	EXPRESSION TAG	UNP Q99250



4.2.3 Score per residue for model 3

- Molecule 1: Sodium channel protein type 2 subunit alpha


Chain A: 40% 9% 31% 18%



4.2.4 Score per residue for model 4

- Molecule 1: Sodium channel protein type 2 subunit alpha


Chain A: 39% 12% 31% 18%



4.2.5 Score per residue for model 5


- Molecule 1: Sodium channel protein type 2 subunit alpha

Chain A: 42% 9% 31% 18%




4.2.6 Score per residue for model 6

- Molecule 1: Sodium channel protein type 2 subunit alpha




4.2.7 Score per residue for model 7

- Molecule 1: Sodium channel protein type 2 subunit alpha




4.2.8 Score per residue for model 8


- Molecule 1: Sodium channel protein type 2 subunit alpha



4.2.9 Score per residue for model 9 (medoid)

- Molecule 1: Sodium channel protein type 2 subunit alpha







4.2.10 Score per residue for model 10

- Molecule 1: Sodium channel protein type 2 subunit alpha



Chain A: 39% 9% 31% 18%



4.2.11 Score per residue for model 11

- Molecule 1: Sodium channel protein type 2 subunit alpha



Chain A: 40% 9% 31% 18%



4.2.12 Score per residue for model 12


- Molecule 1: Sodium channel protein type 2 subunit alpha

Chain A: 37% 12% 31% 18%




4.2.13 Score per residue for model 13

- Molecule 1: Sodium channel protein type 2 subunit alpha




4.2.14 Score per residue for model 14

- Molecule 1: Sodium channel protein type 2 subunit alpha



4.2.15 Score per residue for model 15

- Molecule 1: Sodium channel protein type 2 subunit alpha



5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 200 calculated structures, 15 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR NIH	structure solution	2.18
X-PLOR NIH	refinement	2.18

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 16032
Number of chemical shift lists	1
Total number of shifts	1196
Number of shifts mapped to atoms	1196
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	86%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality ⓘ

6.1 Standard geometry ⓘ

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	543	529	529	11±3
All	All	8145	7935	7935	167

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:1835:ASN:ND2	1:A:1835:ASN:H	0.72	1.80	10	4
1:A:1835:ASN:ND2	1:A:1835:ASN:N	0.63	2.47	10	2
1:A:1835:ASN:N	1:A:1835:ASN:HD22	0.61	1.94	2	3
1:A:1861:PHE:CD2	1:A:1864:ARG:NH2	0.60	2.68	12	1
1:A:1835:ASN:HD22	1:A:1835:ASN:H	0.60	1.37	9	3
1:A:1832:ALA:O	1:A:1833:LYS:O	0.59	2.19	13	4
1:A:1831:ILE:HG22	1:A:1835:ASN:OD1	0.59	1.98	11	3
1:A:1832:ALA:O	1:A:1835:ASN:ND2	0.58	2.37	8	4
1:A:1861:PHE:O	1:A:1865:VAL:HG22	0.57	1.99	8	2
1:A:1852:ILE:HG22	1:A:1853:HIS:N	0.57	2.15	11	5
1:A:1835:ASN:H	1:A:1835:ASN:HD22	0.56	1.43	10	1
1:A:1835:ASN:N	1:A:1835:ASN:ND2	0.56	2.54	9	3
1:A:1835:ASN:HD22	1:A:1835:ASN:N	0.54	1.97	9	1
1:A:1814:GLU:OE1	1:A:1815:PHE:N	0.54	2.41	10	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:1819:SER:O	1:A:1833:LYS:NZ	0.54	2.41	6	2
1:A:1852:ILE:HD12	1:A:1852:ILE:N	0.54	2.18	5	2
1:A:1861:PHE:CG	1:A:1864:ARG:NH2	0.53	2.75	12	1
1:A:1803:GLU:OE1	1:A:1803:GLU:N	0.53	2.42	7	1
1:A:1791:SER:N	1:A:1794:ASP:OD2	0.53	2.42	1	2
1:A:1793:ASP:OD1	1:A:1793:ASP:N	0.53	2.42	11	1
1:A:1806:ASP:O	1:A:1808:ASP:N	0.53	2.43	7	1
1:A:1793:ASP:OD1	1:A:1794:ASP:N	0.52	2.42	7	2
1:A:1835:ASN:C	1:A:1835:ASN:HD22	0.52	2.08	14	1
1:A:1800:GLU:N	1:A:1800:GLU:OE1	0.52	2.42	8	1
1:A:1802:TRP:CZ3	1:A:1854:CYS:SG	0.52	2.95	7	1
1:A:1863:LYS:NZ	1:A:1863:LYS:CB	0.51	2.73	6	2
1:A:1852:ILE:N	1:A:1852:ILE:HD12	0.51	2.20	13	1
1:A:1835:ASN:O	1:A:1835:ASN:ND2	0.51	2.44	5	2
1:A:1819:SER:OG	1:A:1836:LYS:NZ	0.50	2.42	3	1
1:A:1842:MET:O	1:A:1842:MET:SD	0.50	2.69	1	1
1:A:1811:GLN:O	1:A:1854:CYS:SG	0.50	2.70	15	2
1:A:1792:GLU:H	1:A:1792:GLU:CD	0.50	2.10	6	4
1:A:1831:ILE:CG2	1:A:1835:ASN:ND2	0.50	2.74	10	2
1:A:1838:GLN:O	1:A:1842:MET:SD	0.49	2.70	13	2
1:A:1826:ASP:N	1:A:1826:ASP:OD1	0.49	2.45	15	1
1:A:1823:ASP:OD2	1:A:1833:LYS:N	0.49	2.46	14	1
1:A:1861:PHE:CE2	1:A:1864:ARG:NH2	0.48	2.82	12	1
1:A:1858:LEU:O	1:A:1862:THR:HG23	0.48	2.09	6	3
1:A:1831:ILE:CG2	1:A:1835:ASN:OD1	0.48	2.62	2	3
1:A:1834:PRO:O	1:A:1836:LYS:N	0.48	2.45	1	1
1:A:1838:GLN:OE1	1:A:1838:GLN:N	0.48	2.47	10	1
1:A:1806:ASP:C	1:A:1808:ASP:H	0.48	2.12	7	1
1:A:1826:ASP:OD1	1:A:1826:ASP:N	0.47	2.46	7	2
1:A:1794:ASP:OD1	1:A:1795:PHE:N	0.47	2.47	15	1
1:A:1835:ASN:H	1:A:1835:ASN:ND2	0.47	2.07	12	2
1:A:1814:GLU:CD	1:A:1814:GLU:N	0.47	2.68	7	1
1:A:1814:GLU:OE1	1:A:1814:GLU:N	0.47	2.48	7	1
1:A:1821:PHE:CZ	1:A:1825:LEU:HD21	0.47	2.44	10	10
1:A:1812:PHE:CD2	1:A:1852:ILE:O	0.47	2.68	11	2
1:A:1791:SER:O	1:A:1794:ASP:OD2	0.46	2.33	15	1
1:A:1797:MET:C	1:A:1797:MET:SD	0.46	2.94	11	2
1:A:1856:ASP:OD1	1:A:1857:ILE:N	0.46	2.49	6	1
1:A:1797:MET:SD	1:A:1797:MET:C	0.46	2.94	13	3
1:A:1832:ALA:O	1:A:1835:ASN:OD1	0.46	2.33	14	2
1:A:1820:ASP:OD1	1:A:1820:ASP:N	0.46	2.49	1	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:1830:LEU:HD12	1:A:1831:ILE:N	0.45	2.26	10	2
1:A:1823:ASP:OD2	1:A:1833:LYS:NZ	0.45	2.41	1	1
1:A:1836:LYS:CB	1:A:1836:LYS:NZ	0.45	2.80	7	1
1:A:1808:ASP:O	1:A:1809:ALA:HB3	0.44	2.12	4	2
1:A:1806:ASP:OD2	1:A:1811:GLN:N	0.44	2.49	5	1
1:A:1853:HIS:O	1:A:1856:ASP:OD2	0.44	2.36	6	1
1:A:1823:ASP:OD1	1:A:1823:ASP:O	0.44	2.35	2	1
1:A:1856:ASP:N	1:A:1856:ASP:OD1	0.44	2.50	8	1
1:A:1820:ASP:O	1:A:1820:ASP:OD1	0.44	2.36	12	2
1:A:1806:ASP:OD2	1:A:1810:THR:OG1	0.44	2.35	12	2
1:A:1819:SER:C	1:A:1833:LYS:HZ1	0.43	2.15	13	1
1:A:1815:PHE:CD1	1:A:1815:PHE:C	0.43	2.90	1	1
1:A:1854:CYS:SG	1:A:1855:LEU:N	0.43	2.91	9	1
1:A:1823:ASP:OD2	1:A:1831:ILE:O	0.43	2.36	14	1
1:A:1808:ASP:O	1:A:1808:ASP:OD1	0.43	2.36	8	3
1:A:1796:GLU:O	1:A:1800:GLU:OE2	0.43	2.37	8	1
1:A:1826:ASP:OD1	1:A:1827:PRO:O	0.43	2.37	9	1
1:A:1805:PHE:O	1:A:1806:ASP:OD1	0.43	2.37	14	2
1:A:1852:ILE:CG2	1:A:1853:HIS:N	0.43	2.82	13	3
1:A:1832:ALA:C	1:A:1833:LYS:O	0.43	2.57	13	2
1:A:1806:ASP:OD1	1:A:1810:THR:OG1	0.43	2.37	9	2
1:A:1799:TYR:O	1:A:1803:GLU:OE2	0.43	2.36	7	1
1:A:1817:LYS:CB	1:A:1817:LYS:NZ	0.43	2.82	11	1
1:A:1831:ILE:HD11	1:A:1864:ARG:NH1	0.42	2.29	12	1
1:A:1803:GLU:OE1	1:A:1803:GLU:CA	0.42	2.66	7	1
1:A:1798:PHE:C	1:A:1798:PHE:CD1	0.42	2.93	8	4
1:A:1792:GLU:CD	1:A:1792:GLU:N	0.42	2.72	4	1
1:A:1819:SER:O	1:A:1823:ASP:OD2	0.42	2.37	7	1
1:A:1810:THR:O	1:A:1811:GLN:CB	0.42	2.66	4	2
1:A:1798:PHE:CD1	1:A:1798:PHE:C	0.42	2.92	10	4
1:A:1853:HIS:O	1:A:1855:LEU:N	0.41	2.53	6	1
1:A:1831:ILE:CG2	1:A:1838:GLN:NE2	0.41	2.83	4	1
1:A:1859:PHE:O	1:A:1862:THR:OG1	0.41	2.37	12	1
1:A:1797:MET:SD	1:A:1826:ASP:OD1	0.41	2.79	9	1
1:A:1808:ASP:OD1	1:A:1808:ASP:N	0.41	2.51	15	1
1:A:1811:GLN:O	1:A:1853:HIS:CD2	0.41	2.73	14	1
1:A:1852:ILE:HG22	1:A:1853:HIS:H	0.40	1.75	13	1
1:A:1855:LEU:CD2	1:A:1855:LEU:N	0.40	2.84	7	1
1:A:1825:LEU:O	1:A:1830:LEU:HD13	0.40	2.16	12	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	66/129 (51%)	61±1 (93±2%)	4±1 (6±2%)	1±1 (1±1%)	24 71
All	All	990/1935 (51%)	917 (93%)	63 (6%)	10 (1%)	24 71

All 6 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	1833	LYS	4
1	A	1832	ALA	2
1	A	1842	MET	1
1	A	1807	PRO	1
1	A	1854	CYS	1
1	A	1834	PRO	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	59/112 (53%)	56±1 (95±2%)	3±1 (5±2%)	37 80
All	All	885/1680 (53%)	843 (95%)	42 (5%)	37 80

All 22 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	1835	ASN	9
1	A	1826	ASP	7
1	A	1833	LYS	4
1	A	1842	MET	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	1852	ILE	2
1	A	1797	MET	2
1	A	1811	GLN	1
1	A	1854	CYS	1
1	A	1817	LYS	1
1	A	1855	LEU	1
1	A	1820	ASP	1
1	A	1838	GLN	1
1	A	1819	SER	1
1	A	1800	GLU	1
1	A	1839	LEU	1
1	A	1863	LYS	1
1	A	1859	PHE	1
1	A	1814	GLU	1
1	A	1853	HIS	1
1	A	1803	GLU	1
1	A	1793	ASP	1
1	A	1794	ASP	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 86% for the well-defined parts and 82% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 16032

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1196
Number of shifts mapped to atoms	1196
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	99	0.02 ± 0.16	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	97	0.45 ± 0.10	None needed (< 0.5 ppm)
$^{13}\text{C}'$	0	—	—
^{15}N	98	0.46 ± 0.25	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 86%, i.e. 725 atoms were assigned a chemical shift out of a possible 840. 10 out of 10 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	250/322 (78%)	127/128 (99%)	63/132 (48%)	60/62 (97%)
Sidechain	384/419 (92%)	239/245 (98%)	144/163 (88%)	1/11 (9%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	91/99 (92%)	49/54 (91%)	41/43 (95%)	1/2 (50%)
Overall	725/840 (86%)	415/427 (97%)	248/338 (73%)	62/75 (83%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 82%, i.e. 1079 atoms were assigned a chemical shift out of a possible 1308. 16 out of 16 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	399/518 (77%)	202/206 (98%)	99/212 (47%)	98/100 (98%)
Sidechain	585/682 (86%)	373/399 (93%)	210/261 (80%)	2/22 (9%)
Aromatic	95/108 (88%)	51/59 (86%)	43/47 (91%)	1/2 (50%)
Overall	1079/1308 (82%)	626/664 (94%)	352/520 (68%)	101/124 (81%)

7.1.4 Statistically unusual chemical shifts ⓘ

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

