



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 10:49 PM BST

PDB ID : 2KBB
Title : NMR structure of the talin rod domain, 1655-1822
Authors : Goult, B.T.; Gingras, A.R.; Bate, N.; Critchley, D.R.; Barsukov, I.L.
Deposited on : 2008-11-24

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 91%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	174	

2 Ensemble composition and analysis

This entry contains 20 models. Model 7 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1656-A:1753, A:1757-A:1822 (164)	0.34	7

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 1 single-model cluster was found.

Cluster number	Models
1	1, 2, 4, 6, 7, 9, 11, 12, 15, 17, 18, 19
2	3, 5, 8, 13
3	14, 16, 20
Single-model clusters	10

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2540 atoms, of which 1265 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Talin-1.

Mol	Chain	Residues	Atoms						Trace
1	A	174	Total	C	H	N	O	S	0
			2540	785	1265	218	265	7	

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1649	GLY	-	EXPRESSION TAG	UNP P26039
A	1650	ILE	-	EXPRESSION TAG	UNP P26039
A	1651	ASP	-	EXPRESSION TAG	UNP P26039
A	1652	PRO	-	EXPRESSION TAG	UNP P26039
A	1653	PHE	-	EXPRESSION TAG	UNP P26039
A	1654	THR	-	EXPRESSION TAG	UNP P26039

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Talin-1




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1


- Molecule 1: Talin-1



4.2.2 Score per residue for model 2

- Molecule 1: Talin-1






4.2.3 Score per residue for model 3

- Molecule 1: Talin-1


Chain A: 70% 22% 6%



4.2.4 Score per residue for model 4

- Molecule 1: Talin-1


Chain A: 71% 22% 6%



4.2.5 Score per residue for model 5


- Molecule 1: Talin-1

Chain A: 66% 29% 6%




4.2.6 Score per residue for model 6

- Molecule 1: Talin-1




4.2.7 Score per residue for model 7 (medoid)

- Molecule 1: Talin-1




4.2.8 Score per residue for model 8


- Molecule 1: Talin-1



4.2.9 Score per residue for model 9

- Molecule 1: Talin-1






4.2.10 Score per residue for model 10

- Molecule 1: Talin-1


Chain A: 67% 24% 6%



4.2.11 Score per residue for model 11

- Molecule 1: Talin-1


Chain A: 59% 34% 6%



4.2.12 Score per residue for model 12

- Molecule 1: Talin-1


Chain A: 61% 32% 6%



4.2.13 Score per residue for model 13

- Molecule 1: Talin-1


Chain A: 60% 33% 6%



4.2.14 Score per residue for model 14

- Molecule 1: Talin-1


Chain A: 64% 29% 6%



4.2.15 Score per residue for model 15

- Molecule 1: Talin-1


Chain A: 63% 30% 6%



4.2.16 Score per residue for model 16


- Molecule 1: Talin-1

Chain A: 63% 30% 6%




4.2.17 Score per residue for model 17

- Molecule 1: Talin-1




4.2.18 Score per residue for model 18

- Molecule 1: Talin-1




4.2.19 Score per residue for model 19

- Molecule 1: Talin-1



4.2.20 Score per residue for model 20

- Molecule 1: Talin-1



Tl752	Ll753	Sl754	Hl755	Pl756	Ql757	Ql758
Ll762	Tl765	Ll775	Kl780	El781	Al782	Gl783
Gl784	Ql788	Al789	Tl792	Al795	El798	Al799
Vl800	Ml803	Vl807	Tl811	Tl812	Tl813	Ll814
Ml815	El816	Al821	Gl822			

5 Refinement protocol and experimental data overview

The models were refined using the following method: *SIMULATED ANNEALING, MOLECULAR DYNAMICS, TORSION ANGLE DYNAMICS*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *STRUCTURES WITH THE LOWEST ENERGY*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
ARIA	refinement	1.2
CYANA	structure solution	2.1

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 15457
Number of chemical shift lists	1
Total number of shifts	2034
Number of shifts mapped to atoms	2034
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	91%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality ⓘ

6.1 Standard geometry ⓘ

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1202	1198	1198	37±5
All	All	24040	23960	23960	746

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:1785:ASN:HD21	1:A:1788:GLN:HB2	0.87	1.30	5	6
1:A:1690:ARG:HA	1:A:1747:GLY:HA2	0.85	1.48	1	3
1:A:1716:LEU:HD13	1:A:1734:MET:HE3	0.79	1.54	12	20
1:A:1687:LEU:HD12	1:A:1750:SER:HB2	0.77	1.57	2	2
1:A:1817:ALA:HA	1:A:1820:ALA:HB3	0.77	1.55	2	6
1:A:1789:ALA:HA	1:A:1792:THR:HB	0.74	1.58	3	2
1:A:1757:GLN:HA	1:A:1757:GLN:HE21	0.74	1.40	13	1
1:A:1789:ALA:HB1	1:A:1792:THR:HB	0.73	1.59	16	13
1:A:1668:LEU:HD12	1:A:1671:CYS:SG	0.72	2.24	8	7
1:A:1749:ALA:HA	1:A:1758:GLN:HB2	0.72	1.61	14	2
1:A:1782:ALA:HA	1:A:1789:ALA:HB2	0.71	1.61	17	2
1:A:1712:LEU:HD11	1:A:1734:MET:HB2	0.70	1.62	5	20
1:A:1690:ARG:HD3	1:A:1692:GLY:H	0.69	1.47	20	1
1:A:1726:GLN:HE21	1:A:1726:GLN:HA	0.69	1.48	14	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:1713:ILE:HG22	1:A:1800:VAL:HG23	0.69	1.63	9	17
1:A:1706:VAL:HG12	1:A:1807:VAL:HG13	0.68	1.65	6	17
1:A:1731:VAL:HG13	1:A:1776:LEU:HD22	0.68	1.66	6	15
1:A:1713:ILE:HD13	1:A:1803:MET:HB3	0.67	1.67	17	19
1:A:1698:LEU:HD22	1:A:1744:ALA:HA	0.66	1.67	16	1
1:A:1795:ALA:HA	1:A:1798:GLU:HG2	0.65	1.68	9	4
1:A:1709:ILE:O	1:A:1713:ILE:HG13	0.65	1.92	19	20
1:A:1774:GLN:HE21	1:A:1774:GLN:HA	0.64	1.51	9	1
1:A:1716:LEU:HD22	1:A:1775:LEU:HD11	0.64	1.69	1	20
1:A:1675:LEU:HG	1:A:1742:THR:HG23	0.63	1.70	6	20
1:A:1690:ARG:HG3	1:A:1692:GLY:H	0.63	1.53	11	1
1:A:1749:ALA:HA	1:A:1758:GLN:CG	0.63	2.24	10	8
1:A:1785:ASN:ND2	1:A:1788:GLN:HB2	0.62	2.09	10	5
1:A:1677:GLN:HA	1:A:1677:GLN:HE21	0.62	1.54	8	1
1:A:1781:GLU:HB2	1:A:1792:THR:HG21	0.62	1.72	2	10
1:A:1742:THR:O	1:A:1746:VAL:HG23	0.62	1.93	12	20
1:A:1785:ASN:HD21	1:A:1788:GLN:HB3	0.62	1.53	15	2
1:A:1690:ARG:HH11	1:A:1691:GLU:HB2	0.61	1.54	13	1
1:A:1749:ALA:HA	1:A:1758:GLN:HG3	0.61	1.72	10	5
1:A:1662:GLU:HB2	1:A:1780:LYS:HD2	0.61	1.72	1	4
1:A:1749:ALA:HB2	1:A:1762:LEU:HD22	0.61	1.72	20	5
1:A:1696:GLU:HA	1:A:1699:HIS:CD2	0.60	2.31	20	1
1:A:1733:GLN:O	1:A:1736:GLN:HG2	0.59	1.97	10	7
1:A:1699:HIS:CE1	1:A:1815:ASN:HA	0.58	2.33	18	3
1:A:1747:GLY:O	1:A:1751:LYS:HG3	0.58	1.98	16	2
1:A:1661:CYS:HA	1:A:1731:VAL:HG11	0.57	1.73	16	13
1:A:1747:GLY:O	1:A:1751:LYS:HG2	0.57	1.99	15	4
1:A:1719:ALA:HA	1:A:1723:GLU:HB2	0.57	1.76	1	7
1:A:1710:SER:HA	1:A:1713:ILE:HD12	0.57	1.76	8	6
1:A:1687:LEU:HD11	1:A:1746:VAL:HG12	0.57	1.76	2	1
1:A:1690:ARG:HD3	1:A:1693:ILE:H	0.57	1.59	3	1
1:A:1710:SER:HB2	1:A:1807:VAL:HG11	0.56	1.77	12	8
1:A:1675:LEU:HB3	1:A:1766:LYS:HB2	0.56	1.77	11	2
1:A:1713:ILE:HD13	1:A:1803:MET:CB	0.56	2.30	10	19
1:A:1690:ARG:HD3	1:A:1698:LEU:HD21	0.56	1.78	11	3
1:A:1701:GLN:HE21	1:A:1744:ALA:HB2	0.56	1.61	5	1
1:A:1689:PRO:HA	1:A:1750:SER:HB3	0.55	1.79	11	1
1:A:1732:SER:O	1:A:1736:GLN:HG3	0.55	2.01	4	2
1:A:1705:ALA:HB3	1:A:1741:LEU:HD21	0.55	1.79	15	3
1:A:1703:LEU:HD22	1:A:1815:ASN:HD21	0.54	1.60	20	2
1:A:1690:ARG:HB3	1:A:1751:LYS:HB2	0.54	1.79	18	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:1803:MET:O	1:A:1807:VAL:HG23	0.54	2.03	18	19
1:A:1703:LEU:HD23	1:A:1811:THR:HG23	0.54	1.79	17	9
1:A:1748:ALA:HB3	1:A:1761:LEU:HD11	0.54	1.78	16	14
1:A:1706:VAL:HG22	1:A:1807:VAL:HG13	0.53	1.79	10	1
1:A:1724:ALA:HB2	1:A:1784:GLY:HA3	0.53	1.80	17	11
1:A:1782:ALA:HB2	1:A:1792:THR:HG22	0.53	1.80	13	5
1:A:1675:LEU:HD13	1:A:1766:LYS:HA	0.53	1.80	9	2
1:A:1723:GLU:HB3	1:A:1726:GLN:HB2	0.53	1.80	1	1
1:A:1789:ALA:HB1	1:A:1793:GLN:HG3	0.53	1.79	3	2
1:A:1812:THR:O	1:A:1816:GLU:HG3	0.53	2.04	11	5
1:A:1705:ALA:O	1:A:1709:ILE:HG13	0.52	2.04	2	20
1:A:1709:ILE:HD13	1:A:1738:PHE:CE1	0.52	2.40	10	12
1:A:1741:LEU:HD22	1:A:1765:THR:HG23	0.52	1.81	7	3
1:A:1789:ALA:HB1	1:A:1792:THR:CB	0.52	2.30	16	1
1:A:1698:LEU:CD2	1:A:1744:ALA:HA	0.52	2.35	16	1
1:A:1720:ALA:HA	1:A:1727:LEU:HD22	0.52	1.80	8	4
1:A:1733:GLN:O	1:A:1736:GLN:HG3	0.52	2.05	14	1
1:A:1703:LEU:HG	1:A:1815:ASN:HD21	0.52	1.64	1	2
1:A:1681:ALA:HB3	1:A:1687:LEU:HD23	0.52	1.81	11	4
1:A:1690:ARG:HA	1:A:1747:GLY:CA	0.51	2.31	1	2
1:A:1726:GLN:O	1:A:1730:LYS:HG2	0.51	2.05	13	3
1:A:1782:ALA:HB2	1:A:1792:THR:CG2	0.51	2.36	13	1
1:A:1696:GLU:HA	1:A:1699:HIS:ND1	0.51	2.20	19	3
1:A:1757:GLN:OE1	1:A:1813:THR:HG23	0.51	2.06	12	2
1:A:1704:THR:HA	1:A:1707:GLN:HE21	0.51	1.65	12	1
1:A:1671:CYS:HB3	1:A:1742:THR:OG1	0.51	2.06	9	8
1:A:1679:SER:HA	1:A:1762:LEU:HD21	0.51	1.83	8	4
1:A:1748:ALA:O	1:A:1752:THR:HB	0.50	2.06	17	3
1:A:1682:ALA:HB2	1:A:1749:ALA:HB1	0.50	1.82	19	1
1:A:1669:ASN:O	1:A:1673:ARG:HG2	0.50	2.06	3	3
1:A:1773:LEU:HG	1:A:1777:TYR:CE2	0.50	2.42	19	3
1:A:1698:LEU:HD22	1:A:1744:ALA:CA	0.50	2.35	16	1
1:A:1709:ILE:HD13	1:A:1738:PHE:CE2	0.50	2.42	9	6
1:A:1702:MET:HA	1:A:1741:LEU:CD2	0.50	2.37	12	2
1:A:1658:GLN:HA	1:A:1658:GLN:OE1	0.50	2.07	4	1
1:A:1760:ALA:O	1:A:1764:GLN:HG2	0.50	2.07	7	1
1:A:1726:GLN:HB3	1:A:1730:LYS:HE2	0.50	1.84	7	1
1:A:1702:MET:O	1:A:1706:VAL:HG23	0.49	2.07	9	18
1:A:1694:SER:O	1:A:1698:LEU:HG	0.49	2.08	16	1
1:A:1703:LEU:HD13	1:A:1811:THR:HG23	0.49	1.83	20	1
1:A:1789:ALA:HA	1:A:1792:THR:CB	0.49	2.34	3	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:1662:GLU:HA	1:A:1665:ILE:HB	0.49	1.85	6	1
1:A:1690:ARG:HB3	1:A:1747:GLY:CA	0.48	2.37	8	2
1:A:1656:PRO:O	1:A:1724:ALA:HB1	0.48	2.08	12	5
1:A:1786:PRO:HB3	1:A:1793:GLN:NE2	0.48	2.24	16	1
1:A:1709:ILE:O	1:A:1712:LEU:HG	0.48	2.07	8	7
1:A:1720:ALA:HA	1:A:1727:LEU:HD13	0.48	1.86	17	2
1:A:1706:VAL:CG1	1:A:1807:VAL:HG13	0.48	2.38	11	5
1:A:1658:GLN:HG3	1:A:1780:LYS:O	0.48	2.08	14	3
1:A:1690:ARG:NH1	1:A:1691:GLU:HB2	0.48	2.22	13	1
1:A:1794:GLU:HG3	1:A:1795:ALA:N	0.47	2.24	11	1
1:A:1672:LEU:HD11	1:A:1770:GLU:CG	0.47	2.38	4	2
1:A:1760:ALA:O	1:A:1764:GLN:HG3	0.47	2.09	11	2
1:A:1714:GLU:HB2	1:A:1715:PRO:CD	0.47	2.39	5	1
1:A:1691:GLU:HG3	1:A:1743:LEU:HD13	0.47	1.87	13	1
1:A:1690:ARG:CA	1:A:1747:GLY:HA2	0.47	2.32	1	1
1:A:1661:CYS:SG	1:A:1731:VAL:HG21	0.47	2.49	18	5
1:A:1701:GLN:OE1	1:A:1744:ALA:HB2	0.47	2.10	13	1
1:A:1717:ALA:O	1:A:1721:ARG:HG2	0.47	2.08	10	1
1:A:1713:ILE:CD1	1:A:1803:MET:HB3	0.47	2.36	17	8
1:A:1713:ILE:HG12	1:A:1734:MET:HE2	0.47	1.87	16	7
1:A:1780:LYS:HE2	1:A:1781:GLU:OE1	0.47	2.09	9	1
1:A:1736:GLN:O	1:A:1740:PRO:HD2	0.47	2.10	14	2
1:A:1661:CYS:O	1:A:1665:ILE:HG13	0.47	2.10	7	3
1:A:1733:GLN:HA	1:A:1736:GLN:NE2	0.47	2.25	12	1
1:A:1791:HIS:O	1:A:1794:GLU:HG2	0.47	2.10	11	1
1:A:1703:LEU:O	1:A:1707:GLN:HG3	0.47	2.10	12	2
1:A:1691:GLU:CD	1:A:1691:GLU:H	0.46	2.12	19	1
1:A:1798:GLU:O	1:A:1802:MET:HG2	0.46	2.10	12	1
1:A:1669:ASN:O	1:A:1673:ARG:HG3	0.46	2.10	20	3
1:A:1789:ALA:O	1:A:1793:GLN:HG2	0.46	2.11	1	1
1:A:1748:ALA:HA	1:A:1751:LYS:HB3	0.46	1.87	9	1
1:A:1749:ALA:O	1:A:1758:GLN:HG3	0.46	2.09	10	1
1:A:1690:ARG:HH11	1:A:1743:LEU:HA	0.46	1.71	16	1
1:A:1810:LEU:O	1:A:1814:LEU:HG	0.46	2.10	16	1
1:A:1690:ARG:HD3	1:A:1691:GLU:N	0.46	2.26	13	1
1:A:1758:GLN:HG2	1:A:1759:MET:N	0.46	2.24	7	1
1:A:1757:GLN:NE2	1:A:1813:THR:HG23	0.46	2.26	13	1
1:A:1668:LEU:HA	1:A:1671:CYS:SG	0.46	2.51	8	2
1:A:1690:ARG:NH2	1:A:1751:LYS:HA	0.46	2.26	6	1
1:A:1706:VAL:HG21	1:A:1810:LEU:HD23	0.46	1.86	18	2
1:A:1702:MET:SD	1:A:1744:ALA:HB3	0.46	2.50	14	6

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:1703:LEU:HA	1:A:1706:VAL:HG12	0.46	1.88	7	1
1:A:1693:ILE:HG12	1:A:1697:ALA:HB3	0.45	1.88	18	1
1:A:1671:CYS:HB2	1:A:1742:THR:OG1	0.45	2.11	15	5
1:A:1710:SER:HA	1:A:1713:ILE:CD1	0.45	2.41	10	2
1:A:1661:CYS:HB3	1:A:1780:LYS:HB2	0.45	1.86	6	1
1:A:1673:ARG:O	1:A:1677:GLN:HG2	0.45	2.12	8	2
1:A:1702:MET:HE3	1:A:1814:LEU:HD21	0.45	1.87	20	1
1:A:1752:THR:HB	1:A:1758:GLN:HB3	0.45	1.89	14	3
1:A:1691:GLU:HG3	1:A:1743:LEU:HB3	0.45	1.88	9	1
1:A:1695:GLN:O	1:A:1698:LEU:HB2	0.45	2.12	2	3
1:A:1684:SER:HB3	1:A:1686:GLN:HE21	0.45	1.72	1	1
1:A:1738:PHE:CZ	1:A:1768:LEU:HG	0.44	2.47	13	4
1:A:1764:GLN:NE2	1:A:1810:LEU:HA	0.44	2.27	16	1
1:A:1690:ARG:HE	1:A:1693:ILE:HG22	0.44	1.72	19	1
1:A:1797:GLU:HA	1:A:1800:VAL:HG12	0.44	1.89	13	2
1:A:1672:LEU:HD12	1:A:1766:LYS:HG3	0.44	1.88	2	1
1:A:1752:THR:HG23	1:A:1821:ALA:CB	0.44	2.42	5	1
1:A:1672:LEU:HD11	1:A:1770:GLU:HG3	0.44	1.88	1	4
1:A:1690:ARG:NH1	1:A:1692:GLY:HA2	0.44	2.27	1	1
1:A:1712:LEU:HD21	1:A:1734:MET:HA	0.44	1.90	2	3
1:A:1749:ALA:CA	1:A:1758:GLN:HG3	0.44	2.42	10	1
1:A:1752:THR:HG23	1:A:1821:ALA:HB2	0.43	1.90	5	1
1:A:1752:THR:O	1:A:1758:GLN:HG2	0.43	2.12	17	1
1:A:1720:ALA:HB3	1:A:1796:LEU:HD21	0.43	1.90	12	2
1:A:1687:LEU:HD21	1:A:1746:VAL:HG13	0.43	1.90	18	1
1:A:1690:ARG:HH21	1:A:1751:LYS:HA	0.43	1.73	6	1
1:A:1757:GLN:HA	1:A:1757:GLN:OE1	0.43	2.13	6	1
1:A:1687:LEU:HD13	1:A:1688:ALA:O	0.43	2.13	11	1
1:A:1702:MET:SD	1:A:1741:LEU:HD12	0.43	2.54	5	1
1:A:1768:LEU:HD13	1:A:1806:ALA:HB3	0.43	1.91	9	1
1:A:1795:ALA:O	1:A:1798:GLU:HG2	0.43	2.14	20	1
1:A:1678:ALA:HA	1:A:1687:LEU:HD13	0.43	1.90	5	2
1:A:1752:THR:O	1:A:1758:GLN:HB2	0.43	2.14	6	1
1:A:1798:GLU:HA	1:A:1801:GLN:HE21	0.43	1.74	7	1
1:A:1748:ALA:CB	1:A:1761:LEU:HD11	0.43	2.44	2	1
1:A:1716:LEU:HD13	1:A:1734:MET:CE	0.42	2.44	1	4
1:A:1720:ALA:HB2	1:A:1727:LEU:HD13	0.42	1.90	9	1
1:A:1757:GLN:HE21	1:A:1757:GLN:CA	0.42	2.18	13	1
1:A:1713:ILE:CG2	1:A:1800:VAL:HG23	0.42	2.40	8	1
1:A:1749:ALA:HB2	1:A:1762:LEU:HD13	0.42	1.92	19	1
1:A:1718:SER:O	1:A:1721:ARG:HG2	0.42	2.14	13	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:1696:GLU:CD	1:A:1696:GLU:H	0.42	2.17	10	1
1:A:1695:GLN:HG2	1:A:1822:GLY:HA2	0.42	1.91	15	1
1:A:1724:ALA:O	1:A:1727:LEU:HB3	0.42	2.15	3	1
1:A:1812:THR:O	1:A:1816:GLU:HG2	0.42	2.15	10	1
1:A:1764:GLN:HE21	1:A:1810:LEU:HA	0.42	1.75	16	1
1:A:1703:LEU:O	1:A:1706:VAL:HG12	0.42	2.15	10	1
1:A:1690:ARG:HG2	1:A:1751:LYS:HD2	0.41	1.90	7	1
1:A:1787:LYS:HG2	1:A:1788:GLN:H	0.41	1.76	19	1
1:A:1704:THR:HA	1:A:1707:GLN:OE1	0.41	2.16	9	1
1:A:1739:GLU:HB3	1:A:1740:PRO:CD	0.41	2.45	13	2
1:A:1687:LEU:HB3	1:A:1750:SER:HB3	0.41	1.91	6	1
1:A:1693:ILE:HD11	1:A:1697:ALA:HB1	0.41	1.92	6	1
1:A:1690:ARG:HD2	1:A:1751:LYS:HD2	0.41	1.92	10	1
1:A:1785:ASN:ND2	1:A:1788:GLN:HB3	0.41	2.30	13	1
1:A:1716:LEU:CD2	1:A:1775:LEU:HD11	0.41	2.46	14	1
1:A:1764:GLN:OE1	1:A:1810:LEU:HA	0.41	2.15	1	1
1:A:1752:THR:HG23	1:A:1821:ALA:HB1	0.41	1.92	20	1
1:A:1749:ALA:HA	1:A:1758:GLN:HG2	0.41	1.92	13	1
1:A:1714:GLU:N	1:A:1715:PRO:HD2	0.41	2.30	6	1
1:A:1752:THR:HB	1:A:1758:GLN:CB	0.41	2.44	10	1
1:A:1817:ALA:O	1:A:1821:ALA:HB3	0.41	2.15	11	1
1:A:1798:GLU:O	1:A:1802:MET:HB2	0.41	2.15	11	1
1:A:1753:LEU:HD23	1:A:1753:LEU:O	0.41	2.16	19	1
1:A:1716:LEU:HG	1:A:1730:LYS:HB2	0.41	1.93	20	1
1:A:1798:GLU:O	1:A:1802:MET:HG3	0.41	2.16	18	1
1:A:1752:THR:CG2	1:A:1821:ALA:HB1	0.41	2.46	7	1
1:A:1793:GLN:O	1:A:1797:GLU:HG2	0.40	2.16	1	1
1:A:1668:LEU:HD23	1:A:1773:LEU:HA	0.40	1.92	2	1
1:A:1690:ARG:NE	1:A:1693:ILE:HG22	0.40	2.31	19	1
1:A:1704:THR:O	1:A:1708:GLU:HG2	0.40	2.15	13	1
1:A:1719:ALA:O	1:A:1723:GLU:N	0.40	2.54	6	1
1:A:1661:CYS:HB2	1:A:1780:LYS:HG3	0.40	1.94	10	1
1:A:1698:LEU:HD12	1:A:1751:LYS:NZ	0.40	2.31	16	1
1:A:1794:GLU:CG	1:A:1795:ALA:N	0.40	2.85	11	1
1:A:1785:ASN:ND2	1:A:1788:GLN:H	0.40	2.14	17	1
1:A:1679:SER:O	1:A:1683:VAL:HG23	0.40	2.17	3	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	163/174 (94%)	156±2 (96±1%)	5±2 (3±1%)	2±1 (1±1%)	21	68
All	All	3260/3480 (94%)	3116 (96%)	106 (3%)	38 (1%)	21	68

All 6 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	1783	GLY	18
1	A	1692	GLY	9
1	A	1790	ALA	5
1	A	1690	ARG	3
1	A	1691	GLU	2
1	A	1789	ALA	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	124/132 (94%)	119±1 (96±1%)	5±1 (4±1%)	43	85
All	All	2480/2640 (94%)	2384 (96%)	96 (4%)	43	85

All 28 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	1815	ASN	19
1	A	1690	ARG	14
1	A	1696	GLU	5
1	A	1741	LEU	5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	1723	GLU	5
1	A	1796	LEU	5
1	A	1691	GLU	5
1	A	1751	LYS	4
1	A	1785	ASN	3
1	A	1687	LEU	3
1	A	1712	LEU	3
1	A	1787	LYS	3
1	A	1658	GLN	3
1	A	1788	GLN	2
1	A	1758	GLN	2
1	A	1677	GLN	2
1	A	1721	ARG	2
1	A	1672	LEU	1
1	A	1673	ARG	1
1	A	1777	TYR	1
1	A	1757	GLN	1
1	A	1802	MET	1
1	A	1660	GLU	1
1	A	1761	LEU	1
1	A	1726	GLN	1
1	A	1781	GLU	1
1	A	1774	GLN	1
1	A	1699	HIS	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.6 Ligand geometry ⓘ

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 91% for the well-defined parts and 90% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 15457

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2034
Number of shifts mapped to atoms	2034
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	169	-0.81 ± 0.10	Should be applied
$^{13}\text{C}_\beta$	164	0.20 ± 0.07	None needed (< 0.5 ppm)
$^{13}\text{C}'$	170	-0.52 ± 0.09	Should be applied
^{15}N	162	-0.31 ± 0.19	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 91%, i.e. 1672 atoms were assigned a chemical shift out of a possible 1843. 29 out of 29 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	799/810 (99%)	319/323 (99%)	323/328 (98%)	157/159 (99%)
Sidechain	844/980 (86%)	514/566 (91%)	320/380 (84%)	10/34 (29%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	29/53 (55%)	15/29 (52%)	14/20 (70%)	0/4 (0%)
Overall	1672/1843 (91%)	848/918 (92%)	657/728 (90%)	167/197 (85%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 90%, i.e. 1755 atoms were assigned a chemical shift out of a possible 1951. 29 out of 29 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	833/856 (97%)	332/341 (97%)	339/348 (97%)	162/167 (97%)
Sidechain	884/1026 (86%)	539/594 (91%)	335/398 (84%)	10/34 (29%)
Aromatic	38/69 (55%)	20/38 (53%)	18/26 (69%)	0/5 (0%)
Overall	1755/1951 (90%)	891/973 (92%)	692/772 (90%)	172/206 (83%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	1708	GLU	HB2	0.95	3.08 – 0.98	-5.2

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

