



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 10:04 AM GMT

PDB ID : 3KOY
Title : Crystal Structure of ornithine 4,5 aminomutase in complex with ornithine (Aerobic)
Authors : Wolthers, K.R.; Levy, C.W.; Scrutton, N.S.; Leys, D.
Deposited on : 2009-11-14
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	763	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 61%, green 32%, grey 5%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> % 61% 32% • 5% </div> </div>
1	B	763	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, yellow 58%, green 34%, orange 5%, grey 5%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> 58% 34% • 5% </div> </div>
1	C	763	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, yellow 59%, green 33%, orange 5%, grey 5%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> 59% 33% • 5% </div> </div>
1	D	763	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 62%, green 31%, grey 5%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> % 62% 31% • 5% </div> </div>
2	E	121	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, yellow 54%, green 36%, orange 9%, grey 9%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> 54% 36% • 9% </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	121	 % 61% 26% 9%
2	G	121	 % 55% 32% 9%
2	H	121	 % 60% 31% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	B12	A	1801	X	-	X	-
3	B12	B	1801	X	-	X	-
3	B12	C	1801	X	-	X	-
3	B12	D	1801	X	-	X	-
4	5AD	A	1500	X	-	-	X
4	5AD	B	1500	X	-	-	X
4	5AD	C	1500	X	-	-	-
4	5AD	D	1500	X	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 26592 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-ornithine aminomutase E component.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	728	Total	C	N	O	S	0	0	0
			5634	3550	976	1075	33			
1	B	728	Total	C	N	O	S	0	0	0
			5665	3574	983	1074	34			
1	C	728	Total	C	N	O	S	0	0	0
			5654	3570	981	1069	34			
1	D	728	Total	C	N	O	S	0	0	0
			5664	3575	984	1071	34			

There are 104 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ILE	SEE REMARK 999	UNP Q8VPJ5
A	?	-	ASP	SEE REMARK 999	UNP Q8VPJ5
A	?	-	GLY	SEE REMARK 999	UNP Q8VPJ5
A	744	SER	-	EXPRESSION TAG	UNP Q8VPJ5
A	745	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
A	746	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
A	747	PRO	-	EXPRESSION TAG	UNP Q8VPJ5
A	748	ASN	-	EXPRESSION TAG	UNP Q8VPJ5
A	749	SER	-	EXPRESSION TAG	UNP Q8VPJ5
A	750	SER	-	EXPRESSION TAG	UNP Q8VPJ5
A	751	SER	-	EXPRESSION TAG	UNP Q8VPJ5
A	752	VAL	-	EXPRESSION TAG	UNP Q8VPJ5
A	753	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
A	754	LYS	-	EXPRESSION TAG	UNP Q8VPJ5
A	755	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
A	756	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
A	757	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
A	758	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
A	759	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
A	760	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
A	761	HIS	-	EXPRESSION TAG	UNP Q8VPJ5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	762	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
A	763	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
A	764	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
A	765	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
A	766	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
B	?	-	ILE	SEE REMARK 999	UNP Q8VPJ5
B	?	-	ASP	SEE REMARK 999	UNP Q8VPJ5
B	?	-	GLY	SEE REMARK 999	UNP Q8VPJ5
B	744	SER	-	EXPRESSION TAG	UNP Q8VPJ5
B	745	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
B	746	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
B	747	PRO	-	EXPRESSION TAG	UNP Q8VPJ5
B	748	ASN	-	EXPRESSION TAG	UNP Q8VPJ5
B	749	SER	-	EXPRESSION TAG	UNP Q8VPJ5
B	750	SER	-	EXPRESSION TAG	UNP Q8VPJ5
B	751	SER	-	EXPRESSION TAG	UNP Q8VPJ5
B	752	VAL	-	EXPRESSION TAG	UNP Q8VPJ5
B	753	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
B	754	LYS	-	EXPRESSION TAG	UNP Q8VPJ5
B	755	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
B	756	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
B	757	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
B	758	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
B	759	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
B	760	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
B	761	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
B	762	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
B	763	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
B	764	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
B	765	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
B	766	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
C	?	-	ILE	SEE REMARK 999	UNP Q8VPJ5
C	?	-	ASP	SEE REMARK 999	UNP Q8VPJ5
C	?	-	GLY	SEE REMARK 999	UNP Q8VPJ5
C	744	SER	-	EXPRESSION TAG	UNP Q8VPJ5
C	745	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
C	746	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
C	747	PRO	-	EXPRESSION TAG	UNP Q8VPJ5
C	748	ASN	-	EXPRESSION TAG	UNP Q8VPJ5
C	749	SER	-	EXPRESSION TAG	UNP Q8VPJ5
C	750	SER	-	EXPRESSION TAG	UNP Q8VPJ5
C	751	SER	-	EXPRESSION TAG	UNP Q8VPJ5

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	752	VAL	-	EXPRESSION TAG	UNP Q8VPJ5
C	753	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
C	754	LYS	-	EXPRESSION TAG	UNP Q8VPJ5
C	755	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
C	756	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
C	757	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
C	758	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
C	759	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
C	760	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
C	761	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
C	762	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
C	763	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
C	764	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
C	765	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
C	766	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
D	?	-	ILE	SEE REMARK 999	UNP Q8VPJ5
D	?	-	ASP	SEE REMARK 999	UNP Q8VPJ5
D	?	-	GLY	SEE REMARK 999	UNP Q8VPJ5
D	744	SER	-	EXPRESSION TAG	UNP Q8VPJ5
D	745	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
D	746	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
D	747	PRO	-	EXPRESSION TAG	UNP Q8VPJ5
D	748	ASN	-	EXPRESSION TAG	UNP Q8VPJ5
D	749	SER	-	EXPRESSION TAG	UNP Q8VPJ5
D	750	SER	-	EXPRESSION TAG	UNP Q8VPJ5
D	751	SER	-	EXPRESSION TAG	UNP Q8VPJ5
D	752	VAL	-	EXPRESSION TAG	UNP Q8VPJ5
D	753	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
D	754	LYS	-	EXPRESSION TAG	UNP Q8VPJ5
D	755	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
D	756	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
D	757	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
D	758	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
D	759	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
D	760	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
D	761	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
D	762	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
D	763	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
D	764	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
D	765	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
D	766	HIS	-	EXPRESSION TAG	UNP Q8VPJ5

- Molecule 2 is a protein called D-ornithine aminomutase S component.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	110	Total	C	N	O	S	0	0	0
			860	541	153	162	4			
2	F	110	Total	C	N	O	S	0	0	0
			863	542	153	164	4			
2	G	110	Total	C	N	O	S	0	0	0
			860	541	153	162	4			
2	H	110	Total	C	N	O	S	0	0	0
			860	541	153	162	4			

- Molecule 3 is COBALAMIN (three-letter code: B12) (formula: $C_{62}H_{89}CoN_{13}O_{14}P$).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total 91	C 62	Co 1	N 13	O 14	P 1	0	0
3	D	1	Total 91	C 62	Co 1	N 13	O 14	P 1	0	0
3	C	1	Total 91	C 62	Co 1	N 13	O 14	P 1	0	0
3	B	1	Total 91	C 62	Co 1	N 13	O 14	P 1	0	0

- Molecule 4 is 5'-DEOXYADENOSINE (three-letter code: 5AD) (formula: $C_{10}H_{13}N_5O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	C	1	Total	C	N	O	0	0
			18	10	5	3		
4	B	1	Total	C	N	O	0	0
			18	10	5	3		
4	A	1	Total	C	N	O	0	0
			18	10	5	3		
4	D	1	Total	C	N	O	0	0
			18	10	5	3		

- Molecule 5 is (E)-N 5 -({3-HYDROXY-2-METHYL-5-[(PHOSPHONOOXY)METHYL]PYRIDIN-4-YL} METHYLIDENE)-L-ORNITHINE (three-letter code: Z97) (formula: $C_{13}H_{20}N_3O_7P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	C	1	Total 24	C 13	N 3	O 7	P 1	0	0
5	A	1	Total 24	C 13	N 3	O 7	P 1	0	0
5	B	1	Total 24	C 13	N 3	O 7	P 1	0	0
5	D	1	Total 24	C 13	N 3	O 7	P 1	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: D-ornithine aminomutase E component




- Molecule 1: D-ornithine aminomutase E component






• Molecule 1: D-ornithine aminomutase E component


Chain C: 59% 33% 5%




- Molecule 1: D-ornithine aminomutase E component




- Molecule 2: D-ornithine aminomutase S component




- Molecule 2: D-ornithine aminomutase S component



- Molecule 2: D-ornithine aminomutase S component



● Molecule 2: D-ornithine aminomutase S component



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.52Å 233.22Å 124.14Å 90.00° 103.43° 90.00°	Depositor
Resolution (Å)	60.37 – 2.80 64.70 – 2.80	Depositor EDS
% Data completeness (in resolution range)	93.8 (60.37-2.80) 93.8 (64.70-2.80)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.27 (at 2.81Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.5_2)	Depositor
R, R_{free}	0.183 , 0.263 0.186 , 0.265	Depositor DCC
R_{free} test set	4265 reflections (5.31%)	DCC
Wilson B-factor (Å ²)	43.7	Xtriage
Anisotropy	0.571	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 36.8	EDS
Estimated twinning fraction	0.029 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 84568 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	26592	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 13.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: Z97, B12, 5AD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/5739	0.61	0/7776
1	B	0.44	0/5770	0.61	0/7809
1	C	0.43	0/5759	0.60	0/7796
1	D	0.44	0/5769	0.61	0/7808
2	E	0.44	0/872	0.59	0/1170
2	F	0.44	0/875	0.63	0/1174
2	G	0.42	0/872	0.58	0/1170
2	H	0.46	0/872	0.57	0/1170
All	All	0.43	0/26528	0.61	0/35873

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5634	0	5544	217	0
1	B	5665	0	5629	238	0
1	C	5654	0	5621	223	0
1	D	5664	0	5636	231	0
2	E	860	0	865	34	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	F	863	0	867	30	0
2	G	860	0	865	42	0
2	H	860	0	865	34	0
3	A	91	0	87	24	0
3	B	91	0	87	22	0
3	C	91	0	87	26	0
3	D	91	0	87	33	0
4	A	18	0	8	3	0
4	B	18	0	8	4	0
4	C	18	0	9	2	0
4	D	18	0	8	2	0
5	A	24	0	18	0	0
5	B	24	0	18	4	0
5	C	24	0	18	2	0
5	D	24	0	18	3	0
All	All	26592	0	26345	1054	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

The worst 5 of 1054 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:5:ASP:HA	2:E:7:PHE:N	1.53	1.22
2:F:5:ASP:HA	2:F:7:PHE:N	1.61	1.13
1:A:43:MET:HE1	1:A:72:PRO:HA	1.30	1.09
1:D:537:GLU:HG3	1:D:554:VAL:HG21	1.36	1.07
1:A:306:GLU:HG3	1:A:307:ALA:H	0.87	1.03

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	722/763 (95%)	651 (90%)	61 (8%)	10 (1%)	14	42
1	B	722/763 (95%)	659 (91%)	56 (8%)	7 (1%)	19	52
1	C	722/763 (95%)	658 (91%)	58 (8%)	6 (1%)	24	58
1	D	722/763 (95%)	670 (93%)	49 (7%)	3 (0%)	39	74
2	E	108/121 (89%)	102 (94%)	5 (5%)	1 (1%)	21	55
2	F	108/121 (89%)	100 (93%)	6 (6%)	2 (2%)	10	32
2	G	108/121 (89%)	98 (91%)	8 (7%)	2 (2%)	10	32
2	H	108/121 (89%)	95 (88%)	12 (11%)	1 (1%)	21	55
All	All	3320/3536 (94%)	3033 (91%)	255 (8%)	32 (1%)	19	52

5 of 32 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	6	GLN
2	E	6	ASP
1	C	6	GLN
1	C	461	ASP
2	G	6	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	594/644 (92%)	574 (97%)	20 (3%)	44	78
1	B	602/644 (94%)	560 (93%)	42 (7%)	19	47
1	C	600/644 (93%)	558 (93%)	42 (7%)	19	47
1	D	602/644 (94%)	558 (93%)	44 (7%)	17	44
2	E	89/100 (89%)	83 (93%)	6 (7%)	20	50
2	F	90/100 (90%)	84 (93%)	6 (7%)	20	50
2	G	89/100 (89%)	83 (93%)	6 (7%)	20	50
2	H	89/100 (89%)	83 (93%)	6 (7%)	20	50

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	2755/2976 (93%)	2583 (94%)	172 (6%)	23 54

5 of 172 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	15	VAL
1	C	497	VAL
1	D	668	THR
1	C	39	GLU
1	C	206	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 6 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	245	HIS
1	D	248	ASN
1	D	115	HIS
1	B	630	HIS
1	D	245	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	5AD	A	1500	3	15,20,20	2.12	4 (26%)	14,30,30	6.57	8 (57%)
3	B12	A	1801	1,4	74,101,101	1.08	5 (6%)	111,166,166	2.13	27 (24%)
5	Z97	A	767	-	21,24,24	2.73	7 (33%)	25,33,33	2.12	6 (24%)
4	5AD	B	1500	3	15,20,20	2.34	4 (26%)	14,30,30	6.89	8 (57%)
3	B12	B	1801	1,4	74,101,101	1.11	5 (6%)	111,166,166	2.03	25 (22%)
5	Z97	B	767	-	21,24,24	2.47	7 (33%)	25,33,33	1.65	5 (20%)
4	5AD	C	1500	3	15,20,20	2.28	4 (26%)	14,30,30	6.49	8 (57%)
3	B12	C	1801	1,4	74,101,101	1.22	6 (8%)	111,166,166	2.26	24 (21%)
5	Z97	C	767	-	21,24,24	2.61	6 (28%)	25,33,33	1.83	4 (16%)
4	5AD	D	1500	3	15,20,20	2.32	5 (33%)	14,30,30	6.56	8 (57%)
3	B12	D	1801	1,4	74,101,101	1.15	6 (8%)	111,166,166	2.07	22 (19%)
5	Z97	D	767	-	21,24,24	2.64	7 (33%)	25,33,33	2.24	6 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	5AD	A	1500	3	2/2/4/4	0/0/20/20	0/3/3/3
3	B12	A	1801	1,4	1/1/36/38	0/51/223/223	0/3/11/11
5	Z97	A	767	-	-	0/14/18/18	0/1/1/1
4	5AD	B	1500	3	2/2/4/4	0/0/20/20	0/3/3/3
3	B12	B	1801	1,4	1/1/36/38	0/51/223/223	0/3/11/11
5	Z97	B	767	-	-	0/14/18/18	0/1/1/1
4	5AD	C	1500	3	3/3/4/4	0/0/20/20	0/3/3/3
3	B12	C	1801	1,4	1/1/36/38	0/51/223/223	0/3/11/11
5	Z97	C	767	-	-	0/14/18/18	0/1/1/1
4	5AD	D	1500	3	3/3/4/4	0/0/20/20	0/3/3/3
3	B12	D	1801	1,4	1/1/36/38	0/51/223/223	0/3/11/11
5	Z97	D	767	-	-	0/14/18/18	0/1/1/1

The worst 5 of 66 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1801	B12	C11-C10	-4.45	1.33	1.41
3	C	1801	B12	C11-C10	-4.34	1.33	1.41
3	A	1801	B12	C11-C10	-3.91	1.34	1.41
3	C	1801	B12	C8B-N1B	-3.79	1.33	1.38
3	D	1801	B12	C11-C10	-3.72	1.34	1.41

The worst 5 of 151 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1500	5AD	N3-C2-N1	-12.16	119.58	128.89
4	B	1500	5AD	N3-C2-N1	-11.72	119.92	128.89
4	C	1500	5AD	N3-C2-N1	-11.63	119.99	128.89
4	A	1500	5AD	N3-C2-N1	-11.06	120.43	128.89
3	C	1801	B12	C20-C1-C19	-9.20	100.35	109.38

5 of 14 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	1500	5AD	C2'
4	A	1500	5AD	C3'
3	A	1801	B12	C19
3	D	1801	B12	C19
4	B	1500	5AD	C2'

There are no torsion outliers.

There are no ring outliers.

11 monomers are involved in 114 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1500	5AD	3	0
3	A	1801	B12	24	0
4	B	1500	5AD	4	0
3	B	1801	B12	22	0
5	B	767	Z97	4	0
4	C	1500	5AD	2	0
3	C	1801	B12	26	0
5	C	767	Z97	2	0
4	D	1500	5AD	2	0
3	D	1801	B12	33	0
5	D	767	Z97	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	728/763 (95%)	-0.41	7 (0%) 84 77	16, 34, 103, 118	0
1	B	728/763 (95%)	-0.58	0 100 100	15, 33, 66, 95	0
1	C	728/763 (95%)	-0.58	0 100 100	19, 38, 61, 83	0
1	D	728/763 (95%)	-0.46	8 (1%) 82 74	17, 32, 89, 104	0
2	E	110/121 (90%)	-0.44	0 100 100	25, 40, 62, 73	0
2	F	110/121 (90%)	-0.59	1 (0%) 85 79	26, 38, 53, 72	0
2	G	110/121 (90%)	-0.45	0 100 100	32, 45, 69, 80	0
2	H	110/121 (90%)	-0.40	0 100 100	25, 38, 57, 86	0
All	All	3352/3536 (94%)	-0.50	16 (0%) 91 88	15, 36, 83, 118	0

The worst 5 of 16 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	710	ALA	3.4
1	D	647	VAL	2.9
1	D	714	GLY	2.8
1	A	717	ALA	2.6
1	A	617	GLU	2.3

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	5AD	B	1500	18/18	0.88	0.33	19.46	64,76,83,84	0
4	5AD	A	1500	18/18	0.93	0.21	5.69	37,46,54,55	0
4	5AD	D	1500	18/18	0.92	0.22	2.21	48,60,65,66	0
5	Z97	A	767	24/24	0.97	0.18	1.59	22,29,36,38	0
4	5AD	C	1500	18/18	0.86	0.24	1.34	78,87,94,97	0
5	Z97	C	767	24/24	0.97	0.18	0.65	35,40,50,56	0
3	B12	A	1801	91/91	0.93	0.27	0.63	57,87,98,99	0
3	B12	C	1801	91/91	0.97	0.16	0.56	20,34,46,51	0
5	Z97	D	767	24/24	0.97	0.17	0.53	25,36,41,44	0
3	B12	B	1801	91/91	0.97	0.18	0.32	35,55,67,70	0
5	Z97	B	767	24/24	0.97	0.15	-0.17	22,32,46,50	0
3	B12	D	1801	91/91	0.94	0.19	-0.65	40,73,84,86	0

6.5 Other polymers [i](#)

There are no such residues in this entry.