



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 10:07 AM GMT

PDB ID : 3KR5
Title : Structure of a protease 4
Authors : McGowan, S.; Whisstock, J.C.
Deposited on : 2009-11-17
Resolution : 2.56 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3324 (2.60-2.52)
Clashscore	102246	3729 (2.60-2.52)
Ramachandran outliers	100387	3673 (2.60-2.52)
Sidechain outliers	100360	3673 (2.60-2.52)
RSRZ outliers	91569	3333 (2.60-2.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	528	<div> <div>2%</div> <div>75%</div> <div>21%</div> <div>..</div> </div>
1	B	528	<div> <div>2%</div> <div>75%</div> <div>22%</div> <div>..</div> </div>
1	C	528	<div> <div>76%</div> <div>21%</div> <div>..</div> </div>
1	D	528	<div> <div>%</div> <div>74%</div> <div>20%</div> <div>..</div> </div>
1	E	528	<div> <div>%</div> <div>73%</div> <div>22%</div> <div>..</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	528	
1	G	528	
1	H	528	
1	I	528	
1	J	528	
1	K	528	
1	L	528	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CO3	D	1002	-	-	X	-
2	CO3	J	1002	-	-	-	X
2	CO3	K	1002	-	-	X	-
5	SO4	E	7	-	-	X	-
5	SO4	G	26	-	-	-	X
6	1PE	A	20	-	-	-	X
6	1PE	B	60	-	-	-	X
6	1PE	D	44	-	-	-	X
6	1PE	D	67	-	-	-	X
6	1PE	F	31	-	-	-	X
6	1PE	F	33	-	-	-	X
6	1PE	G	58	-	-	-	X
6	1PE	H	64	-	-	-	X
6	1PE	K	50	-	-	-	X
6	1PE	L	612	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 50444 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called M17 leucyl aminopeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	518	Total	C	N	O	S	0	0	0
			3980	2556	639	765	20			
1	B	518	Total	C	N	O	S	0	0	0
			3929	2527	635	747	20			
1	C	518	Total	C	N	O	S	0	0	0
			3953	2544	637	752	20			
1	D	513	Total	C	N	O	S	0	0	0
			3928	2531	633	744	20			
1	E	510	Total	C	N	O	S	0	0	0
			3897	2509	626	743	19			
1	F	510	Total	C	N	O	S	0	0	0
			3873	2492	624	738	19			
1	G	516	Total	C	N	O	S	0	0	0
			3989	2560	650	760	19			
1	H	509	Total	C	N	O	S	0	0	0
			3938	2531	640	748	19			
1	I	518	Total	C	N	O	S	0	0	0
			4006	2569	651	766	20			
1	J	513	Total	C	N	O	S	0	0	0
			3954	2539	639	756	20			
1	K	509	Total	C	N	O	S	0	0	0
			3930	2525	637	749	19			
1	L	513	Total	C	N	O	S	0	0	0
			3932	2526	634	753	19			

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	152	GLN	ASN	ENGINEERED	UNP Q8IL11
A	515	GLN	ASN	ENGINEERED	UNP Q8IL11
A	546	GLN	ASN	ENGINEERED	UNP Q8IL11
A	606	HIS	-	EXPRESSION TAG	UNP Q8IL11
A	607	HIS	-	EXPRESSION TAG	UNP Q8IL11

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	608	HIS	-	EXPRESSION TAG	UNP Q8IL11
A	609	HIS	-	EXPRESSION TAG	UNP Q8IL11
A	610	HIS	-	EXPRESSION TAG	UNP Q8IL11
A	611	HIS	-	EXPRESSION TAG	UNP Q8IL11
B	152	GLN	ASN	ENGINEERED	UNP Q8IL11
B	515	GLN	ASN	ENGINEERED	UNP Q8IL11
B	546	GLN	ASN	ENGINEERED	UNP Q8IL11
B	606	HIS	-	EXPRESSION TAG	UNP Q8IL11
B	607	HIS	-	EXPRESSION TAG	UNP Q8IL11
B	608	HIS	-	EXPRESSION TAG	UNP Q8IL11
B	609	HIS	-	EXPRESSION TAG	UNP Q8IL11
B	610	HIS	-	EXPRESSION TAG	UNP Q8IL11
B	611	HIS	-	EXPRESSION TAG	UNP Q8IL11
C	152	GLN	ASN	ENGINEERED	UNP Q8IL11
C	515	GLN	ASN	ENGINEERED	UNP Q8IL11
C	546	GLN	ASN	ENGINEERED	UNP Q8IL11
C	606	HIS	-	EXPRESSION TAG	UNP Q8IL11
C	607	HIS	-	EXPRESSION TAG	UNP Q8IL11
C	608	HIS	-	EXPRESSION TAG	UNP Q8IL11
C	609	HIS	-	EXPRESSION TAG	UNP Q8IL11
C	610	HIS	-	EXPRESSION TAG	UNP Q8IL11
C	611	HIS	-	EXPRESSION TAG	UNP Q8IL11
D	152	GLN	ASN	ENGINEERED	UNP Q8IL11
D	515	GLN	ASN	ENGINEERED	UNP Q8IL11
D	546	GLN	ASN	ENGINEERED	UNP Q8IL11
D	606	HIS	-	EXPRESSION TAG	UNP Q8IL11
D	607	HIS	-	EXPRESSION TAG	UNP Q8IL11
D	608	HIS	-	EXPRESSION TAG	UNP Q8IL11
D	609	HIS	-	EXPRESSION TAG	UNP Q8IL11
D	610	HIS	-	EXPRESSION TAG	UNP Q8IL11
D	611	HIS	-	EXPRESSION TAG	UNP Q8IL11
E	152	GLN	ASN	ENGINEERED	UNP Q8IL11
E	515	GLN	ASN	ENGINEERED	UNP Q8IL11
E	546	GLN	ASN	ENGINEERED	UNP Q8IL11
E	606	HIS	-	EXPRESSION TAG	UNP Q8IL11
E	607	HIS	-	EXPRESSION TAG	UNP Q8IL11
E	608	HIS	-	EXPRESSION TAG	UNP Q8IL11
E	609	HIS	-	EXPRESSION TAG	UNP Q8IL11
E	610	HIS	-	EXPRESSION TAG	UNP Q8IL11
E	611	HIS	-	EXPRESSION TAG	UNP Q8IL11
F	152	GLN	ASN	ENGINEERED	UNP Q8IL11
F	515	GLN	ASN	ENGINEERED	UNP Q8IL11

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	546	GLN	ASN	ENGINEERED	UNP Q8IL11
F	606	HIS	-	EXPRESSION TAG	UNP Q8IL11
F	607	HIS	-	EXPRESSION TAG	UNP Q8IL11
F	608	HIS	-	EXPRESSION TAG	UNP Q8IL11
F	609	HIS	-	EXPRESSION TAG	UNP Q8IL11
F	610	HIS	-	EXPRESSION TAG	UNP Q8IL11
F	611	HIS	-	EXPRESSION TAG	UNP Q8IL11
G	152	GLN	ASN	ENGINEERED	UNP Q8IL11
G	515	GLN	ASN	ENGINEERED	UNP Q8IL11
G	546	GLN	ASN	ENGINEERED	UNP Q8IL11
G	606	HIS	-	EXPRESSION TAG	UNP Q8IL11
G	607	HIS	-	EXPRESSION TAG	UNP Q8IL11
G	608	HIS	-	EXPRESSION TAG	UNP Q8IL11
G	609	HIS	-	EXPRESSION TAG	UNP Q8IL11
G	610	HIS	-	EXPRESSION TAG	UNP Q8IL11
G	611	HIS	-	EXPRESSION TAG	UNP Q8IL11
H	152	GLN	ASN	ENGINEERED	UNP Q8IL11
H	515	GLN	ASN	ENGINEERED	UNP Q8IL11
H	546	GLN	ASN	ENGINEERED	UNP Q8IL11
H	606	HIS	-	EXPRESSION TAG	UNP Q8IL11
H	607	HIS	-	EXPRESSION TAG	UNP Q8IL11
H	608	HIS	-	EXPRESSION TAG	UNP Q8IL11
H	609	HIS	-	EXPRESSION TAG	UNP Q8IL11
H	610	HIS	-	EXPRESSION TAG	UNP Q8IL11
H	611	HIS	-	EXPRESSION TAG	UNP Q8IL11
I	152	GLN	ASN	ENGINEERED	UNP Q8IL11
I	515	GLN	ASN	ENGINEERED	UNP Q8IL11
I	546	GLN	ASN	ENGINEERED	UNP Q8IL11
I	606	HIS	-	EXPRESSION TAG	UNP Q8IL11
I	607	HIS	-	EXPRESSION TAG	UNP Q8IL11
I	608	HIS	-	EXPRESSION TAG	UNP Q8IL11
I	609	HIS	-	EXPRESSION TAG	UNP Q8IL11
I	610	HIS	-	EXPRESSION TAG	UNP Q8IL11
I	611	HIS	-	EXPRESSION TAG	UNP Q8IL11
J	152	GLN	ASN	ENGINEERED	UNP Q8IL11
J	515	GLN	ASN	ENGINEERED	UNP Q8IL11
J	546	GLN	ASN	ENGINEERED	UNP Q8IL11
J	606	HIS	-	EXPRESSION TAG	UNP Q8IL11
J	607	HIS	-	EXPRESSION TAG	UNP Q8IL11
J	608	HIS	-	EXPRESSION TAG	UNP Q8IL11
J	609	HIS	-	EXPRESSION TAG	UNP Q8IL11
J	610	HIS	-	EXPRESSION TAG	UNP Q8IL11

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	611	HIS	-	EXPRESSION TAG	UNP Q8IL11
K	152	GLN	ASN	ENGINEERED	UNP Q8IL11
K	515	GLN	ASN	ENGINEERED	UNP Q8IL11
K	546	GLN	ASN	ENGINEERED	UNP Q8IL11
K	606	HIS	-	EXPRESSION TAG	UNP Q8IL11
K	607	HIS	-	EXPRESSION TAG	UNP Q8IL11
K	608	HIS	-	EXPRESSION TAG	UNP Q8IL11
K	609	HIS	-	EXPRESSION TAG	UNP Q8IL11
K	610	HIS	-	EXPRESSION TAG	UNP Q8IL11
K	611	HIS	-	EXPRESSION TAG	UNP Q8IL11
L	152	GLN	ASN	ENGINEERED	UNP Q8IL11
L	515	GLN	ASN	ENGINEERED	UNP Q8IL11
L	546	GLN	ASN	ENGINEERED	UNP Q8IL11
L	606	HIS	-	EXPRESSION TAG	UNP Q8IL11
L	607	HIS	-	EXPRESSION TAG	UNP Q8IL11
L	608	HIS	-	EXPRESSION TAG	UNP Q8IL11
L	609	HIS	-	EXPRESSION TAG	UNP Q8IL11
L	610	HIS	-	EXPRESSION TAG	UNP Q8IL11
L	611	HIS	-	EXPRESSION TAG	UNP Q8IL11

- Molecule 2 is CARBONATE ION (three-letter code: CO3) (formula: CO₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	1	3		
2	B	1	Total	C	O	0	0
			4	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			4	1	3		
2	D	1	Total	C	O	0	0
			4	1	3		
2	E	1	Total	C	O	0	0
			4	1	3		
2	F	1	Total	C	O	0	0
			4	1	3		
2	G	1	Total	C	O	0	0
			4	1	3		
2	H	1	Total	C	O	0	0
			4	1	3		
2	I	1	Total	C	O	0	0
			4	1	3		
2	J	1	Total	C	O	0	0
			4	1	3		
2	K	1	Total	C	O	0	0
			4	1	3		
2	L	1	Total	C	O	0	0
			4	1	3		

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	2	Total	Zn	0	0
			2	2		
3	J	2	Total	Zn	0	0
			2	2		
3	D	2	Total	Zn	0	0
			2	2		
3	K	2	Total	Zn	0	0
			2	2		
3	E	2	Total	Zn	0	0
			2	2		
3	H	2	Total	Zn	0	0
			2	2		
3	B	2	Total	Zn	0	0
			2	2		
3	I	2	Total	Zn	0	0
			2	2		
3	C	2	Total	Zn	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Zn	0	0
			2	2		
3	L	2	Total	Zn	0	0
			2	2		
3	F	2	Total	Zn	0	0
			2	2		

- Molecule 4 is (2S)-3-[(R)-[(1S)-1-AMINO-3-PHENYLPROPYL](HYDROXY)PHOSPHORYL]-2-BENZYLPROPANOIC ACID (three-letter code: BEY) (formula: C₁₉H₂₄NO₄P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			25	19	1	4	1		
4	B	1	Total	C	N	O	P	0	0
			25	19	1	4	1		
4	C	1	Total	C	N	O	P	0	0
			25	19	1	4	1		
4	D	1	Total	C	N	O	P	0	0
			25	19	1	4	1		
4	E	1	Total	C	N	O	P	0	0
			25	19	1	4	1		
4	F	1	Total	C	N	O	P	0	0
			25	19	1	4	1		
4	G	1	Total	C	N	O	P	0	0
			25	19	1	4	1		
4	H	1	Total	C	N	O	P	0	0
			25	19	1	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	I	1	Total	C	N	O	P	0	0
			25	19	1	4	1		
4	J	1	Total	C	N	O	P	0	0
			25	19	1	4	1		
4	K	1	Total	C	N	O	P	0	0
			25	19	1	4	1		
4	L	1	Total	C	N	O	P	0	0
			25	19	1	4	1		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		
5	E	1	Total	O	S	0	0
			5	4	1		
5	E	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	F	1	Total	O	S	0	0
			5	4	1		
5	G	1	Total	O	S	0	0
			5	4	1		
5	G	1	Total	O	S	0	0
			5	4	1		
5	I	1	Total	O	S	0	0
			5	4	1		
5	J	1	Total	O	S	0	0
			5	4	1		
5	J	1	Total	O	S	0	0
			5	4	1		
5	K	1	Total	O	S	0	0
			5	4	1		
5	L	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			9	6	3		
6	A	1	Total	C	O	0	0
			12	8	4		
6	B	1	Total	C	O	0	0
			10	7	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			10	7	3		
6	B	1	Total	C	O	0	0
			10	7	3		
6	C	1	Total	C	O	0	0
			13	9	4		
6	C	1	Total	C	O	0	0
			9	6	3		
6	D	1	Total	C	O	0	0
			10	7	3		
6	D	1	Total	C	O	0	0
			11	8	3		
6	D	1	Total	C	O	0	0
			10	7	3		
6	D	1	Total	C	O	0	0
			7	5	2		
6	E	1	Total	C	O	0	0
			12	8	4		
6	E	1	Total	C	O	0	0
			12	8	4		
6	E	1	Total	C	O	0	0
			8	5	3		
6	F	1	Total	C	O	0	0
			10	6	4		
6	F	1	Total	C	O	0	0
			10	6	4		
6	F	1	Total	C	O	0	0
			10	6	4		
6	G	1	Total	C	O	0	0
			9	6	3		
6	G	1	Total	C	O	0	0
			7	4	3		
6	G	1	Total	C	O	0	0
			6	4	2		
6	G	1	Total	C	O	0	0
			6	4	2		
6	G	1	Total	C	O	0	0
			15	10	5		
6	H	1	Total	C	O	0	0
			10	7	3		
6	H	1	Total	C	O	0	0
			10	7	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	I	1	Total	C	O	0	0
			15	10	5		
6	I	1	Total	C	O	0	0
			11	8	3		
6	I	1	Total	C	O	0	0
			7	5	2		
6	J	1	Total	C	O	0	0
			11	7	4		
6	J	1	Total	C	O	0	0
			10	6	4		
6	J	1	Total	C	O	0	0
			10	7	3		
6	K	1	Total	C	O	0	0
			12	8	4		
6	K	1	Total	C	O	0	0
			12	8	4		
6	K	1	Total	C	O	0	0
			11	7	4		
6	K	1	Total	C	O	0	0
			6	4	2		
6	L	1	Total	C	O	0	0
			10	6	4		
6	L	1	Total	C	O	0	0
			12	8	4		
6	L	1	Total	C	O	0	0
			11	7	4		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	217	Total	O	0	0
			217	217		
7	B	158	Total	O	0	0
			158	158		
7	C	188	Total	O	0	0
			188	188		
7	D	182	Total	O	0	0
			182	182		
7	E	203	Total	O	0	0
			203	203		
7	F	165	Total	O	0	0
			165	165		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	G	204	Total 204	O 204	0	0
7	H	203	Total 203	O 203	0	0
7	I	207	Total 207	O 207	0	0
7	J	207	Total 207	O 207	0	0
7	K	222	Total 222	O 222	0	0
7	L	158	Total 158	O 158	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: M17 leucyl aminopeptidase




• Molecule 1: M17 leucyl aminopeptidase





• Molecule 1: M17 leucyl aminopeptidase






• Molecule 1: M17 leucyl aminopeptidase





• Molecule 1: M17 leucyl aminopeptidase




• Molecule 1: M17 leucyl aminopeptidase








• Molecule 1: M17 leucyl aminopeptidase




• Molecule 1: M17 leucyl aminopeptidase



• Molecule 1: M17 leucyl aminopeptidase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	172.08Å 174.16Å 227.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	77.70 – 2.56 77.70 – 2.56	Depositor EDS
% Data completeness (in resolution range)	98.8 (77.70-2.56) 98.8 (77.70-2.56)	Depositor EDS
R_{merge}	0.55	Depositor
R_{sym}	0.16	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.02 (at 2.55Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.220 , 0.278 0.224 , 0.281	Depositor DCC
R_{free} test set	10903 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	25.1	Xtriage
Anisotropy	0.511	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 49.0	EDS
Estimated twinning fraction	0.000 for k,h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.25$	Xtriage
Outliers	4 of 217775 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	50444	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 47.88 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 9.3151e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CO3, BEY, ZN, 1PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.67	0/4057	0.71	1/5500 (0.0%)
1	B	0.63	0/4007	0.69	2/5442 (0.0%)
1	C	0.67	1/4031 (0.0%)	0.71	0/5469
1	D	0.69	0/4005	0.74	6/5429 (0.1%)
1	E	0.71	1/3974 (0.0%)	0.76	6/5393 (0.1%)
1	F	0.64	1/3949 (0.0%)	0.76	3/5364 (0.1%)
1	G	0.69	0/4066	0.71	1/5505 (0.0%)
1	H	0.66	0/4014	0.68	0/5434
1	I	0.68	0/4084	0.79	3/5531 (0.1%)
1	J	0.70	0/4031	0.72	0/5461
1	K	0.72	0/4006	0.75	1/5427 (0.0%)
1	L	0.66	0/4009	0.69	1/5440 (0.0%)
All	All	0.68	3/48233 (0.0%)	0.72	24/65395 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	305	CYS	CB-SG	-5.60	1.72	1.81
1	C	305	CYS	CB-SG	-5.25	1.73	1.81
1	F	430	CYS	CB-SG	-5.20	1.73	1.81

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	586	ARG	NE-CZ-NH2	17.78	129.19	120.30
1	I	586	ARG	NE-CZ-NH1	-17.07	111.76	120.30
1	F	586	ARG	NE-CZ-NH2	16.73	128.66	120.30
1	F	586	ARG	NE-CZ-NH1	-16.10	112.25	120.30
1	F	586	ARG	CD-NE-CZ	8.03	134.84	123.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3980	0	3912	93	0
1	B	3929	0	3828	87	1
1	C	3953	0	3882	89	0
1	D	3928	0	3876	102	0
1	E	3897	0	3822	92	0
1	F	3873	0	3772	98	0
1	G	3989	0	3976	95	0
1	H	3938	0	3931	84	0
1	I	4006	0	3986	93	0
1	J	3954	0	3923	120	0
1	K	3930	0	3901	84	0
1	L	3932	0	3862	86	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
2	C	4	0	0	0	0
2	D	4	0	0	2	0
2	E	4	0	0	0	0
2	F	4	0	0	0	0
2	G	4	0	0	0	0
2	H	4	0	0	1	0
2	I	4	0	0	1	0
2	J	4	0	0	1	0
2	K	4	0	0	2	0
2	L	4	0	0	1	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
3	E	2	0	0	0	0
3	F	2	0	0	0	0
3	G	2	0	0	0	0
3	H	2	0	0	0	0
3	I	2	0	0	0	0
3	J	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	K	2	0	0	0	0
3	L	2	0	0	0	0
4	A	25	0	21	4	0
4	B	25	0	22	2	0
4	C	25	0	21	5	0
4	D	25	0	22	6	0
4	E	25	0	22	2	0
4	F	25	0	21	2	0
4	G	25	0	21	2	0
4	H	25	0	22	7	0
4	I	25	0	22	2	0
4	J	25	0	22	3	0
4	K	25	0	22	4	0
4	L	25	0	22	2	0
5	A	15	0	0	0	0
5	C	5	0	0	1	0
5	D	5	0	0	0	0
5	E	10	0	0	3	0
5	F	5	0	0	1	0
5	G	10	0	0	0	0
5	I	5	0	0	1	0
5	J	10	0	0	2	0
5	K	5	0	0	0	0
5	L	5	0	0	0	0
6	A	21	0	22	2	0
6	B	30	0	30	3	0
6	C	22	0	24	1	0
6	D	38	0	38	5	0
6	E	32	0	36	3	0
6	F	30	0	39	1	0
6	G	43	0	47	4	0
6	H	20	0	20	1	0
6	I	33	0	37	5	0
6	J	31	0	36	9	0
6	K	41	0	44	8	0
6	L	33	0	40	5	0
7	A	217	0	0	12	0
7	B	158	0	0	7	0
7	C	188	0	0	6	0
7	D	182	0	0	5	1
7	E	203	0	0	15	0
7	F	165	0	0	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	G	204	0	0	11	0
7	H	203	0	0	6	0
7	I	207	0	0	6	0
7	J	207	0	0	18	0
7	K	222	0	0	7	0
7	L	158	0	0	11	0
All	All	50444	0	47344	1043	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 1043 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:436:LYS:HE2	7:I:3958:HOH:O	1.43	1.15
1:B:257:LYS:HA	1:B:258:ASN:HB3	1.34	1.09
1:J:518:LYS:HE2	7:J:2650:HOH:O	1.52	1.08
1:I:214:LEU:HD21	1:I:222:LEU:HD22	1.39	1.03
1:J:320:LYS:NZ	6:J:3:1PE:H142	1.74	1.02

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:366:LYS:NZ	7:D:3762:HOH:O[4_555]	1.84	0.36

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	514/528 (97%)	493 (96%)	19 (4%)	2 (0%)	39 62

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	516/528 (98%)	488 (95%)	25 (5%)	3 (1%)	30	52
1	C	516/528 (98%)	495 (96%)	18 (4%)	3 (1%)	30	52
1	D	509/528 (96%)	492 (97%)	16 (3%)	1 (0%)	52	74
1	E	506/528 (96%)	487 (96%)	17 (3%)	2 (0%)	39	62
1	F	504/528 (96%)	484 (96%)	14 (3%)	6 (1%)	16	30
1	G	512/528 (97%)	483 (94%)	27 (5%)	2 (0%)	39	62
1	H	503/528 (95%)	477 (95%)	21 (4%)	5 (1%)	19	36
1	I	516/528 (98%)	493 (96%)	22 (4%)	1 (0%)	52	74
1	J	509/528 (96%)	483 (95%)	24 (5%)	2 (0%)	39	62
1	K	503/528 (95%)	479 (95%)	22 (4%)	2 (0%)	39	62
1	L	509/528 (96%)	484 (95%)	24 (5%)	1 (0%)	52	74
All	All	6117/6336 (96%)	5838 (95%)	249 (4%)	30 (0%)	34	57

5 of 30 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	217	ASN
1	B	149	ASN
1	E	230	VAL
1	H	139	ASN
1	B	273	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	426/455 (94%)	407 (96%)	19 (4%)	34	58
1	B	412/455 (90%)	403 (98%)	9 (2%)	60	82
1	C	419/455 (92%)	406 (97%)	13 (3%)	47	73
1	D	417/455 (92%)	395 (95%)	22 (5%)	28	49
1	E	414/455 (91%)	396 (96%)	18 (4%)	35	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	409/455 (90%)	385 (94%)	24 (6%)	24	44
1	G	435/455 (96%)	418 (96%)	17 (4%)	39	64
1	H	430/455 (94%)	412 (96%)	18 (4%)	36	61
1	I	437/455 (96%)	414 (95%)	23 (5%)	28	49
1	J	430/455 (94%)	404 (94%)	26 (6%)	24	43
1	K	427/455 (94%)	412 (96%)	15 (4%)	43	68
1	L	421/455 (92%)	403 (96%)	18 (4%)	35	60
All	All	5077/5460 (93%)	4855 (96%)	222 (4%)	35	59

5 of 222 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	439	TYR
1	H	173	LYS
1	L	92	VAL
1	F	508	GLU
1	G	229	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 22 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	531	ASN
1	G	567	GLN
1	K	602	ASN
1	F	217	ASN
1	G	122	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 100 ligands modelled in this entry, 24 are monoatomic - leaving 76 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	SO4	A	1	-	4,4,4	0.20	0	6,6,6	0.29	0
2	CO3	A	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	BEY	A	1003	3	19,26,26	0.73	0	22,35,35	1.14	2 (9%)
6	1PE	A	19	-	8,8,15	0.61	0	7,7,14	0.21	0
5	SO4	A	2	-	4,4,4	0.32	0	6,6,6	0.47	0
6	1PE	A	20	-	11,11,15	0.64	0	10,10,14	0.35	0
5	SO4	A	24	-	4,4,4	0.23	0	6,6,6	0.32	0
2	CO3	B	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	BEY	B	1003	3	19,26,26	0.87	0	22,35,35	1.29	2 (9%)
6	1PE	B	60	-	9,9,15	0.55	0	8,8,14	0.28	0
6	1PE	B	61	-	9,9,15	0.72	0	8,8,14	0.93	0
6	1PE	B	62	-	9,9,15	0.69	0	8,8,14	0.45	0
2	CO3	C	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	BEY	C	1003	3	19,26,26	1.21	1 (5%)	22,35,35	1.42	3 (13%)
6	1PE	C	17	-	12,12,15	0.92	0	11,11,14	1.07	1 (9%)
6	1PE	C	18	-	8,8,15	0.59	0	7,7,14	0.37	0
5	SO4	C	3	-	4,4,4	0.38	0	6,6,6	0.23	0
2	CO3	D	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	BEY	D	1003	3	19,26,26	0.96	1 (5%)	22,35,35	0.97	1 (4%)
6	1PE	D	44	-	10,10,15	0.71	0	9,9,14	0.45	0
5	SO4	D	5	-	4,4,4	0.20	0	6,6,6	0.13	0
6	1PE	D	63	-	9,9,15	0.71	0	8,8,14	0.42	0
6	1PE	D	67	-	6,6,15	0.73	0	5,5,14	0.37	0
6	1PE	D	9	-	9,9,15	0.61	0	8,8,14	0.58	0
2	CO3	E	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	BEY	E	1003	3	19,26,26	0.73	0	22,35,35	1.57	3 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	SO4	E	22	-	4,4,4	0.30	0	6,6,6	0.40	0
6	1PE	E	43	-	7,7,15	0.47	0	6,6,14	0.50	0
6	1PE	E	612	-	11,11,15	0.61	0	10,10,14	0.42	0
5	SO4	E	7	-	4,4,4	0.43	0	6,6,6	0.37	0
6	1PE	E	8	-	11,11,15	0.53	0	10,10,14	0.44	0
2	CO3	F	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	BEY	F	1003	3	19,26,26	1.11	1 (5%)	22,35,35	1.27	1 (4%)
5	SO4	F	21	-	4,4,4	0.17	0	6,6,6	0.15	0
6	1PE	F	31	-	9,9,15	0.50	0	8,8,14	0.50	0
6	1PE	F	32	-	9,9,15	0.66	0	8,8,14	0.42	0
6	1PE	F	33	-	9,9,15	0.62	0	8,8,14	0.25	0
2	CO3	G	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	BEY	G	1003	3	19,26,26	0.94	0	22,35,35	1.50	1 (4%)
6	1PE	G	12	-	8,8,15	0.50	0	7,7,14	0.20	0
5	SO4	G	23	-	4,4,4	0.14	0	6,6,6	0.21	0
5	SO4	G	26	-	4,4,4	0.23	0	6,6,6	0.08	0
6	1PE	G	30	-	6,6,15	0.55	0	5,5,14	0.41	0
6	1PE	G	47	-	5,5,15	0.41	0	4,4,14	0.27	0
6	1PE	G	48	-	5,5,15	0.64	0	4,4,14	0.76	0
6	1PE	G	58	-	14,14,15	0.74	0	13,13,14	0.54	0
2	CO3	H	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	BEY	H	1003	3	19,26,26	0.80	0	22,35,35	1.31	2 (9%)
6	1PE	H	64	-	9,9,15	0.63	0	8,8,14	0.25	0
6	1PE	H	65	-	9,9,15	0.60	0	8,8,14	0.24	0
2	CO3	I	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	BEY	I	1003	3	19,26,26	0.79	1 (5%)	22,35,35	1.65	4 (18%)
5	SO4	I	17	-	4,4,4	0.22	0	6,6,6	0.16	0
6	1PE	I	21	-	14,14,15	0.73	0	13,13,14	0.51	0
6	1PE	I	22	-	10,10,15	0.58	0	9,9,14	0.54	0
6	1PE	I	66	-	6,6,15	0.62	0	5,5,14	0.53	0
2	CO3	J	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	BEY	J	1003	3	19,26,26	0.84	0	22,35,35	0.98	1 (4%)
5	SO4	J	18	-	4,4,4	0.63	0	6,6,6	0.20	0
6	1PE	J	2	-	10,10,15	0.61	0	9,9,14	0.37	0
5	SO4	J	20	-	4,4,4	0.25	0	6,6,6	0.26	0
6	1PE	J	3	-	9,9,15	0.59	0	8,8,14	0.53	0
6	1PE	J	45	-	9,9,15	0.68	0	8,8,14	0.53	0
2	CO3	K	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	BEY	K	1003	3	19,26,26	0.62	0	22,35,35	2.03	5 (22%)
5	SO4	K	19	-	4,4,4	0.26	0	6,6,6	0.13	0
6	1PE	K	4	-	11,11,15	0.74	0	10,10,14	0.64	0
6	1PE	K	42	-	10,10,15	0.59	0	9,9,14	0.34	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	1PE	K	5	-	11,11,15	0.52	0	10,10,14	0.43	0
6	1PE	K	50	-	5,5,15	0.68	0	4,4,14	0.48	0
6	1PE	L	1	-	9,9,15	0.52	0	8,8,14	0.36	0
2	CO3	L	1002	-	0,3,3	0.00	-	0,3,3	0.00	-
4	BEY	L	1003	3	19,26,26	0.86	1 (5%)	22,35,35	1.20	2 (9%)
5	SO4	L	25	-	4,4,4	0.18	0	6,6,6	0.35	0
6	1PE	L	56	-	10,10,15	0.77	0	9,9,14	0.47	0
6	1PE	L	612	-	11,11,15	0.66	0	10,10,14	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SO4	A	1	-	-	0/0/0/0	0/0/0/0
2	CO3	A	1002	-	-	0/0/0/0	0/0/0/0
4	BEY	A	1003	3	-	0/14/24/24	0/2/2/2
6	1PE	A	19	-	-	0/6/6/13	0/0/0/0
5	SO4	A	2	-	-	0/0/0/0	0/0/0/0
6	1PE	A	20	-	-	0/9/9/13	0/0/0/0
5	SO4	A	24	-	-	0/0/0/0	0/0/0/0
2	CO3	B	1002	-	-	0/0/0/0	0/0/0/0
4	BEY	B	1003	3	-	0/14/24/24	0/2/2/2
6	1PE	B	60	-	-	0/7/7/13	0/0/0/0
6	1PE	B	61	-	-	0/7/7/13	0/0/0/0
6	1PE	B	62	-	-	0/7/7/13	0/0/0/0
2	CO3	C	1002	-	-	0/0/0/0	0/0/0/0
4	BEY	C	1003	3	-	0/14/24/24	0/2/2/2
6	1PE	C	17	-	-	0/10/10/13	0/0/0/0
6	1PE	C	18	-	-	0/6/6/13	0/0/0/0
5	SO4	C	3	-	-	0/0/0/0	0/0/0/0
2	CO3	D	1002	-	-	0/0/0/0	0/0/0/0
4	BEY	D	1003	3	-	0/14/24/24	0/2/2/2
6	1PE	D	44	-	-	0/8/8/13	0/0/0/0
5	SO4	D	5	-	-	0/0/0/0	0/0/0/0
6	1PE	D	63	-	-	0/7/7/13	0/0/0/0
6	1PE	D	67	-	-	0/4/4/13	0/0/0/0
6	1PE	D	9	-	-	0/7/7/13	0/0/0/0
2	CO3	E	1002	-	-	0/0/0/0	0/0/0/0
4	BEY	E	1003	3	-	0/14/24/24	0/2/2/2
5	SO4	E	22	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	1PE	E	43	-	-	0/5/5/13	0/0/0/0
6	1PE	E	612	-	-	0/9/9/13	0/0/0/0
5	SO4	E	7	-	-	0/0/0/0	0/0/0/0
6	1PE	E	8	-	-	0/9/9/13	0/0/0/0
2	CO3	F	1002	-	-	0/0/0/0	0/0/0/0
4	BEY	F	1003	3	-	0/14/24/24	0/2/2/2
5	SO4	F	21	-	-	0/0/0/0	0/0/0/0
6	1PE	F	31	-	-	0/7/7/13	0/0/0/0
6	1PE	F	32	-	-	0/7/7/13	0/0/0/0
6	1PE	F	33	-	-	0/7/7/13	0/0/0/0
2	CO3	G	1002	-	-	0/0/0/0	0/0/0/0
4	BEY	G	1003	3	-	0/14/24/24	0/2/2/2
6	1PE	G	12	-	-	0/6/6/13	0/0/0/0
5	SO4	G	23	-	-	0/0/0/0	0/0/0/0
5	SO4	G	26	-	-	0/0/0/0	0/0/0/0
6	1PE	G	30	-	-	0/4/4/13	0/0/0/0
6	1PE	G	47	-	-	0/3/3/13	0/0/0/0
6	1PE	G	48	-	-	0/3/3/13	0/0/0/0
6	1PE	G	58	-	-	0/12/12/13	0/0/0/0
2	CO3	H	1002	-	-	0/0/0/0	0/0/0/0
4	BEY	H	1003	3	-	0/14/24/24	0/2/2/2
6	1PE	H	64	-	-	0/7/7/13	0/0/0/0
6	1PE	H	65	-	-	0/7/7/13	0/0/0/0
2	CO3	I	1002	-	-	0/0/0/0	0/0/0/0
4	BEY	I	1003	3	-	0/14/24/24	0/2/2/2
5	SO4	I	17	-	-	0/0/0/0	0/0/0/0
6	1PE	I	21	-	-	0/12/12/13	0/0/0/0
6	1PE	I	22	-	-	0/8/8/13	0/0/0/0
6	1PE	I	66	-	-	0/4/4/13	0/0/0/0
2	CO3	J	1002	-	-	0/0/0/0	0/0/0/0
4	BEY	J	1003	3	-	0/14/24/24	0/2/2/2
5	SO4	J	18	-	-	0/0/0/0	0/0/0/0
6	1PE	J	2	-	-	0/8/8/13	0/0/0/0
5	SO4	J	20	-	-	0/0/0/0	0/0/0/0
6	1PE	J	3	-	-	0/7/7/13	0/0/0/0
6	1PE	J	45	-	-	0/7/7/13	0/0/0/0
2	CO3	K	1002	-	-	0/0/0/0	0/0/0/0
4	BEY	K	1003	3	-	0/14/24/24	0/2/2/2
5	SO4	K	19	-	-	0/0/0/0	0/0/0/0
6	1PE	K	4	-	-	0/9/9/13	0/0/0/0
6	1PE	K	42	-	-	0/8/8/13	0/0/0/0
6	1PE	K	5	-	-	0/9/9/13	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	1PE	K	50	-	-	0/3/3/13	0/0/0/0
6	1PE	L	1	-	-	0/7/7/13	0/0/0/0
2	CO3	L	1002	-	-	0/0/0/0	0/0/0/0
4	BEY	L	1003	3	-	0/14/24/24	0/2/2/2
5	SO4	L	25	-	-	0/0/0/0	0/0/0/0
6	1PE	L	56	-	-	0/8/8/13	0/0/0/0
6	1PE	L	612	-	-	0/9/9/13	0/0/0/0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	I	1003	BEY	P-C17	2.21	1.81	1.79
4	L	1003	BEY	P-C17	2.43	1.82	1.79
4	F	1003	BEY	P-C17	2.69	1.82	1.79
4	D	1003	BEY	P-C17	2.86	1.82	1.79
4	C	1003	BEY	P-C17	3.97	1.83	1.79

The worst 5 of 28 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	1003	BEY	C7-C8-C9	-4.48	102.27	111.03
4	K	1003	BEY	C17-C8-C7	-4.44	103.30	110.83
4	B	1003	BEY	C17-C8-C7	-4.08	103.92	110.83
4	E	1003	BEY	C17-C8-C7	-4.05	103.97	110.83
4	L	1003	BEY	C17-C8-C7	-3.32	105.20	110.83

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

49 monomers are involved in 99 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1003	BEY	4	0
6	A	20	1PE	2	0
4	B	1003	BEY	2	0
6	B	60	1PE	1	0
6	B	61	1PE	2	0
4	C	1003	BEY	5	0
6	C	17	1PE	1	0
5	C	3	SO4	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	1002	CO3	2	0
4	D	1003	BEY	6	0
6	D	44	1PE	4	0
6	D	63	1PE	1	0
4	E	1003	BEY	2	0
5	E	22	SO4	1	0
6	E	43	1PE	2	0
6	E	612	1PE	1	0
5	E	7	SO4	2	0
4	F	1003	BEY	2	0
5	F	21	SO4	1	0
6	F	31	1PE	1	0
4	G	1003	BEY	2	0
6	G	30	1PE	1	0
6	G	47	1PE	1	0
6	G	58	1PE	2	0
2	H	1002	CO3	1	0
4	H	1003	BEY	7	0
6	H	65	1PE	1	0
2	I	1002	CO3	1	0
4	I	1003	BEY	2	0
5	I	17	SO4	1	0
6	I	21	1PE	4	0
6	I	22	1PE	1	0
2	J	1002	CO3	1	0
4	J	1003	BEY	3	0
5	J	18	SO4	1	0
6	J	2	1PE	2	0
5	J	20	SO4	1	0
6	J	3	1PE	5	0
6	J	45	1PE	2	0
2	K	1002	CO3	2	0
4	K	1003	BEY	4	0
6	K	4	1PE	1	0
6	K	42	1PE	3	0
6	K	5	1PE	3	0
6	K	50	1PE	1	0
6	L	1	1PE	2	0
2	L	1002	CO3	1	0
4	L	1003	BEY	2	0
6	L	612	1PE	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	518/528 (98%)	0.17	12 (2%) 64 62	13, 25, 45, 61	1 (0%)
1	B	518/528 (98%)	0.22	10 (1%) 70 68	13, 29, 64, 77	0
1	C	518/528 (98%)	0.17	2 (0%) 93 93	11, 26, 49, 59	0
1	D	513/528 (97%)	0.00	4 (0%) 87 87	15, 25, 45, 66	0
1	E	510/528 (96%)	0.04	5 (0%) 84 84	11, 24, 40, 59	0
1	F	510/528 (96%)	0.53	48 (9%) 11 9	18, 30, 60, 72	0
1	G	516/528 (97%)	0.23	9 (1%) 73 71	13, 25, 44, 62	0
1	H	509/528 (96%)	0.16	7 (1%) 78 77	14, 28, 60, 72	0
1	I	518/528 (98%)	0.20	9 (1%) 73 71	15, 26, 52, 64	0
1	J	513/528 (97%)	0.07	5 (0%) 84 84	12, 25, 46, 69	0
1	K	509/528 (96%)	0.02	3 (0%) 90 90	13, 24, 42, 58	0
1	L	513/528 (97%)	0.32	21 (4%) 41 38	16, 28, 55, 63	0
All	All	6165/6336 (97%)	0.18	135 (2%) 65 64	11, 26, 53, 77	1 (0%)

The worst 5 of 135 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	363	GLY	5.9
1	F	362	LYS	5.7
1	B	259	VAL	4.9
1	F	140	GLY	4.8
1	F	156	PHE	4.8

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
6	1PE	D	67	7/16	0.82	0.29	7.05	30,41,53,54	0
6	1PE	L	612	12/16	0.85	0.28	6.51	41,59,63,64	0
6	1PE	F	33	10/16	0.86	0.23	5.45	33,61,63,64	0
5	SO4	G	26	5/5	0.93	0.41	5.34	30,30,30,30	0
6	1PE	D	44	11/16	0.80	0.26	4.99	37,51,60,63	0
2	CO3	J	1002	4/4	0.98	0.18	3.82	27,27,29,31	0
6	1PE	K	50	6/16	0.88	0.21	3.48	11,25,55,55	0
6	1PE	B	60	10/16	0.90	0.25	3.32	33,48,74,75	0
6	1PE	F	31	10/16	0.86	0.22	2.96	36,44,74,74	0
6	1PE	G	58	15/16	0.88	0.21	2.51	43,47,56,56	0
6	1PE	A	20	12/16	0.88	0.21	2.31	49,54,58,58	0
6	1PE	H	64	10/16	0.88	0.23	2.02	43,47,52,53	0
6	1PE	G	47	6/16	0.96	0.27	1.91	15,22,28,39	0
4	BEY	A	1003	25/25	0.94	0.19	1.68	17,33,63,65	0
2	CO3	F	1002	4/4	0.98	0.18	1.66	35,38,39,44	0
4	BEY	L	1003	25/25	0.92	0.20	1.62	36,57,69,71	0
5	SO4	A	2	5/5	0.84	0.19	1.33	60,62,74,74	0
2	CO3	L	1002	4/4	0.97	0.18	1.29	27,27,28,33	0
2	CO3	A	1002	4/4	0.95	0.16	1.19	39,42,43,46	0
6	1PE	J	2	11/16	0.94	0.21	1.08	12,25,44,48	0
4	BEY	K	1003	25/25	0.95	0.18	1.05	19,30,45,54	0
4	BEY	I	1003	25/25	0.94	0.17	1.03	21,33,40,50	0
2	CO3	B	1002	4/4	0.97	0.18	1.02	11,14,16,19	0
4	BEY	F	1003	25/25	0.92	0.18	0.95	23,35,51,55	0
2	CO3	H	1002	4/4	0.96	0.17	0.93	15,23,23,28	0
4	BEY	H	1003	25/25	0.90	0.18	0.91	26,38,46,50	0
2	CO3	E	1002	4/4	0.96	0.16	0.87	31,33,34,34	0
2	CO3	G	1002	4/4	0.97	0.17	0.80	19,20,22,26	0
6	1PE	E	43	8/16	0.86	0.22	0.76	43,45,55,55	0
4	BEY	J	1003	25/25	0.93	0.17	0.59	28,42,55,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	CO3	K	1002	4/4	0.95	0.17	0.58	25,30,31,37	0
4	BEY	D	1003	25/25	0.93	0.17	0.53	20,40,59,61	0
4	BEY	E	1003	25/25	0.94	0.17	0.45	22,42,59,61	0
4	BEY	C	1003	25/25	0.94	0.17	0.31	16,33,43,47	0
5	SO4	J	18	5/5	0.99	0.17	0.22	22,28,36,37	0
4	BEY	G	1003	25/25	0.94	0.16	0.12	13,29,59,61	0
4	BEY	B	1003	25/25	0.94	0.15	0.04	26,38,48,50	0
6	1PE	I	22	11/16	0.91	0.21	0.03	30,47,62,67	0
6	1PE	K	42	11/16	0.87	0.16	-0.12	30,44,49,51	0
6	1PE	D	9	10/16	0.91	0.17	-0.16	27,38,45,48	0
5	SO4	A	24	5/5	0.94	0.16	-0.31	53,57,63,64	0
6	1PE	E	8	12/16	0.93	0.15	-0.33	18,34,63,63	0
6	1PE	K	5	12/16	0.92	0.16	-0.47	23,35,52,53	0
2	CO3	C	1002	4/4	0.96	0.15	-0.65	13,21,22,28	0
6	1PE	A	19	9/16	0.93	0.14	-0.76	20,25,34,41	0
6	1PE	I	66	7/16	0.91	0.17	-0.79	26,35,44,46	0
5	SO4	C	3	5/5	0.99	0.14	-0.86	17,18,25,26	0
2	CO3	D	1002	4/4	0.97	0.14	-1.00	22,24,25,27	0
6	1PE	L	1	10/16	0.95	0.13	-1.10	15,23,33,35	0
5	SO4	E	7	5/5	0.99	0.12	-1.45	16,24,35,37	0
6	1PE	G	12	9/16	0.94	0.14	-1.51	20,25,41,44	0
6	1PE	G	48	6/16	0.95	0.16	-2.09	16,22,26,26	0
5	SO4	I	17	5/5	0.99	0.10	-2.14	8,10,15,22	0
2	CO3	I	1002	4/4	0.98	0.12	-2.41	18,19,22,23	0
3	ZN	E	1001	1/1	0.99	0.06	-2.46	30,30,30,30	0
3	ZN	F	1001	1/1	0.99	0.08	-2.49	29,29,29,29	0
3	ZN	E	1004	1/1	0.99	0.04	-3.07	45,45,45,45	0
3	ZN	H	1001	1/1	0.99	0.07	-3.29	39,39,39,39	0
3	ZN	J	1004	1/1	0.99	0.05	-3.79	46,46,46,46	0
3	ZN	G	1004	1/1	0.98	0.08	-3.80	35,35,35,35	0
3	ZN	K	1001	1/1	1.00	0.05	-3.85	23,23,23,23	0
3	ZN	B	1001	1/1	0.99	0.06	-3.99	35,35,35,35	0
3	ZN	L	1001	1/1	0.99	0.08	-4.27	29,29,29,29	0
3	ZN	C	1001	1/1	0.99	0.07	-4.28	26,26,26,26	0
6	1PE	C	18	9/16	0.92	0.13	-4.31	27,36,38,45	0
3	ZN	G	1001	1/1	1.00	0.06	-4.36	28,28,28,28	0
3	ZN	C	1004	1/1	0.97	0.05	-4.40	42,42,42,42	0
3	ZN	D	1004	1/1	0.99	0.06	-4.48	39,39,39,39	0
3	ZN	H	1004	1/1	0.98	0.04	-4.60	32,32,32,32	0
3	ZN	B	1004	1/1	0.97	0.05	-4.65	36,36,36,36	0
3	ZN	K	1004	1/1	0.96	0.04	-4.65	39,39,39,39	0
3	ZN	A	1004	1/1	0.99	0.06	-4.75	37,37,37,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	ZN	F	1004	1/1	0.99	0.05	-4.88	37,37,37,37	0
3	ZN	J	1001	1/1	0.98	0.06	-5.15	39,39,39,39	0
3	ZN	A	1001	1/1	0.99	0.07	-5.76	30,30,30,30	0
3	ZN	L	1004	1/1	0.99	0.05	-6.22	39,39,39,39	0
3	ZN	I	1004	1/1	0.99	0.06	-6.69	35,35,35,35	0
3	ZN	I	1001	1/1	0.99	0.07	-7.30	26,26,26,26	0
3	ZN	D	1001	1/1	0.97	0.05	-7.38	41,41,41,41	0
5	SO4	K	19	5/5	0.97	0.33	-	71,71,76,77	0
5	SO4	G	23	5/5	0.97	0.20	-	45,45,49,50	0
5	SO4	E	22	5/5	0.89	0.36	-	90,90,94,97	0
6	1PE	I	21	15/16	0.91	0.20	-	25,34,53,54	0
6	1PE	C	17	13/16	0.90	0.20	-	15,36,43,43	0
6	1PE	B	62	10/16	0.44	0.47	-	74,89,91,92	0
5	SO4	A	1	5/5	0.94	0.18	-	61,62,66,66	0
6	1PE	L	56	11/16	0.82	0.19	-	30,44,50,50	0
6	1PE	E	612	12/16	0.88	0.26	-	31,46,54,55	0
6	1PE	H	65	10/16	0.90	0.20	-	42,49,54,55	0
5	SO4	L	25	5/5	0.93	0.15	-	68,71,75,76	0
6	1PE	B	61	10/16	0.86	0.21	-	34,46,48,51	0
6	1PE	J	45	10/16	0.66	0.35	-	50,68,73,75	0
6	1PE	G	30	7/16	0.94	0.16	-	24,39,53,57	0
6	1PE	F	32	10/16	0.92	0.14	-	33,42,45,46	0
6	1PE	J	3	10/16	0.89	0.30	-	33,50,53,54	0
6	1PE	K	4	12/16	0.82	0.21	-	27,44,55,55	0
5	SO4	D	5	5/5	0.94	0.30	-	92,94,97,97	0
5	SO4	F	21	5/5	0.95	0.17	-	69,70,71,75	0
6	1PE	D	63	10/16	0.88	0.19	-	37,42,46,53	0
5	SO4	J	20	5/5	0.93	0.41	-	72,74,78,81	0

6.5 Other polymers [i](#)

There are no such residues in this entry.