



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:10 PM GMT

PDB ID : 4KS0  
Title : Pyruvate kinase (PYK) from Trypanosoma cruzi in the presence of Magnesium, oxalate and F26BP  
Authors : Morgan, H.P.; Zhong, W.; McNae, I.W.; Michels, P.A.M.; Fothergill-Gilmore, L.A.; Walkinshaw, M.D.  
Deposited on : 2013-05-17  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	519	<div> <div>7%</div> <div> <div></div> <div>74%</div> <div>14%</div> <div>•</div> <div>10%</div> </div> </div>
1	B	519	<div> <div></div> <div> <div>82%</div> <div>14%</div> <div>• •</div> </div> </div>

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7727 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	466	Total	C	N	O	S	0	2	0
			3591	2239	638	686	28			
1	B	499	Total	C	N	O	S	0	1	0
			3826	2392	674	732	28			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP Q4D9Z4
A	-18	GLY	-	EXPRESSION TAG	UNP Q4D9Z4
A	-17	SER	-	EXPRESSION TAG	UNP Q4D9Z4
A	-16	SER	-	EXPRESSION TAG	UNP Q4D9Z4
A	-15	HIS	-	EXPRESSION TAG	UNP Q4D9Z4
A	-14	HIS	-	EXPRESSION TAG	UNP Q4D9Z4
A	-13	HIS	-	EXPRESSION TAG	UNP Q4D9Z4
A	-12	HIS	-	EXPRESSION TAG	UNP Q4D9Z4
A	-11	HIS	-	EXPRESSION TAG	UNP Q4D9Z4
A	-10	HIS	-	EXPRESSION TAG	UNP Q4D9Z4
A	-9	SER	-	EXPRESSION TAG	UNP Q4D9Z4
A	-8	SER	-	EXPRESSION TAG	UNP Q4D9Z4
A	-7	GLY	-	EXPRESSION TAG	UNP Q4D9Z4
A	-6	LEU	-	EXPRESSION TAG	UNP Q4D9Z4
A	-5	VAL	-	EXPRESSION TAG	UNP Q4D9Z4
A	-4	PRO	-	EXPRESSION TAG	UNP Q4D9Z4
A	-3	ARG	-	EXPRESSION TAG	UNP Q4D9Z4
A	-2	GLY	-	EXPRESSION TAG	UNP Q4D9Z4
A	-1	SER	-	EXPRESSION TAG	UNP Q4D9Z4
A	0	HIS	-	EXPRESSION TAG	UNP Q4D9Z4
B	-19	MET	-	EXPRESSION TAG	UNP Q4D9Z4
B	-18	GLY	-	EXPRESSION TAG	UNP Q4D9Z4
B	-17	SER	-	EXPRESSION TAG	UNP Q4D9Z4
B	-16	SER	-	EXPRESSION TAG	UNP Q4D9Z4
B	-15	HIS	-	EXPRESSION TAG	UNP Q4D9Z4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	EXPRESSION TAG	UNP Q4D9Z4
B	-13	HIS	-	EXPRESSION TAG	UNP Q4D9Z4
B	-12	HIS	-	EXPRESSION TAG	UNP Q4D9Z4
B	-11	HIS	-	EXPRESSION TAG	UNP Q4D9Z4
B	-10	HIS	-	EXPRESSION TAG	UNP Q4D9Z4
B	-9	SER	-	EXPRESSION TAG	UNP Q4D9Z4
B	-8	SER	-	EXPRESSION TAG	UNP Q4D9Z4
B	-7	GLY	-	EXPRESSION TAG	UNP Q4D9Z4
B	-6	LEU	-	EXPRESSION TAG	UNP Q4D9Z4
B	-5	VAL	-	EXPRESSION TAG	UNP Q4D9Z4
B	-4	PRO	-	EXPRESSION TAG	UNP Q4D9Z4
B	-3	ARG	-	EXPRESSION TAG	UNP Q4D9Z4
B	-2	GLY	-	EXPRESSION TAG	UNP Q4D9Z4
B	-1	SER	-	EXPRESSION TAG	UNP Q4D9Z4
B	0	HIS	-	EXPRESSION TAG	UNP Q4D9Z4


- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Mg 1 1	0	0
2	A	1	Total Mg 1 1	0	0

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total K 1 1	0	0
3	A	1	Total K 1 1	0	0

- Molecule 4 is OXALATE ION (three-letter code: OXL) (formula: C<sub>2</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	2	4		
4	B	1	Total	C	O	0	0
			6	2	4		

- Molecule 5 is SUGAR (FRUCTOSE-2,6-DIPHOSPHATE) (three-letter code: FDP) (formula:  $C_6H_{14}O_{12}P_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	P	0	0
			20	6	12	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	O	P	0	0
			20	6	12	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	127	Total	O	0	0
			127	127		
6	B	127	Total	O	0	0
			127	127		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Pyruvate kinase



#### • Molecule 1: Pyruvate kinase



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 41 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	173.77Å 173.77Å 211.85Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	55.87 – 2.80 55.87 – 2.80	Depositor EDS
% Data completeness (in resolution range)	100.0 (55.87-2.80) 100.0 (55.87-2.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.05 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.174 , 0.216 0.188 , 0.226	Depositor DCC
$R_{free}$ test set	2010 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	52.7	Xtriage
Anisotropy	0.030	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 37.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 40094 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	7727	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.71% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OXL, FDP, K, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.58	0/3649	0.49	0/4927
1	B	0.59	0/3887	0.51	0/5250
All	All	0.58	0/7536	0.50	0/10177

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3591	0	3641	56	0
1	B	3826	0	3881	47	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	6	0	0	0	0
4	B	6	0	0	0	0
5	A	20	0	10	0	0
5	B	20	0	10	0	0
6	A	127	0	0	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	127	0	0	1	0
All	All	7727	0	7542	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:360[A]:GLN:HE22	1:A:414:ARG:HB3	1.28	0.96
1:A:92:THR:HG22	1:A:127:ILE:HG22	1.50	0.94
1:A:135:THR:HG23	1:A:183:CYS:SG	2.09	0.93
1:A:241:GLU:HG2	1:A:262:ALA:HB3	1.65	0.76
1:A:471:VAL:HG21	1:A:477:MET:CE	2.19	0.73
1:B:360[B]:GLN:HE22	1:B:414:ARG:HB3	1.55	0.71
1:A:134:ILE:O	1:A:134:ILE:CG2	2.42	0.68
1:A:341:ASN:O	1:A:345:GLN:HG3	1.95	0.67
1:B:453:ASN:O	1:B:454:LYS:HB2	1.93	0.67
1:A:138:PRO:HB3	1:A:154:LEU:O	1.95	0.67
1:A:378:GLU:HG2	1:A:489:TYR:HB2	1.75	0.66
1:A:19:HIS:ND1	6:A:1212:HOH:O	2.28	0.66
1:A:135:THR:CG2	1:A:183:CYS:SG	2.82	0.66
1:A:131:ARG:O	1:A:135:THR:HB	1.97	0.65
1:A:144:ILE:HG23	1:A:178:CYS:HB3	1.79	0.65
1:A:198:LEU:O	1:A:202:VAL:HG23	1.96	0.65
1:A:134:ILE:O	1:A:134:ILE:HG22	1.96	0.64
1:B:224:ARG:HG3	1:B:224:ARG:HH21	1.62	0.64
1:B:86:LYS:HD3	1:B:193:LYS:HE3	1.80	0.63
1:B:25:VAL:HB	1:B:329:MET:HG3	1.81	0.62
1:B:260:MET:SD	1:B:329:MET:HE1	2.39	0.62
1:B:300:LEU:HD23	1:B:313:GLU:HB3	1.82	0.61
1:B:471:VAL:HG21	1:B:477:MET:CE	2.30	0.61
1:A:453:ASN:C	1:A:454:LYS:HG2	2.23	0.59
1:B:215:ARG:HG2	1:B:244:GLN:HB2	1.85	0.58
1:B:173:THR:HB	1:B:176:LYS:HE2	1.85	0.58
1:A:249:ILE:HG12	1:A:282:LEU:HD22	1.86	0.57
1:B:453:ASN:HB3	1:B:455:GLU:HG3	1.87	0.56
1:A:294:ILE:HG12	1:A:327:CYS:HB2	1.88	0.56
1:A:156:LYS:HE2	1:A:158:ASP:O	2.05	0.56
1:A:145:ASP:O	1:A:148:VAL:HG23	2.07	0.55
1:B:436:ARG:O	1:B:437:SER:HB2	2.08	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:27:THR:CG2	1:A:50:ARG:NH1	2.71	0.53
1:A:27:THR:HG21	1:A:50:ARG:NH1	2.24	0.53
1:B:95:PHE:CD2	1:B:100:ILE:HG12	2.44	0.52
1:B:224:ARG:HG3	1:B:224:ARG:NH2	2.23	0.52
1:A:471:VAL:HG21	1:A:477:MET:HE2	1.92	0.52
1:A:249:ILE:CD1	1:A:282:LEU:HD22	2.41	0.51
1:A:395:LYS:HB2	1:A:471:VAL:HG12	1.92	0.51
1:B:38:LEU:HD13	1:B:68:LEU:HA	1.92	0.51
1:A:92:THR:HG22	1:A:127:ILE:CG2	2.34	0.51
1:A:133:SER:HB2	1:A:156:LYS:HE3	1.92	0.50
1:A:494:ARG:HD2	1:B:483:ASP:HB3	1.94	0.50
1:B:294:ILE:HG21	1:B:329:MET:HE3	1.94	0.50
1:A:235:LEU:HA	1:A:257:ASP:OD2	2.12	0.49
1:A:244:GLN:HB2	6:A:1202:HOH:O	2.12	0.49
1:B:271:PRO:HB2	1:B:274:LYS:HG3	1.95	0.49
1:A:494:ARG:NH2	1:B:483:ASP:OD1	2.46	0.49
1:A:400:LEU:HD22	1:A:422:ALA:HB3	1.94	0.49
1:B:198:LEU:O	1:B:202:VAL:HG23	2.13	0.49
1:A:25:VAL:HG11	1:A:329:MET:CE	2.43	0.48
1:A:1:MET:HE3	6:A:1211:HOH:O	2.13	0.48
1:A:489:TYR:HB2	1:A:490:PRO:HD2	1.95	0.48
1:A:218:GLU:H	1:A:218:GLU:CD	2.15	0.48
1:A:471:VAL:HG21	1:A:477:MET:HE3	1.93	0.48
1:B:278:ALA:O	1:B:282:LEU:HG	2.14	0.48
1:A:51:MET:HG2	6:A:1112:HOH:O	2.14	0.48
1:B:400:LEU:HG	1:B:481:HIS:HB3	1.96	0.47
1:B:294:ILE:HG12	1:B:327:CYS:HB2	1.95	0.47
1:A:215:ARG:HD2	1:A:219:GLN:HE22	1.79	0.46
1:B:218:GLU:O	1:B:221:GLN:HB3	2.15	0.46
1:B:331:SER:O	1:B:332:GLY:C	2.54	0.46
1:A:400:LEU:HG	1:A:481:HIS:HB3	1.98	0.46
1:B:260:MET:CE	1:B:329:MET:HE1	2.46	0.46
1:A:249:ILE:CG1	1:A:282:LEU:HD22	2.45	0.46
1:B:249:ILE:HG12	1:B:282:LEU:HD22	1.98	0.45
1:A:168:ASN:N	1:A:168:ASN:OD1	2.50	0.45
1:B:51:MET:HA	6:B:1127:HOH:O	2.16	0.45
1:B:116:PHE:HA	1:B:119:ILE:HD12	1.99	0.45
1:B:65:ILE:HG12	1:B:81:LEU:HD21	1.98	0.45
1:A:25:VAL:HG11	1:A:329:MET:HE2	1.99	0.45
1:A:27:THR:CG2	1:A:50:ARG:HH11	2.30	0.45
1:A:151:LEU:HD23	1:A:166:VAL:HA	1.99	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:26:CYS:SG	1:B:46:MET:HB2	2.57	0.44
1:A:454:LYS:HG3	1:A:481:HIS:CE1	2.53	0.44
1:A:150:SER:O	1:A:151:LEU:HD23	2.18	0.44
1:B:300:LEU:HA	1:B:300:LEU:HD23	1.86	0.43
1:B:360[B]:GLN:NE2	1:B:414:ARG:O	2.53	0.42
1:B:102:LEU:O	1:B:169:ALA:HA	2.19	0.42
1:A:62:GLN:HA	1:A:65:ILE:HD12	2.00	0.42
1:B:473:PRO:HA	1:B:498:VAL:O	2.19	0.42
1:A:23:ARG:O	1:A:327:CYS:HA	2.19	0.42
1:B:38:LEU:HD12	1:B:67:ASN:HB3	2.01	0.42
1:B:453:ASN:HB3	1:B:455:GLU:H	1.84	0.42
1:B:136:VAL:HG12	1:B:153:VAL:HG21	2.02	0.42
1:B:453:ASN:O	1:B:454:LYS:CB	2.64	0.41
1:B:96:LYS:O	1:B:97:ASP:HB2	2.20	0.41
1:B:150:SER:HB3	1:B:167:ASN:HB2	2.02	0.41
1:B:91:ARG:HA	1:B:176:LYS:O	2.21	0.41
1:A:145:ASP:OD1	1:A:176:LYS:HD2	2.21	0.41
1:A:329:MET:HG2	1:A:330:LEU:N	2.36	0.41
1:A:378:GLU:HG3	1:A:489:TYR:CD1	2.56	0.41
1:B:412:LYS:HD3	1:B:413:TYR:CE2	2.56	0.41
1:A:241:GLU:HG2	1:A:262:ALA:CB	2.44	0.40
1:A:297:THR:HG22	1:A:298:GLN:HG3	2.02	0.40
1:A:323:ASN:HD22	1:A:323:ASN:HA	1.67	0.40
1:B:477:MET:HE2	1:B:498:VAL:HG21	2.03	0.40
1:B:221:GLN:OE1	1:B:221:GLN:HA	2.20	0.40
1:B:264:GLY:HA3	1:B:297:THR:HG21	2.03	0.40
1:B:260:MET:CE	1:B:329:MET:CE	2.99	0.40
1:A:330:LEU:HA	1:A:330:LEU:HD23	1.94	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	464/519 (89%)	437 (94%)	25 (5%)	2 (0%)	39	74
1	B	498/519 (96%)	474 (95%)	23 (5%)	1 (0%)	52	84
All	All	962/1038 (93%)	911 (95%)	48 (5%)	3 (0%)	46	79

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	297	THR
1	A	158	ASP
1	B	297	THR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	397/437 (91%)	372 (94%)	25 (6%)	22	53
1	B	421/437 (96%)	406 (96%)	15 (4%)	42	76
All	All	818/874 (94%)	778 (95%)	40 (5%)	31	65

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	SER
1	A	31	SER
1	A	59	GLU
1	A	133	SER
1	A	135	THR
1	A	137	ARG
1	A	161	THR
1	A	162	LEU
1	A	173	THR
1	A	183	CYS
1	A	184	GLU
1	A	218	GLU
1	A	232	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	308	ARG
1	A	315	SER
1	A	365	ASN
1	A	373	LEU
1	A	378	GLU
1	A	405	ARG
1	A	426	MET
1	A	450	GLU
1	A	452	GLU
1	A	467	LYS
1	A	494	ARG
1	A	499	SER
1	B	1	MET
1	B	96	LYS
1	B	119	ILE
1	B	123	GLU
1	B	180	LEU
1	B	192	GLU
1	B	221	GLN
1	B	241	GLU
1	B	305	THR
1	B	308	ARG
1	B	346	TYR
1	B	365	ASN
1	B	372	LYS
1	B	373	LEU
1	B	374	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	GLN
1	A	345	GLN
1	B	306	ASN
1	B	345	GLN
1	B	492	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	OXL	A	1003	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	A	1004	-	20,20,20	0.69	0	27,32,32	1.08	2 (7%)
4	OXL	B	1003	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	B	1004	-	20,20,20	0.65	0	27,32,32	1.03	2 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	OXL	A	1003	2	-	0/0/4/4	0/0/0/0
5	FDP	A	1004	-	-	0/12/34/34	0/1/1/1
4	OXL	B	1003	2	-	0/0/4/4	0/0/0/0
5	FDP	B	1004	-	-	0/12/34/34	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	1004	FDP	O1-C1-C2	-2.52	103.84	111.91

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1004	FDP	O3P-P1-O2P	2.35	116.31	107.38
5	B	1004	FDP	O3P-P1-O2P	2.61	117.33	107.38
5	A	1004	FDP	O6P-P2-O5P	2.63	117.40	107.38

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	466/519 (89%)	0.14	37 (7%) 15 8	32, 46, 136, 181	0
1	B	499/519 (96%)	-0.16	0 100 100	31, 46, 77, 105	0
All	All	965/1038 (92%)	-0.02	37 (3%) 44 32	31, 46, 110, 181	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	172	LEU	6.4
1	A	155	SER	6.0
1	A	156	LYS	5.5
1	A	134	ILE	5.4
1	A	136	VAL	5.4
1	A	171	PHE	5.3
1	A	160	TYR	5.2
1	A	157	GLU	5.2
1	A	158	ASP	4.8
1	A	138	PRO	4.8
1	A	154	LEU	4.7
1	A	162	LEU	4.5
1	A	159	GLU	4.5
1	A	133	SER	4.3
1	A	170	HIS	4.0
1	A	141	PHE	4.0
1	A	137	ARG	3.6
1	A	135	THR	3.5
1	A	175	ARG	3.5
1	A	165	TYR	3.5
1	A	140	GLY	3.3
1	A	173	THR	3.3
1	A	152	LYS	3.3
1	A	153	VAL	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	183	CYS	3.1
1	A	142	ILE	2.9
1	A	130	PRO	2.9
1	A	164	CYS	2.8
1	A	151	LEU	2.8
1	A	139	GLY	2.7
1	A	150	SER	2.7
1	A	174	ASP	2.6
1	A	127	ILE	2.5
1	A	128	GLU	2.5
1	A	163	LYS	2.2
1	A	161	THR	2.1
1	A	91	ARG	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	OXL	A	1003	6/6	0.97	0.17	0.59	54,62,64,65	0
5	FDP	A	1004	20/20	0.98	0.14	-0.77	26,39,45,47	0
5	FDP	B	1004	20/20	0.99	0.16	-0.98	32,39,45,46	0
4	OXL	B	1003	6/6	0.97	0.14	-1.35	42,46,46,47	0
3	K	A	1002	1/1	0.95	0.07	-3.06	55,55,55,55	0
3	K	B	1002	1/1	0.95	0.08	-3.31	52,52,52,52	0
2	MG	A	1001	1/1	0.98	0.08	-	35,35,35,35	0
2	MG	B	1001	1/1	0.97	0.06	-	44,44,44,44	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.