



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:12 PM GMT

PDB ID : 4KTT
Title : Structural insights of MAT enzymes: MATa2b complexed with SAM
Authors : Murray, B.; Antonyuk, S.V.; Marina, A.; Lu, S.C.; Mato, J.M.; Hasnain, S.S.;
Rojas, A.L.
Deposited on : 2013-05-21
Resolution : 2.59 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	396	<div><div>4%</div><div>83%7%9%</div></div>
1	B	396	<div><div>9%</div><div>84%12%••</div></div>
1	C	396	<div><div>13%</div><div>77%13%•9%</div></div>
1	D	396	<div><div>8%</div><div>85%11%••</div></div>
2	E	327	<div><div>4%</div><div>80%13%•6%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	327	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	A	401	-	-	-	X
3	EDO	A	403	-	-	-	X
3	EDO	B	401	-	-	-	X
3	EDO	B	404	-	-	-	X
3	EDO	B	406	-	-	-	X
3	EDO	B	407	-	-	-	X
3	EDO	B	408	-	-	-	X
3	EDO	B	409	-	-	-	X
3	EDO	C	401	-	-	-	X
3	EDO	C	403	-	-	-	X
3	EDO	D	405	-	-	-	X
3	EDO	D	406	-	-	-	X
3	EDO	D	407	-	-	-	X
3	EDO	E	401	-	-	-	X
3	EDO	E	403	-	-	-	X
3	EDO	E	404	-	-	-	X
5	PO4	A	406	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 16501 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called S-adenosylmethionine synthase isoform type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	360	Total	C	N	O	S	0	0	0
			2811	1783	490	527	11			
1	B	382	Total	C	N	O	S	0	0	0
			2972	1877	519	565	11			
1	C	360	Total	C	N	O	S	0	0	0
			2813	1784	490	528	11			
1	D	380	Total	C	N	O	S	0	0	0
			2954	1867	517	559	11			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	EXPRESSION TAG	UNP P31153
B	0	SER	-	EXPRESSION TAG	UNP P31153
C	0	SER	-	EXPRESSION TAG	UNP P31153
D	0	SER	-	EXPRESSION TAG	UNP P31153

- Molecule 2 is a protein called Methionine adenosyltransferase 2 subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	306	Total	C	N	O	S	0	0	0
			2429	1533	443	443	10			
2	F	280	Total	C	N	O	S	0	0	0
			2237	1418	406	403	10			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	-3	GLY	-	EXPRESSION TAG	UNP Q9NZL9
E	-2	SER	-	EXPRESSION TAG	UNP Q9NZL9
E	-1	HIS	-	EXPRESSION TAG	UNP Q9NZL9
E	0	MET	-	EXPRESSION TAG	UNP Q9NZL9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-3	GLY	-	EXPRESSION TAG	UNP Q9NZL9
F	-2	SER	-	EXPRESSION TAG	UNP Q9NZL9
F	-1	HIS	-	EXPRESSION TAG	UNP Q9NZL9
F	0	MET	-	EXPRESSION TAG	UNP Q9NZL9

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	E	1	Total 4	C 2	O 2	0	0
3	E	1	Total 4	C 2	O 2	0	0
3	E	1	Total 4	C 2	O 2	0	0
3	E	1	Total 4	C 2	O 2	0	0
3	F	1	Total 4	C 2	O 2	0	0

- Molecule 4 is S-ADENOSYLMETHIONINE (three-letter code: SAM) (formula: C₁₅H₂₂N₆O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
4	C	1	Total	C	N	O	S	0	0
			27	15	6	5	1		

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	P	0	0
			5	4	1		
5	C	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total 1	Mg 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	23	Total 23	O 23	0	0
7	B	21	Total 21	O 21	0	0
7	C	15	Total 15	O 15	0	0
7	D	35	Total 35	O 35	0	0
7	E	11	Total 11	O 11	0	0
7	F	3	Total 3	O 3	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: S-adenosylmethionine synthase isoform type-2




- Molecule 1: S-adenosylmethionine synthase isoform type-2





- Molecule 1: S-adenosylmethionine synthase isoform type-2









- Molecule 1: S-adenosylmethionine synthase isoform type-2



- Molecule 2: Methionine adenosyltransferase 2 subunit beta



- Molecule 2: Methionine adenosyltransferase 2 subunit beta



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.44Å 115.72Å 298.45Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.41 – 2.59 47.41 – 2.59	Depositor EDS
% Data completeness (in resolution range)	96.8 (47.41-2.59) 96.8 (47.41-2.59)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.10 (at 2.58Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.218 , 0.279 0.217 , 0.275	Depositor DCC
R_{free} test set	3847 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	65.9	Xtriage
Anisotropy	0.093	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 44.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 76590 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	16501	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, MG, SAM, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/2867	0.57	0/3875
1	B	0.34	0/3031	0.55	0/4100
1	C	0.33	0/2869	0.55	0/3878
1	D	0.37	0/3013	0.59	0/4076
2	E	0.33	0/2486	0.54	1/3370 (0.0%)
2	F	0.32	0/2289	0.52	0/3095
All	All	0.34	0/16555	0.55	1/22394 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	16	PRO	N-CA-CB	6.07	110.59	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2811	0	2819	17	0
1	B	2972	0	2962	22	0
1	C	2813	0	2818	28	0
1	D	2954	0	2950	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	2429	0	2393	21	0
2	F	2237	0	2203	19	0
3	A	16	0	24	1	0
3	B	36	0	54	3	0
3	C	12	0	18	0	0
3	D	28	0	42	1	0
3	E	16	0	24	0	0
3	F	4	0	6	0	0
4	A	27	0	22	0	0
4	C	27	0	22	0	0
5	A	5	0	0	0	0
5	C	5	0	0	0	0
6	B	1	0	0	0	0
7	A	23	0	0	0	0
7	B	21	0	0	0	0
7	C	15	0	0	0	0
7	D	35	0	0	0	0
7	E	11	0	0	0	0
7	F	3	0	0	0	0
All	All	16501	0	16357	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:162:ASN:C	2:F:162:ASN:HD22	1.87	0.78
2:F:173:ILE:HD11	2:F:185:ALA:HB3	1.72	0.72
2:F:237:PHE:HB3	2:F:289:LEU:HD21	1.74	0.70
1:D:376:ALA:O	1:D:382:ARG:NH2	2.31	0.64
1:C:57:GLU:HB3	1:D:261:LEU:HD11	1.80	0.64
1:C:134:ASP:OD1	1:C:134:ASP:N	2.33	0.60
1:C:354:ASP:HB3	1:C:359:VAL:HG11	1.83	0.59
1:B:354:ASP:OD2	1:B:359:VAL:HG21	2.03	0.58
1:A:59:VAL:HG22	1:A:261:LEU:HD22	1.86	0.58
1:B:334:HIS:CD2	1:B:342:GLU:HG3	2.38	0.58
1:A:266:ILE:HD11	1:B:266:ILE:HD11	1.86	0.57
2:E:169:LEU:HG	2:E:171:ILE:HD13	1.87	0.57
1:A:53:LYS:HE3	1:A:288:THR:HG21	1.86	0.57
1:C:165:ALA:HB1	1:C:169:ARG:NH2	2.19	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:376:ALA:O	1:B:382:ARG:NH2	2.39	0.56
2:E:71:ILE:HG22	2:E:116:VAL:HG21	1.88	0.56
1:D:36:GLN:HE21	1:D:372:GLN:HE21	1.54	0.55
1:B:231:VAL:HG11	1:B:236:LEU:HD21	1.88	0.55
1:A:71:ILE:O	1:A:112:GLN:HA	2.08	0.54
1:C:25:VAL:HG12	1:C:181:LYS:HG2	1.90	0.54
1:B:30:PRO:HB2	1:B:260:GLY:HA3	1.91	0.53
2:F:162:ASN:C	2:F:162:ASN:ND2	2.61	0.52
1:C:299:ARG:HG2	1:C:380:PHE:CD1	2.45	0.52
1:B:177:ARG:HB2	1:B:208:GLN:HB3	1.91	0.51
2:E:190:PHE:O	2:E:194:GLN:HG3	2.10	0.51
1:C:266:ILE:HD11	1:D:266:ILE:HD11	1.93	0.51
2:F:88:PRO:HA	2:F:89:ASP:HB2	1.93	0.51
2:E:116:VAL:O	2:E:116:VAL:HG12	2.10	0.51
1:B:222:LEU:O	1:B:226:VAL:HB	2.11	0.51
1:C:189:MET:HB2	1:C:198:ILE:HD11	1.91	0.51
2:E:182:GLU:HA	2:E:188:VAL:CG1	2.42	0.50
2:E:173:ILE:HD11	2:E:185:ALA:HB3	1.92	0.50
1:B:321:ALA:HB2	1:B:328:LEU:HD21	1.93	0.50
1:D:189:MET:HB2	1:D:198:ILE:HD11	1.94	0.50
1:D:345:LEU:O	1:D:349:VAL:HG23	2.12	0.50
1:A:15:GLU:HB3	1:A:17:THR:HG23	1.93	0.49
2:E:190:PHE:CD1	2:E:308:LEU:HD13	2.48	0.49
2:E:170:ARG:O	2:E:171:ILE:HD12	2.13	0.49
2:F:171:ILE:HD12	2:F:174:LEU:HD11	1.95	0.49
1:C:357:PRO:O	1:C:361:VAL:HG13	2.13	0.49
1:A:15:GLU:CB	1:A:17:THR:HG23	2.43	0.48
1:A:180:SER:HB3	1:A:207:VAL:HG23	1.95	0.48
2:E:171:ILE:HG23	2:E:174:LEU:HD21	1.94	0.48
2:E:309:TRP:CG	2:E:310:PRO:HD3	2.49	0.48
1:B:139:PHE:HA	1:B:316:VAL:O	2.14	0.47
1:C:154:ILE:HD12	1:C:272:GLY:CA	2.45	0.47
2:E:182:GLU:HA	2:E:188:VAL:HG12	1.96	0.47
1:C:208:GLN:HA	1:C:250:PHE:O	2.15	0.47
1:B:175:TRP:CG	1:B:213:VAL:HG21	2.48	0.47
1:C:62:THR:OG1	1:D:111:GLU:OE2	2.33	0.47
2:F:173:ILE:HD11	2:F:185:ALA:CB	2.42	0.47
1:D:204:VAL:HG22	1:D:243:HIS:HB2	1.97	0.47
2:F:161:GLU:O	2:F:162:ASN:CG	2.53	0.47
1:A:144:ASP:OD2	1:A:312:ARG:CG	2.63	0.47
1:C:226:VAL:O	1:C:230:VAL:HG23	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:173:ILE:HD12	2:F:208:ARG:NH1	2.30	0.46
1:A:59:VAL:HG22	1:A:261:LEU:CD2	2.44	0.46
1:D:365:ASP:OD2	1:D:368:LYS:HD3	2.15	0.46
1:B:299:ARG:HG2	1:B:380:PHE:CD1	2.50	0.46
1:D:23:GLU:O	1:D:268:VAL:HG22	2.16	0.46
1:A:189:MET:HB2	1:A:198:ILE:HD11	1.98	0.46
1:C:33:ILE:HG12	1:C:90:ILE:HD13	1.97	0.46
2:E:274:LEU:HD22	2:E:278:ARG:HD2	1.98	0.46
1:D:139:PHE:HA	1:D:316:VAL:O	2.16	0.46
1:D:334:HIS:CD2	1:D:342:GLU:HG3	2.51	0.46
1:C:143:THR:O	1:C:149:CYS:HA	2.16	0.45
2:E:206:GLN:O	2:E:246:THR:HG22	2.16	0.45
1:C:48:GLN:HB2	1:C:75:ALA:HB2	1.98	0.45
1:A:200:VAL:HG11	1:A:203:ILE:HD11	1.99	0.45
2:F:195:PHE:CE1	2:F:313:ILE:HD11	2.51	0.45
1:D:321:ALA:HB2	1:D:328:LEU:HD11	1.99	0.45
2:F:286:CYS:O	2:F:290:GLU:HG2	2.17	0.44
1:B:143:THR:O	1:B:149:CYS:HA	2.16	0.44
2:E:147:LEU:O	2:E:151:THR:HG23	2.17	0.44
1:B:282:PHE:H	3:B:404:EDO:H21	1.82	0.44
1:C:154:ILE:HD12	1:C:272:GLY:HA3	1.99	0.44
1:A:144:ASP:OD2	1:A:312:ARG:HG2	2.16	0.44
1:D:61:LYS:HG2	1:D:62:THR:H	1.82	0.44
1:C:170:ASN:HB3	1:C:172:THR:HG23	1.99	0.44
1:C:71:ILE:O	1:C:112:GLN:HA	2.16	0.44
1:A:359:VAL:HG12	1:A:363:ASP:OD1	2.17	0.44
1:B:263:GLY:HA2	3:B:404:EDO:H22	1.99	0.43
1:C:62:THR:HG1	1:D:111:GLU:CD	2.21	0.43
2:E:19:ARG:HG2	2:E:43:HIS:HB3	2.01	0.43
1:A:169:ARG:NH2	3:A:403:EDO:O1	2.49	0.43
2:F:239:TRP:CG	2:F:240:SER:N	2.86	0.43
2:F:40:ASN:HD22	2:F:221:ARG:NH2	2.17	0.43
1:B:150:MET:HG3	1:B:381:GLY:HA3	2.01	0.43
1:A:313:ARG:NH2	2:F:323:HIS:O	2.49	0.43
2:E:138:GLU:OE2	2:E:238:HIS:N	2.49	0.43
1:D:45:HIS:NE2	1:D:71:ILE:HG21	2.34	0.43
1:B:170:ASN:HB3	1:B:172:THR:HG22	2.01	0.42
1:A:61:LYS:O	1:A:62:THR:C	2.57	0.42
1:C:360:ILE:CG2	1:C:364:LEU:HD12	2.49	0.42
2:E:28:LEU:HG	2:E:213:VAL:HG11	2.01	0.42
1:C:46:LEU:HA	1:C:49:ASP:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:150:MET:CE	1:D:299:ARG:NH1	2.82	0.42
1:D:25:VAL:HG23	1:D:32:LYS:HD2	2.00	0.42
2:F:53:ARG:HD2	2:F:54:PRO:HA	2.01	0.42
1:D:200:VAL:HG23	1:D:235:TYR:HB3	2.00	0.42
2:E:170:ARG:NH1	2:E:236:THR:HG21	2.35	0.42
1:C:61:LYS:HG3	1:C:62:THR:H	1.85	0.41
2:F:287:SER:O	2:F:291:THR:N	2.43	0.41
1:C:165:ALA:HB1	1:C:169:ARG:HH22	1.83	0.41
1:A:59:VAL:HG13	1:A:261:LEU:HD23	2.02	0.41
1:C:321:ALA:O	1:C:322:ILE:HG12	2.21	0.41
1:D:312:ARG:HD3	3:D:405:EDO:C2	2.50	0.41
1:B:54:VAL:O	1:B:285:LYS:HA	2.20	0.41
2:F:155:GLY:O	2:F:159:VAL:HG23	2.20	0.41
2:E:25:ALA:O	2:E:31:ARG:HG2	2.21	0.41
2:E:120:LEU:HD23	2:E:159:VAL:HG13	2.02	0.41
2:F:87:ARG:O	2:F:89:ASP:HB2	2.21	0.41
1:B:381:GLY:H	1:B:388:GLU:CD	2.25	0.41
1:B:100:ASP:OD2	1:B:102:LYS:HB2	2.20	0.41
1:C:381:GLY:H	1:C:388:GLU:CD	2.24	0.41
1:D:134:ASP:OD1	1:D:135:GLN:N	2.54	0.41
2:E:309:TRP:N	2:E:310:PRO:CD	2.84	0.40
1:D:236:LEU:HD22	1:D:242:TYR:OH	2.21	0.40
1:C:260:GLY:O	1:C:261:LEU:HD23	2.21	0.40
1:D:150:MET:HE2	1:D:299:ARG:NH1	2.37	0.40
1:B:269:ASP:OD2	3:B:404:EDO:H11	2.22	0.40
1:B:95:SER:OG	1:C:100:ASP:OD2	2.26	0.40
2:F:86:ARG:O	2:F:87:ARG:HB2	2.21	0.40
1:D:138:MET:HE3	1:D:320:TYR:CD1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	354/396 (89%)	336 (95%)	18 (5%)	0	100	100
1	B	380/396 (96%)	363 (96%)	16 (4%)	1 (0%)	46	72
1	C	354/396 (89%)	335 (95%)	18 (5%)	1 (0%)	46	72
1	D	378/396 (96%)	362 (96%)	15 (4%)	1 (0%)	46	72
2	E	302/327 (92%)	287 (95%)	14 (5%)	1 (0%)	46	72
2	F	270/327 (83%)	237 (88%)	27 (10%)	6 (2%)	8	15
All	All	2038/2238 (91%)	1920 (94%)	108 (5%)	10 (0%)	34	60

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	87	ARG
1	D	210	ASP
2	F	197	ASN
1	B	249	ARG
2	F	88	PRO
2	E	172	PRO
2	F	85	GLU
2	F	149	GLY
1	C	357	PRO
2	F	117	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	301/328 (92%)	293 (97%)	8 (3%)	52	79
1	B	317/328 (97%)	306 (96%)	11 (4%)	43	71
1	C	301/328 (92%)	285 (95%)	16 (5%)	28	53
1	D	315/328 (96%)	309 (98%)	6 (2%)	65	86
2	E	260/279 (93%)	248 (95%)	12 (5%)	33	61
2	F	239/279 (86%)	225 (94%)	14 (6%)	24	47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1733/1870 (93%)	1666 (96%)	67 (4%)	39 68

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	102	LYS
1	A	170	ASN
1	A	196	LEU
1	A	250	PHE
1	A	312	ARG
1	A	329	SER
1	A	354	ASP
1	A	384	SER
1	B	14	GLU
1	B	53	LYS
1	B	137	LEU
1	B	143	THR
1	B	172	THR
1	B	225	LYS
1	B	244	LEU
1	B	250	PHE
1	B	258	ASP
1	B	318	VAL
1	B	351	LYS
1	C	73	SER
1	C	134	ASP
1	C	135	GLN
1	C	138	MET
1	C	147	GLU
1	C	148	GLU
1	C	149	CYS
1	C	190	GLN
1	C	238	GLU
1	C	250	PHE
1	C	311	CYS
1	C	319	SER
1	C	326	HIS
1	C	343	ARG
1	C	351	LYS
1	C	382	ARG
1	D	32	LYS
1	D	137	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	192	ARG
1	D	343	ARG
1	D	368	LYS
1	D	392	LYS
2	E	26	THR
2	E	86	ARG
2	E	104	ASP
2	E	112	GLU
2	E	153	LEU
2	E	171	ILE
2	E	208	ARG
2	E	278	ARG
2	E	280	ARG
2	E	298	THR
2	E	312	LEU
2	E	320	THR
2	F	86	ARG
2	F	87	ARG
2	F	108	ASN
2	F	139	GLU
2	F	140	ASP
2	F	147	LEU
2	F	151	THR
2	F	162	ASN
2	F	207	GLN
2	F	247	LYS
2	F	277	GLN
2	F	289	LEU
2	F	290	GLU
2	F	318	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	ASN
1	A	161	ASN
1	C	135	GLN
1	D	112	GLN
1	D	135	GLN
1	D	183	GLN
1	D	372	GLN
2	E	40	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	194	GLN
2	F	40	ASN
2	F	68	HIS
2	F	162	ASN
2	F	222	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 33 ligands modelled in this entry, 1 is monoatomic - leaving 32 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	A	401	-	3,3,3	0.48	0	2,2,2	0.50	0
3	EDO	A	402	-	3,3,3	0.53	0	2,2,2	0.19	0
3	EDO	A	403	-	3,3,3	0.42	0	2,2,2	0.55	0
3	EDO	A	404	-	3,3,3	0.54	0	2,2,2	0.19	0
4	SAM	A	405	-	21,29,29	1.78	2 (9%)	17,42,42	2.32	4 (23%)
5	PO4	A	406	-	4,4,4	0.36	0	6,6,6	0.27	0
3	EDO	B	401	-	3,3,3	0.56	0	2,2,2	0.08	0
3	EDO	B	402	-	3,3,3	0.44	0	2,2,2	0.47	0
3	EDO	B	403	-	3,3,3	0.46	0	2,2,2	0.26	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	B	404	-	3,3,3	0.54	0	2,2,2	0.14	0
3	EDO	B	405	-	3,3,3	0.57	0	2,2,2	0.26	0
3	EDO	B	406	-	3,3,3	0.51	0	2,2,2	0.27	0
3	EDO	B	407	-	3,3,3	0.50	0	2,2,2	0.36	0
3	EDO	B	408	-	3,3,3	0.54	0	2,2,2	0.16	0
3	EDO	B	409	-	3,3,3	0.47	0	2,2,2	0.32	0
3	EDO	C	401	-	3,3,3	0.50	0	2,2,2	0.33	0
3	EDO	C	402	-	3,3,3	0.49	0	2,2,2	0.38	0
3	EDO	C	403	-	3,3,3	0.50	0	2,2,2	0.13	0
4	SAM	C	404	-	21,29,29	1.64	3 (14%)	17,42,42	2.23	4 (23%)
5	PO4	C	405	-	4,4,4	0.40	0	6,6,6	0.29	0
3	EDO	D	401	-	3,3,3	0.50	0	2,2,2	0.32	0
3	EDO	D	402	-	3,3,3	0.48	0	2,2,2	0.37	0
3	EDO	D	403	-	3,3,3	0.50	0	2,2,2	0.35	0
3	EDO	D	404	-	3,3,3	0.56	0	2,2,2	0.26	0
3	EDO	D	405	-	3,3,3	0.44	0	2,2,2	0.42	0
3	EDO	D	406	-	3,3,3	0.64	0	2,2,2	0.11	0
3	EDO	D	407	-	3,3,3	0.44	0	2,2,2	0.38	0
3	EDO	E	401	-	3,3,3	0.54	0	2,2,2	0.06	0
3	EDO	E	402	-	3,3,3	0.49	0	2,2,2	0.36	0
3	EDO	E	403	-	3,3,3	0.42	0	2,2,2	0.43	0
3	EDO	E	404	-	3,3,3	0.50	0	2,2,2	0.12	0
3	EDO	F	401	-	3,3,3	0.53	0	2,2,2	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	401	-	-	0/1/1/1	0/0/0/0
3	EDO	A	402	-	-	0/1/1/1	0/0/0/0
3	EDO	A	403	-	-	0/1/1/1	0/0/0/0
3	EDO	A	404	-	-	0/1/1/1	0/0/0/0
4	SAM	A	405	-	-	0/8/33/33	0/3/3/3
5	PO4	A	406	-	-	0/0/0/0	0/0/0/0
3	EDO	B	401	-	-	0/1/1/1	0/0/0/0
3	EDO	B	402	-	-	0/1/1/1	0/0/0/0
3	EDO	B	403	-	-	0/1/1/1	0/0/0/0
3	EDO	B	404	-	-	0/1/1/1	0/0/0/0
3	EDO	B	405	-	-	0/1/1/1	0/0/0/0
3	EDO	B	406	-	-	0/1/1/1	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	407	-	-	0/1/1/1	0/0/0/0
3	EDO	B	408	-	-	0/1/1/1	0/0/0/0
3	EDO	B	409	-	-	0/1/1/1	0/0/0/0
3	EDO	C	401	-	-	0/1/1/1	0/0/0/0
3	EDO	C	402	-	-	0/1/1/1	0/0/0/0
3	EDO	C	403	-	-	0/1/1/1	0/0/0/0
4	SAM	C	404	-	-	0/8/33/33	0/3/3/3
5	PO4	C	405	-	-	0/0/0/0	0/0/0/0
3	EDO	D	401	-	-	0/1/1/1	0/0/0/0
3	EDO	D	402	-	-	0/1/1/1	0/0/0/0
3	EDO	D	403	-	-	0/1/1/1	0/0/0/0
3	EDO	D	404	-	-	0/1/1/1	0/0/0/0
3	EDO	D	405	-	-	0/1/1/1	0/0/0/0
3	EDO	D	406	-	-	0/1/1/1	0/0/0/0
3	EDO	D	407	-	-	0/1/1/1	0/0/0/0
3	EDO	E	401	-	-	0/1/1/1	0/0/0/0
3	EDO	E	402	-	-	0/1/1/1	0/0/0/0
3	EDO	E	403	-	-	0/1/1/1	0/0/0/0
3	EDO	E	404	-	-	0/1/1/1	0/0/0/0
3	EDO	F	401	-	-	0/1/1/1	0/0/0/0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	405	SAM	CG-SD	-6.64	1.66	1.80
4	C	404	SAM	CG-SD	-5.24	1.69	1.80
4	C	404	SAM	O4'-C1'	2.08	1.43	1.41
4	C	404	SAM	C5-C4	2.96	1.47	1.40
4	A	405	SAM	C5-C4	3.01	1.47	1.40

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	405	SAM	N3-C2-N1	-7.75	122.96	128.89
4	C	404	SAM	N3-C2-N1	-7.71	122.99	128.89
4	A	405	SAM	C2'-C1'-N9	-2.58	110.35	114.29
4	C	404	SAM	C4-C5-N7	-2.48	107.19	109.48
4	A	405	SAM	C4-C5-N7	-2.47	107.20	109.48
4	C	404	SAM	C1'-N9-C4	-2.17	123.66	126.94
4	C	404	SAM	C2-N1-C6	2.04	122.42	118.77
4	A	405	SAM	C2-N1-C6	2.13	122.57	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	403	EDO	1	0
3	B	404	EDO	3	0
3	D	405	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	360/396 (90%)	0.46	16 (4%) 38 30	45, 63, 91, 112	0
1	B	382/396 (96%)	0.58	37 (9%) 10 6	47, 65, 95, 126	0
1	C	360/396 (90%)	0.87	51 (14%) 4 2	50, 72, 104, 147	0
1	D	380/396 (95%)	0.48	31 (8%) 14 10	44, 60, 85, 109	0
2	E	306/327 (93%)	0.33	12 (3%) 43 35	53, 74, 99, 133	0
2	F	280/327 (85%)	1.32	77 (27%) 1 0	56, 113, 139, 154	0
All	All	2068/2238 (92%)	0.65	224 (10%) 8 4	44, 69, 120, 154	0

All (224) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	150	LYS	7.0
2	F	289	LEU	6.6
2	F	233	ILE	5.9
2	F	229	LEU	5.7
2	F	280	ARG	5.2
1	B	251	VAL	5.1
1	B	242	TYR	4.9
2	F	239	TRP	4.8
2	F	103	VAL	4.8
2	F	86	ARG	4.7
1	C	263	GLY	4.7
2	F	169	LEU	4.6
1	D	251	VAL	4.6
2	E	274	LEU	4.5
1	C	267	ILE	4.5
1	B	123	LEU	4.3
2	E	141	ILE	4.3
2	F	197	ASN	4.3
2	F	220	CYS	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	279	GLY	4.0
2	F	130	ASP	4.0
1	C	34	CYS	4.0
2	F	228	MET	4.0
1	C	266	ILE	4.0
1	B	266	ILE	3.9
1	C	393	LEU	3.9
2	F	144	PRO	3.9
2	F	68	HIS	3.9
2	F	295	GLY	3.9
1	C	265	LYS	3.9
1	B	214	CYS	3.8
2	F	143	ALA	3.8
2	F	205	TRP	3.7
1	A	267	ILE	3.7
1	D	262	THR	3.7
2	F	51	ARG	3.7
2	F	278	ARG	3.6
2	F	279	PRO	3.6
2	F	301	ARG	3.6
1	C	326	HIS	3.5
1	D	279	GLY	3.5
2	F	195	PHE	3.5
2	F	226	LYS	3.5
2	F	153	LEU	3.5
1	C	328	LEU	3.4
2	F	260	LEU	3.4
2	F	236	THR	3.4
1	C	31	ASP	3.4
1	A	214	CYS	3.4
1	B	281	ALA	3.4
2	F	160	LEU	3.4
1	C	264	ARG	3.4
1	D	244	LEU	3.3
1	C	259	ALA	3.3
1	B	263	GLY	3.3
2	F	120	LEU	3.3
1	C	242	TYR	3.3
2	F	78	VAL	3.3
1	B	279	GLY	3.2
2	F	167	ALA	3.2
2	F	258	PHE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	293	GLY	3.2
2	E	164	LEU	3.2
1	B	280	GLY	3.2
2	F	168	VAL	3.2
1	C	114	SER	3.2
2	F	119	PHE	3.2
1	B	278	GLY	3.1
2	F	50	ARG	3.1
1	B	276	ALA	3.1
1	C	280	GLY	3.1
1	D	278	GLY	3.1
2	F	170	ARG	3.1
1	D	263	GLY	3.1
2	E	205	TRP	3.1
2	F	137	ARG	3.1
2	F	127	TYR	3.1
1	C	33	ILE	3.1
1	C	281	ALA	3.1
1	C	261	LEU	3.0
1	C	268	VAL	3.0
2	F	41	ASN	3.0
2	F	83	ALA	3.0
2	F	198	LYS	3.0
1	C	395	TYR	2.9
1	C	269	ASP	2.9
1	D	58	THR	2.9
1	B	273	GLY	2.9
1	C	35	ASP	2.9
1	B	213	VAL	2.9
2	F	146	ASN	2.9
1	C	66	LEU	2.8
2	F	44	ALA	2.8
1	B	267	ILE	2.8
1	D	383	ASP	2.8
2	F	109	LEU	2.8
2	F	284	LEU	2.8
1	D	280	GLY	2.8
2	F	87	ARG	2.8
1	C	394	LYS	2.8
1	A	280	GLY	2.8
2	F	49	PHE	2.7
1	C	260	GLY	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	236	LEU	2.7
2	F	259	ASN	2.7
1	C	283	SER	2.7
2	F	257	ALA	2.7
1	A	362	ARG	2.7
1	C	270	THR	2.7
1	C	30	PRO	2.7
1	B	393	LEU	2.6
1	A	321	ALA	2.6
2	F	204	HIS	2.6
2	F	135	PRO	2.6
2	F	142	PRO	2.6
2	F	133	ASN	2.6
1	A	268	VAL	2.6
1	B	259	ALA	2.6
2	F	202	MET	2.6
1	D	281	ALA	2.6
2	F	74	PHE	2.6
1	A	115	PRO	2.6
1	B	272	GLY	2.6
2	F	254	ILE	2.6
1	C	58	THR	2.6
2	F	148	TYR	2.5
2	F	105	ALA	2.5
1	B	226	VAL	2.5
2	F	157	LYS	2.5
1	B	395	TYR	2.5
1	C	376	ALA	2.5
1	D	291	ASP	2.5
1	C	362	ARG	2.5
2	F	90	VAL	2.5
1	D	249	ARG	2.5
2	F	84	ALA	2.5
1	D	228	LYS	2.4
2	F	224	ALA	2.4
1	A	264	ARG	2.4
1	C	213	VAL	2.4
1	D	212	GLU	2.4
1	C	349	VAL	2.4
1	A	266	ILE	2.4
1	C	348	ILE	2.4
1	A	262	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	216	ASP	2.4
1	D	55	ALA	2.4
2	E	248	TYR	2.4
1	B	275	GLY	2.4
1	A	261	LEU	2.4
1	C	59	VAL	2.4
1	D	222	LEU	2.4
1	B	231	VAL	2.3
2	F	61	LEU	2.3
1	C	212	GLU	2.3
2	E	280	ARG	2.3
2	F	261	PRO	2.3
2	F	237	PHE	2.3
1	B	271	TYR	2.3
1	B	268	VAL	2.3
1	C	352	ASN	2.3
2	F	56	PHE	2.3
1	B	220	ASP	2.3
2	F	256	ASP	2.3
1	A	275	GLY	2.3
1	C	278	GLY	2.3
1	B	34	CYS	2.3
1	C	276	ALA	2.3
1	B	212	GLU	2.3
2	F	264	HIS	2.3
2	E	301	ARG	2.3
1	C	74	ARG	2.3
2	F	85	GLU	2.2
1	B	269	ASP	2.2
1	D	137	LEU	2.2
2	F	147	LEU	2.2
1	C	262	THR	2.2
1	D	250	PHE	2.2
1	D	277	HIS	2.2
2	E	49	PHE	2.2
1	D	248	GLY	2.2
1	C	76	ALA	2.2
1	B	291	ASP	2.2
1	A	273	GLY	2.2
1	B	171	GLY	2.2
2	E	160	LEU	2.2
1	B	265	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	250	PHE	2.2
1	C	173	LEU	2.2
1	C	217	GLU	2.1
1	C	271	TYR	2.1
1	A	44	ALA	2.1
2	E	234	LYS	2.1
1	C	64	MET	2.1
1	D	242	TYR	2.1
1	B	66	LEU	2.1
2	E	197	ASN	2.1
1	A	34	CYS	2.1
1	D	343	ARG	2.1
1	D	138	MET	2.1
1	C	134	ASP	2.1
1	C	211	GLU	2.1
1	D	238	GLU	2.1
1	B	264	ARG	2.1
1	B	283	SER	2.1
2	E	45	VAL	2.1
2	F	288	LYS	2.1
1	B	249	ARG	2.1
1	C	115	PRO	2.1
1	D	136	GLY	2.1
1	D	59	VAL	2.1
1	C	29	HIS	2.1
2	F	161	GLU	2.1
1	D	268	VAL	2.0
1	D	275	GLY	2.0
2	F	248	TYR	2.0
1	C	380	PHE	2.0
2	F	262	SER	2.0
2	F	66	ALA	2.0
1	D	252	ILE	2.0
1	D	139	PHE	2.0
1	C	56	CYS	2.0
1	D	241	ILE	2.0
2	F	173	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	EDO	D	406	4/4	0.81	0.65	15.52	63,67,69,73	0
3	EDO	B	409	4/4	0.87	0.36	15.21	83,83,83,88	0
3	EDO	B	407	4/4	0.86	0.89	8.70	85,89,89,91	0
3	EDO	A	401	4/4	0.78	0.41	7.37	77,80,86,86	0
3	EDO	B	406	4/4	0.86	0.72	6.80	82,86,87,87	0
3	EDO	C	401	4/4	0.95	0.55	6.65	71,72,72,73	0
3	EDO	D	407	4/4	0.93	0.33	6.12	78,82,85,89	0
3	EDO	D	405	4/4	0.87	0.36	6.01	72,76,80,86	0
5	PO4	A	406	5/5	0.70	0.56	4.95	113,116,126,129	0
3	EDO	B	401	4/4	0.86	0.38	4.66	68,78,78,83	0
3	EDO	B	408	4/4	0.88	0.51	4.31	72,72,73,76	0
3	EDO	A	403	4/4	0.75	0.28	3.98	69,70,71,73	0
3	EDO	B	404	4/4	0.87	0.48	3.31	68,71,73,76	0
3	EDO	E	403	4/4	0.91	0.22	3.23	71,71,73,73	0
3	EDO	E	404	4/4	0.75	0.25	2.56	88,89,90,96	0
3	EDO	C	403	4/4	0.84	0.26	2.34	95,96,97,99	0
3	EDO	E	401	4/4	0.93	0.23	2.06	66,72,72,75	0
3	EDO	B	405	4/4	0.90	0.28	1.98	77,83,84,86	0
3	EDO	A	402	4/4	0.94	0.22	1.87	68,69,71,71	0
3	EDO	D	404	4/4	0.76	0.27	1.78	80,86,86,87	0
3	EDO	A	404	4/4	0.91	0.22	1.44	73,79,81,84	0
3	EDO	B	402	4/4	0.88	0.24	1.22	79,83,87,94	0
4	SAM	C	404	27/27	0.91	0.25	0.99	56,66,82,84	0
3	EDO	B	403	4/4	0.95	0.20	0.94	64,65,65,67	0
3	EDO	D	401	4/4	0.88	0.21	0.82	88,88,89,89	0
5	PO4	C	405	5/5	0.88	0.39	0.78	82,87,94,99	0
4	SAM	A	405	27/27	0.94	0.19	0.77	54,62,83,94	0
3	EDO	D	402	4/4	0.85	0.19	0.32	85,87,88,88	0
3	EDO	C	402	4/4	0.92	0.21	-0.37	77,82,83,88	0
6	MG	B	410	1/1	0.93	0.22	-1.28	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	EDO	D	403	4/4	0.86	0.14	-	78,80,81,82	0
3	EDO	E	402	4/4	0.82	0.18	-	97,97,98,99	0
3	EDO	F	401	4/4	0.71	0.16	-	91,94,95,95	0

6.5 Other polymers [i](#)

There are no such residues in this entry.