



wwPDB EM Map/Model Validation Report ⓘ

Sep 20, 2016 – 08:43 PM EDT

PDB ID : 5L3P
EMDB ID: : EMD-4001
Title : Cryo-EM structure of stringent response factor RelA bound to ErmCL-stalled ribosome complex
Authors : Arenz, S.; Wilson, D.N.
Deposited on : 2016-05-24
Resolution : 3.70 Å(reported)

This is a wwPDB EM Map/Model Validation Report for a publicly released PDB/EMDB entry.
For rigid body fitted models, validation errors reported here could stem from errors in the original structure(s) used in the fitting.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/EMValidationReportHelp>

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027939


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	114402	924
Ramachandran outliers	111179	726
Sidechain outliers	111093	686
RNA backbone	3027	244

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	2903	63% 32% 5%
2	B	120	68% 27% 5%
3	D	273	73% 26% .
4	E	209	78% 22%
5	F	201	76% 24%
6	G	179	75% 24% .
7	H	177	83% 16% .
8	I	149	79% 19% .


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	N	142	 74% 25% .
10	O	123	 65% 32% ..
11	P	144	 66% 33% ..
12	Q	136	 81% 18% .
13	R	127	 67% 28% 6%
14	S	117	 86% 13% .
15	T	115	 76% 23% .
16	U	118	 80% 19% .
17	V	103	 70% 30%
18	W	110	 77% 23%
19	X	100	 69% 24% 7%
20	Y	104	 73% 24% ..
21	Z	94	 74% 26%
22	0	85	 65% 22% . 12%
23	1	78	 81% 18% .
24	2	63	 76% 24%
25	3	59	 69% 29% .
26	4	70	 80% 13% . 6%
27	5	57	 79% 19% .
28	6	55	 67% 22% . 9%
29	7	46	 67% 33%
30	8	65	 72% 26% .
31	9	38	 79% 21%
32	a	1539	 88% 11%
33	b	240	 89% . 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	c	233	
35	d	206	
36	e	167	
37	f	135	
38	g	179	
39	h	130	
40	i	130	
41	j	103	
42	k	129	
43	l	124	
44	m	118	
45	o	89	
46	p	82	
47	q	84	
48	r	75	
49	t	87	
50	u	71	
51	v	6	
52	x	77	
53	J	165	
54	K	142	
55	n	102	
56	s	92	
57	z	819	
58	y	73	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	2MG	A	1835	X	-	-	-
1	PSU	A	1911	X	-	-	-
1	3TD	A	1915	X	-	-	-
1	PSU	A	1917	X	-	-	-
1	5MU	A	1939	X	-	-	-
1	7MG	A	2069	X	-	-	-
1	OMG	A	2251	X	-	-	-
1	2MG	A	2445	X	-	-	-
1	H2U	A	2449	X	-	-	-
1	PSU	A	2457	X	-	-	-
1	OMC	A	2498	X	-	-	-
1	2MA	A	2503	X	-	-	-
1	PSU	A	2504	X	-	-	-
1	OMU	A	2552	X	-	-	-
1	PSU	A	2580	X	-	-	-
1	PSU	A	2604	X	-	-	-
1	PSU	A	2605	X	-	-	-
1	PSU	A	746	X	-	-	-
1	PSU	A	955	X	-	-	-
32	2MG	a	1207	X	-	-	-
32	4OC	a	1402	X	-	-	-
32	UR3	a	1498	X	-	-	-
32	2MG	a	1516	X	-	-	-
32	MA6	a	1518	X	-	-	-
32	MA6	a	1519	X	-	-	-
32	PSU	a	516	X	-	-	-
32	7MG	a	527	X	-	-	-
32	2MG	a	966	X	-	-	-
52	H2U	x	20	X	-	-	-
52	5MU	x	54	X	-	-	-
52	PSU	x	55	X	-	-	-
52	4SU	x	8	X	-	-	-
58	H2U	y	16	X	-	-	-
58	H2U	y	17	X	-	-	-
58	H2U	y	20	X	-	-	-
58	7MG	y	46	X	-	-	-
58	5MU	y	54	X	-	-	-
58	PSU	y	55	X	-	-	-

2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 149606 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	2890	Total	C	N	O	P	0	0
			62057	27688	11422	20057	2890		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1847	G	A	conflict	GB 802133627

- Molecule 2 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	120	Total	C	N	O	P	0	0
			2572	1145	471	836	120		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	120	A	U	conflict	GB 999944586

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	E	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	F	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	G	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	H	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	I	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	N	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	O	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	P	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	Q	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	R	120	Total	C	N	O	S	0	0
			960	593	196	166	5		

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	S	116	Total	C	N	O	S	0	0
			892	552	178	162			

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	T	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	U	117	Total	C	N	O	S	0	0
			947	604	192	151			

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	V	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	W	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	X	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	Y	102	Total	C	N	O	S	0	0
			779	492	146	141			

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	Z	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	0	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	1	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	2	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	3	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	4	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	5	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	6	50	Total	C	N	O	S	0	0
			409	263	75	71			

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	7	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	8	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	9	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 32 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	a	1539	Total	C	N	O	P	0	0
			33029	14738	6052	10700	1539		

- Molecule 33 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	b	218	Total	C	N	O	S	0	0
			1704	1081	305	311	7		

- Molecule 34 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	c	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 35 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	d	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 36 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	e	157	Total	C	N	O	S	0	0
			1141	709	218	208	6		

- Molecule 37 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	f	100	Total	C	N	O	S	0	0
			817	515	148	148	6		

- Molecule 38 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	g	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 39 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	h	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 40 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	i	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 41 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	j	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 42 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	k	116	Total	C	N	O	S	0	0
			869	535	173	158	3		

- Molecule 43 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	l	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 44 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	m	114	Total	C	N	O	S	0	0
			883	546	178	156	3		

- Molecule 45 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	o	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 46 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	p	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 47 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	q	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 48 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
48	r	65	Total	C	N	O	0	0
			504	317	96	91		

- Molecule 49 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	t	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 50 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	u	65	Total	C	N	O	S	0	0
			495	307	100	87	1		

- Molecule 51 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	v	6	Total	C	N	O	P	0	0
			129	58	24	41	6		

- Molecule 52 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
52	x	77	Total	C	N	O	P	S	0	0
			1644	733	297	536	77	1		

- Molecule 53 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	J	131	Total	C	N	O	S	0	0
			988	625	175	183	5		

- Molecule 54 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	K	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 55 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	n	101	Total	C	N	O	S	0	0
			799	498	165	133	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
n	35	ALA	-	insertion	UNP P0AG59

- Molecule 56 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	s	79	Total	C	N	O	S	0	0
			637	408	120	107	2		

- Molecule 57 is a protein called GTP pyrophosphokinase,GTP pyrophosphokinase,GTP pyrophosphokinase.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	z	545	Total	C	N	O		0	0
			2255	1165	545	545			


- Molecule 58 is a RNA chain called deacylated A/R-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	y	73	Total	C	N	O	P	0	0
			1581	709	280	519	73		

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 23S ribosomal RNA




A2893	C2787	U2568	G2446	C2260	U	U1940	C1833	A1586	G1492	C1363	G1266
G2894	C2788	G2569	G2447	C2261	G2152	C1941	U1834	G1587	G1501	C1364	A1269
A2899	C2789	G2570	U2448	U2262	C	U1944	C1835	A1595	G1506	A1365	A1270
A2900	G2790	U2571	A2449	C2263	A	U1955	C1836	A1596	A1504	A1366	G1271
U2903	G2791	A2572	A2450	C2264	U	G1955	C1837	A1603	U1506	A1367	A1272
	C2794	G2576	C2451	A2267	G	G1962	C1844	A1606	C1507	U1273	U1274
	U2797	A2577	C2452	A2268	A	U1963	G1845	A1611	A1508	A1378	G1283
	U2798	G2578	G2453	G2271	G	C1964	G1846	C1612	A1509	U1379	G1286
	A2799	U2580	U2457	G2272	C	C2072	G1847	A1614	G1510	A1383	A1287
A2800	C2710	U2581	A2458	A2278	C2161	C1965	U1765	G1615	A1515	U1394	G1296
G2801	G2711	G2582	G2459	G2279	G2162	U1967	G1849	A1629	G1517	C1399	A1300
G2802	U2714	U2585	G2464	C2283	C2164	G1968	G1850	U1630	G1524	C1403	A1301
	C2715	U2586	C2467	G2286	A2170	A1969	A1858	A1634	A1528	U1405	C1306
G2803	G2716	A2587	C2476	U2291	A2171	A1970	G1863	U1647	G1530	U1406	A1307
A2804	U2717	G2594	A2478	U2292	U2172	G1971	U1864	U1648	U1533	U1415	G1310
A2810	G2719	G2595	U2477	G2293	A2173	G1972	U1871	G1651	U1542	C1416	U1313
	U2720	C2598	G2478	U2294	A2183	U1991	A1871	A1652	C1541	G1418	C1314
	A2721	A2598	A2479	U2295	A2184	G1992	U1872	G1653	U1543	A1419	C1320
G2816	C2722	G2599	C2483	G2296	U2185	U1993	G1873	A1655	G1544	A1420	A1321
U2817	U2723	A2602	A2476	U2302	G2186	U1995	G1874	U1657	U1545	G1424	A1322
G2818	G2724	U2603	U2477	G2303	G2188	C1996	G1875	U1658	U1546	C1428	G1323
G2819	U2725	U2604	U2478	G2304	U2189	C1997	G1876	G1659	U1547	U1325	U1326
A2820	A2726	U2605	C2486	U2305	G2190	A1998	G1877	G1660	U1548	U1327	A1327
		C2497	C2497	U2306	G2191	G2002	A1788	G1661	C1550	G1430	
A2823	U2739	U2606	C2498	G2307	G2192	G2006	C1789	U1666	A1551	A1328	A1329
C2824	A2740	G2607	C2499	U2308	A2197	C2021	A1791	U1667	A1552	A1433	U1329
G2825		U2608	U2499	A2309	U2198	G2022	G1792	U1668	U1553	A1434	C1330
C2830	U2743	U2609	G2502	C2313	A2199	G2027	A1889	U1669	G1555	G1435	G1331
G2831	G2744	C2610	A2503	G2314	C2200	U2028	A1890	U1670	U1556	C1447	G1332
U2832	U2745	U2611	U2504	U2315	G2201	G2029	U1808	A1671	C1557	U1334	G1333
U2833	U2746	G2612	G2505	G2316	G2202	U2030	A1809	A1672	C1558	G1450	C1335
G2747	U2747	U2613	U2506	U2317	G2204	A2031		A1673	U1559	C1451	A1336
A2748	C2748	A2614	U2507	U2318	G2204	G2032	G1813	C1674	G1560	G1452	G1337
			C2508	U2319	G2204	U2033	A1814	C1675	C1565	A1454	
	G2751	G2618	G2508	U2320	C2208	G2034	A1815	A1689	C1566	G1461	G1341
	U2754	U2622	C2515	C2326	G2209	U2035	A1816	U1693	G1567	U1469	A1342
G2846	C2755	G2623	A2518	A2327	U2210	G2036	C1817	C1694	C1568	A1343	U1344
U2847	U2756	G2624	A2519	U2328	A2211	C2037	A1917	G1695	A1569	C1345	
G2848	U2757	U2625	C2521	G2330	U2212	U2038	U1918	U1696	A1570	A1470	C1351
U2849	A2757	U2626	U2522	U2331	U2213	U2039	A1919	U1697	A1572	U1352	U1353
A2850		U2627	U2523	G2332	G2224	G2040	U1920	U1698	G1573	A1354	G1355
A2851	C2760	C2636	G2529	A2333	A2225	G2041	A1921	U1699	U1574	G1481	C1356
G2852	A2761	G2637	G2530	U2334	C2226	U2042	C1914	C1694	C1454	G1482	C1357
C2853	U2764	G2638	C2540	A2335	G2227	G2043	G1915	G1695	C1461	A1490	
G2854	A2765	G2639	C2541	U2336	U2228	U2044	U1916	U1696	A1469	G1491	G1358
		U2647	U2547	A2337	G2229	G2045	U1917	U1697	A1470		
G2857	U2768	G2640	U2548	C2338	G2230	G2046	U1918	U1698	A1471		
	A2860	G2641	U2549	A2339	U2231	C2047	A1919	U1699	A1472		
	G2867	U2642	U2550	G2340	U2232	G2048	A1920	U1700	A1473		
A2868	C2772	G2643	U2551	A2341	U2233	G2049	A1921	U1701	A1474		
	C2773	C2644	U2552	U2342	G2234	G2050	U1922	U1702	A1475		
		U2645	U2553	A2343	U2235	G2051	G1923	U1703	G1476		
		G2646	U2554	U2344	G2236	A2052	U1924	U1704	U1481		
		U2647	U2555	A2345	U2237	G2053	U1925	U1705	A1579		
	U2768	G2648	U2556	C2346	U2238	G2054	U1926	U1706	A1580		
	C2771	U2649	U2557	A2347	U2239	G2055	A1927	U1707	G1581		
	U2778	C2650	U2558	U2348	U2240	U2056	U1928	U1708	C1585		
A2883	A2779	U2651	A2564	C2349	G2241	G2057	A1929	U1709			
U2884	U2780	C2652	U2565	U2350	U2242	G2058	U1930	U1710			
			U2566	C2351	G2243	U2059	U1931	U1711			
			G2567	U2352	U2244	G2060	U1932	U1712			
				A2353	U2245	G2061	U1933	U1713			
				U2354	U2246	G2062	U1934	U1714			
				C2355	U2247	G2063	U1935	U1715			
				U2356	U2248	G2064	U1936	U1716			
				A2357	U2249	G2065	U1937	U1717			
				U2358	U2250	G2066	U1938	U1718			
				C2359	U2251	G2067	U1939	U1719			
				A2360	U2252	G2068	U1940	U1720			
				U2361	U2253	G2069	U1941	U1721			
				C2362	U2254	G2070	U1942	U1722			
				A2363	U2255	G2071	U1943	U1723			
				U2364	U2256	G2072	U1944	U1724			
				A2365	U2257	G2073	U1945	U1725			
				U2366	U2258	G2074	U1946	U1726			
				A2367	U2259	G2075	U1947	U1727			
				U2368	U2260	G2076	U1948	U1728			
				C2369	U2261	G2077	U1949	U1729			
				A2370	U2262	G2078	U1950	U1730			
				U2371	U2263	G2079	U1951	U1731			
				C2372	U2264	G2080	U1952	U1732			
				A2373	U2265	G2081	U1953	U1733			
				U2374	U2266	G2082	U1954	U1734			
				C2375	U2267	G2083	U1955	U1735			
				A2376	U2268	G2084	U1956	U1736			
				U2377	U2269	G2085	U1957	U1737			
				C2378	U2270	G2086	U1958	U1738			
				A2379	U2271	G2087	U1959	U1739			
				U2380	U2272	G2088	U1960	U1740			
				C2381	U2273	G2089	U1961	U1741			
				A2382	U2274	G2090	U1962	U1742			
				U2383	U2275	G2091	U1963	U1743			
				C2384	U2276	G2092	U1964	U1744			
				A2385	U2277	G2093	U1965	U1745			
				U2386	U2278	G2094	U1966	U1746			
				C2387	U2279	G2095	U1967	U1747			
				A2388	U2280	G2096	U1968	U1748			
				U2389	U2281	G2097	U1969	U1749			
				C2390	U2282	G2098	U1970	U1750			
				A2391	U2283	G2099	U1971	U1751			
				U2392	U2284	G2100	U1972	U1752			
				C2393	U2285	G2101	U1973	U1753			
				A2394	U2286	G2102	U1974	U1754			
				U2395	U2287	G2103	U1975	U1755			
				C2396	U2288	G2104	U1976	U1756			
				A2397	U2289	G2105	U1977	U1757			
				U2398	U2290	G2106	U1978	U1758			
				C2399	U2291	G2107	U1979	U1759			
				A2400	U2292	G2108	U1980	U1760			
				U2401	U2293	G2109	U1981	U1761			
				C2402	U2294	G2110	U1982	U1762			
				A2403	U2295	G2111	U1983	U1763			
				U2404	U2296	G2112	U1984	U1764			
				C2405	U2297	G2113	U1985	U1765			
				A2406	U2298	G2114	U1986	U1766			
				U2407	U2299	G2115	U1987	U1767			
				C2408	U2300	G2116	U1988	U1768			
				A2409	U2301	G2117	U1989	U1769			
				U2410	U2302	G2118	U1990	U1770			
				C2411	U2303	G2119	U1991	U1771			
				U2412	U2304	G2120	U1992	U1772			
				C2413	U2305	G2121	U1993	U1773			
				A2414	U2306	G2122	U1994	U1774			
				U2415	U2307	G2123	U1995	U1775			
				C2416	U2308	G2124	U1996	U1776			
				A2417	U2309	G2125	U1997	U1777			
				U2418	U2310	G2126	U1998	U1778			
				C2419	U2311	G2127	U1999	U1779			
				A2420	U2312	G2128	U2000	U1780			
				U2421	U2313	G2129	U2001	U1781			
				C2422	U2314	G2130	U2002	U1782			


- Molecule 2: 5S ribosomal RNA




- Molecule 3: 50S ribosomal protein L2




- Molecule 4: 50S ribosomal protein L3




- Molecule 5: 50S ribosomal protein L4



- Molecule 6: 50S ribosomal protein L5




- Molecule 7: 50S ribosomal protein L6

Chain H:  83% 16%




- Molecule 8: 50S ribosomal protein L9

Chain I:  79% 19%




- Molecule 9: 50S ribosomal protein L13

Chain N:  74% 25%



- Molecule 10: 50S ribosomal protein L14

Chain O:  65% 32%




- Molecule 11: 50S ribosomal protein L15

Chain P:  66% 33%




- Molecule 12: 50S ribosomal protein L16


Chain Q:  81% 18%




- Molecule 13: 50S ribosomal protein L17




- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19




- Molecule 16: 50S ribosomal protein L20




- Molecule 17: 50S ribosomal protein L21



- Molecule 18: 50S ribosomal protein L22




- Molecule 19: 50S ribosomal protein L23



- Molecule 20: 50S ribosomal protein L24

Chain Y:  73% 24% ..



- Molecule 21: 50S ribosomal protein L25

Chain Z:  74% 26%




- Molecule 22: 50S ribosomal protein L27

Chain 0:  65% 22% 12%




- Molecule 23: 50S ribosomal protein L28

Chain 1:  81% 18%



- Molecule 24: 50S ribosomal protein L29

Chain 2:  76% 24%




- Molecule 25: 50S ribosomal protein L30

Chain 3:  69% 29%




- Molecule 26: 50S ribosomal protein L31

Chain 4:  80% 13% 6%




- Molecule 27: 50S ribosomal protein L32

Chain 5:  79% 19%




- Molecule 28: 50S ribosomal protein L33

Chain 6: 67% 22% 9%




- Molecule 29: 50S ribosomal protein L34

Chain 7: 67% 33%



- Molecule 30: 50S ribosomal protein L35

Chain 8: 72% 26%




- Molecule 31: 50S ribosomal protein L36


Chain 9: 79% 21%



- Molecule 32: 16S ribosomal RNA

Chain a: 88% 11%






- Molecule 33: 30S ribosomal protein S2

Chain b: 89% 9%



- Molecule 34: 30S ribosomal protein S3

Chain c: 88% 12%



- Molecule 35: 30S ribosomal protein S4

Chain d: 98%




- Molecule 36: 30S ribosomal protein S5

Chain e: 90% 6%




- Molecule 37: 30S ribosomal protein S6

Chain f: 71% 26%



- Molecule 38: 30S ribosomal protein S7

Chain g: 81% 16%



- Molecule 39: 30S ribosomal protein S8

Chain h: 98%




- Molecule 40: 30S ribosomal protein S9

Chain i:  94%





- Molecule 41: 30S ribosomal protein S10

Chain j:  89% 6% 5%




- Molecule 42: 30S ribosomal protein S11

Chain k:  87% 10%



- Molecule 43: 30S ribosomal protein S12

Chain l:  93% 6%



- Molecule 44: 30S ribosomal protein S13

Chain m:  95%



- Molecule 45: 30S ribosomal protein S15

Chain o:  93% 6%




- Molecule 46: 30S ribosomal protein S16

Chain p:  98%




- Molecule 47: 30S ribosomal protein S17

Chain q:  90% 5% 5%



- Molecule 48: 30S ribosomal protein S18

Chain r:  83% 13%




- Molecule 49: 30S ribosomal protein S20

Chain t:  98%



- Molecule 50: 30S ribosomal protein S21

Chain u:  85% 7% 8%





- Molecule 51: mRNA

Chain v:  100%

There are no outlier residues recorded for this chain.


- Molecule 52: P-site tRNA

Chain x:  82% 14%




- Molecule 53: 50S ribosomal protein L10

Chain J:  50% 27% 21%



- Molecule 54: 50S ribosomal protein L11

Chain K:  75% 23%




- Molecule 55: 30S ribosomal protein S14

Chain n: 95%





- Molecule 56: 30S ribosomal protein S19

Chain s: 85%




- Molecule 57: GTP pyrophosphokinase, GTP pyrophosphokinase, GTP pyrophosphokinase

Chain z: 65%



- Molecule 58: deacylated A/R-tRNA

Chain y: 60%



4 Experimental information

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of particles used	24749	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	Not provided	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	Not provided	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	Depositor
Image detector	Not provided	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 3TD, OMC, OMG, OMU, MA6, H2U, YG, 2MA, 6MZ, 2MG, 5MC, UR3, 4OC, 4SU, 7MG, 5MU, 1MG, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 2	RMSZ	# Z > 2
1	A	0.12	1/68920 (0.0%)	0.67	20/107498 (0.0%)
10	O	0.20	0/947	0.40	0/1268
11	P	0.20	0/1054	0.39	0/1403
12	Q	0.21	0/1093	0.41	0/1460
13	R	0.21	0/973	0.39	0/1301
14	S	0.20	0/902	0.35	0/1209
15	T	0.20	0/929	0.41	0/1242
16	U	0.21	0/960	0.35	0/1278
17	V	0.21	0/829	0.38	0/1107
18	W	0.19	0/864	0.39	0/1156
19	X	0.20	0/744	0.39	0/994
2	B	0.23	1/2876 (0.0%)	0.65	0/4483
20	Y	0.21	0/787	0.37	0/1051
21	Z	0.20	0/766	0.36	0/1025
22	0	0.20	0/582	0.35	0/769
23	1	0.19	0/635	0.36	0/848
24	2	0.21	0/510	0.36	0/677
25	3	0.21	0/453	0.41	0/605
26	4	0.21	0/531	0.40	0/709
27	5	0.19	0/450	0.36	0/599
28	6	0.21	0/416	0.41	0/554
29	7	0.20	0/380	0.36	0/498
3	D	0.20	0/2121	0.39	0/2852
30	8	0.21	0/513	0.42	0/676
31	9	0.19	0/303	0.38	0/397
32	a	0.13	1/36701 (0.0%)	0.66	5/57246 (0.0%)
33	b	0.21	0/1735	0.39	0/2338
34	c	0.21	0/1651	0.41	0/2225
35	d	0.21	0/1665	0.38	0/2227
36	e	0.22	0/1154	0.41	0/1554
37	f	0.21	0/835	0.39	0/1128

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >2	RMSZ	# Z >2
38	g	0.20	0/1195	0.39	0/1602
39	h	0.21	0/989	0.40	0/1326
4	E	0.21	0/1586	0.38	0/2134
40	i	0.21	0/1034	0.40	0/1375
41	j	0.21	0/796	0.42	0/1077
42	k	0.20	0/885	0.39	0/1195
43	l	0.21	0/969	0.42	0/1300
44	m	0.20	0/892	0.41	0/1193
45	o	0.20	0/722	0.35	0/964
46	p	0.20	0/659	0.35	0/884
47	q	0.22	0/657	0.43	0/881
48	r	0.20	0/511	0.40	0/689
49	t	0.20	0/671	0.34	0/888
5	F	0.20	0/1571	0.37	0/2113
50	u	0.21	0/500	0.38	0/668
51	v	0.10	0/144	0.64	0/222
52	x	0.27	1/1747 (0.1%)	0.64	0/2721
53	J	0.22	0/1001	0.43	0/1350
54	K	0.21	0/1046	0.41	0/1410
55	n	0.20	0/811	0.37	0/1081
56	s	0.20	0/652	0.37	0/877
57	z	0.16	0/1874	0.32	0/2332
58	y	0.29	1/1585 (0.1%)	0.66	0/2469
6	G	0.21	0/1434	0.40	0/1926
7	H	0.20	0/1343	0.37	0/1816
8	I	0.21	0/1122	0.38	0/1515
9	N	0.21	0/1152	0.39	0/1551
All	All	0.16	5/160827 (0.0%)	0.60	25/239936 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	35	0
32	a	17	0
52	x	9	0
58	y	9	0
All	All	70	0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1	U	OP3-P	-10.62	1.48	1.61
58	y	1	G	OP3-P	-10.62	1.48	1.61
52	x	1	C	OP3-P	-10.58	1.48	1.61
32	a	2	A	OP3-P	-10.57	1.48	1.61
1	A	1	G	OP3-P	-10.54	1.48	1.61

The worst 5 of 25 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1049	C	C2-N3-C4	18.01	128.91	119.90
1	A	1050	A	N1-C2-N3	16.54	137.57	129.30
1	A	1073	A	N1-C2-N3	16.48	137.54	129.30
1	A	1050	A	C2-N3-C4	12.07	116.63	110.60
1	A	1073	A	C2-N3-C4	11.70	116.45	110.60

5 of 70 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	746	PSU	C4',C2'
1	A	955	PSU	C4',C2'
1	A	1835	2MG	C2',C3'
1	A	1911	PSU	C4',C2'
1	A	1915	3TD	C4'

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	62057	0	31229	578	0
2	B	2572	0	1302	21	0
3	D	2082	0	2157	57	0
4	E	1565	0	1616	36	0
5	F	1552	0	1619	34	0
6	G	1410	0	1447	27	0
7	H	1323	0	1374	17	0
8	I	1111	0	1148	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	N	1129	0	1162	28	0
10	O	938	0	1012	26	0
11	P	1045	0	1117	32	0
12	Q	1074	0	1157	18	0
13	R	960	0	1000	25	0
14	S	892	0	923	10	0
15	T	917	0	965	20	0
16	U	947	0	1022	18	0
17	V	816	0	839	20	0
18	W	857	0	922	19	0
19	X	738	0	807	15	0
20	Y	779	0	834	16	0
21	Z	753	0	780	17	0
22	0	575	0	592	16	0
23	1	625	0	655	10	0
24	2	509	0	543	11	0
25	3	449	0	491	13	0
26	4	522	0	522	9	0
27	5	444	0	461	6	0
28	6	409	0	440	10	0
29	7	377	0	418	16	0
30	8	504	0	574	11	0
31	9	302	0	343	6	0
32	a	33029	0	16645	0	0
33	b	1704	0	1732	0	0
34	c	1624	0	1699	0	0
35	d	1643	0	1710	0	0
36	e	1141	0	1170	0	0
37	f	817	0	808	0	0
38	g	1181	0	1240	0	0
39	h	979	0	1034	0	0
40	i	1022	0	1070	0	0
41	j	786	0	828	0	0
42	k	869	0	878	0	0
43	l	955	0	1019	0	0
44	m	883	0	944	0	0
45	o	714	0	737	0	0
46	p	649	0	666	0	0
47	q	648	0	691	0	0
48	r	504	0	502	0	0
49	t	665	0	714	0	0
50	u	495	0	486	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
51	v	129	0	65	0	0
52	x	1644	0	840	0	0
53	J	988	0	1025	26	0
54	K	1032	0	1088	19	0
55	n	799	0	841	0	0
56	s	637	0	665	0	0
57	z	2255	0	592	0	0
58	y	1581	0	813	0	0
All	All	149606	0	99973	1013	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 1013 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:G:140:ILE:HG22	6:G:142:TYR:H	1.46	0.80
21:Z:9:ARG:HD3	21:Z:39:ALA:HB1	1.65	0.77
1:A:2279:G:HO2'	1:A:2327:A:HO2'	1.31	0.77
17:V:98:ILE:HG22	17:V:100:GLY:H	1.50	0.77
7:H:94:ARG:HB2	7:H:105:SER:HB2	1.68	0.76

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	D	269/273 (98%)	243 (90%)	25 (9%)	1 (0%)	39	80
4	E	207/209 (99%)	187 (90%)	17 (8%)	3 (1%)	14	60
5	F	199/201 (99%)	184 (92%)	11 (6%)	4 (2%)	9	55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	G	175/179 (98%)	154 (88%)	18 (10%)	3 (2%)	11	57
7	H	174/177 (98%)	149 (86%)	23 (13%)	2 (1%)	17	65
8	I	147/149 (99%)	129 (88%)	14 (10%)	4 (3%)	6	48
9	N	140/142 (99%)	130 (93%)	8 (6%)	2 (1%)	14	60
10	O	120/123 (98%)	108 (90%)	7 (6%)	5 (4%)	3	36
11	P	141/144 (98%)	122 (86%)	13 (9%)	6 (4%)	3	35
12	Q	134/136 (98%)	123 (92%)	8 (6%)	3 (2%)	8	52
13	R	118/127 (93%)	103 (87%)	12 (10%)	3 (2%)	7	49
14	S	114/117 (97%)	106 (93%)	6 (5%)	2 (2%)	11	56
15	T	112/115 (97%)	105 (94%)	7 (6%)	0	100	100
16	U	115/118 (98%)	113 (98%)	2 (2%)	0	100	100
17	V	101/103 (98%)	91 (90%)	6 (6%)	4 (4%)	4	38
18	W	108/110 (98%)	94 (87%)	14 (13%)	0	100	100
19	X	91/100 (91%)	81 (89%)	8 (9%)	2 (2%)	8	52
20	Y	100/104 (96%)	87 (87%)	11 (11%)	2 (2%)	9	55
21	Z	92/94 (98%)	88 (96%)	4 (4%)	0	100	100
22	0	73/85 (86%)	68 (93%)	4 (6%)	1 (1%)	14	60
23	1	75/78 (96%)	71 (95%)	4 (5%)	0	100	100
24	2	61/63 (97%)	59 (97%)	2 (3%)	0	100	100
25	3	56/59 (95%)	54 (96%)	2 (4%)	0	100	100
26	4	64/70 (91%)	56 (88%)	7 (11%)	1 (2%)	12	58
27	5	54/57 (95%)	51 (94%)	2 (4%)	1 (2%)	10	55
28	6	48/55 (87%)	43 (90%)	4 (8%)	1 (2%)	9	53
29	7	44/46 (96%)	42 (96%)	2 (4%)	0	100	100
30	8	62/65 (95%)	58 (94%)	3 (5%)	1 (2%)	12	58
31	9	36/38 (95%)	32 (89%)	3 (8%)	1 (3%)	6	47
33	b	216/240 (90%)	187 (87%)	25 (12%)	4 (2%)	10	55
34	c	204/233 (88%)	188 (92%)	14 (7%)	2 (1%)	19	66
35	d	203/206 (98%)	180 (89%)	19 (9%)	4 (2%)	9	55
36	e	155/167 (93%)	132 (85%)	17 (11%)	6 (4%)	4	38
37	f	98/135 (73%)	85 (87%)	9 (9%)	4 (4%)	3	37

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
38	g	149/179 (83%)	130 (87%)	13 (9%)	6 (4%)	4	38
39	h	127/130 (98%)	115 (91%)	11 (9%)	1 (1%)	24	70
40	i	125/130 (96%)	107 (86%)	13 (10%)	5 (4%)	4	38
41	j	96/103 (93%)	79 (82%)	11 (12%)	6 (6%)	2	26
42	k	114/129 (88%)	99 (87%)	11 (10%)	4 (4%)	4	43
43	l	121/124 (98%)	104 (86%)	9 (7%)	8 (7%)	1	24
44	m	112/118 (95%)	103 (92%)	7 (6%)	2 (2%)	11	56
45	o	86/89 (97%)	76 (88%)	5 (6%)	5 (6%)	2	27
46	p	80/82 (98%)	71 (89%)	7 (9%)	2 (2%)	7	49
47	q	78/84 (93%)	65 (83%)	9 (12%)	4 (5%)	2	31
48	r	63/75 (84%)	56 (89%)	4 (6%)	3 (5%)	3	32
49	t	83/87 (95%)	80 (96%)	3 (4%)	0	100	100
50	u	63/71 (89%)	48 (76%)	10 (16%)	5 (8%)	1	18
53	J	129/165 (78%)	102 (79%)	21 (16%)	6 (5%)	3	33
54	K	139/142 (98%)	118 (85%)	14 (10%)	7 (5%)	3	31
55	n	99/102 (97%)	87 (88%)	8 (8%)	4 (4%)	4	38
56	s	77/92 (84%)	71 (92%)	5 (6%)	1 (1%)	15	62
57	z	458/819 (56%)	423 (92%)	24 (5%)	11 (2%)	7	51
All	All	6305/7039 (90%)	5637 (89%)	516 (8%)	152 (2%)	12	51

5 of 152 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
9	N	81	ILE
11	P	128	THR
34	c	96	VAL
34	c	156	LEU
36	e	122	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	D	216/218 (99%)	216 (100%)	0	100	100
4	E	164/164 (100%)	164 (100%)	0	100	100
5	F	165/165 (100%)	165 (100%)	0	100	100
6	G	148/150 (99%)	148 (100%)	0	100	100
7	H	137/138 (99%)	137 (100%)	0	100	100
8	I	114/114 (100%)	114 (100%)	0	100	100
9	N	116/116 (100%)	116 (100%)	0	100	100
10	O	103/104 (99%)	103 (100%)	0	100	100
11	P	102/103 (99%)	102 (100%)	0	100	100
12	Q	109/109 (100%)	109 (100%)	0	100	100
13	R	100/103 (97%)	100 (100%)	0	100	100
14	S	86/87 (99%)	86 (100%)	0	100	100
15	T	99/100 (99%)	99 (100%)	0	100	100
16	U	89/90 (99%)	89 (100%)	0	100	100
17	V	84/84 (100%)	84 (100%)	0	100	100
18	W	93/93 (100%)	93 (100%)	0	100	100
19	X	80/84 (95%)	80 (100%)	0	100	100
20	Y	83/85 (98%)	83 (100%)	0	100	100
21	Z	78/78 (100%)	78 (100%)	0	100	100
22	0	57/63 (90%)	57 (100%)	0	100	100
23	1	67/68 (98%)	67 (100%)	0	100	100
24	2	55/55 (100%)	55 (100%)	0	100	100
25	3	48/49 (98%)	48 (100%)	0	100	100
26	4	59/62 (95%)	59 (100%)	0	100	100
27	5	47/48 (98%)	47 (100%)	0	100	100
28	6	45/49 (92%)	45 (100%)	0	100	100
29	7	38/38 (100%)	38 (100%)	0	100	100
30	8	51/52 (98%)	51 (100%)	0	100	100
31	9	34/34 (100%)	34 (100%)	0	100	100
33	b	180/198 (91%)	180 (100%)	0	100	100
34	c	170/190 (90%)	170 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
35	d	172/173 (99%)	172 (100%)	0	100	100
36	e	114/126 (90%)	114 (100%)	0	100	100
37	f	87/116 (75%)	87 (100%)	0	100	100
38	g	124/147 (84%)	124 (100%)	0	100	100
39	h	104/105 (99%)	104 (100%)	0	100	100
40	i	105/107 (98%)	105 (100%)	0	100	100
41	j	86/90 (96%)	86 (100%)	0	100	100
42	k	89/99 (90%)	89 (100%)	0	100	100
43	l	103/104 (99%)	103 (100%)	0	100	100
44	m	92/96 (96%)	92 (100%)	0	100	100
45	o	76/77 (99%)	76 (100%)	0	100	100
46	p	65/65 (100%)	65 (100%)	0	100	100
47	q	74/78 (95%)	74 (100%)	0	100	100
48	r	48/65 (74%)	48 (100%)	0	100	100
49	t	65/66 (98%)	65 (100%)	0	100	100
50	u	44/61 (72%)	44 (100%)	0	100	100
53	J	100/123 (81%)	100 (100%)	0	100	100
54	K	109/110 (99%)	109 (100%)	0	100	100
55	n	79/84 (94%)	79 (100%)	0	100	100
56	s	70/79 (89%)	70 (100%)	0	100	100
All	All	4823/5062 (95%)	4823 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 53 such sidechains are listed below:

Mol	Chain	Res	Type
25	3	19	HIS
35	d	119	HIS
49	t	74	HIS
28	6	18	HIS
31	9	35	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	2881/2903 (99%)	415 (14%)	43 (1%)
2	B	119/120 (99%)	13 (10%)	2 (1%)
32	a	1535/1539 (99%)	176 (11%)	0
51	v	5/6 (83%)	0	0
52	x	76/77 (98%)	13 (17%)	0
58	y	72/73 (98%)	28 (38%)	0
All	All	4688/4718 (99%)	645 (13%)	45 (0%)

5 of 645 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	10	A
1	A	12	U
1	A	27	G
1	A	34	U
1	A	35	G

5 of 45 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	1300	G
1	A	1939	5MU
1	A	2756	U
1	A	1835	2MG
1	A	1940	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

46 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	6MZ	A	1618	1	17,25,26	0.77	1 (5%)	15,36,39	3.16	2 (13%)
1	2MG	A	1835	1	18,26,27	2.80	2 (11%)	21,38,41	2.40	8 (38%)
1	PSU	A	1911	1	15,21,22	1.33	3 (20%)	16,30,33	2.02	3 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	3TD	A	1915	1	15,22,23	2.19	3 (20%)	17,32,35	1.38	3 (17%)
1	PSU	A	1917	1	15,21,22	1.45	3 (20%)	16,30,33	2.08	3 (18%)
1	5MU	A	1939	1	13,22,23	1.36	1 (7%)	16,32,35	2.36	3 (18%)
1	5MC	A	1962	1	14,22,23	1.24	2 (14%)	17,32,35	0.83	1 (5%)
1	6MZ	A	2030	1	17,25,26	0.75	1 (5%)	15,36,39	3.15	2 (13%)
1	7MG	A	2069	1	20,26,27	2.74	5 (25%)	23,39,42	2.70	6 (26%)
1	OMG	A	2251	1,52	18,26,27	2.34	2 (11%)	21,38,41	1.53	4 (19%)
1	2MG	A	2445	1	18,26,27	2.80	2 (11%)	21,38,41	2.25	7 (33%)
1	H2U	A	2449	1	17,21,22	3.63	5 (29%)	23,30,33	2.61	5 (21%)
1	PSU	A	2457	1	15,21,22	1.36	3 (20%)	16,30,33	2.04	3 (18%)
1	OMC	A	2498	1	15,22,23	1.04	1 (6%)	20,31,34	0.87	1 (5%)
1	2MA	A	2503	1	17,25,26	2.03	1 (5%)	18,37,40	2.99	1 (5%)
1	PSU	A	2504	1	15,21,22	1.31	2 (13%)	16,30,33	2.02	3 (18%)
1	OMU	A	2552	1	14,22,23	2.06	3 (21%)	19,31,34	1.66	1 (5%)
1	PSU	A	2580	1	15,21,22	1.44	4 (26%)	16,30,33	2.12	3 (18%)
1	PSU	A	2604	1	15,21,22	1.29	2 (13%)	16,30,33	2.09	3 (18%)
1	PSU	A	2605	1	15,21,22	1.43	3 (20%)	16,30,33	2.01	2 (12%)
1	1MG	A	745	1	17,26,27	2.44	3 (17%)	19,39,42	1.07	1 (5%)
1	PSU	A	746	1	15,21,22	1.28	2 (13%)	16,30,33	2.17	4 (25%)
1	5MC	A	747	1	14,22,23	1.24	2 (14%)	17,32,35	0.84	1 (5%)
1	PSU	A	955	1	15,21,22	1.38	3 (20%)	16,30,33	2.03	3 (18%)
32	2MG	a	1207	32	18,26,27	2.81	2 (11%)	21,38,41	2.26	7 (33%)
32	4OC	a	1402	32	15,23,24	0.91	1 (6%)	21,32,35	1.51	3 (14%)
32	5MC	a	1407	32	14,22,23	1.26	2 (14%)	17,32,35	0.83	1 (5%)
32	UR3	a	1498	32	13,22,23	1.64	2 (15%)	18,32,35	0.62	0
32	2MG	a	1516	32	18,26,27	2.82	2 (11%)	21,38,41	2.23	6 (28%)
32	MA6	a	1518	32	18,26,27	0.61	0	15,38,41	1.87	2 (13%)
32	MA6	a	1519	32	18,26,27	0.56	0	15,38,41	2.09	2 (13%)
32	PSU	a	516	32	15,21,22	1.34	3 (20%)	16,30,33	2.05	3 (18%)
32	7MG	a	527	32	20,26,27	2.70	4 (20%)	23,39,42	2.47	4 (17%)
32	2MG	a	966	32	18,26,27	2.80	2 (11%)	21,38,41	2.33	8 (38%)
32	5MC	a	967	32	14,22,23	1.30	2 (14%)	17,32,35	0.89	1 (5%)
52	H2U	x	20	52	17,21,22	3.63	5 (29%)	23,30,33	2.60	5 (21%)
52	5MU	x	54	52	13,22,23	1.31	1 (7%)	16,32,35	2.36	3 (18%)
52	PSU	x	55	52	15,21,22	1.41	4 (26%)	16,30,33	2.16	3 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
52	4SU	x	8	52	12,21,22	1.62	2 (16%)	15,30,33	1.04	1 (6%)
58	H2U	y	16	58	17,21,22	3.65	5 (29%)	23,30,33	2.51	5 (21%)
58	H2U	y	17	58	17,21,22	3.63	5 (29%)	23,30,33	2.57	5 (21%)
58	H2U	y	20	58	17,21,22	3.62	5 (29%)	23,30,33	2.59	5 (21%)
58	YG	y	37	58	28,42,43	1.54	2 (7%)	28,62,65	1.92	8 (28%)
58	7MG	y	46	58	20,26,27	2.69	4 (20%)	23,39,42	2.27	5 (21%)
58	5MU	y	54	58	13,22,23	1.33	1 (7%)	16,32,35	2.35	3 (18%)
58	PSU	y	55	58	15,21,22	1.45	3 (20%)	16,30,33	2.25	4 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	6MZ	A	1618	1	-	0/5/27/28	0/3/3/3
1	2MG	A	1835	1	2/2/5/6	0/5/27/28	0/3/3/3
1	PSU	A	1911	1	2/2/5/5	0/7/25/26	0/2/2/2
1	3TD	A	1915	1	1/1/5/5	0/7/25/26	0/2/2/2
1	PSU	A	1917	1	2/2/5/5	0/7/25/26	0/2/2/2
1	5MU	A	1939	1	3/3/5/5	0/3/25/26	0/2/2/2
1	5MC	A	1962	1	-	0/3/25/26	0/2/2/2
1	6MZ	A	2030	1	-	0/5/27/28	0/3/3/3
1	7MG	A	2069	1	1/1/7/7	0/7/37/38	0/3/3/3
1	OMG	A	2251	1,52	2/2/5/5	0/5/27/28	0/3/3/3
1	2MG	A	2445	1	2/2/5/6	0/5/27/28	0/3/3/3
1	H2U	A	2449	1	1/1/8/9	0/7/38/39	0/2/2/2
1	PSU	A	2457	1	2/2/5/5	0/7/25/26	0/2/2/2
1	OMC	A	2498	1	2/2/5/5	0/5/27/28	0/2/2/2
1	2MA	A	2503	1	2/2/5/5	0/3/25/26	0/3/3/3
1	PSU	A	2504	1	2/2/5/5	0/7/25/26	0/2/2/2
1	OMU	A	2552	1	1/1/5/5	0/5/27/28	0/2/2/2
1	PSU	A	2580	1	2/2/5/5	0/7/25/26	0/2/2/2
1	PSU	A	2604	1	2/2/5/5	0/7/25/26	0/2/2/2
1	PSU	A	2605	1	2/2/5/5	0/7/25/26	0/2/2/2
1	1MG	A	745	1	-	0/3/25/26	0/3/3/3
1	PSU	A	746	1	2/2/5/5	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5MC	A	747	1	-	0/3/25/26	0/2/2/2
1	PSU	A	955	1	2/2/5/5	0/7/25/26	0/2/2/2
32	2MG	a	1207	32	2/2/5/6	0/5/27/28	0/3/3/3
32	4OC	a	1402	32	2/2/5/6	0/7/29/30	0/2/2/2
32	5MC	a	1407	32	-	0/3/25/26	0/2/2/2
32	UR3	a	1498	32	2/2/5/5	0/3/25/26	0/2/2/2
32	2MG	a	1516	32	2/2/5/6	0/5/27/28	0/3/3/3
32	MA6	a	1518	32	2/2/6/6	0/7/29/30	0/3/3/3
32	MA6	a	1519	32	2/2/6/6	0/7/29/30	0/3/3/3
32	PSU	a	516	32	2/2/5/5	0/7/25/26	0/2/2/2
32	7MG	a	527	32	1/1/7/7	0/7/37/38	0/3/3/3
32	2MG	a	966	32	2/2/5/6	0/5/27/28	0/3/3/3
32	5MC	a	967	32	-	0/3/25/26	0/2/2/2
52	H2U	x	20	52	1/1/8/9	0/7/38/39	0/2/2/2
52	5MU	x	54	52	3/3/5/5	0/3/25/26	0/2/2/2
52	PSU	x	55	52	2/2/5/5	0/7/25/26	0/2/2/2
52	4SU	x	8	52	3/3/5/5	0/3/25/26	0/2/2/2
58	H2U	y	16	58	1/1/8/9	0/7/38/39	0/2/2/2
58	H2U	y	17	58	1/1/8/9	0/7/38/39	0/2/2/2
58	H2U	y	20	58	1/1/8/9	0/7/38/39	0/2/2/2
58	YG	y	37	58	-	0/20/42/43	0/4/4/4
58	7MG	y	46	58	1/1/7/7	0/7/37/38	0/3/3/3
58	5MU	y	54	58	3/3/5/5	0/3/25/26	0/2/2/2
58	PSU	y	55	58	2/2/5/5	0/7/25/26	0/2/2/2

The worst 5 of 116 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
58	y	16	H2U	C6-N1	-9.23	1.35	1.47
1	A	2449	H2U	C6-N1	-9.09	1.35	1.47
52	x	20	H2U	C6-N1	-9.05	1.35	1.47
58	y	17	H2U	C6-N1	-9.05	1.35	1.47
58	y	20	H2U	C6-N1	-9.02	1.35	1.47

The worst 5 of 157 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1618	6MZ	N3-C2-N1	-10.08	120.95	128.87
1	A	2030	6MZ	N3-C2-N1	-10.02	121.00	128.87

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2069	7MG	C5-C4-N3	-8.83	117.75	126.74
32	a	527	7MG	C5-C4-N3	-8.15	118.44	126.74
58	y	46	7MG	C5-C4-N3	-7.36	119.24	126.74

5 of 70 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
52	x	8	4SU	C4'
52	x	8	4SU	C2'
52	x	8	4SU	C3'
32	a	1498	UR3	C2'
32	a	1498	UR3	C3'

There are no torsion outliers.

There are no ring outliers.

13 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	1915	3TD	3	0
1	A	1962	5MC	1	0
1	A	2030	6MZ	1	0
1	A	2069	7MG	3	0
1	A	2251	OMG	1	0
1	A	2503	2MA	2	0
1	A	2504	PSU	1	0
1	A	2552	OMU	1	0
1	A	2580	PSU	2	0
1	A	745	1MG	2	0
1	A	746	PSU	2	0
1	A	747	5MC	3	0
1	A	955	PSU	1	0

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
57	z	6

The worst 5 of 6 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	z	517:UNK	C	518:UNK	N	39.33
1	z	561:UNK	C	663:ALA	N	37.34
1	z	493:UNK	C	494:UNK	N	34.24
1	z	547:UNK	C	548:UNK	N	30.19
1	z	526:UNK	C	527:UNK	N	18.32