



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 12, 2016 – 03:31 PM EST

PDB ID : 5L5Y
Title : Yeast 20S proteasome with human beta5c (1-138) and human beta6 (97-111; 118-133) in complex with carfilzomib
Authors : Groll, M.; Huber, E.M.
Deposited on : 2016-05-28
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20028442
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20028442


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div><div>3%</div><div><div></div><div>98%</div><div></div></div><div></div></div>
1	O	250	<div><div>4%</div><div><div></div><div>98%</div><div></div></div><div></div></div>
2	B	258	<div><div>4%</div><div><div></div><div>88%</div><div>5% • 5%</div></div><div></div></div>
2	P	258	<div><div>5%</div><div><div></div><div>90%</div><div>• 5%</div></div><div></div></div>
3	C	254	<div><div>6%</div><div><div></div><div>87%</div><div>7% • 6%</div></div><div></div></div>
3	Q	254	<div><div>8%</div><div><div></div><div>87%</div><div>7% • 6%</div></div><div></div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	260	
4	R	260	
5	E	234	
5	S	234	
6	F	288	
6	T	288	
7	G	252	
7	U	252	
8	H	232	
8	V	232	
9	I	205	
9	W	205	
10	J	198	
10	X	198	
11	K	211	
11	Y	211	
12	L	222	
12	Z	222	
13	M	246	
13	a	246	
14	N	196	
14	b	196	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	MG	I	301	-	-	-	X
17	3BV	H	301	-	-	-	X
17	3BV	K	301	-	-	-	X
17	3BV	N	201	-	-	-	X
17	3BV	V	301	-	-	-	X
17	3BV	Y	301	-	-	-	X
17	3BV	b	201	-	-	-	X
18	MES	H	302	-	-	-	X
18	MES	K	304	-	-	-	X
18	MES	V	302	-	-	-	X
18	MES	X	201	-	-	-	X

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 50136 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			
8	V	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5,Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	211	Total	C	N	O	S	0	0	0
			1632	1036	282	306	8			
11	Y	211	Total	C	N	O	S	0	0	0
			1632	1036	282	306	8			

- Molecule 12 is a protein called Proteasome subunit beta type-6,Proteasome subunit beta type-1,Proteasome subunit beta type-6,Proteasome subunit beta type-1,Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1764	1119	305	336	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1764	1119	305	336	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	1	0
			1835	1160	316	352	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			


- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	J	1	Total Mg 1 1	0	0
15	K	2	Total Mg 2 2	0	0
15	b	1	Total Mg 1 1	0	0
15	I	2	Total Mg 2 2	0	0
15	Z	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	L	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	b	1	Total Cl 1 1	0	0
16	N	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0

- Molecule 17 is N-{(2S)-2-[(morpholin-4-ylacetyl)amino]-4-phenylbutanoyl}-L-leucyl-N-[(2R,3S,4S)-1,3-dihydroxy-2,6-dimethylheptan-4-yl]-L-phenylalaninamide (three-letter code: 3BV) (formula: C₄₀H₆₁N₅O₇).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	H	1	Total	C	N	O	0	0
			52	40	5	7		
17	K	1	Total	C	N	O	0	0
			52	40	5	7		
17	N	1	Total	C	N	O	0	0
			52	40	5	7		
17	V	1	Total	C	N	O	0	0
			52	40	5	7		
17	Y	1	Total	C	N	O	0	0
			52	40	5	7		
17	b	1	Total	C	N	O	0	0
			52	40	5	7		

- Molecule 18 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
18	H	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	K	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	V	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	X	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	A	14	Total	O	0	0
			14	14		
19	B	14	Total	O	0	0
			14	14		
19	C	8	Total	O	0	0
			8	8		
19	D	11	Total	O	0	0
			11	11		
19	E	5	Total	O	0	0
			5	5		
19	F	8	Total	O	0	0
			8	8		
19	G	15	Total	O	0	0
			15	15		
19	H	26	Total	O	0	0
			26	26		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	I	13	Total 13	O 13	0	0
19	J	11	Total 11	O 11	0	0
19	K	9	Total 9	O 9	0	0
19	L	16	Total 16	O 16	0	0
19	M	29	Total 29	O 29	0	0
19	N	20	Total 20	O 20	0	0
19	O	17	Total 17	O 17	0	0
19	P	11	Total 11	O 11	0	0
19	Q	9	Total 9	O 9	0	0
19	R	4	Total 4	O 4	0	0
19	S	10	Total 10	O 10	0	0
19	T	12	Total 12	O 12	0	0
19	U	15	Total 15	O 15	0	0
19	V	25	Total 25	O 25	0	0
19	W	17	Total 17	O 17	0	0
19	X	13	Total 13	O 13	0	0
19	Y	9	Total 9	O 9	0	0
19	Z	13	Total 13	O 13	0	0
19	a	28	Total 28	O 28	0	0
19	b	13	Total 13	O 13	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2





- Molecule 1: Proteasome subunit alpha type-2





- Molecule 2: Proteasome subunit alpha type-3




- Molecule 2: Proteasome subunit alpha type-3




- Molecule 3: Proteasome subunit alpha type-4




- Molecule 3: Proteasome subunit alpha type-4




- Molecule 4: Proteasome subunit alpha type-5




- Molecule 4: Proteasome subunit alpha type-5




- Molecule 5: Proteasome subunit alpha type-6




- Molecule 5: Proteasome subunit alpha type-6




- Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 7: Proteasome subunit alpha type-1




- Molecule 7: Proteasome subunit alpha type-1




- Molecule 8: Proteasome subunit beta type-2



- Molecule 8: Proteasome subunit beta type-2



- Molecule 9: Proteasome subunit beta type-3





- Molecule 9: Proteasome subunit beta type-3







- Molecule 10: Proteasome subunit beta type-4





- Molecule 10: Proteasome subunit beta type-4



- Molecule 11: Proteasome subunit beta type-5, Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-5, Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6




- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7



- Molecule 14: Proteasome subunit beta type-1



- Molecule 14: Proteasome subunit beta type-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.97Å 299.89Å 145.57Å 90.00° 112.57° 90.00°	Depositor
Resolution (Å)	15.00 – 2.70 15.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	97.3 (15.00-2.70) 97.4 (15.00-2.70)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.51 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.186 , 0.207 0.190 , 0.212	Depositor DCC
R_{free} test set	14205 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	55.0	Xtriage
Anisotropy	0.091	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 34.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	50136	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 3BV, MES, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.27	0/1952	0.46	0/2642
1	O	0.27	0/1952	0.46	0/2642
2	B	0.27	0/1934	0.49	0/2618
2	P	0.27	0/1934	0.49	0/2618
3	C	0.27	0/1910	0.50	0/2586
3	Q	0.27	0/1910	0.50	0/2586
4	D	0.27	0/1837	0.47	0/2475
4	R	0.26	0/1837	0.46	0/2475
5	E	0.27	0/1800	0.46	0/2433
5	S	0.27	0/1800	0.46	0/2433
6	F	0.27	0/1932	0.45	0/2609
6	T	0.27	0/1932	0.45	0/2609
7	G	0.27	0/1945	0.46	0/2634
7	U	0.27	0/1945	0.46	0/2634
8	H	0.26	0/1750	0.51	1/2373 (0.0%)
8	V	0.26	0/1750	0.51	1/2373 (0.0%)
9	I	0.27	0/1611	0.52	0/2174
9	W	0.27	0/1611	0.52	0/2174
10	J	0.27	0/1589	0.74	3/2142 (0.1%)
10	X	0.27	0/1589	0.75	3/2142 (0.1%)
11	K	0.39	1/1668 (0.1%)	0.94	6/2253 (0.3%)
11	Y	0.42	1/1668 (0.1%)	0.94	6/2253 (0.3%)
12	L	0.29	0/1802	0.54	1/2430 (0.0%)
12	Z	0.29	0/1802	0.54	0/2430
13	M	0.27	0/1855	0.52	0/2514
13	a	0.26	0/1866	0.52	0/2528
14	N	0.29	0/1541	0.52	1/2087 (0.0%)
14	b	0.27	0/1541	0.52	1/2087 (0.0%)
All	All	0.28	2/50263 (0.0%)	0.55	23/67954 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	Y	73	ARG	CZ-NH2	-11.49	1.18	1.33
11	K	73	ARG	CZ-NH2	-10.96	1.18	1.33

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	Y	73	ARG	NE-CZ-NH1	20.60	130.60	120.30
11	K	73	ARG	NE-CZ-NH1	19.99	130.30	120.30
11	K	61	ARG	NE-CZ-NH2	-19.50	110.55	120.30
10	X	23	ARG	NE-CZ-NH2	-19.14	110.73	120.30
11	Y	61	ARG	NE-CZ-NH1	-18.29	111.16	120.30
10	J	23	ARG	NE-CZ-NH1	-18.09	111.25	120.30
11	K	61	ARG	NE-CZ-NH1	17.41	129.00	120.30
10	J	23	ARG	NE-CZ-NH2	16.84	128.72	120.30
10	X	23	ARG	NE-CZ-NH1	16.73	128.67	120.30
11	Y	61	ARG	NE-CZ-NH2	16.72	128.66	120.30
11	Y	73	ARG	NE-CZ-NH2	-10.58	115.01	120.30
11	K	73	ARG	NE-CZ-NH2	-10.37	115.12	120.30
11	Y	61	ARG	CD-NE-CZ	8.45	135.42	123.60
11	K	61	ARG	CD-NE-CZ	8.29	135.20	123.60
11	Y	73	ARG	CG-CD-NE	8.28	129.19	111.80
10	J	23	ARG	CD-NE-CZ	7.41	133.97	123.60
10	X	23	ARG	CD-NE-CZ	7.16	133.62	123.60
11	K	73	ARG	CG-CD-NE	7.05	126.61	111.80
8	V	113	ILE	CG1-CB-CG2	-6.70	96.67	111.40
8	H	113	ILE	CG1-CB-CG2	-6.61	96.86	111.40
14	b	1	THR	N-CA-C	6.56	128.70	111.00
14	N	1	THR	N-CA-C	6.30	128.02	111.00
12	L	56	GLY	N-CA-C	-5.01	100.57	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	O	1915	0	1929	2	0
2	B	1904	0	1904	7	0
2	P	1904	0	1904	4	0
3	C	1881	0	1895	9	0
3	Q	1881	0	1895	8	0
4	D	1813	0	1797	3	0
4	R	1813	0	1797	2	0
5	E	1773	0	1775	1	0
5	S	1773	0	1775	2	0
6	F	1892	0	1883	0	0
6	T	1892	0	1883	1	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	4	0
8	H	1719	0	1716	12	0
8	V	1719	0	1716	11	0
9	I	1581	0	1574	8	0
9	W	1581	0	1574	8	0
10	J	1561	0	1569	9	0
10	X	1561	0	1569	9	0
11	K	1632	0	1591	25	0
11	Y	1632	0	1591	26	0
12	L	1764	0	1716	7	0
12	Z	1764	0	1716	8	0
13	M	1824	0	1832	4	0
13	a	1835	0	1844	0	0
14	N	1512	0	1478	8	0
14	b	1512	0	1478	0	0
15	G	1	0	0	0	0
15	I	2	0	0	0	0
15	J	1	0	0	0	0
15	K	2	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	Z	1	0	0	0	0
15	b	1	0	0	0	0
16	G	1	0	0	0	0
16	N	1	0	0	0	0
16	U	1	0	0	0	0
16	b	1	0	0	0	0
17	H	52	0	59	2	0
17	K	52	0	59	3	0
17	N	52	0	59	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
17	V	52	0	59	2	0
17	Y	52	0	59	4	0
17	b	52	0	59	0	0
18	H	12	0	13	0	0
18	K	12	0	13	0	0
18	V	12	0	13	0	0
18	X	12	0	13	1	0
19	A	14	0	0	0	0
19	B	14	0	0	2	0
19	C	8	0	0	0	0
19	D	11	0	0	0	0
19	E	5	0	0	0	0
19	F	8	0	0	0	0
19	G	15	0	0	0	0
19	H	26	0	0	0	0
19	I	13	0	0	0	0
19	J	11	0	0	0	0
19	K	9	0	0	0	0
19	L	16	0	0	0	0
19	M	29	0	0	1	0
19	N	20	0	0	1	0
19	O	17	0	0	0	0
19	P	11	0	0	0	0
19	Q	9	0	0	0	0
19	R	4	0	0	0	0
19	S	10	0	0	0	0
19	T	12	0	0	0	0
19	U	15	0	0	0	0
19	V	25	0	0	0	0
19	W	17	0	0	0	0
19	X	13	0	0	0	0
19	Y	9	0	0	0	0
19	Z	13	0	0	0	0
19	a	28	0	0	0	0
19	b	13	0	0	0	0
All	All	50136	0	49538	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:V:113:ILE:HG13	8:V:119:THR:HG22	1.55	0.88
11:Y:33:LYS:HE2	17:Y:301:3BV:H47	1.58	0.84
11:K:33:LYS:HE2	17:K:301:3BV:H47	1.58	0.83
11:Y:73:ARG:CB	11:Y:73:ARG:HH21	1.98	0.77
4:D:89:VAL:HG12	11:K:61:ARG:HD2	1.67	0.76
4:R:89:VAL:HG12	11:Y:61:ARG:HD3	1.68	0.75
8:H:113:ILE:HG13	8:H:119:THR:HG22	1.72	0.70
3:C:99:GLU:HG3	11:K:81:LYS:HE2	1.76	0.66
11:Y:104:TRP:CE2	11:Y:181:GLU:HB3	2.38	0.59
11:K:38:ASN:OD1	11:K:40:TYR:N	2.29	0.59
10:J:25:ILE:O	10:X:139:TYR:OH	2.21	0.59
8:H:35:HIS:HB3	8:H:56:THR:HG21	1.85	0.59
8:H:50:ALA:HB3	9:I:126:ILE:HD12	1.84	0.59
14:N:20:THR:CG2	14:N:28:ASN:HB3	2.33	0.58
10:J:139:TYR:OH	10:X:25:ILE:O	2.21	0.58
8:V:35:HIS:HB3	8:V:56:THR:HG21	1.85	0.58
11:K:104:TRP:CE2	11:K:181:GLU:HB3	2.37	0.58
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.68	0.57
14:N:152:VAL:HA	14:N:175:MET:HE1	1.87	0.57
11:Y:38:ASN:OD1	11:Y:40:TYR:N	2.29	0.57
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.69	0.56
8:V:50:ALA:HB3	9:W:126:ILE:HD12	1.86	0.56
11:K:208:ASN:O	9:W:38:LYS:NZ	2.38	0.56
8:V:49:ALA:HA	17:V:301:3BV:H50	1.89	0.54
11:Y:22:ALA:HB1	17:Y:301:3BV:H4	1.88	0.54
9:I:38:LYS:NZ	11:Y:208:ASN:O	2.41	0.54
11:Y:73:ARG:HB3	11:Y:73:ARG:HH21	1.72	0.53
2:B:93:HIS:HB3	19:B:301:HOH:O	2.08	0.53
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.91	0.53
11:K:73:ARG:HB2	11:K:73:ARG:HH21	1.74	0.53
11:Y:45:MET:HG2	11:Y:52:CYS:HB3	1.89	0.53
10:J:126:VAL:HG12	10:J:128:LEU:HG	1.91	0.53
14:N:20:THR:HG22	14:N:31:THR:OG1	2.08	0.53
8:H:49:ALA:HA	17:H:301:3BV:H50	1.90	0.52
11:K:22:ALA:HB1	17:K:301:3BV:H4	1.91	0.52
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.90	0.52
8:H:196:ARG:NH2	9:I:150:GLU:O	2.43	0.52
3:Q:99:GLU:HG3	11:Y:81:LYS:HE2	1.91	0.51
7:G:23:PHE:O	7:G:26:THR:HB	2.10	0.51
9:I:26:LEU:HD21	9:I:185:VAL:HG23	1.92	0.51
11:K:73:ARG:HB2	11:K:73:ARG:NH2	2.25	0.51
7:U:23:PHE:O	7:U:26:THR:HB	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:X:126:VAL:HG12	10:X:128:LEU:HG	1.91	0.51
11:Y:5:ALA:HB3	11:Y:100:MET:HE2	1.93	0.51
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.58	0.51
8:H:35:HIS:CB	8:H:56:THR:HG21	2.41	0.51
9:W:26:LEU:HD21	9:W:185:VAL:HG23	1.92	0.51
3:C:201:VAL:O	3:C:202:GLN:CB	2.58	0.51
8:V:35:HIS:CB	8:V:56:THR:HG21	2.41	0.50
11:K:5:ALA:HB3	11:K:100:MET:HE2	1.93	0.50
13:M:27:LEU:HD21	13:M:34:LEU:HD22	1.94	0.49
11:K:20:ALA:HB2	11:K:31:VAL:HG21	1.93	0.49
8:V:168:GLY:O	17:V:301:3BV:H57	2.13	0.49
8:H:113:ILE:CG1	8:H:119:THR:HG22	2.39	0.49
13:M:2:GLN:NE2	19:M:301:HOH:O	2.45	0.49
8:H:168:GLY:O	17:H:301:3BV:H57	2.12	0.49
11:Y:144:LYS:HB2	11:Y:147:LEU:HD13	1.95	0.48
11:K:144:LYS:HB2	11:K:147:LEU:HD13	1.96	0.48
11:K:37:ILE:HG23	11:K:60:ALA:HA	1.95	0.48
3:C:99:GLU:CG	11:K:81:LYS:HE2	2.44	0.48
12:L:52:MET:HG3	12:L:111:ILE:HG22	1.97	0.47
11:Y:37:ILE:HG23	11:Y:60:ALA:HA	1.96	0.47
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.97	0.47
11:Y:73:ARG:NH2	11:Y:73:ARG:HB2	2.29	0.47
14:N:1:THR:HG22	14:N:2:SER:N	2.30	0.47
11:K:45:MET:HG2	11:K:52:CYS:HB3	1.96	0.47
11:K:61:ARG:O	11:K:65:ILE:HG13	2.15	0.47
17:N:201:3BV:O48	17:N:201:3BV:O60	2.18	0.47
14:N:20:THR:HB	17:N:201:3BV:H53	1.96	0.46
8:V:196:ARG:NH2	9:W:150:GLU:O	2.48	0.46
11:K:100:MET:SD	11:K:128:VAL:CG1	3.03	0.46
11:Y:100:MET:SD	11:Y:128:VAL:CG1	3.03	0.46
11:Y:65:ILE:O	11:Y:69:ARG:HG3	2.15	0.46
3:C:51:LYS:O	3:C:52:LEU:HB2	2.15	0.46
5:S:12:PHE:H	6:T:19:GLN:HE22	1.63	0.46
10:J:58:GLU:OE1	11:K:81:LYS:NZ	2.48	0.46
11:K:100:MET:SD	11:K:128:VAL:HG12	2.55	0.46
12:L:146:ILE:HG22	12:L:150:LEU:HD22	1.98	0.46
11:Y:100:MET:SD	11:Y:128:VAL:HG12	2.56	0.46
12:Z:146:ILE:HG22	12:Z:150:LEU:HD22	1.98	0.46
11:Y:61:ARG:O	11:Y:65:ILE:HG13	2.16	0.46
12:Z:52:MET:HG3	12:Z:111:ILE:HG22	1.98	0.46
12:L:8:ASN:HA	12:L:30:ILE:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:89:VAL:CG1	11:K:61:ARG:HD2	2.42	0.45
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.47	0.45
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.97	0.45
9:W:20:VAL:HG23	9:W:189:ILE:HB	1.98	0.45
14:N:176:VAL:HG12	14:N:178:LEU:HD13	1.98	0.45
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.16	0.45
11:Y:73:ARG:NH2	11:Y:73:ARG:CB	2.73	0.45
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.82	0.45
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.97	0.45
10:X:58:GLU:OE1	11:Y:81:LYS:NZ	2.50	0.45
12:Z:125:PHE:CD2	12:Z:131:TYR:HB3	2.52	0.45
3:C:160:GLN:HA	3:C:160:GLN:HE21	1.82	0.45
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.97	0.45
10:X:36:ARG:NH1	10:X:58:GLU:OE2	2.50	0.45
11:Y:169:TYR:O	17:Y:301:3BV:H57	2.18	0.44
10:J:36:ARG:NH1	10:J:58:GLU:OE2	2.50	0.44
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.17	0.44
9:W:10:ILE:HG21	9:W:141:ALA:HB3	2.00	0.44
3:C:35:LYS:HG2	3:C:158:SER:O	2.17	0.44
8:H:196:ARG:NH2	9:I:150:GLU:HG3	2.32	0.44
9:I:20:VAL:HG23	9:I:189:ILE:HB	1.98	0.44
2:B:50:LYS:O	2:B:51:VAL:C	2.56	0.44
10:X:3:ILE:HG23	10:X:18:SER:HB3	1.99	0.44
11:K:65:ILE:O	11:K:69:ARG:HG3	2.16	0.44
10:J:3:ILE:HG23	10:J:18:SER:HB3	1.99	0.44
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.99	0.44
12:L:125:PHE:CD2	12:L:131:TYR:HB3	2.53	0.44
2:P:50:LYS:O	2:P:51:VAL:C	2.56	0.44
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.17	0.44
11:K:50:ALA:CB	12:L:128:VAL:HG23	2.47	0.43
10:X:1:MET:HB3	10:X:34:LYS:HE3	2.00	0.43
3:C:201:VAL:O	3:C:202:GLN:HB3	2.17	0.43
9:W:20:VAL:HG13	9:W:118:PRO:HB3	1.99	0.43
8:H:112:SER:HB3	8:H:125:LEU:HD13	2.00	0.43
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.82	0.43
9:I:20:VAL:HG13	9:I:118:PRO:HB3	1.99	0.43
11:Y:73:ARG:HB2	11:Y:73:ARG:HH21	1.78	0.43
13:M:96:LEU:O	13:M:100:MET:HG2	2.19	0.43
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.54	0.43
12:Z:132:GLN:HE21	12:Z:132:GLN:HB2	1.71	0.43
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.19	0.43
8:V:112:SER:HB3	8:V:125:LEU:HD13	2.01	0.42
2:B:113:ARG:NE	19:B:301:HOH:O	2.35	0.42
11:K:169:TYR:O	17:K:301:3BV:H57	2.18	0.42
13:M:165:ILE:HB	13:M:166:PRO:HD3	2.01	0.42
18:X:201:MES:O1S	17:Y:301:3BV:O60	2.36	0.42
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.50	0.42
8:V:196:ARG:NH2	9:W:150:GLU:HG3	2.34	0.42
10:J:1:MET:HB3	10:J:34:LYS:HE3	2.00	0.42
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.50	0.42
11:Y:29:GLN:HG2	11:Y:172:GLY:CA	2.50	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.83	0.42
5:S:77:ALA:N	5:S:78:PRO:CD	2.83	0.41
11:Y:50:ALA:CB	12:Z:128:VAL:HG23	2.50	0.41
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.02	0.41
11:K:61:ARG:O	11:K:65:ILE:CG1	2.69	0.41
2:B:124:HIS:HB3	3:C:124:VAL:HG12	2.02	0.41
14:N:1:THR:CG2	14:N:2:SER:N	2.84	0.41
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.49	0.41
8:V:84:LYS:HE2	8:V:119:THR:HG23	2.03	0.41
5:E:77:ALA:N	5:E:78:PRO:CD	2.84	0.41
12:Z:17:GLY:HA3	12:Z:20:PHE:CE1	2.56	0.41
17:N:201:3BV:O60	19:N:301:HOH:O	1.97	0.41
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.02	0.41
7:U:78:ILE:N	7:U:79:PRO:CD	2.83	0.41
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	2.03	0.41
2:B:217:LYS:C	2:B:219:ALA:H	2.24	0.41
8:H:84:LYS:HE2	8:H:119:THR:HG23	2.03	0.41
2:P:50:LYS:HD3	2:P:50:LYS:HA	1.89	0.41
11:Y:61:ARG:O	11:Y:65:ILE:CG1	2.69	0.41
12:L:17:GLY:HA3	12:L:20:PHE:CE1	2.56	0.41
11:K:12:VAL:HG13	11:K:179:VAL:HB	2.03	0.40
11:Y:12:VAL:HG13	11:Y:179:VAL:HB	2.03	0.40
1:A:122:THR:HG22	2:B:128:ARG:HH21	1.86	0.40
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	238 (96%)	9 (4%)	1 (0%)	39	69
1	O	248/250 (99%)	238 (96%)	9 (4%)	1 (0%)	39	69
2	B	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	11	29
2	P	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	11	29
3	C	238/254 (94%)	233 (98%)	2 (1%)	3 (1%)	15	37
3	Q	238/254 (94%)	233 (98%)	2 (1%)	3 (1%)	15	37
4	D	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
4	R	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
5	E	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
5	S	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
6	F	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
6	T	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
7	U	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
8	H	224/232 (97%)	219 (98%)	5 (2%)	0	100	100
8	V	224/232 (97%)	219 (98%)	5 (2%)	0	100	100
9	I	202/205 (98%)	196 (97%)	6 (3%)	0	100	100
9	W	202/205 (98%)	196 (97%)	6 (3%)	0	100	100
10	J	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
10	X	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
11	K	209/211 (99%)	203 (97%)	6 (3%)	0	100	100
11	Y	209/211 (99%)	203 (97%)	6 (3%)	0	100	100
12	L	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
12	Z	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
13	M	231/246 (94%)	222 (96%)	9 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	a	232/246 (94%)	224 (97%)	8 (3%)	0	100	100
14	N	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
14	b	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
All	All	6283/6612 (95%)	6126 (98%)	141 (2%)	16 (0%)	46	75

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
2	B	222	GLY
1	O	2	THR
2	P	218	GLY
2	P	222	GLY
3	C	205	ALA
3	Q	205	ALA
2	B	220	ASN
2	P	220	ASN
3	Q	183	PRO
3	C	183	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	74	92
1	O	209/209 (100%)	206 (99%)	3 (1%)	74	92
2	B	203/216 (94%)	199 (98%)	4 (2%)	63	87
2	P	203/216 (94%)	199 (98%)	4 (2%)	63	87

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	212/226 (94%)	203 (96%)	9 (4%)	36	68
3	Q	212/226 (94%)	203 (96%)	9 (4%)	36	68
4	D	194/215 (90%)	186 (96%)	8 (4%)	37	69
4	R	194/215 (90%)	186 (96%)	8 (4%)	37	69
5	E	190/193 (98%)	184 (97%)	6 (3%)	46	77
5	S	190/193 (98%)	184 (97%)	6 (3%)	46	77
6	F	201/239 (84%)	196 (98%)	5 (2%)	55	84
6	T	201/239 (84%)	196 (98%)	5 (2%)	55	84
7	G	206/210 (98%)	200 (97%)	6 (3%)	50	80
7	U	206/210 (98%)	200 (97%)	6 (3%)	50	80
8	H	185/190 (97%)	181 (98%)	4 (2%)	60	86
8	V	185/190 (97%)	181 (98%)	4 (2%)	60	86
9	I	172/173 (99%)	170 (99%)	2 (1%)	78	93
9	W	172/173 (99%)	170 (99%)	2 (1%)	78	93
10	J	173/175 (99%)	170 (98%)	3 (2%)	68	90
10	X	173/175 (99%)	170 (98%)	3 (2%)	68	90
11	K	165/165 (100%)	148 (90%)	17 (10%)	9	20
11	Y	165/165 (100%)	148 (90%)	17 (10%)	9	20
12	L	186/186 (100%)	177 (95%)	9 (5%)	31	62
12	Z	186/186 (100%)	177 (95%)	9 (5%)	31	62
13	M	199/208 (96%)	193 (97%)	6 (3%)	48	79
13	a	200/208 (96%)	194 (97%)	6 (3%)	48	79
14	N	162/162 (100%)	155 (96%)	7 (4%)	35	66
14	b	162/162 (100%)	155 (96%)	7 (4%)	35	66
All	All	5315/5534 (96%)	5137 (97%)	178 (3%)	45	76

All (178) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	113	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	99	ILE
4	D	125	LEU
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	71	LEU
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
6	F	117	GLN
6	F	123	ASN
6	F	181	GLU
6	F	214	TRP
6	F	240	GLN
7	G	115	LEU
7	G	122	ARG
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	68	LEU
8	H	113	ILE
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	J	3	ILE
10	J	23	ARG
10	J	99	GLN
11	K	4	LEU
11	K	12	VAL
11	K	21	THR
11	K	29	GLN
11	K	35	ILE
11	K	38	ASN
11	K	61	ARG
11	K	62	GLN
11	K	65	ILE
11	K	71	LYS
11	K	73	ARG
11	K	81	LYS
11	K	83	LEU
11	K	86	MET
11	K	93	MET
11	K	117	GLU
11	K	128	VAL
12	L	23	LEU
12	L	49	ASN
12	L	55	ASN
12	L	106	TYR
12	L	126	ASP
12	L	128	VAL
12	L	130	SER
12	L	132	GLN
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	2	SER
14	N	9	LYS
14	N	20	THR
14	N	22	THR
14	N	36	ARG
14	N	83	LYS
14	N	104	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	55	LEU
2	P	113	ARG
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
6	T	117	GLN
6	T	123	ASN
6	T	181	GLU
6	T	214	TRP
6	T	240	GLN
7	U	115	LEU
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	V	68	LEU
8	V	113	ILE
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
10	X	3	ILE
10	X	23	ARG
10	X	99	GLN
11	Y	4	LEU
11	Y	12	VAL
11	Y	21	THR
11	Y	29	GLN
11	Y	35	ILE
11	Y	38	ASN
11	Y	61	ARG
11	Y	62	GLN
11	Y	65	ILE
11	Y	71	LYS
11	Y	73	ARG
11	Y	81	LYS
11	Y	83	LEU
11	Y	86	MET
11	Y	93	MET
11	Y	117	GLU
11	Y	128	VAL
12	Z	23	LEU
12	Z	49	ASN
12	Z	55	ASN
12	Z	106	TYR
12	Z	126	ASP
12	Z	128	VAL
12	Z	130	SER
12	Z	132	GLN
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	20	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	b	22	THR
14	b	36	ARG
14	b	39	ASP
14	b	83	LYS
14	b	104	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (93) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
3	C	17	GLN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	146	GLN
4	D	210	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
9	I	37	ASN
10	J	55	GLN
11	K	85	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	K	175	ASN
11	K	207	ASN
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
12	L	79	HIS
12	L	132	GLN
12	L	158	ASN
13	M	48	ASN
13	M	102	GLN
13	M	179	ASN
13	M	194	ASN
13	M	213	GLN
14	N	161	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	91	HIS
4	R	146	GLN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	W	37	ASN
10	X	55	GLN
10	X	63	ASN
11	Y	85	ASN
11	Y	175	ASN
11	Y	207	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	79	HIS
12	Z	132	GLN
12	Z	158	ASN
13	a	48	ASN
13	a	102	GLN
13	a	179	ASN
13	a	194	ASN
13	a	213	GLN
14	b	161	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 14 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
17	3BV	H	301	8	54,54,54	1.11	3 (5%)	67,71,71	1.45	8 (11%)
18	MES	H	302	-	12,12,12	2.10	1 (8%)	15,16,16	1.94	2 (13%)
17	3BV	K	301	11	54,54,54	1.21	3 (5%)	67,71,71	1.53	10 (14%)
18	MES	K	304	-	12,12,12	2.20	1 (8%)	15,16,16	1.67	3 (20%)
17	3BV	N	201	14	54,54,54	1.39	4 (7%)	67,71,71	1.42	8 (11%)
17	3BV	V	301	8	54,54,54	1.10	3 (5%)	67,71,71	1.46	8 (11%)
18	MES	V	302	-	12,12,12	2.07	1 (8%)	15,16,16	2.06	3 (20%)
18	MES	X	201	-	12,12,12	2.22	1 (8%)	15,16,16	1.65	2 (13%)
17	3BV	Y	301	11	54,54,54	1.20	3 (5%)	67,71,71	1.56	11 (16%)
17	3BV	b	201	14	54,54,54	1.50	4 (7%)	67,71,71	1.50	9 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	3BV	H	301	8	-	0/59/67/67	0/3/3/3
18	MES	H	302	-	-	0/6/14/14	0/1/1/1
17	3BV	K	301	11	-	0/59/67/67	0/3/3/3
18	MES	K	304	-	-	0/6/14/14	0/1/1/1
17	3BV	N	201	14	-	0/59/67/67	0/3/3/3
17	3BV	V	301	8	-	0/59/67/67	0/3/3/3
18	MES	V	302	-	-	0/6/14/14	0/1/1/1
18	MES	X	201	-	-	0/6/14/14	0/1/1/1
17	3BV	Y	301	11	-	0/59/67/67	0/3/3/3
17	3BV	b	201	14	-	0/59/67/67	0/3/3/3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	X	201	MES	C8-S	-7.36	1.66	1.77
18	K	304	MES	C8-S	-7.31	1.66	1.77
18	H	302	MES	C8-S	-6.96	1.67	1.77
18	V	302	MES	C8-S	-6.87	1.67	1.77
17	b	201	3BV	C32-C33	-6.42	1.35	1.51
17	N	201	3BV	C32-C33	-6.09	1.36	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	b	201	3BV	C13-C14	-5.08	1.37	1.51
17	N	201	3BV	C13-C14	-4.71	1.38	1.51
17	K	301	3BV	C13-C14	-4.54	1.38	1.51
17	Y	301	3BV	C13-C14	-4.52	1.38	1.51
17	K	301	3BV	C32-C33	-4.49	1.40	1.51
17	H	301	3BV	C32-C33	-4.46	1.40	1.51
17	Y	301	3BV	C32-C33	-4.41	1.40	1.51
17	V	301	3BV	C32-C33	-4.41	1.40	1.51
17	H	301	3BV	C13-C14	-3.26	1.42	1.51
17	V	301	3BV	C13-C14	-3.24	1.42	1.51
17	b	201	3BV	O48-C47	-2.40	1.37	1.43
17	N	201	3BV	O48-C47	-2.29	1.37	1.43
17	N	201	3BV	C51-C47	3.22	1.59	1.53
17	V	301	3BV	C51-C47	3.90	1.60	1.53
17	H	301	3BV	C51-C47	4.07	1.61	1.53
17	b	201	3BV	C51-C47	4.23	1.61	1.53
17	Y	301	3BV	C51-C47	4.46	1.62	1.53
17	K	301	3BV	C51-C47	4.53	1.62	1.53

All (64) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	b	201	3BV	C43-C42-N41	-6.18	101.52	109.98
17	V	301	3BV	C58-C51-C59	-5.48	102.53	109.73
17	H	301	3BV	C43-C42-N41	-5.47	102.49	109.98
17	V	301	3BV	C43-C42-N41	-5.46	102.50	109.98
17	K	301	3BV	C43-C42-N41	-5.40	102.59	109.98
17	Y	301	3BV	C43-C42-N41	-5.38	102.61	109.98
17	H	301	3BV	C58-C51-C59	-5.31	102.75	109.73
17	Y	301	3BV	C58-C51-C59	-4.81	103.41	109.73
17	K	301	3BV	C58-C51-C59	-4.71	103.54	109.73
17	N	201	3BV	C43-C42-N41	-4.42	103.94	109.98
17	N	201	3BV	C58-C51-C59	-3.92	104.57	109.73
17	H	301	3BV	O1-C6-C5	-3.85	102.94	111.83
17	V	301	3BV	O1-C6-C5	-3.80	103.04	111.83
17	K	301	3BV	C33-C32-C31	-3.77	102.30	113.44
17	Y	301	3BV	C33-C32-C31	-3.74	102.39	113.44
17	K	301	3BV	O1-C2-C3	-3.50	103.74	111.83
17	b	201	3BV	C58-C51-C59	-3.37	105.30	109.73
17	Y	301	3BV	C13-C14-C15	-3.21	113.13	121.24
17	b	201	3BV	C8-C7-N4	-3.10	105.50	113.26
17	Y	301	3BV	O1-C6-C5	-2.88	105.18	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	V	301	3BV	C25-C24-C23	-2.81	107.06	115.49
17	H	301	3BV	C25-C24-C23	-2.80	107.08	115.49
17	b	201	3BV	C12-C11-C20	-2.77	103.54	110.34
17	Y	301	3BV	C25-C24-C23	-2.72	107.33	115.49
17	K	301	3BV	O1-C6-C5	-2.71	105.56	111.83
17	K	301	3BV	C25-C24-C23	-2.69	107.40	115.49
17	V	301	3BV	C33-C32-C31	-2.64	105.65	113.44
17	H	301	3BV	C33-C32-C31	-2.60	105.76	113.44
17	N	201	3BV	O1-C2-C3	-2.46	106.15	111.83
17	N	201	3BV	C12-C11-N10	-2.44	106.20	110.81
17	V	301	3BV	O60-C59-C51	-2.43	106.08	111.16
17	K	301	3BV	O60-C59-C51	-2.43	106.09	111.16
17	Y	301	3BV	O1-C2-C3	-2.37	106.35	111.83
17	N	201	3BV	C8-C7-N4	-2.35	107.39	113.26
17	H	301	3BV	O60-C59-C51	-2.34	106.26	111.16
17	Y	301	3BV	O60-C59-C51	-2.20	106.55	111.16
17	b	201	3BV	C33-C32-C31	-2.20	106.94	113.44
17	N	201	3BV	C12-C13-C14	-2.18	105.12	113.18
17	K	301	3BV	C6-C5-N4	-2.15	106.82	110.11
17	Y	301	3BV	C2-C3-N4	-2.11	106.88	110.11
17	b	201	3BV	C24-C23-N22	-2.09	105.22	110.47
17	H	301	3BV	C20-C11-N10	-2.09	105.36	111.28
17	V	301	3BV	C20-C11-N10	-2.07	105.41	111.28
17	K	301	3BV	C13-C14-C15	-2.01	116.15	121.24
17	Y	301	3BV	C13-C14-C19	2.01	126.31	121.24
18	V	302	MES	O3S-S-C8	2.02	109.19	104.99
17	b	201	3BV	C47-C42-N41	2.13	114.64	110.06
18	K	304	MES	O1S-S-C8	2.19	108.42	106.87
17	V	301	3BV	C3-N4-C5	2.21	113.81	108.87
17	H	301	3BV	C3-N4-C5	2.22	113.85	108.87
18	X	201	MES	O3S-S-C8	2.25	109.67	104.99
18	K	304	MES	O3S-S-C8	2.36	109.90	104.99
17	b	201	3BV	C44-C43-C42	2.47	120.78	115.64
17	K	301	3BV	C12-C11-N10	2.55	115.62	110.81
17	Y	301	3BV	C12-C11-N10	2.56	115.63	110.81
17	N	201	3BV	C44-C43-C42	3.36	122.63	115.64
18	H	302	MES	O1S-S-C8	3.78	109.54	106.87
18	K	304	MES	O2S-S-C8	3.84	109.58	106.87
17	b	201	3BV	C3-N4-C5	3.94	117.70	108.87
17	N	201	3BV	C3-N4-C5	4.21	118.30	108.87
18	X	201	MES	O2S-S-C8	4.23	109.86	106.87
18	V	302	MES	O2S-S-C8	4.32	109.92	106.87

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	H	302	MES	O2S-S-C8	5.54	110.78	106.87
18	V	302	MES	O1S-S-C8	5.71	110.91	106.87

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	H	301	3BV	2	0
17	K	301	3BV	3	0
17	N	201	3BV	3	0
17	V	301	3BV	2	0
18	X	201	MES	1	0
17	Y	301	3BV	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.31	8 (3%)	51	51	32, 51, 90, 131	0
1	O	250/250 (100%)	-0.27	11 (4%)	38	37	37, 54, 100, 137	0
2	B	244/258 (94%)	-0.19	10 (4%)	41	41	36, 55, 100, 150	0
2	P	244/258 (94%)	-0.15	12 (4%)	33	32	39, 57, 101, 154	0
3	C	240/254 (94%)	-0.02	16 (6%)	21	19	34, 62, 135, 172	0
3	Q	240/254 (94%)	0.08	20 (8%)	14	11	36, 68, 146, 189	0
4	D	235/260 (90%)	-0.28	2 (0%)	85	86	41, 59, 92, 132	0
4	R	235/260 (90%)	-0.17	7 (2%)	54	54	49, 68, 108, 139	0
5	E	231/234 (98%)	-0.12	6 (2%)	59	59	42, 62, 105, 148	0
5	S	231/234 (98%)	-0.14	8 (3%)	48	48	44, 65, 105, 142	0
6	F	243/288 (84%)	-0.33	7 (2%)	55	55	36, 57, 106, 134	0
6	T	243/288 (84%)	-0.23	9 (3%)	45	45	34, 62, 118, 151	0
7	G	241/252 (95%)	-0.35	7 (2%)	55	55	35, 54, 98, 158	0
7	U	241/252 (95%)	-0.35	6 (2%)	61	61	33, 51, 88, 128	0
8	H	226/232 (97%)	-0.44	5 (2%)	65	66	31, 48, 86, 144	0
8	V	226/232 (97%)	-0.41	5 (2%)	65	66	33, 47, 81, 150	0
9	I	204/205 (99%)	-0.59	1 (0%)	91	93	32, 48, 78, 99	0
9	W	204/205 (99%)	-0.59	2 (0%)	84	85	33, 49, 80, 102	0
10	J	195/198 (98%)	-0.41	3 (1%)	76	76	32, 52, 82, 126	0
10	X	195/198 (98%)	-0.39	4 (2%)	67	68	35, 54, 84, 130	0
11	K	211/211 (100%)	-0.29	3 (1%)	78	77	37, 57, 88, 116	0
11	Y	211/211 (100%)	-0.34	1 (0%)	91	93	37, 58, 91, 113	0
12	L	222/222 (100%)	-0.26	4 (1%)	71	72	41, 56, 101, 131	0
12	Z	222/222 (100%)	-0.29	7 (3%)	51	51	38, 57, 100, 133	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.52	1 (0%) 93 94	33, 50, 73, 90	0
13	a	233/246 (94%)	-0.50	1 (0%) 93 94	30, 50, 74, 91	0
14	N	196/196 (100%)	-0.58	1 (0%) 91 93	31, 46, 77, 105	0
14	b	196/196 (100%)	-0.53	1 (0%) 91 93	31, 45, 77, 108	0
All	All	6342/6612 (95%)	-0.31	168 (2%) 59 59	30, 55, 100, 189	0

All (168) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
10	J	1	MET	8.5
2	B	218	GLY	7.3
10	X	1	MET	7.2
9	W	1	SER	7.0
3	Q	240	GLU	6.7
1	A	1	MET	5.9
1	O	249	ALA	5.7
5	E	202	ASP	5.7
2	P	218	GLY	5.5
2	P	51	VAL	5.4
3	Q	206	LYS	5.4
3	Q	236	GLN	5.2
9	I	1	SER	5.2
2	B	51	VAL	5.1
2	P	221	ASP	5.0
3	Q	50	LEU	5.0
2	B	221	ASP	5.0
3	Q	238	LYS	4.9
2	P	219	ALA	4.8
6	F	202	ASP	4.8
3	Q	225	GLU	4.7
12	Z	174	TYR	4.6
8	V	226	GLU	4.3
3	C	206	LYS	4.3
3	Q	239	GLN	4.2
10	X	194	ASP	4.0
4	D	242	GLU	4.0
1	A	249	ALA	4.0
10	J	194	ASP	4.0
2	B	220	ASN	4.0
12	L	174	TYR	3.9
6	F	181	GLU	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	P	220	ASN	3.9
1	O	2	THR	3.9
3	Q	202	GLN	3.9
8	V	222	ASP	3.9
3	C	238	LYS	3.8
2	B	219	ALA	3.8
8	H	224	GLN	3.8
1	O	1	MET	3.8
5	S	202	ASP	3.8
3	C	50	LEU	3.8
14	b	195	GLN	3.6
8	H	226	GLU	3.6
3	C	49	THR	3.6
5	E	54	GLU	3.5
1	O	250	LEU	3.5
3	C	225	GLU	3.5
4	R	1	ASP	3.5
5	S	203	GLU	3.4
6	T	181	GLU	3.4
5	E	233	ILE	3.3
3	C	202	GLN	3.3
2	P	59	ASP	3.3
11	K	146	ASP	3.2
4	R	230	GLU	3.2
3	C	236	GLN	3.2
6	T	244	ASN	3.2
5	S	3	ASN	3.2
3	C	239	GLN	3.2
10	X	195	PHE	3.1
7	G	242	GLN	3.1
2	P	222	GLY	3.1
12	L	165	ASN	3.1
3	Q	48	SER	3.1
3	Q	237	GLU	3.1
7	G	2	GLY	3.1
6	T	2	THR	3.0
14	N	195	GLN	3.0
6	F	205	GLU	3.0
6	T	205	GLU	3.0
8	V	221	CYS	2.9
4	R	217	GLN	2.9
8	V	145	ASP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
10	J	95	ARG	2.9
6	T	180	PRO	2.9
3	C	216	ASP	2.9
7	U	242	GLN	2.9
10	X	193	ASP	2.9
4	R	241	ALA	2.8
3	Q	205	ALA	2.8
7	U	206	GLY	2.8
1	A	231	LYS	2.8
6	F	203	ASN	2.8
2	B	217	LYS	2.8
11	K	211	GLY	2.7
4	D	117	GLU	2.7
1	O	231	LYS	2.7
3	C	60	SER	2.7
2	P	186	ASP	2.7
7	G	188	GLU	2.7
6	T	230	ASP	2.7
7	U	2	GLY	2.7
11	Y	211	GLY	2.7
4	R	125	LEU	2.6
5	E	173	ARG	2.6
3	C	235	GLU	2.6
12	Z	173	LYS	2.6
2	P	203	SER	2.6
13	a	1	THR	2.6
7	U	188	GLU	2.6
8	V	224	GLN	2.6
3	Q	229	GLN	2.6
5	S	173	ARG	2.6
6	T	241	LYS	2.5
1	A	2	THR	2.5
3	Q	180	LYS	2.5
5	S	218	ASP	2.5
12	Z	210	ASP	2.5
1	A	166	LYS	2.5
5	E	201	ARG	2.5
6	T	237	ASP	2.5
7	U	222	ASP	2.5
1	O	201	GLU	2.5
5	S	122	TYR	2.5
12	L	173	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	181	GLU	2.4
7	G	3	TYR	2.4
12	L	1	GLN	2.4
3	C	59	PRO	2.4
3	Q	203	THR	2.4
1	A	201	GLU	2.4
1	A	250	LEU	2.4
4	R	242	GLU	2.4
1	O	248	GLU	2.4
3	C	180	LYS	2.4
13	M	1	THR	2.3
9	W	160	GLU	2.3
1	O	241	GLN	2.3
2	B	203	SER	2.3
12	Z	116	GLU	2.3
12	Z	106	TYR	2.2
7	U	203	ASP	2.2
8	H	222	ASP	2.2
8	H	221	CYS	2.2
3	C	181	GLU	2.2
2	P	52	THR	2.2
3	Q	235	GLU	2.2
1	O	52	SER	2.2
3	C	240	GLU	2.2
8	H	145	ASP	2.2
12	Z	1	GLN	2.2
6	F	244	ASN	2.2
6	F	215	CYS	2.2
2	B	59	ASP	2.2
3	Q	49	THR	2.2
6	F	241	LYS	2.1
5	S	207	VAL	2.1
5	S	227	GLU	2.1
7	G	230	GLU	2.1
6	T	243	ILE	2.1
2	P	217	LYS	2.1
7	G	179	LYS	2.1
1	O	182	GLU	2.1
2	B	182	ASP	2.1
2	P	230	LYS	2.1
1	O	4	ARG	2.1
1	A	248	GLU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	141	ASP	2.0
4	R	203	LYS	2.0
12	Z	167	LYS	2.0
7	G	237	VAL	2.0
2	B	201	ASP	2.0
3	C	3	ASP	2.0
3	Q	51	LYS	2.0
3	Q	60	SER	2.0
11	K	182	ASP	2.0
5	E	194	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
18	MES	H	302	12/12	0.94	0.37	13.90	74,76,81,85	0
18	MES	V	302	12/12	0.91	0.32	12.35	75,77,83,94	0
17	3BV	Y	301	52/52	0.85	0.26	5.11	46,55,109,116	0
18	MES	K	304	12/12	0.87	0.40	4.42	47,51,67,72	12
17	3BV	K	301	52/52	0.85	0.23	3.43	43,56,112,116	0
18	MES	X	201	12/12	0.90	0.32	3.19	47,49,66,71	12
17	3BV	b	201	52/52	0.89	0.20	3.15	39,54,135,138	0
17	3BV	N	201	52/52	0.88	0.21	2.89	37,51,131,134	0
17	3BV	V	301	52/52	0.89	0.21	2.30	46,55,102,106	0
15	MG	I	301	1/1	0.96	0.20	2.20	58,58,58,58	0
17	3BV	H	301	52/52	0.90	0.21	2.12	45,57,104,107	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
15	MG	Z	301	1/1	0.90	0.21	1.65	69,69,69,69	0
15	MG	J	201	1/1	0.98	0.11	0.82	50,50,50,50	0
16	CL	N	203	1/1	0.98	0.10	-0.45	57,57,57,57	0
15	MG	G	301	1/1	0.93	0.10	-0.59	50,50,50,50	0
15	MG	K	302	1/1	0.98	0.11	-0.81	56,56,56,56	0
15	MG	N	202	1/1	0.97	0.09	-0.88	49,49,49,49	0
15	MG	b	202	1/1	0.99	0.07	-1.40	35,35,35,35	0
16	CL	b	203	1/1	0.98	0.08	-1.43	51,51,51,51	0
15	MG	L	301	1/1	0.99	0.07	-1.50	52,52,52,52	0
15	MG	I	302	1/1	0.99	0.03	-3.62	58,58,58,58	0
16	CL	G	302	1/1	0.99	0.11	-	44,44,44,44	0
15	MG	K	303	1/1	0.93	0.25	-	68,68,68,68	0
16	CL	U	301	1/1	0.99	0.16	-	45,45,45,45	0

6.5 Other polymers [i](#)

There are no such residues in this entry.