



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 27, 2016 – 12:25 AM BST

PDB ID : 2L9B  
Title : Heterodimer between Rna14p monkeytail domain and Rna15p hinge domain of the yeast CF IA complex  
Authors : Moreno-Morcillo, M.; Minvielle-Sebastia, L.; Fribourg, S.; Mackereth, C.D.  
Deposited on : 2011-02-07

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : unknown  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : rb-20027457  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027457


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 96%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	109	
2	B	53	

## 2 Ensemble composition and analysis

This entry contains 10 models. Model 8 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:141-A:228, B:630-B:647, B:652-B:669 (124)	0.41	8

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 2 single-model clusters were found.

Cluster number	Models
1	1, 2, 6, 8, 9
2	3, 4, 5
Single-model clusters	7; 10

### 3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2100 atoms, of which 1064 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called mRNA 3'-end-processing protein RNA15.

Mol	Chain	Residues	Atoms						Trace
1	A	91	Total	C	H	N	O	S	0
			1439	458	730	113	133	5	

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	124	GLY	-	EXPRESSION TAG	UNP P25299
A	125	HIS	-	EXPRESSION TAG	UNP P25299
A	126	MET	-	EXPRESSION TAG	UNP P25299
A	196	ALA	VAL	variant	UNP P25299

- Molecule 2 is a protein called mRNA 3'-end-processing protein RNA14.

Mol	Chain	Residues	Atoms					Trace
2	B	40	Total	C	H	N	O	0
			661	212	334	52	63	

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	625	MET	-	INITIATING METHIONINE	UNP P25298

## 4 Residue-property plots [i](#)


### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: mRNA 3'-end-processing protein RNA15



- Molecule 2: mRNA 3'-end-processing protein RNA14




### 4.2 Scores per residue for each member of the ensemble


Colouring as in section 4.1 above.

#### 4.2.1 Score per residue for model 1

- Molecule 1: mRNA 3'-end-processing protein RNA15




- Molecule 2: mRNA 3'-end-processing protein RNA14




#### 4.2.2 Score per residue for model 2

- Molecule 1: mRNA 3'-end-processing protein RNA15




- Molecule 2: mRNA 3'-end-processing protein RNA14




#### 4.2.3 Score per residue for model 3

- Molecule 1: mRNA 3'-end-processing protein RNA15




- Molecule 2: mRNA 3'-end-processing protein RNA14




#### 4.2.4 Score per residue for model 4

- Molecule 1: mRNA 3'-end-processing protein RNA15




- Molecule 2: mRNA 3'-end-processing protein RNA14




#### 4.2.5 Score per residue for model 5

- Molecule 1: mRNA 3'-end-processing protein RNA15




- Molecule 2: mRNA 3'-end-processing protein RNA14




#### 4.2.6 Score per residue for model 6

- Molecule 1: mRNA 3'-end-processing protein RNA15




- Molecule 2: mRNA 3'-end-processing protein RNA14




#### 4.2.7 Score per residue for model 7

- Molecule 1: mRNA 3'-end-processing protein RNA15




- Molecule 2: mRNA 3'-end-processing protein RNA14




#### 4.2.8 Score per residue for model 8 (medoid)

- Molecule 1: mRNA 3'-end-processing protein RNA15




- Molecule 2: mRNA 3'-end-processing protein RNA14




#### 4.2.9 Score per residue for model 9

- Molecule 1: mRNA 3'-end-processing protein RNA15






- Molecule 2: mRNA 3'-end-processing protein RNA14




#### 4.2.10 Score per residue for model 10

- Molecule 1: mRNA 3'-end-processing protein RNA15



- Molecule 2: mRNA 3'-end-processing protein RNA14



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *DGSA-distance geometry simulated annealing*.

Of the 20 calculated structures, 10 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
ARIA	structure solution	1.2
CNS	refinement	1.1
ARIA1.2/CNS1.1	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	2l9b_cs.str
Number of chemical shift lists	1
Total number of shifts	2077
Number of shifts mapped to atoms	2077
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	96%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality [i](#)

### 6.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.31±0.03	0±0/698 (0.0±0.0%)	0.43±0.02	0±0/947 (0.0±0.0%)
2	B	0.33±0.04	0±0/297 (0.0±0.0%)	0.49±0.02	0±0/405 (0.0±0.0%)
All	All	0.32	1/9950 (0.0%)	0.45	0/13520 (0.0%)

All unique bond outliers are listed below.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	207	PHE	CE1-CZ	5.38	1.47	1.37	8	1

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	685	711	710	26±4
2	B	293	306	306	14±2
All	All	9780	10170	10160	296

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:189:ARG:HH12	2:B:662:LEU:HG	0.72	1.44	9	1
1:A:177:GLN:HB3	1:A:212:LEU:HD22	0.70	1.62	1	9
1:A:204:GLN:O	1:A:208:VAL:HB	0.67	1.88	1	2
1:A:177:GLN:HB2	1:A:216:ASN:HD21	0.66	1.50	4	2
1:A:188:THR:HG21	2:B:662:LEU:HD23	0.66	1.67	2	4
1:A:149:PRO:HG2	2:B:639:LEU:HB2	0.66	1.67	9	3
1:A:169:LEU:HD21	1:A:208:VAL:HG22	0.64	1.69	3	5
1:A:203:PRO:HD2	2:B:645:ARG:HB2	0.61	1.73	4	3
1:A:156:ILE:HA	1:A:159:THR:O	0.60	1.97	2	8
2:B:635:VAL:O	2:B:639:LEU:HG	0.60	1.97	3	10
1:A:185:GLN:O	1:A:189:ARG:HD2	0.59	1.97	9	1
1:A:141:LEU:HD12	1:A:201:LEU:HD23	0.59	1.74	6	1
1:A:183:LYS:HD3	2:B:632:PRO:HB3	0.59	1.73	2	1
1:A:185:GLN:HG3	1:A:189:ARG:HH11	0.59	1.56	9	1
1:A:189:ARG:HG2	2:B:663:ASN:HB2	0.58	1.73	3	1
1:A:174:LYS:O	1:A:177:GLN:HG2	0.57	1.99	10	3
2:B:642:ILE:HB	2:B:643:PRO:HD2	0.57	1.77	6	6
1:A:184:PHE:O	1:A:188:THR:HG22	0.57	1.99	9	2
1:A:169:LEU:CD2	2:B:638:LEU:HD11	0.57	2.30	10	6
2:B:662:LEU:HA	2:B:666:VAL:HB	0.57	1.75	9	2
1:A:158:MET:O	1:A:159:THR:HB	0.57	1.99	3	1
1:A:143:GLN:HA	1:A:143:GLN:HE21	0.56	1.59	7	1
1:A:205:LEU:HD13	2:B:639:LEU:HD21	0.56	1.77	10	9
1:A:209:THR:O	1:A:213:LEU:HG	0.56	1.99	10	10
1:A:167:SER:O	1:A:171:LYS:HB3	0.56	2.01	5	1
1:A:227:LEU:O	2:B:654:ASP:HB2	0.56	2.01	7	2
1:A:227:LEU:O	2:B:654:ASP:HB3	0.56	2.01	8	1
1:A:169:LEU:HD12	1:A:211:GLU:HB2	0.56	1.76	10	2
1:A:211:GLU:O	1:A:215:THR:HG23	0.55	2.01	7	3
1:A:154:VAL:HG21	2:B:643:PRO:HB3	0.55	1.77	4	2
1:A:184:PHE:CE1	1:A:205:LEU:HD21	0.55	2.36	2	5
1:A:172:LYS:HD3	1:A:176:VAL:HG11	0.55	1.78	2	2
1:A:187:TRP:CH2	1:A:195:ALA:HA	0.54	2.37	5	6
2:B:644:LYS:HB2	2:B:646:GLN:HG2	0.53	1.78	5	1
1:A:143:GLN:HG3	1:A:144:LYS:HG3	0.53	1.80	2	1
1:A:158:MET:HG3	1:A:159:THR:H	0.52	1.64	9	1
1:A:169:LEU:HD12	1:A:211:GLU:HB3	0.52	1.80	1	2
1:A:205:LEU:HA	1:A:208:VAL:HB	0.52	1.81	5	7
1:A:218:ILE:HG13	2:B:669:PRO:HD3	0.52	1.82	10	4
1:A:175:GLU:O	1:A:179:LYS:HG2	0.52	2.05	3	1
2:B:654:ASP:HB3	2:B:657:LYS:HG2	0.51	1.80	9	1
1:A:228:ALA:HB2	2:B:653:LEU:HD23	0.51	1.81	4	1

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:185:GLN:O	1:A:189:ARG:HG3	0.51	2.06	2	5
1:A:182:GLN:NE2	2:B:668:ILE:HB	0.51	2.20	9	2
1:A:150:SER:O	2:B:644:LYS:HA	0.51	2.06	9	2
1:A:210:ALA:O	1:A:214:LEU:HG	0.51	2.06	2	9
1:A:169:LEU:HD11	1:A:208:VAL:HA	0.51	1.81	8	1
1:A:152:ILE:O	2:B:644:LYS:HG3	0.50	2.06	9	2
1:A:210:ALA:HB2	2:B:653:LEU:HD11	0.50	1.83	10	1
1:A:169:LEU:HD23	2:B:638:LEU:HD11	0.50	1.83	5	2
1:A:180:PHE:HA	2:B:634:GLU:HG3	0.50	1.83	5	1
1:A:161:PRO:O	1:A:165:ILE:HG13	0.49	2.07	1	2
1:A:184:PHE:O	1:A:188:THR:HG23	0.49	2.06	3	2
1:A:174:LYS:O	1:A:178:LEU:HG	0.49	2.08	10	6
1:A:228:ALA:HB2	2:B:653:LEU:HA	0.49	1.85	8	1
1:A:202:CYS:HB3	1:A:204:GLN:OE1	0.49	2.08	7	3
1:A:191:HIS:HB3	1:A:194:ASP:HB2	0.49	1.84	4	3
1:A:155:ASN:O	1:A:159:THR:HG22	0.49	2.08	3	1
1:A:182:GLN:HG3	2:B:668:ILE:HB	0.48	1.84	5	1
1:A:200:GLU:HG3	2:B:655:ALA:HB3	0.48	1.85	6	1
1:A:149:PRO:CB	2:B:640:SER:HB3	0.48	2.39	2	1
1:A:204:GLN:HG3	2:B:642:ILE:HD11	0.48	1.85	1	1
1:A:180:PHE:HE2	2:B:635:VAL:HA	0.48	1.69	5	5
1:A:154:VAL:HG21	2:B:643:PRO:HG3	0.47	1.85	7	2
1:A:199:LEU:HB2	2:B:655:ALA:HB1	0.47	1.86	9	4
1:A:196:ALA:CA	2:B:659:VAL:HG21	0.47	2.39	1	3
1:A:177:GLN:O	1:A:181:LEU:HG	0.47	2.09	10	2
1:A:189:ARG:HG2	2:B:663:ASN:CB	0.47	2.39	3	1
1:A:169:LEU:HD12	1:A:211:GLU:CB	0.47	2.40	9	1
2:B:654:ASP:CG	2:B:657:LYS:HG2	0.47	2.29	1	1
1:A:199:LEU:CD2	1:A:205:LEU:HG	0.47	2.40	9	1
1:A:152:ILE:HG23	2:B:640:SER:O	0.47	2.10	7	4
1:A:181:LEU:O	1:A:185:GLN:HB2	0.47	2.10	3	2
1:A:165:ILE:O	1:A:169:LEU:HG	0.46	2.10	10	1
2:B:638:LEU:O	2:B:641:VAL:HG22	0.46	2.10	1	1
1:A:149:PRO:CB	2:B:640:SER:HB2	0.46	2.41	8	2
1:A:169:LEU:HB3	1:A:212:LEU:HD21	0.46	1.87	10	1
2:B:654:ASP:OD2	2:B:657:LYS:HG2	0.46	2.09	10	1
1:A:157:ASN:ND2	1:A:158:MET:HG3	0.46	2.26	2	1
2:B:654:ASP:OD1	2:B:657:LYS:HG2	0.46	2.11	2	2
1:A:178:LEU:HD22	2:B:669:PRO:O	0.46	2.11	6	1
1:A:184:PHE:CZ	1:A:205:LEU:HD21	0.46	2.46	3	2
1:A:141:LEU:CD1	1:A:201:LEU:HD23	0.46	2.41	10	3

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:144:LYS:C	1:A:146:PRO:HD3	0.46	2.31	7	1
2:B:632:PRO:HB2	2:B:634:GLU:OE2	0.45	2.12	5	1
1:A:186:GLU:OE1	1:A:186:GLU:HA	0.45	2.11	8	1
2:B:642:ILE:HB	2:B:643:PRO:CD	0.45	2.41	5	2
1:A:169:LEU:HD22	2:B:638:LEU:HD11	0.45	1.87	1	1
1:A:169:LEU:CD1	1:A:208:VAL:HA	0.45	2.42	8	1
2:B:637:ASP:O	2:B:641:VAL:HG13	0.45	2.11	7	3
1:A:199:LEU:HD12	2:B:659:VAL:HG23	0.45	1.88	1	1
1:A:153:ASP:HA	2:B:644:LYS:HE2	0.45	1.88	1	1
1:A:210:ALA:HB1	1:A:224:LEU:HD13	0.45	1.88	8	3
1:A:199:LEU:HD21	1:A:205:LEU:HG	0.45	1.89	4	1
1:A:203:PRO:HD2	2:B:645:ARG:HD2	0.44	1.89	8	1
1:A:208:VAL:O	1:A:212:LEU:HG	0.44	2.12	3	3
1:A:154:VAL:CG2	2:B:643:PRO:HB3	0.44	2.41	4	1
1:A:177:GLN:CB	1:A:212:LEU:HD22	0.44	2.41	10	1
1:A:186:GLU:HG2	1:A:189:ARG:HH21	0.44	1.73	10	1
1:A:189:ARG:NH1	2:B:662:LEU:HG	0.44	2.22	9	1
1:A:210:ALA:HB2	2:B:653:LEU:CD1	0.43	2.43	10	1
1:A:189:ARG:HG2	2:B:663:ASN:OD1	0.43	2.13	4	1
1:A:158:MET:HG3	1:A:159:THR:N	0.43	2.28	9	1
1:A:179:LYS:O	1:A:183:LYS:HG2	0.43	2.14	2	1
1:A:148:LEU:HD13	1:A:202:CYS:SG	0.43	2.53	1	2
1:A:168:GLU:HA	1:A:171:LYS:HE3	0.43	1.90	4	1
1:A:180:PHE:HE1	2:B:635:VAL:HA	0.43	1.74	1	1
2:B:631:LEU:HD22	2:B:635:VAL:HG11	0.43	1.90	10	3
1:A:227:LEU:HD13	2:B:658:LEU:HD13	0.43	1.91	8	1
1:A:181:LEU:HB3	2:B:668:ILE:HD12	0.43	1.91	3	1
1:A:178:LEU:CD2	2:B:669:PRO:HG2	0.42	2.44	5	1
1:A:200:GLU:HB2	2:B:655:ALA:HB3	0.42	1.91	9	1
1:A:178:LEU:O	1:A:182:GLN:HG2	0.42	2.14	2	1
2:B:654:ASP:CB	2:B:657:LYS:HG2	0.42	2.44	9	1
1:A:149:PRO:HB2	2:B:640:SER:HB3	0.42	1.90	2	1
1:A:141:LEU:HD11	1:A:201:LEU:HD23	0.42	1.90	1	1
1:A:183:LYS:HE2	2:B:632:PRO:HB3	0.42	1.91	6	1
1:A:157:ASN:ND2	1:A:158:MET:HG2	0.42	2.29	4	1
1:A:218:ILE:CG1	2:B:669:PRO:HD3	0.42	2.45	2	1
1:A:151:GLY:HA2	2:B:640:SER:CA	0.42	2.45	3	1
1:A:203:PRO:HA	1:A:206:SER:OG	0.42	2.14	2	1
1:A:152:ILE:HG12	2:B:642:ILE:C	0.42	2.35	9	1
1:A:158:MET:O	1:A:159:THR:CB	0.42	2.68	3	1
1:A:208:VAL:HG23	2:B:642:ILE:HD13	0.41	1.92	10	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:162:ALA:O	1:A:165:ILE:HB	0.41	2.16	8	1
1:A:185:GLN:HG2	2:B:662:LEU:HG	0.41	1.92	10	1
1:A:145:PHE:N	1:A:146:PRO:HD3	0.41	2.31	7	1
1:A:223:ASP:C	1:A:226:PRO:HD2	0.41	2.36	5	1
1:A:145:PHE:O	1:A:148:LEU:HG	0.41	2.16	8	1
1:A:169:LEU:HB3	1:A:212:LEU:CD2	0.41	2.46	1	1
1:A:169:LEU:CD1	1:A:211:GLU:HB3	0.41	2.46	2	1
1:A:211:GLU:O	1:A:215:THR:HG22	0.41	2.16	4	1
1:A:181:LEU:HD11	1:A:212:LEU:CB	0.41	2.45	5	1
1:A:188:THR:HG23	1:A:189:ARG:CZ	0.41	2.46	9	1
1:A:164:MET:O	1:A:168:GLU:HG2	0.41	2.16	9	1
2:B:644:LYS:HD3	2:B:646:GLN:OE1	0.40	2.16	10	1
1:A:185:GLN:OE1	2:B:668:ILE:HG12	0.40	2.15	9	1
1:A:203:PRO:HD2	2:B:645:ARG:CB	0.40	2.46	3	1
1:A:182:GLN:CG	2:B:668:ILE:HB	0.40	2.46	5	2
1:A:196:ALA:HA	2:B:659:VAL:HG21	0.40	1.94	3	1
1:A:208:VAL:HG21	2:B:638:LEU:HG	0.40	1.94	10	1
1:A:141:LEU:HD13	1:A:148:LEU:HD12	0.40	1.93	4	2
1:A:151:GLY:HA2	2:B:640:SER:HA	0.40	1.93	3	1
1:A:168:GLU:O	1:A:171:LYS:HG2	0.40	2.17	7	1

## 6.3 Torsion angles ⓘ

### 6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	87/109 (80%)	83±2 (95±3%)	4±2 (4±2%)	1±0 (1±1%)	29	74
2	B	34/53 (64%)	30±1 (89±3%)	3±1 (8±4%)	1±1 (3±3%)	9	43
All	All	1210/1620 (75%)	1128 (93%)	65 (5%)	17 (1%)	19	64

All 6 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	156	ILE	5

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
2	B	652	LEU	4
2	B	645	ARG	4
2	B	643	PRO	2
1	A	159	THR	1
1	A	146	PRO	1

### 6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	79/96 (82%)	74±2 (93±3%)	5±2 (7±3%)	25	70
2	B	35/51 (69%)	34±1 (97±2%)	1±1 (3±2%)	48	88
All	All	1140/1470 (78%)	1075 (94%)	65 (6%)	30	75

All 30 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	204	GLN	9
1	A	206	SER	6
1	A	177	GLN	6
1	A	207	PHE	6
2	B	654	ASP	3
1	A	208	VAL	3
1	A	153	ASP	2
1	A	164	MET	2
2	B	642	ILE	2
1	A	157	ASN	2
2	B	630	GLU	2
1	A	179	LYS	2
1	A	211	GLU	2
1	A	143	GLN	2
1	A	150	SER	1
1	A	191	HIS	1
1	A	147	GLU	1
1	A	225	ILE	1
1	A	193	GLU	1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	189	ARG	1
2	B	656	GLN	1
1	A	155	ASN	1
1	A	168	GLU	1
1	A	200	GLU	1
2	B	637	ASP	1
1	A	149	PRO	1
2	B	657	LYS	1
1	A	188	THR	1
2	B	633	THR	1
2	B	645	ARG	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 96% for the well-defined parts and 96% for the entire structure.

### 7.1 Chemical shift list 1

File name: 2l9b\_cs.str

Chemical shift list name: 17161\_chemshifts\_PDB.str

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2077
Number of shifts mapped to atoms	2077
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

#### 7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	159	$-0.29 \pm 0.21$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	155	$0.38 \pm 0.10$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	156	$-0.26 \pm 0.08$	None needed ( $< 0.5$ ppm)
$^{15}\text{N}$	143	$1.13 \pm 0.25$	Should be applied

#### 7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 96%, i.e. 1484 atoms were assigned a chemical shift out of a possible 1553. 30 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	595/600 (99%)	237/238 (100%)	245/248 (99%)	113/114 (99%)
Sidechain	820/880 (93%)	496/514 (96%)	310/338 (92%)	14/28 (50%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	69/73 (95%)	37/39 (95%)	31/31 (100%)	1/3 (33%)
Overall	1484/1553 (96%)	770/791 (97%)	586/617 (95%)	128/145 (88%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 96%, i.e. 1566 atoms were assigned a chemical shift out of a possible 1639. 30 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	628/635 (99%)	250/252 (99%)	259/262 (99%)	119/121 (98%)
Sidechain	851/913 (93%)	514/533 (96%)	320/349 (92%)	17/31 (55%)
Aromatic	87/91 (96%)	47/49 (96%)	39/39 (100%)	1/3 (33%)
Overall	1566/1639 (96%)	811/834 (97%)	618/650 (95%)	137/155 (88%)


#### 7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

#### 7.1.5 Random Coil Index (RCI) plots [i](#)

The images below report *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



Random coil index (RCI) for chain B:

