



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:39 PM GMT

PDB ID : 1LBC
Title : Crystal structure of GluR2 ligand binding core (S1S2J-N775S) in complex with cyclothiazide (CTZ) as well as glutamate at 1.8 Å resolution
Authors : Sun, Y.; Olson, R.; Horning, M.; Armstrong, N.; Mayer, M.; Gouaux, E.
Deposited on : 2002-04-02
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5383 (1.80-1.80)
Ramachandran outliers	100387	5320 (1.80-1.80)
Sidechain outliers	100360	5319 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	263	 81% 15% . .
1	B	263	 83% 15% . .
1	C	263	 85% 12% . .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6290 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamine Receptor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	259	Total	C	N	O	S	0	0	0
			1947	1242	322	369	14			
1	B	260	Total	C	N	O	S	0	0	0
			1974	1258	329	373	14			
1	C	258	Total	C	N	O	S	0	0	0
			1943	1242	321	366	14			

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	CLONING ARTIFACT	UNP P19491
A	2	ALA	-	CLONING ARTIFACT	UNP P19491
A	118	GLY	-	LINKER	UNP P19491
A	119	THR	-	LINKER	UNP P19491
A	242	SER	ASN	ENGINEERED	UNP P19491
B	1	GLY	-	CLONING ARTIFACT	UNP P19491
B	2	ALA	-	CLONING ARTIFACT	UNP P19491
B	118	GLY	-	LINKER	UNP P19491
B	119	THR	-	LINKER	UNP P19491
B	242	SER	ASN	ENGINEERED	UNP P19491
C	1	GLY	-	CLONING ARTIFACT	UNP P19491
C	2	ALA	-	CLONING ARTIFACT	UNP P19491
C	118	GLY	-	LINKER	UNP P19491
C	119	THR	-	LINKER	UNP P19491
C	242	SER	ASN	ENGINEERED	UNP P19491

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Zn	0	0
			2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	C	2	Total	Zn	0	0
			2	2		

- Molecule 3 is GLUTAMIC ACID (three-letter code: GLU) (formula: $C_5H_9NO_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			10	5	1	4		
3	C	1	Total	C	N	O	0	0
			10	5	1	4		
3	B	1	Total	C	N	O	0	0
			10	5	1	4		

- Molecule 4 is CYCLOTHIAZIDE (three-letter code: CYZ) (formula: $C_{14}H_{16}ClN_3O_4S_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	B	1	Total	C	Cl	N	O	S	0	0
			24	14	1	3	4	2		
4	A	1	Total	C	Cl	N	O	S	0	0
			24	14	1	3	4	2		
4	C	1	Total	C	Cl	N	O	S	0	0
			24	14	1	3	4	2		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	98	Total	O	0	0
			98	98		
5	B	135	Total	O	0	0
			135	135		
5	C	86	Total	O	0	0
			86	86		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: Glutamine Receptor 2



• Molecule 1: Glutamine Receptor 2



• Molecule 1: Glutamine Receptor 2



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	114.86Å 162.57Å 47.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.80	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-1.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.222 , 0.243	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6290	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CYZ, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/1983	0.60	0/2676
1	B	0.34	0/2009	0.63	0/2706
1	C	0.33	0/1979	0.58	0/2667
All	All	0.33	0/5971	0.60	0/8049

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1947	0	1909	36	0
1	B	1974	0	1963	45	0
1	C	1943	0	1924	27	0
2	A	1	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
3	A	10	0	5	0	0
3	B	10	0	5	1	0
3	C	10	0	5	0	0
4	A	24	0	15	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	24	0	15	0	0
4	C	24	0	15	1	0
5	A	98	0	0	5	0
5	B	135	0	0	16	0
5	C	86	0	0	7	0
All	All	6290	0	5856	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:133:ILE:N	5:B:433:HOH:O	1.94	1.01
1:B:130:GLN:OE1	5:B:433:HOH:O	1.82	0.95
1:B:145:GLU:OE2	1:B:148:ARG:NH2	2.08	0.87
1:C:116:LYS:O	1:C:119:THR:HG23	1.74	0.85
1:A:65:ASP:HB3	1:A:68:THR:HG22	1.63	0.81
1:B:133:ILE:HG13	5:B:433:HOH:O	1.81	0.80
1:B:170:PHE:HB3	5:B:456:HOH:O	1.81	0.79
1:C:241:LEU:HD22	1:C:246:LEU:HD22	1.67	0.76
1:B:52:LYS:HE3	1:B:54:THR:CG2	2.17	0.75
1:C:199:TYR:CZ	1:C:203:ARG:HD2	2.22	0.74
1:A:160:THR:HA	1:A:163:ARG:NH1	2.03	0.74
1:C:240:LYS:O	1:C:244:GLN:HG3	1.91	0.71
1:A:159:TRP:HD1	5:A:412:HOH:O	1.75	0.70
1:A:150:SER:O	1:A:156:ASP:OD1	2.10	0.70
1:A:249:LYS:NZ	1:A:249:LYS:HB2	2.07	0.69
1:B:145:GLU:CD	1:B:148:ARG:HH22	1.96	0.69
1:B:88:ALA:HB1	1:B:89:PRO:HD2	1.74	0.68
1:C:196:MET:HG3	5:C:397:HOH:O	1.93	0.68
1:C:194:SER:O	1:C:198:GLU:HG2	1.93	0.68
1:B:160:THR:HG23	1:B:163:ARG:HH12	1.59	0.68
1:B:209:MET:HE1	5:B:438:HOH:O	1.94	0.68
1:C:42:GLU:HG3	1:C:246:LEU:HD21	1.76	0.67
1:C:88:ALA:HB1	1:C:89:PRO:HD2	1.76	0.66
1:B:167:PRO:O	5:B:429:HOH:O	2.14	0.66
1:A:246:LEU:O	1:A:246:LEU:HG	1.94	0.66
1:B:145:GLU:CD	1:B:148:ARG:NH2	2.49	0.65
1:C:198:GLU:OE1	5:C:413:HOH:O	2.13	0.64
1:C:180:ARG:HA	1:C:183:LYS:HE2	1.78	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:88:ALA:HB1	1:A:89:PRO:HD2	1.78	0.64
1:C:119:THR:HG21	5:C:412:HOH:O	1.98	0.62
1:A:68:THR:HG23	1:A:70:ILE:H	1.65	0.62
1:B:151:LYS:CB	5:B:448:HOH:O	2.48	0.60
1:B:160:THR:HG23	1:B:163:ARG:NH1	2.16	0.60
1:A:159:TRP:CD1	5:A:412:HOH:O	2.52	0.60
1:C:81:GLY:HA2	5:C:414:HOH:O	2.02	0.59
1:C:137:THR:HG22	1:C:191:LEU:HB2	1.84	0.59
1:A:240:LYS:O	1:A:244:GLN:HG2	2.03	0.58
1:B:145:GLU:OE1	1:B:148:ARG:NH2	2.37	0.57
1:B:26:LEU:HD22	1:B:30:GLU:OE1	2.05	0.56
1:B:139:ASP:HB2	5:B:456:HOH:O	2.05	0.56
1:A:67:ASP:H	1:A:69:LYS:HE3	1.71	0.55
1:A:109:LEU:HD22	1:A:109:LEU:C	2.27	0.55
1:A:137:THR:HG22	1:A:191:LEU:HB2	1.90	0.53
1:C:147:PHE:CE2	1:C:191:LEU:HD13	2.44	0.53
1:B:160:THR:HA	1:B:163:ARG:CZ	2.40	0.52
1:B:133:ILE:CG1	5:B:433:HOH:O	2.51	0.52
1:A:68:THR:CG2	1:A:70:ILE:H	2.21	0.52
1:A:249:LYS:HZ2	1:A:249:LYS:HB2	1.74	0.51
1:B:1:GLY:C	1:B:3:ASN:N	2.64	0.51
1:C:109:LEU:HD22	1:C:109:LEU:C	2.30	0.51
1:B:117:LYS:HG2	1:B:209:MET:HE2	1.92	0.51
1:C:203:ARG:HA	1:C:260:GLU:HG3	1.93	0.51
1:B:240:LYS:O	1:B:244:GLN:HG3	2.10	0.51
1:B:23:HIS:HA	1:B:26:LEU:HD12	1.93	0.51
1:B:246:LEU:HD13	1:B:246:LEU:C	2.32	0.51
1:B:209:MET:CE	5:B:438:HOH:O	2.55	0.50
1:A:199:TYR:O	1:A:203:ARG:HG2	2.11	0.50
1:B:109:LEU:C	1:B:109:LEU:HD22	2.32	0.50
1:A:196:MET:HG2	5:A:334:HOH:O	2.11	0.49
1:C:196:MET:CE	5:C:397:HOH:O	2.59	0.49
1:C:220:TYR:OH	5:C:397:HOH:O	2.19	0.49
1:B:170:PHE:CB	5:B:456:HOH:O	2.53	0.48
1:C:225:PRO:HG2	1:C:228:SER:HB2	1.96	0.48
1:B:215:LEU:N	1:B:215:LEU:HD12	2.28	0.48
1:B:91:THR:HG1	3:B:328:GLU:N	2.12	0.48
1:A:249:LYS:HD2	1:B:167:PRO:HD3	1.94	0.48
1:C:196:MET:HE3	5:C:397:HOH:O	2.14	0.48
1:A:65:ASP:HB3	1:A:68:THR:CG2	2.41	0.47
1:A:20:LYS:HD2	1:A:30:GLU:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:81:GLY:HA2	5:B:449:HOH:O	2.14	0.47
1:A:239:LEU:HD11	4:A:330:CYZ:H51	1.97	0.46
1:A:239:LEU:HD13	1:A:239:LEU:HA	1.72	0.46
1:A:150:SER:OG	1:A:155:PHE:HB2	2.16	0.46
1:A:35:TYR:CE2	1:A:250:LEU:HB3	2.51	0.46
1:C:147:PHE:CZ	1:C:191:LEU:HD13	2.50	0.46
1:C:231:GLY:O	1:C:234:VAL:HG22	2.16	0.45
1:A:218:LYS:HB2	4:C:331:CYZ:H41	1.97	0.45
1:C:64:ARG:NH2	1:C:69:LYS:NZ	2.64	0.45
1:A:184:SER:HB2	5:A:390:HOH:O	2.17	0.45
1:B:199:TYR:O	1:B:203:ARG:HG2	2.17	0.44
1:B:237:ALA:O	1:B:241:LEU:HG	2.18	0.44
1:A:115:ILE:HD11	1:A:211:VAL:HG11	2.00	0.43
1:A:251:LYS:O	1:A:255:TRP:HB2	2.19	0.43
1:A:109:LEU:CD1	1:A:219:GLY:HA2	2.48	0.43
1:B:3:ASN:N	5:B:394:HOH:O	2.51	0.43
1:B:65:ASP:O	1:B:69:LYS:HA	2.17	0.43
1:C:199:TYR:OH	1:C:203:ARG:HD2	2.18	0.43
1:A:136:GLY:HA3	1:A:169:VAL:O	2.18	0.43
1:C:185:LYS:N	1:C:185:LYS:HD3	2.34	0.43
1:B:252:ASN:ND2	5:B:442:HOH:O	2.51	0.43
1:B:209:MET:HB3	1:B:209:MET:HE2	1.63	0.43
1:A:166:GLU:HA	1:A:167:PRO:C	2.39	0.42
1:A:258:LYS:N	5:A:423:HOH:O	2.37	0.42
1:B:23:HIS:HA	1:B:26:LEU:CD1	2.49	0.42
1:A:115:ILE:CD1	1:A:211:VAL:HG11	2.49	0.42
1:B:52:LYS:HE3	1:B:54:THR:HG23	1.99	0.42
1:B:131:THR:HG22	1:B:131:THR:O	2.20	0.42
1:B:139:ASP:OD2	1:B:144:LYS:NZ	2.34	0.42
1:C:136:GLY:HA3	1:C:169:VAL:O	2.19	0.42
1:B:26:LEU:O	1:B:31:ARG:HD3	2.20	0.42
1:B:139:ASP:CB	5:B:456:HOH:O	2.65	0.41
1:B:109:LEU:HD23	1:B:193:GLU:HB3	2.02	0.41
1:A:85:ILE:HD11	1:A:222:ILE:CG2	2.51	0.41
1:B:133:ILE:CB	5:B:433:HOH:O	2.69	0.41
1:A:246:LEU:HD21	1:A:250:LEU:HD22	2.03	0.40
1:C:46:HIS:CD2	1:C:240:LYS:HD3	2.56	0.40
1:A:152:ILE:HB	1:A:155:PHE:CD2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	257/263 (98%)	248 (96%)	8 (3%)	1 (0%)	39	23
1	B	257/263 (98%)	247 (96%)	9 (4%)	1 (0%)	39	23
1	C	256/263 (97%)	250 (98%)	6 (2%)	0	100	100
All	All	770/789 (98%)	745 (97%)	23 (3%)	2 (0%)	46	29

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	67	ASP
1	B	259	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	199/219 (91%)	193 (97%)	6 (3%)	48	31
1	B	205/219 (94%)	200 (98%)	5 (2%)	57	41
1	C	201/219 (92%)	197 (98%)	4 (2%)	63	49
All	All	605/657 (92%)	590 (98%)	15 (2%)	55	39

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	68	THR
1	A	109	LEU
1	A	210	LYS
1	A	239	LEU
1	A	250	LEU
1	B	15	PRO
1	B	26	LEU
1	B	30	GLU
1	B	109	LEU
1	B	226	LYS
1	C	15	PRO
1	C	109	LEU
1	C	119	THR
1	C	185	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	244	GLN
1	C	46	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 5 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GLU	A	326	-	3,9,9	0.14	0	2,11,11	0.14	0
4	CYZ	A	330	-	26,27,27	5.34	14 (53%)	33,44,44	3.84	11 (33%)
3	GLU	B	328	-	3,9,9	0.12	0	2,11,11	0.11	0
4	CYZ	B	329	-	26,27,27	5.27	14 (53%)	33,44,44	3.84	14 (42%)
3	GLU	C	327	-	3,9,9	0.13	0	2,11,11	0.10	0
4	CYZ	C	331	-	26,27,27	5.35	14 (53%)	33,44,44	3.87	11 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GLU	A	326	-	-	0/3/9/9	0/0/0/0
4	CYZ	A	330	-	-	0/6/42/42	0/2/4/4
3	GLU	B	328	-	-	0/3/9/9	0/0/0/0
4	CYZ	B	329	-	-	0/6/42/42	0/2/4/4
3	GLU	C	327	-	-	0/3/9/9	0/0/0/0
4	CYZ	C	331	-	-	0/6/42/42	0/2/4/4

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	330	CYZ	C8-N1	-9.56	1.35	1.46
4	C	331	CYZ	C8-N1	-9.30	1.35	1.46
4	B	329	CYZ	C8-N1	-9.30	1.35	1.46
4	B	329	CYZ	C8-N2	-6.73	1.38	1.46
4	C	331	CYZ	C8-N2	-6.30	1.38	1.46
4	A	330	CYZ	C8-N2	-5.82	1.39	1.46
4	B	329	CYZ	O3-S2	2.10	1.47	1.43
4	B	329	CYZ	O4-S2	2.22	1.47	1.43
4	A	330	CYZ	O4-S2	2.38	1.47	1.43
4	A	330	CYZ	O3-S2	2.41	1.47	1.43
4	C	331	CYZ	O3-S2	2.42	1.48	1.43
4	C	331	CYZ	O4-S2	2.61	1.48	1.43
4	C	331	CYZ	O2-S1	3.87	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	330	CYZ	O2-S1	3.92	1.47	1.43
4	B	329	CYZ	O2-S1	3.98	1.47	1.43
4	B	329	CYZ	S2-N3	4.03	1.69	1.60
4	C	331	CYZ	S2-N3	4.16	1.69	1.60
4	A	330	CYZ	S2-N3	4.32	1.70	1.60
4	C	331	CYZ	O1-S1	4.49	1.48	1.43
4	B	329	CYZ	O1-S1	4.50	1.48	1.43
4	A	330	CYZ	O1-S1	4.65	1.48	1.43
4	B	329	CYZ	S1-N1	4.88	1.68	1.63
4	A	330	CYZ	S1-N1	5.14	1.68	1.63
4	C	331	CYZ	S1-N1	5.70	1.69	1.63
4	B	329	CYZ	C10-C9	8.03	1.54	1.40
4	A	330	CYZ	C10-C9	8.19	1.54	1.40
4	C	331	CYZ	C10-C9	8.31	1.54	1.40
4	B	329	CYZ	C11-C9	8.48	1.52	1.39
4	C	331	CYZ	C11-C9	8.84	1.53	1.39
4	B	329	CYZ	C11-C12	8.87	1.53	1.39
4	A	330	CYZ	C11-C9	8.90	1.53	1.39
4	C	331	CYZ	C11-C12	8.92	1.53	1.39
4	B	329	CYZ	C14-C10	8.93	1.53	1.39
4	A	330	CYZ	C11-C12	9.12	1.53	1.39
4	C	331	CYZ	C14-C10	9.33	1.54	1.39
4	A	330	CYZ	C14-C10	9.37	1.54	1.39
4	A	330	CYZ	C14-C13	9.63	1.54	1.38
4	B	329	CYZ	C14-C13	9.65	1.54	1.38
4	C	331	CYZ	C14-C13	9.72	1.54	1.38
4	A	330	CYZ	C13-C12	9.96	1.55	1.40
4	C	331	CYZ	C13-C12	9.96	1.55	1.40
4	B	329	CYZ	C13-C12	10.18	1.55	1.40

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	331	CYZ	C9-S1-N1	-11.83	90.63	102.46
4	B	329	CYZ	C9-S1-N1	-11.54	90.92	102.46
4	A	330	CYZ	C9-S1-N1	-11.00	91.46	102.46
4	C	331	CYZ	O2-S1-O1	-8.39	112.00	118.78
4	B	329	CYZ	O2-S1-O1	-8.02	112.30	118.78
4	A	330	CYZ	O2-S1-O1	-7.98	112.33	118.78
4	B	329	CYZ	C12-S2-N3	-6.42	97.40	108.41
4	A	330	CYZ	C12-S2-N3	-6.29	97.62	108.41
4	C	331	CYZ	C12-S2-N3	-6.03	98.06	108.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	330	CYZ	O4-S2-O3	-5.82	110.61	118.80
4	C	331	CYZ	O4-S2-O3	-5.70	110.78	118.80
4	B	329	CYZ	O4-S2-O3	-4.51	112.47	118.80
4	B	329	CYZ	C11-C12-S2	-3.99	113.18	118.33
4	B	329	CYZ	C12-C11-C9	-3.65	116.86	120.85
4	C	331	CYZ	C12-C13-CL	-3.01	119.35	121.54
4	A	330	CYZ	C12-C11-C9	-2.49	118.13	120.85
4	A	330	CYZ	C10-C9-S1	-2.37	117.06	119.04
4	C	331	CYZ	C12-C11-C9	-2.28	118.35	120.85
4	B	329	CYZ	C10-C9-S1	-2.28	117.13	119.04
4	B	329	CYZ	C14-C13-CL	-2.26	115.02	118.50
4	B	329	CYZ	C11-C9-S1	-2.11	117.94	119.88
4	C	331	CYZ	C11-C12-S2	-2.10	115.62	118.33
4	A	330	CYZ	C2-C7-C5	-2.04	85.86	97.19
4	B	329	CYZ	C7-C2-C1	2.08	104.91	100.48
4	A	330	CYZ	C7-C2-C1	2.08	104.92	100.48
4	C	331	CYZ	C7-C2-C1	2.21	105.18	100.48
4	B	329	CYZ	O2-S1-C9	2.55	112.40	109.19
4	B	329	CYZ	C13-C12-S2	2.73	127.34	123.28
4	A	330	CYZ	O2-S1-C9	2.90	112.84	109.19
4	A	330	CYZ	C11-C9-C10	2.91	124.01	120.67
4	C	331	CYZ	C11-C9-C10	3.10	124.24	120.67
4	C	331	CYZ	O2-S1-C9	3.35	113.40	109.19
4	B	329	CYZ	C11-C9-C10	3.70	124.93	120.67
4	B	329	CYZ	O4-S2-N3	11.32	121.95	107.28
4	C	331	CYZ	O4-S2-N3	12.00	122.82	107.28
4	A	330	CYZ	O4-S2-N3	13.03	124.15	107.28

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	330	CYZ	1	0
3	B	328	GLU	1	0
4	C	331	CYZ	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.