



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:41 PM GMT

PDB ID : 1LI5  
Title : Crystal Structure of Cysteinyl-tRNA Synthetase  
Authors : Newberry, K.J.; Hou, Y.-M.; Perona, J.J.  
Deposited on : 2002-04-17  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	461	<div> <div></div> <div>58% 21% • 16%</div> </div>
1	B	461	<div> <div>3%</div> <div>53% 24% •• 20%</div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5778 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYSTEINYL-TRNA SYNTHETASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	386	Total	C	N	O	S	0	0	0
			2949	1869	508	547	25			
1	B	369	Total	C	N	O	S	0	0	0
			2725	1727	475	502	21			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	73	Total	O	0	0
			73	73		
3	B	29	Total	O	0	0
			29	29		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: CYSTEINYL-TRNA SYNTHETASE



#### • Molecule 1: CYSTEINYL-TRNA SYNTHETASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	119.16Å 119.16Å 144.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.89 – 2.30 45.94 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.3 (19.89-2.30) 98.4 (45.94-2.20)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.53 (at 2.20Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.245 , 0.283 0.244 , 0.282	Depositor DCC
$R_{free}$ test set	4632 reflections (10.10%)	DCC
Wilson B-factor (Å <sup>2</sup> )	34.0	Xtriage
Anisotropy	0.131	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 43.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 52425 reflections	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	5778	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.75% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.47	1/3021 (0.0%)	0.87	10/4105 (0.2%)
1	B	0.53	6/2790 (0.2%)	0.82	6/3798 (0.2%)
All	All	0.50	7/5811 (0.1%)	0.85	16/7903 (0.2%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	249	GLN	N-CA	9.65	1.65	1.46
1	B	250	TYR	N-CA	7.71	1.61	1.46
1	B	248	GLY	N-CA	-5.75	1.37	1.46
1	B	247	ASP	N-CA	-5.33	1.35	1.46
1	A	265	GLU	C-N	-5.29	1.21	1.34
1	B	249	GLN	C-N	5.15	1.45	1.34
1	B	156	SER	CA-CB	5.01	1.60	1.52

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	232	PHE	C-N-CD	-25.10	65.39	120.60
1	B	232	PHE	C-N-CD	-20.22	76.11	120.60
1	B	232	PHE	C-N-CA	13.74	179.71	122.00
1	A	264	ARG	C-N-CA	10.52	148.00	121.70
1	A	232	PHE	C-N-CA	10.42	165.75	122.00
1	A	71	ASP	N-CA-C	-8.43	88.24	111.00
1	A	31	THR	N-CA-C	-8.30	88.59	111.00
1	B	246	HIS	N-CA-C	7.26	130.60	111.00
1	A	233	PRO	CA-N-CD	-6.69	102.14	111.50
1	A	265	GLU	N-CA-CB	6.60	122.48	110.60
1	B	247	ASP	CA-C-N	-6.49	103.22	116.20
1	B	233	PRO	CA-N-CD	-5.57	103.70	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	249	GLN	CA-C-N	-5.21	105.74	117.20
1	A	72	ASP	N-CA-C	5.13	124.86	111.00
1	A	248	GLY	CA-C-N	-5.04	106.11	117.20
1	B	266	LYS	N-CA-C	5.01	124.54	111.00

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2949	0	2723	103	0
1	B	2725	0	2430	95	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	73	0	0	2	0
3	B	29	0	0	0	0
All	All	5778	0	5153	198	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (198) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:246:HIS:HD2	3:A:1099:HOH:O	1.39	1.04
1:B:148:THR:O	1:B:150:PRO:HD3	1.64	0.98
1:A:287:GLU:HG2	1:A:316:LEU:HD21	1.46	0.92
1:A:235:HIS:HD2	1:A:256:HIS:HE1	1.20	0.90
1:A:362:MET:HE3	1:A:384:LEU:HD13	1.56	0.86
1:A:146:VAL:HG13	1:A:147:PRO:HD3	1.56	0.85
1:A:112:PRO:HB2	1:A:212:MET:HE2	1.59	0.84
1:A:65:ARG:HG2	1:A:65:ARG:HH11	1.42	0.84
1:A:235:HIS:HD2	1:A:256:HIS:CE1	1.96	0.83
1:B:35:LEU:H	1:B:35:LEU:HD12	1.45	0.82

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:335:GLY:HA2	1:A:380:MET:HE1	1.63	0.80
1:B:149:ASP:HB3	1:B:152:TYR:HB2	1.64	0.79
1:A:146:VAL:HG11	1:A:179:MET:HB2	1.66	0.77
1:A:326:THR:HG21	1:A:385:ARG:HH12	1.49	0.77
1:B:143:MET:HE1	1:B:182:VAL:HG22	1.68	0.75
1:B:235:HIS:HD2	1:B:256:HIS:NE2	1.85	0.75
1:B:38:ILE:HD12	1:B:39:GLY:H	1.51	0.74
1:B:246:HIS:O	1:B:247:ASP:CB	2.28	0.74
1:B:223:ILE:HD13	1:B:255:MET:SD	2.27	0.74
1:B:232:PHE:CD2	1:B:233:PRO:HD3	2.23	0.73
1:A:28:CYS:SG	1:A:235:HIS:HE1	2.13	0.72
1:A:246:HIS:CD2	3:A:1099:HOH:O	2.25	0.72
1:B:37:HIS:HA	1:B:276:THR:HA	1.71	0.72
1:B:38:ILE:HD12	1:B:39:GLY:N	2.04	0.72
1:B:220:HIS:HE1	1:B:252:ASN:OD1	1.72	0.71
1:A:112:PRO:HB2	1:A:212:MET:CE	2.20	0.71
1:B:65:ARG:HG2	1:B:65:ARG:HH11	1.56	0.71
1:A:1:MET:HG3	1:A:14:GLU:HG3	1.72	0.70
1:A:69:ASP:HB3	1:A:115:THR:HG23	1.74	0.69
1:A:6:ASN:ND2	1:A:254:TRP:H	1.91	0.69
1:B:107:ARG:HG2	1:B:107:ARG:HH11	1.58	0.69
1:B:183:LEU:HD22	1:B:207:ILE:HD13	1.75	0.68
1:B:112:PRO:HG2	1:B:212:MET:HE3	1.74	0.68
1:B:35:LEU:N	1:B:35:LEU:HD12	2.07	0.68
1:A:146:VAL:HG11	1:A:179:MET:CB	2.24	0.67
1:B:146:VAL:HB	1:B:147:PRO:HD3	1.77	0.67
1:A:37:HIS:HA	1:A:276:THR:HA	1.75	0.67
1:A:65:ARG:NH1	1:A:65:ARG:HG2	2.10	0.66
1:B:177:ASN:ND2	1:B:179:MET:H	1.94	0.66
1:A:177:ASN:ND2	1:A:179:MET:H	1.93	0.65
1:A:135:TYR:CE2	1:A:145:ASP:HB3	2.32	0.65
1:A:37:HIS:HD2	1:A:39:GLY:H	1.43	0.65
1:B:287:GLU:HG2	1:B:316:LEU:HD21	1.77	0.64
1:B:132:GLY:O	1:B:148:THR:HG21	1.98	0.64
1:B:143:MET:HE2	1:B:182:VAL:HA	1.80	0.64
1:B:135:TYR:HH	1:B:176:ARG:N	1.96	0.63
1:B:366:VAL:O	1:B:370:LYS:HG2	1.98	0.63
1:B:224:HIS:HE1	1:B:238:GLU:OE1	1.82	0.63
1:A:326:THR:CG2	1:A:385:ARG:HH12	2.12	0.63
1:A:124:LEU:HD12	1:A:211:ALA:HA	1.81	0.62
1:A:328:LYS:HA	1:A:385:ARG:NH2	2.15	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:ILE:H	1:A:30:ILE:CD1	2.12	0.62
1:A:31:THR:HA	1:A:68:THR:HB	1.83	0.61
1:B:95:GLU:CD	1:B:278:ARG:HH22	2.05	0.61
1:A:112:PRO:C	1:A:212:MET:HE1	2.21	0.60
1:B:112:PRO:CG	1:B:212:MET:HE3	2.31	0.60
1:A:232:PHE:CD2	1:A:233:PRO:HD3	2.36	0.60
1:A:323:LEU:O	1:A:326:THR:HB	2.02	0.60
1:B:261:MET:HB3	1:B:265:GLU:O	2.02	0.60
1:A:30:ILE:H	1:A:30:ILE:HD13	1.67	0.59
1:B:137:ALA:O	1:B:140:GLY:N	2.34	0.59
1:A:224:HIS:HE1	1:A:238:GLU:OE1	1.85	0.59
1:A:32:VAL:HG21	1:A:67:ILE:HG23	1.85	0.59
1:B:195:PRO:O	1:B:196:SER:CB	2.50	0.59
1:B:141:ASP:HB3	1:B:143:MET:CE	2.33	0.58
1:A:95:GLU:HG3	1:A:278:ARG:NH2	2.18	0.58
1:B:313:ARG:O	1:B:317:GLU:HG3	2.03	0.58
1:A:95:GLU:HG3	1:A:278:ARG:HH22	1.70	0.57
1:A:30:ILE:HD11	1:A:96:MET:SD	2.45	0.57
1:A:122:ILE:O	1:A:126:GLU:HG3	2.04	0.57
1:B:38:ILE:HD11	1:B:267:MET:SD	2.45	0.57
1:B:318:ARG:HH11	1:B:318:ARG:HG3	1.71	0.56
1:A:235:HIS:CD2	1:A:256:HIS:HE1	2.12	0.56
1:B:298:TYR:CE1	1:B:299:ARG:HG3	2.41	0.55
1:B:141:ASP:HB3	1:B:143:MET:HE1	1.88	0.55
1:A:32:VAL:HG12	1:A:92:MET:HB2	1.88	0.55
1:A:262:VAL:HB	1:A:273:ASN:HB2	1.88	0.55
1:B:146:VAL:HG23	1:B:180:ASP:HA	1.89	0.55
1:B:143:MET:CE	1:B:182:VAL:HG22	2.35	0.54
1:B:145:ASP:O	1:B:148:THR:OG1	2.15	0.54
1:A:135:TYR:HE2	1:A:145:ASP:HB3	1.70	0.53
1:A:220:HIS:HE1	1:A:252:ASN:OD1	1.90	0.53
1:B:110:MET:HE2	1:B:110:MET:HA	1.89	0.53
1:B:184:TRP:NE1	1:B:201:GLY:HA3	2.23	0.53
1:A:35:LEU:HD22	1:A:35:LEU:H	1.73	0.53
1:A:7:THR:OG1	1:A:256:HIS:HD2	1.92	0.53
1:B:117:HIS:O	1:B:121:ILE:HG13	2.09	0.53
1:A:1:MET:HE3	1:A:14:GLU:OE1	2.08	0.52
1:A:206:HIS:CD2	1:A:237:ASN:HD22	2.27	0.52
1:B:69:ASP:OD1	1:B:115:THR:HB	2.09	0.52
1:B:326:THR:HG21	1:B:381:ALA:CB	2.40	0.51
1:A:135:TYR:HE2	1:A:145:ASP:CB	2.23	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:117:HIS:HB3	1:A:120:GLU:HG2	1.93	0.51
1:B:107:ARG:HG2	1:B:107:ARG:NH1	2.24	0.51
1:A:224:HIS:CE1	1:A:238:GLU:OE1	2.63	0.51
1:A:107:ARG:HH11	1:A:107:ARG:HG2	1.76	0.51
1:B:35:LEU:CD1	1:B:35:LEU:H	2.19	0.51
1:B:235:HIS:CD2	1:B:256:HIS:NE2	2.72	0.51
1:A:362:MET:HE3	1:A:384:LEU:CD1	2.35	0.51
1:A:177:ASN:HD22	1:A:179:MET:H	1.58	0.51
1:B:154:VAL:HG13	1:B:155:LEU:N	2.25	0.50
1:B:297:HIS:HD2	1:B:299:ARG:HB2	1.76	0.50
1:A:335:GLY:H	1:A:383:HIS:CD2	2.29	0.50
1:B:318:ARG:HG3	1:B:318:ARG:NH1	2.26	0.50
1:A:339:GLU:OE1	1:A:383:HIS:HE1	1.95	0.50
1:A:334:GLY:C	1:A:380:MET:HE2	2.32	0.49
1:A:153:GLY:HA2	1:A:236:GLU:CD	2.33	0.49
1:B:6:ASN:ND2	1:B:254:TRP:H	2.10	0.49
1:B:367:ASN:HA	1:B:370:LYS:HG3	1.95	0.49
1:A:214:CYS:HB2	1:A:219:ASN:HD22	1.77	0.49
1:A:145:ASP:HA	1:A:180:ASP:OD1	2.12	0.49
1:B:145:ASP:HB3	1:B:148:THR:OG1	2.12	0.49
1:A:320:TYR:CZ	1:A:394:LEU:HA	2.48	0.49
1:B:65:ARG:NH1	1:B:65:ARG:HG2	2.25	0.48
1:B:135:TYR:C	1:B:135:TYR:CD1	2.86	0.48
1:B:86:VAL:O	1:B:89:VAL:HG22	2.12	0.48
1:A:1:MET:HE2	1:A:14:GLU:HB2	1.96	0.48
1:A:30:ILE:N	1:A:30:ILE:HD13	2.28	0.48
1:B:25:MET:HG3	1:B:223:ILE:HG13	1.95	0.48
1:A:101:ASP:OD1	1:A:107:ARG:NH1	2.47	0.47
1:B:262:VAL:N	1:B:265:GLU:O	2.47	0.47
1:A:32:VAL:HG12	1:A:92:MET:CB	2.43	0.47
1:B:110:MET:HA	1:B:110:MET:CE	2.45	0.47
1:A:237:ASN:O	1:A:241:GLN:HG3	2.15	0.47
1:B:177:ASN:HD22	1:B:179:MET:H	1.60	0.47
1:B:297:HIS:CD2	1:B:299:ARG:HB2	2.50	0.47
1:A:362:MET:HE1	1:A:384:LEU:HA	1.97	0.46
1:B:112:PRO:HB2	1:B:212:MET:HE3	1.97	0.46
1:A:235:HIS:CD2	1:A:256:HIS:CE1	2.88	0.46
1:B:97:HIS:HE1	1:B:111:GLU:OE1	1.98	0.46
1:B:214:CYS:HB2	1:B:219:ASN:HD22	1.80	0.46
1:B:219:ASN:O	1:B:250:TYR:HA	2.15	0.46
1:A:220:HIS:CE1	1:A:249:GLN:HB3	2.50	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:LYS:O	1:A:191:GLU:HG2	2.16	0.46
1:B:194:TRP:O	1:B:195:PRO:O	2.34	0.46
1:B:353:PRO:O	1:B:356:TYR:HB2	2.16	0.46
1:B:26:TYR:HA	1:B:64:VAL:O	2.15	0.46
1:A:70:ILE:HD12	1:A:70:ILE:N	2.31	0.46
1:B:262:VAL:O	1:B:263:ASP:CB	2.64	0.46
1:A:35:LEU:HD11	1:A:95:GLU:HG2	1.96	0.46
1:B:220:HIS:CE1	1:B:252:ASN:OD1	2.60	0.45
1:B:333:ALA:HB3	1:B:379:ALA:HB1	1.97	0.45
1:B:223:ILE:HD12	1:B:224:HIS:N	2.31	0.45
1:B:29:GLY:HA3	1:B:66:ASN:O	2.17	0.45
1:B:135:TYR:HE1	1:B:137:ALA:HB2	1.82	0.45
1:A:26:TYR:HA	1:A:64:VAL:O	2.17	0.45
1:A:71:ASP:OD2	1:A:71:ASP:O	2.35	0.45
1:A:307:GLU:O	1:A:311:GLN:HG2	2.16	0.45
1:A:294:MET:HB2	1:A:356:TYR:OH	2.17	0.45
1:A:297:HIS:HE1	1:A:349:ASP:O	2.00	0.45
1:A:37:HIS:HD2	1:A:39:GLY:N	2.13	0.44
1:A:362:MET:CE	1:A:384:LEU:HA	2.48	0.44
1:A:70:ILE:HD12	1:A:70:ILE:H	1.82	0.44
1:B:214:CYS:HA	1:B:218:GLY:O	2.18	0.44
1:A:262:VAL:O	1:A:263:ASP:CB	2.64	0.44
1:B:309:LEU:O	1:B:312:ALA:HB3	2.17	0.44
1:B:112:PRO:CB	1:B:212:MET:HE3	2.48	0.44
1:A:38:ILE:HG12	1:A:275:PHE:O	2.18	0.43
1:A:366:VAL:O	1:A:370:LYS:HG2	2.18	0.43
1:A:146:VAL:HG12	1:A:180:ASP:OD1	2.18	0.43
1:A:35:LEU:HD22	1:A:35:LEU:N	2.33	0.43
1:A:263:ASP:O	1:A:264:ARG:CB	2.64	0.43
1:A:42:ARG:NH2	1:A:300:SER:O	2.50	0.43
1:B:5:PHE:HA	1:B:12:LYS:HA	2.00	0.43
1:B:326:THR:HG21	1:B:381:ALA:HB3	2.00	0.43
1:B:141:ASP:HB3	1:B:143:MET:HE3	2.01	0.43
1:A:72:ASP:HB2	1:A:205:TRP:CH2	2.53	0.42
1:B:214:CYS:HB2	1:B:219:ASN:ND2	2.34	0.42
1:B:196:SER:O	1:B:199:GLY:N	2.43	0.42
1:A:86:VAL:HG23	1:A:87:ALA:N	2.34	0.42
1:B:314:ALA:O	1:B:317:GLU:HB2	2.20	0.42
1:A:26:TYR:CD1	1:A:213:ASN:HB3	2.55	0.42
1:B:112:PRO:O	1:B:212:MET:HE1	2.19	0.42
1:B:330:VAL:HG21	1:B:378:ASN:HB3	2.00	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:118:ILE:HD12	1:A:118:ILE:N	2.35	0.42
1:B:187:SER:N	1:B:201:GLY:HA2	2.35	0.42
1:A:327:ASP:CG	1:A:329:THR:HG22	2.40	0.42
1:B:92:MET:CE	1:B:92:MET:HA	2.49	0.42
1:A:232:PHE:CG	1:A:233:PRO:HD3	2.54	0.41
1:A:208:GLU:O	1:A:212:MET:HG3	2.20	0.41
1:A:39:GLY:HA2	1:A:260:VAL:CG2	2.50	0.41
1:A:154:VAL:HG13	1:A:155:LEU:N	2.34	0.41
1:A:31:THR:HG21	1:A:71:ASP:OD1	2.20	0.41
1:B:72:ASP:OD1	1:B:202:ARG:NH2	2.53	0.41
1:B:185:LYS:O	1:B:186:MET:C	2.58	0.41
1:A:135:TYR:CD2	1:A:145:ASP:HB3	2.56	0.41
1:B:284:TYR:CG	1:B:309:LEU:HD23	2.55	0.41
1:B:320:TYR:CZ	1:B:394:LEU:HA	2.55	0.41
1:A:5:PHE:HA	1:A:12:LYS:HA	2.02	0.41
1:A:29:GLY:HA3	1:A:66:ASN:O	2.21	0.41
1:B:246:HIS:C	1:B:247:ASP:O	2.59	0.41
1:A:92:MET:CE	1:A:92:MET:HA	2.51	0.41
1:A:297:HIS:CD2	1:A:299:ARG:H	2.39	0.41
1:A:30:ILE:HG12	1:A:31:THR:O	2.21	0.40
1:B:37:HIS:HD2	1:B:39:GLY:H	1.69	0.40
1:B:297:HIS:CD2	1:B:299:ARG:H	2.39	0.40
1:B:177:ASN:OD1	1:B:178:PRO:HD2	2.21	0.40
1:A:95:GLU:CG	1:A:278:ARG:HH22	2.33	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	382/461 (83%)	369 (97%)	9 (2%)	4 (1%)	19 21

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	361/461 (78%)	334 (92%)	17 (5%)	10 (3%)	6	4
All	All	743/922 (81%)	703 (95%)	26 (4%)	14 (2%)	10	8

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	233	PRO
1	A	266	LYS
1	B	195	PRO
1	B	233	PRO
1	B	250	TYR
1	B	264	ARG
1	A	264	ARG
1	B	157	ARG
1	A	234	HIS
1	B	196	SER
1	B	249	GLN
1	B	400	ALA
1	B	275	PHE
1	B	32	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	291/381 (76%)	275 (94%)	16 (6%)	27	36
1	B	250/381 (66%)	239 (96%)	11 (4%)	35	46
All	All	541/762 (71%)	514 (95%)	27 (5%)	30	41

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	6	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	30	ILE
1	A	42	ARG
1	A	70	ILE
1	A	116	HIS
1	A	145	ASP
1	A	146	VAL
1	A	147	PRO
1	A	187	SER
1	A	202	ARG
1	A	233	PRO
1	A	299	ARG
1	A	326	THR
1	A	329	THR
1	A	380	MET
1	B	1	MET
1	B	6	ASN
1	B	42	ARG
1	B	107	ARG
1	B	116	HIS
1	B	148	THR
1	B	195	PRO
1	B	197	PRO
1	B	216	GLN
1	B	223	ILE
1	B	249	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	ASN
1	A	37	HIS
1	A	97	HIS
1	A	177	ASN
1	A	219	ASN
1	A	220	HIS
1	A	224	HIS
1	A	235	HIS
1	A	241	GLN
1	A	246	HIS
1	A	256	HIS
1	A	297	HIS
1	A	308	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	383	HIS
1	A	396	GLN
1	B	6	ASN
1	B	37	HIS
1	B	97	HIS
1	B	177	ASN
1	B	219	ASN
1	B	220	HIS
1	B	224	HIS
1	B	235	HIS
1	B	241	GLN
1	B	246	HIS
1	B	297	HIS
1	B	308	ASN
1	B	383	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	386/461 (83%)	0.02	4 (1%) 84 88	19, 32, 46, 54	0
1	B	369/461 (80%)	0.25	14 (3%) 44 53	19, 42, 62, 78	0
All	All	755/922 (81%)	0.13	18 (2%) 62 71	19, 35, 60, 78	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	248	GLY	7.1
1	B	190	GLY	4.1
1	B	274	PHE	3.9
1	B	267	MET	3.8
1	A	134	ALA	3.7
1	B	176	ARG	3.2
1	B	371	ALA	3.1
1	B	265	GLU	3.1
1	B	184	TRP	3.0
1	B	263	ASP	2.9
1	B	32	VAL	2.7
1	B	132	GLY	2.6
1	A	147	PRO	2.4
1	A	146	VAL	2.4
1	B	33	TYR	2.2
1	B	284	TYR	2.2
1	B	304	TYR	2.1
1	A	32	VAL	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	ZN	A	963	1/1	0.98	0.10	-1.64	32,32,32,32	0
2	ZN	B	964	1/1	0.98	0.06	-4.10	36,36,36,36	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.