



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:24 PM GMT

PDB ID : 4LI2  
Title : Crystal Structures of Lgr4 and its complex with R-spondin1  
Authors : Xu, Y.; Rajashankar, K.; Robev, D.  
Deposited on : 2013-07-02  
Resolution : 3.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*



The reported resolution of this entry is 3.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1124 (3.24-3.16)
Clashscore	102246	1024 (3.22-3.18)
Ramachandran outliers	100387	1004 (3.22-3.18)
Sidechain outliers	100360	1003 (3.22-3.18)
RSRZ outliers	91569	1129 (3.24-3.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	432	
2	B	112	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4027 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Leucine-rich repeat-containing G-protein coupled receptor 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	422	Total	C	N	O	S	0	0	0
			3267	2076	561	620	10			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	223	SER	CYS	ENGINEERED MUTATION	UNP B0BLW3


- Molecule 2 is a protein called R-spondin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	103	Total	C	N	O	S	0	0	0
			760	469	131	142	18			


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Leucine-rich repeat-containing G-protein coupled receptor 4



- Molecule 2: R-spondin-1



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	103.38Å 160.92Å 82.22Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.61 – 3.19 47.61 – 3.19	Depositor EDS
% Data completeness (in resolution range)	98.0 (47.61-3.19) 89.1 (47.61-3.19)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.90 (at 3.19Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, $R_{free}$	0.229 , 0.284 0.223 , 0.273	Depositor DCC
$R_{free}$ test set	1033 reflections (9.88%)	DCC
Wilson B-factor (Å <sup>2</sup> )	86.0	Xtriage
Anisotropy	0.781	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 55.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	2 of 11576 reflections (0.017%)	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	4027	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.58% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.47	0/3332	0.72	2/4535 (0.0%)
2	B	0.47	0/775	0.69	0/1040
All	All	0.47	0/4107	0.72	2/5575 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	B	0	1
All	All	0	2

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	31	PRO	N-CA-CB	5.82	110.28	103.30
1	A	219	LEU	CA-CB-CG	5.32	127.53	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	411	ALA	Peptide
2	B	41	ALA	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3267	0	3271	113	0
2	B	760	0	720	24	0
All	All	4027	0	3991	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:84:PHE:HB3	2:B:105:CYS:HB2	1.58	0.85
1:A:77:GLU:HA	1:A:103:ALA:HA	1.61	0.81
2:B:62:ILE:HD11	2:B:93:LYS:HG3	1.65	0.79
1:A:96:LEU:HB2	1:A:118:ASN:HD22	1.48	0.78
1:A:100:HIS:HB3	1:A:103:ALA:HB2	1.66	0.77
1:A:292:ASN:O	1:A:296:GLN:NE2	2.19	0.75
1:A:208:VAL:HG12	1:A:232:ALA:HB3	1.69	0.73
1:A:197:ASP:HB3	1:A:222:HIS:HB2	1.72	0.71
1:A:386:GLU:HA	1:A:389:GLN:HB2	1.72	0.70
1:A:236:ASN:HA	1:A:259:HIS:H	1.57	0.69
1:A:217:ARG:NH2	1:A:239:ASN:HB3	2.08	0.69
1:A:152:PHE:HB3	1:A:179:LEU:HD21	1.75	0.68
1:A:200:PHE:HB3	1:A:227:LEU:HD21	1.75	0.68
2:B:62:ILE:HD11	2:B:93:LYS:HA	1.76	0.67
1:A:67:LEU:O	1:A:70:ASN:ND2	2.27	0.67
1:A:338:PRO:HG2	1:A:341:PHE:HB2	1.79	0.64
2:B:63:LEU:O	2:B:73:GLY:HA2	1.96	0.64
2:B:47:CYS:HB3	2:B:53:CYS:SG	2.38	0.63
1:A:298:LEU:HG	1:A:301:LEU:HD22	1.81	0.63
1:A:314:TRP:HZ3	1:A:335:ARG:HH12	1.45	0.63
1:A:56:ASP:OD1	1:A:56:ASP:N	2.31	0.63
1:A:197:ASP:N	1:A:197:ASP:OD1	2.26	0.63
1:A:149:GLU:OE1	1:A:174:ARG:NH1	2.33	0.62
1:A:180:PRO:O	1:A:205:SER:OG	2.18	0.62
1:A:408:HIS:CE1	1:A:409:LYS:HE2	2.35	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:259:HIS:HB2	1:A:283:TYR:O	2.01	0.60
1:A:384:GLN:HA	1:A:408:HIS:HB3	1.84	0.60
1:A:413:VAL:HA	1:A:435:GLY:HA3	1.83	0.60
1:A:178:ASN:OD1	1:A:178:ASN:N	2.35	0.59
1:A:283:TYR:HB2	1:A:307:ARG:HB2	1.84	0.59
1:A:423:LEU:O	1:A:426:ASN:ND2	2.36	0.59
1:A:101:PRO:HB3	1:A:126:GLU:HB3	1.85	0.59
2:B:99:ILE:HG22	2:B:102:CYS:HB2	1.84	0.58
1:A:94:ASN:HB2	1:A:118:ASN:HD21	1.68	0.58
1:A:383:VAL:HB	1:A:407:ILE:HG23	1.85	0.57
1:A:405:HIS:ND1	1:A:406:THR:HG23	2.19	0.57
1:A:145:VAL:HG22	1:A:167:SER:HB2	1.88	0.56
1:A:296:GLN:HG2	1:A:319:THR:HG22	1.88	0.56
1:A:123:VAL:HG21	1:A:147:VAL:HG13	1.88	0.55
1:A:429:THR:HG22	1:A:448:PRO:HG3	1.89	0.55
1:A:156:VAL:O	1:A:181:SER:OG	2.10	0.54
1:A:407:ILE:HB	1:A:432:PRO:HG3	1.90	0.54
2:B:79:CYS:N	2:B:85:ASP:OD1	2.41	0.53
2:B:131:GLU:HA	2:B:132:GLY:C	2.29	0.53
1:A:211:LEU:O	1:A:214:ASN:ND2	2.41	0.53
1:A:282:LEU:H	1:A:282:LEU:HD23	1.75	0.52
1:A:138:ARG:HA	1:A:162:TRP:HB2	1.92	0.51
1:A:111:LYS:O	1:A:135:GLN:N	2.33	0.51
2:B:53:CYS:O	2:B:54:LEU:HD13	2.11	0.51
1:A:382:GLU:HG3	1:A:383:VAL:N	2.26	0.51
1:A:436:LEU:HD22	1:A:439:LEU:HD11	1.93	0.51
1:A:285:ASN:O	1:A:287:LEU:N	2.41	0.51
2:B:99:ILE:HG21	2:B:111:CYS:HB2	1.94	0.50
2:B:58:PRO:HB2	2:B:59:LYS:HG3	1.93	0.50
1:A:59:SER:HB2	1:A:62:THR:HB	1.93	0.50
1:A:123:VAL:HB	1:A:148:PRO:HD2	1.92	0.50
1:A:134:LEU:HD21	1:A:137:LEU:HG	1.94	0.50
2:B:137:ASN:N	2:B:137:ASN:OD1	2.42	0.50
1:A:359:SER:HA	1:A:379:GLN:HB3	1.94	0.49
2:B:84:PHE:CE2	2:B:95:ILE:HG12	2.47	0.49
1:A:200:PHE:O	1:A:203:LEU:HD12	2.12	0.48
1:A:271:PHE:O	1:A:274:ASN:N	2.37	0.48
1:A:325:GLU:O	1:A:348:LEU:HD12	2.12	0.48
1:A:385:ASN:HB2	1:A:409:LYS:HB2	1.95	0.48
1:A:117:ASN:H	1:A:141:ALA:HB3	1.78	0.48
2:B:91:MET:HB2	2:B:93:LYS:HD2	1.96	0.48

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:336:SER:OG	1:A:337:ILE:N	2.47	0.48
1:A:249:SER:O	1:A:251:PRO:HD3	2.14	0.48
1:A:322:ASN:ND2	1:A:344:GLU:OE2	2.46	0.48
1:A:110:LEU:HD21	1:A:113:LEU:HG	1.96	0.48
1:A:120:LEU:HB2	1:A:142:ASN:OD1	2.13	0.47
1:A:243:PHE:CZ	1:A:270:ALA:HB1	2.49	0.47
1:A:113:LEU:HB2	1:A:134:LEU:HD11	1.95	0.47
1:A:384:GLN:HB2	1:A:387:THR:HG23	1.96	0.47
1:A:139:LEU:HB2	1:A:163:LEU:HD23	1.96	0.47
2:B:62:ILE:CD1	2:B:93:LYS:HA	2.43	0.47
1:A:248:ARG:HG2	1:A:273:LYS:HG3	1.97	0.47
1:A:172:PRO:O	1:A:176:LEU:HB2	2.15	0.46
1:A:183:GLN:HA	1:A:206:LEU:HA	1.97	0.46
1:A:182:LEU:HD23	1:A:206:LEU:CD1	2.45	0.46
1:A:174:ARG:HH11	1:A:174:ARG:HB2	1.80	0.46
1:A:96:LEU:CB	1:A:118:ASN:HD22	2.24	0.46
1:A:423:LEU:HD23	1:A:423:LEU:HA	1.72	0.46
2:B:58:PRO:HA	2:B:59:LYS:HA	1.62	0.45
1:A:76:PRO:HG2	1:A:79:ALA:HB2	1.98	0.45
2:B:131:GLU:HA	2:B:133:SER:N	2.31	0.45
1:A:107:LEU:CD1	1:A:110:LEU:HB2	2.47	0.45
1:A:172:PRO:HB2	1:A:175:PRO:HG2	1.98	0.45
1:A:396:MET:HG3	1:A:420:ASN:HB2	1.98	0.45
2:B:95:ILE:HG13	2:B:96:LYS:N	2.32	0.45
2:B:99:ILE:HD12	2:B:99:ILE:HA	1.79	0.44
1:A:33:PRO:HG3	1:A:57:GLY:HA3	2.00	0.44
1:A:371:GLU:HG2	1:A:393:ALA:HB1	2.00	0.44
1:A:108:LYS:HE3	1:A:108:LYS:HB2	1.89	0.44
2:B:81:PRO:HB3	2:B:103:GLU:HG2	1.99	0.44
1:A:407:ILE:HD12	1:A:432:PRO:HD2	1.99	0.44
2:B:79:CYS:HA	2:B:80:PRO:HD3	1.80	0.44
1:A:306:ILE:O	1:A:328:THR:HG22	2.17	0.44
1:A:375:LEU:HB2	1:A:399:LEU:HD23	1.99	0.43
2:B:88:ASN:HB2	2:B:91:MET:O	2.18	0.43
1:A:41:ASP:OD1	1:A:41:ASP:N	2.50	0.43
1:A:324:LEU:O	1:A:348:LEU:HA	2.19	0.43
1:A:138:ARG:HG2	1:A:162:TRP:CE3	2.54	0.43
1:A:351:LEU:HD11	1:A:353:LEU:HG	2.00	0.42
2:B:121:HIS:HB3	2:B:126:TYR:HE2	1.84	0.42
1:A:155:LEU:O	1:A:158:LEU:N	2.46	0.42
1:A:171:VAL:HG12	1:A:187:LEU:HD13	2.01	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:HIS:O	1:A:225:HIS:HB3	2.20	0.42
1:A:114:THR:HB	1:A:116:GLN:OE1	2.19	0.42
1:A:174:ARG:H	1:A:174:ARG:CZ	2.33	0.42
1:A:316:PRO:O	1:A:318:LEU:HD12	2.19	0.42
1:A:256:LEU:HD12	1:A:257:GLY:N	2.34	0.42
1:A:389:GLN:HA	1:A:414:THR:HG21	2.01	0.42
1:A:405:HIS:ND1	1:A:406:THR:N	2.67	0.42
1:A:248:ARG:NH1	1:A:273:LYS:HE3	2.35	0.42
1:A:264:THR:OG1	1:A:265:ILE:HG22	2.19	0.42
1:A:361:LEU:HA	1:A:361:LEU:HD23	1.91	0.42
1:A:107:LEU:HD12	1:A:107:LEU:O	2.20	0.42
1:A:241:ILE:O	1:A:263:ILE:HA	2.20	0.41
1:A:339:ILE:HA	1:A:362:VAL:HG21	2.01	0.41
1:A:156:VAL:HG23	1:A:180:PRO:HD2	2.02	0.41
1:A:277:LEU:HD13	1:A:280:ILE:HD11	2.02	0.41
2:B:62:ILE:HD12	2:B:62:ILE:O	2.21	0.41
1:A:254:LYS:HA	1:A:277:LEU:HA	2.03	0.41
1:A:296:GLN:HG2	1:A:319:THR:O	2.21	0.41
1:A:87:GLU:O	1:A:111:LYS:N	2.40	0.41
1:A:40:LEU:HB3	1:A:41:ASP:H	1.38	0.41
1:A:418:LEU:HG	1:A:439:LEU:HD21	2.03	0.41
1:A:324:LEU:HA	1:A:324:LEU:HD23	1.85	0.41
1:A:40:LEU:HA	1:A:40:LEU:HD23	1.87	0.41
1:A:352:ASP:O	1:A:353:LEU:HD23	2.22	0.40
1:A:444:LEU:HD12	1:A:444:LEU:HA	1.66	0.40
1:A:48:GLY:HA2	1:A:49:LYS:HD2	2.03	0.40
1:A:301:LEU:HD12	1:A:301:LEU:HA	1.87	0.40
1:A:404:ILE:O	1:A:426:ASN:HB3	2.21	0.40
1:A:395:ARG:O	1:A:418:LEU:HD12	2.22	0.40
1:A:189:LEU:HD12	1:A:213:ASN:HB2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	420/432 (97%)	390 (93%)	29 (7%)	1 (0%)	52	88
2	B	99/112 (88%)	94 (95%)	5 (5%)	0	100	100
All	All	519/544 (95%)	484 (93%)	34 (7%)	1 (0%)	52	88

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	346	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	372/384 (97%)	329 (88%)	43 (12%)	7	30
2	B	87/95 (92%)	65 (75%)	22 (25%)	1	2
All	All	459/479 (96%)	394 (86%)	65 (14%)	4	19

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ASP
1	A	40	LEU
1	A	51	LEU
1	A	54	VAL
1	A	56	ASP
1	A	59	SER
1	A	61	PHE
1	A	65	LEU
1	A	69	MET
1	A	85	TYR
1	A	112	VAL
1	A	113	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	126	GLU
1	A	137	LEU
1	A	160	HIS
1	A	165	ASP
1	A	170	GLU
1	A	174	ARG
1	A	178	ASN
1	A	197	ASP
1	A	202	ASN
1	A	203	LEU
1	A	205	SER
1	A	215	LYS
1	A	227	LEU
1	A	265	ILE
1	A	268	ASP
1	A	298	LEU
1	A	299	SER
1	A	300	ASP
1	A	319	THR
1	A	339	ILE
1	A	344	GLU
1	A	349	ARG
1	A	379	GLN
1	A	381	GLN
1	A	394	LEU
1	A	415	LEU
1	A	416	LYS
1	A	419	THR
1	A	433	THR
1	A	444	LEU
1	A	445	THR
2	B	44	CYS
2	B	47	CYS
2	B	50	VAL
2	B	53	CYS
2	B	54	LEU
2	B	57	SER
2	B	63	LEU
2	B	71	GLN
2	B	72	VAL
2	B	84	PHE
2	B	90	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	93	LYS
2	B	95	ILE
2	B	97	CYS
2	B	98	LYS
2	B	99	ILE
2	B	103	GLU
2	B	114	CYS
2	B	118	LEU
2	B	120	LEU
2	B	133	SER
2	B	137	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	117	ASN
1	A	118	ASN
1	A	166	ASN
1	A	183	GLN
1	A	322	ASN
1	A	381	GLN
1	A	408	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

There are no ligands in this entry.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	422/432 (97%)	0.22	14 (3%) 50 35	31, 62, 113, 129	0
2	B	103/112 (91%)	0.69	15 (14%) 3 2	55, 80, 134, 147	0
All	All	525/544 (96%)	0.31	29 (5%) 29 16	31, 66, 120, 147	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	131	GLU	4.4
1	A	46	CYS	4.3
2	B	37	SER	3.7
1	A	60	VAL	3.5
2	B	63	LEU	3.5
2	B	39	ALA	3.4
2	B	138	GLY	3.3
1	A	83	PHE	3.2
2	B	40	CYS	3.1
1	A	441	GLN	3.0
2	B	38	GLN	2.9
1	A	61	PHE	2.7
1	A	36	CYS	2.7
1	A	80	PHE	2.7
2	B	93	LYS	2.6
1	A	431	PHE	2.4
1	A	58	LEU	2.4
2	B	50	VAL	2.4
1	A	56	ASP	2.3
1	A	35	PRO	2.3
2	B	65	GLU	2.3
2	B	144	SER	2.2
1	A	111	LYS	2.2
2	B	91	MET	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	71	GLN	2.2
1	A	91	LEU	2.1
2	B	74	VAL	2.1
1	A	408	HIS	2.0
2	B	139	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.