



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:18 AM GMT

PDB ID : 3LKJ
Title : Small Molecule Inhibition of the TNF Family Cyokine CD40 Ligand Through
a Subunit Fracture Mechanism
Authors : Silvian, L.F.; Whitty, A.
Deposited on : 2010-01-27
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	141	
1	B	141	
1	C	141	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	B	2	-	-	-	X
2	NAG	C	2	X	-	-	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3226 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CD40 ligand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	133	Total	C	N	O	S	0	0	0
			1012	645	173	190	4			
1	B	132	Total	C	N	O	S	0	0	0
			1005	640	173	188	4			
1	C	129	Total	C	N	O	S	0	0	0
			986	629	168	185	4			

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is (2R)-{[(2'-[(BIPHENYL-3-YLMETHYL)CARBAMOYL]-6'-{[(2R)-2-(PYRROLIDIN-1-YLMETHYL)PYRROLIDIN-1-YL]CARBONYL}-6-{[(2R)-2-(1H-PYRROL-1-YLMETHYL)PYRROLIDIN-1-YL]CARBONYL}-4,4'-BIPYRIDIN-2-YL)CARBONYL]AMINO}(CYCLOHEXYL)ETHANOIC ACID (three-letter code: LKJ) (formula: C₅₃H₆₀N₈O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	C	1	Total	C	N	O	0	0
			67	53	8	6		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	24	Total	O	0	0
			24	24		
4	B	27	Total	O	0	0
			27	27		
4	C	21	Total	O	0	0
			21	21		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CD40 ligand



• Molecule 1: CD40 ligand



• Molecule 1: CD40 ligand



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	63.30Å 67.61Å 108.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.69 – 2.50 28.69 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.6 (28.69-2.50) 98.6 (28.69-2.50)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.83 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.226 , 0.305 0.222 , 0.303	Depositor DCC
R_{free} test set	853 reflections (5.47%)	DCC
Wilson B-factor (Å ²)	43.8	Xtriage
Anisotropy	0.062	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 16449 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3226	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LKJ, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.86	0/1031	0.90	2/1394 (0.1%)
1	B	0.77	0/1025	0.84	1/1387 (0.1%)
1	C	0.78	0/1005	0.80	0/1358
All	All	0.80	0/3061	0.85	3/4139 (0.1%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	155	LEU	CA-CB-CG	5.51	127.97	115.30
1	A	206	LEU	CA-CB-CG	5.32	127.54	115.30
1	A	148	MET	N-CA-C	-5.00	97.50	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1012	0	1006	32	0
1	B	1005	0	991	47	0
1	C	986	0	980	34	0
2	A	28	0	26	1	0
2	B	28	0	26	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	28	0	26	3	0
3	C	67	0	57	13	0
4	A	24	0	0	1	0
4	B	27	0	0	5	0
4	C	21	0	0	7	0
All	All	3226	0	3112	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:224:HIS:HB2	3:C:1:LKJ:C26	1.89	1.02
1:A:148:MET:CE	1:A:153:VAL:HB	1.92	1.00
1:B:214:SER:N	1:B:215:ALA:HA	1.79	0.96
2:C:2:NAG:O4	2:C:3:NAG:C1	2.12	0.96
1:A:148:MET:HE2	1:A:153:VAL:HB	1.57	0.86
1:B:130:ALA:O	4:B:26:HOH:O	1.99	0.80
1:A:148:MET:HE1	1:A:153:VAL:HB	1.64	0.78
1:A:190:ILE:HD12	1:A:208:ALA:O	1.85	0.77
1:B:214:SER:H	1:B:215:ALA:HA	1.49	0.76
1:B:224:HIS:NE2	4:B:81:HOH:O	2.02	0.75
1:B:179:SER:O	1:B:212:HIS:HB2	1.87	0.75
1:B:145:TYR:OH	1:C:203:ARG:HG2	1.88	0.72
1:C:126:VAL:HG13	1:C:140:TRP:HB3	1.71	0.72
1:C:163:VAL:HG22	4:C:41:HOH:O	1.89	0.71
1:B:212:HIS:CD2	1:B:212:HIS:H	2.09	0.70
1:B:212:HIS:O	1:B:214:SER:HA	1.92	0.69
1:A:232:GLN:CD	1:A:232:GLN:H	1.95	0.69
1:B:176:THR:HG23	1:B:253:PHE:O	1.93	0.68
1:C:178:CYS:SG	1:C:218:CYS:HB3	2.34	0.68
1:B:128:SER:OG	1:B:249:HIS:ND1	2.24	0.67
1:B:216:LYS:CB	1:B:217:PRO:CD	2.72	0.67
1:B:122:ILE:HG23	1:B:153:VAL:HG23	1.77	0.66
1:B:166:GLN:HB2	1:B:233:PRO:HD3	1.77	0.65
3:C:1:LKJ:H5A	3:C:1:LKJ:N8	2.11	0.65
3:C:1:LKJ:C36	3:C:1:LKJ:N4	2.61	0.64
1:A:208:ALA:HB1	1:A:223:ILE:HD12	1.80	0.63
1:B:138:LEU:HB3	4:B:37:HOH:O	1.97	0.63
1:A:150:ASN:HD22	1:A:152:LEU:H	1.48	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:221:GLN:HE21	1:B:211:THR:H	1.49	0.61
1:B:178:CYS:C	1:B:180:ASN:H	2.05	0.59
1:C:135:THR:HG22	1:C:136:SER:N	2.17	0.58
3:C:1:LKJ:C5	3:C:1:LKJ:N8	2.66	0.58
1:B:126:VAL:HG12	1:B:256:PHE:HB3	1.86	0.56
1:C:125:HIS:CE1	3:C:1:LKJ:C45	2.88	0.56
1:A:166:GLN:HB3	1:A:233:PRO:HD3	1.87	0.56
2:B:2:NAG:O4	2:B:3:NAG:H2	2.06	0.56
3:C:1:LKJ:H6A	3:C:1:LKJ:O1	2.05	0.56
1:C:121:GLN:N	4:C:72:HOH:O	2.38	0.56
1:B:224:HIS:HB2	3:C:1:LKJ:H26	1.85	0.56
1:A:232:GLN:HE21	1:A:235:ALA:HB2	1.71	0.56
1:C:235:ALA:N	4:C:41:HOH:O	2.40	0.55
1:A:150:ASN:ND2	1:A:152:LEU:H	2.04	0.55
1:A:150:ASN:HD22	1:A:150:ASN:C	2.11	0.55
2:B:2:NAG:H61	2:B:3:NAG:C7	2.37	0.55
1:B:131:SER:HB2	1:B:139:GLN:NE2	2.22	0.55
1:C:163:VAL:CG2	4:C:41:HOH:O	2.50	0.55
1:A:197:SER:OG	1:A:232:GLN:HG2	2.07	0.55
1:B:124:ALA:HB2	1:B:153:VAL:HG11	1.88	0.55
3:C:1:LKJ:N4	3:C:1:LKJ:H36A	2.22	0.54
1:B:180:ASN:HA	1:B:214:SER:O	2.07	0.54
1:B:171:ILE:HD11	1:B:193:LEU:HD11	1.90	0.54
1:C:202:GLU:HG2	4:C:53:HOH:O	2.07	0.53
1:C:204:ILE:HD13	1:C:207:ARG:HD2	1.90	0.52
1:A:178:CYS:HB2	1:A:246:GLN:OE1	2.09	0.52
1:C:208:ALA:HB3	1:C:223:ILE:CG2	2.39	0.52
1:B:125:HIS:HB3	1:B:147:THR:HG23	1.92	0.52
1:C:128:SER:HB2	1:C:254:THR:HB	1.92	0.52
1:C:171:ILE:O	1:C:226:GLY:HA2	2.09	0.52
3:C:1:LKJ:O4	4:C:79:HOH:O	2.19	0.51
1:C:126:VAL:CG1	1:C:140:TRP:HB3	2.39	0.50
1:C:192:SER:HB3	1:C:240:ASN:OD1	2.12	0.50
1:B:122:ILE:CG2	1:B:153:VAL:HG23	2.40	0.50
1:B:214:SER:N	1:B:215:ALA:CA	2.63	0.50
1:A:247:VAL:HG22	1:A:249:HIS:CE1	2.47	0.49
1:B:171:ILE:HD11	1:B:193:LEU:CD1	2.42	0.49
1:B:151:ASN:OD1	1:B:151:ASN:N	2.45	0.49
1:A:171:ILE:HD13	1:A:237:VAL:HG11	1.94	0.49
1:A:171:ILE:O	1:A:226:GLY:HA2	2.13	0.48
1:C:179:SER:O	1:C:180:ASN:ND2	2.43	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:148:MET:HA	1:A:148:MET:HE3	1.95	0.48
1:A:202:GLU:OE1	2:A:2:NAG:O6	2.31	0.48
1:A:122:ILE:HG23	1:A:153:VAL:HG22	1.96	0.47
3:C:1:LKJ:H12	3:C:1:LKJ:H42	1.63	0.47
1:A:190:ILE:HD11	1:A:207:ARG:HB3	1.96	0.47
1:C:135:THR:HG22	1:C:136:SER:H	1.77	0.47
1:B:126:VAL:CG1	1:B:256:PHE:HB3	2.45	0.47
1:B:224:HIS:CD2	4:B:51:HOH:O	2.68	0.46
1:B:171:ILE:CG1	1:B:193:LEU:HD21	2.45	0.46
1:C:202:GLU:OE1	2:C:2:NAG:O6	2.27	0.46
1:B:216:LYS:CB	1:B:217:PRO:HD3	2.45	0.46
3:C:1:LKJ:C6	3:C:1:LKJ:O1	2.62	0.46
1:B:178:CYS:C	1:B:180:ASN:N	2.69	0.46
1:C:208:ALA:HB3	1:C:223:ILE:HG23	1.98	0.46
1:B:206:LEU:HD13	1:B:229:PHE:HZ	1.81	0.46
1:A:216:LYS:HD3	1:A:216:LYS:N	2.30	0.46
1:B:135:THR:O	1:B:135:THR:OG1	2.32	0.46
1:B:161:LEU:O	1:B:236:SER:HA	2.15	0.46
1:B:136:SER:HA	1:B:244:PRO:HG3	1.96	0.45
1:A:126:VAL:HG23	1:A:256:PHE:HB3	1.97	0.45
1:C:144:GLY:HA3	4:C:56:HOH:O	2.16	0.45
1:A:128:SER:HB2	1:A:249:HIS:HD2	1.80	0.45
1:C:128:SER:CB	1:C:254:THR:HB	2.46	0.45
1:B:166:GLN:NE2	1:B:230:GLU:OE2	2.50	0.45
1:C:161:LEU:O	1:C:236:SER:HA	2.16	0.45
1:B:122:ILE:CG2	1:B:153:VAL:CG2	2.95	0.45
2:B:2:NAG:H4	2:B:3:NAG:C1	2.46	0.45
1:B:163:VAL:HG11	1:B:169:TYR:CE2	2.52	0.45
2:C:2:NAG:HO4	2:C:3:NAG:C1	2.24	0.44
1:C:168:LEU:HD23	1:C:228:VAL:CG1	2.47	0.44
1:C:135:THR:CG2	1:C:136:SER:N	2.81	0.44
1:B:170:TYR:CE2	1:B:172:TYR:HB3	2.52	0.44
1:A:170:TYR:CD2	3:C:1:LKJ:H35	2.53	0.43
1:A:232:GLN:NE2	1:A:235:ALA:HB2	2.33	0.43
1:B:171:ILE:HG12	1:B:193:LEU:HD21	2.00	0.43
1:C:131:SER:O	1:C:132:SER:HB3	2.19	0.43
1:B:151:ASN:O	1:B:164:LYS:HE3	2.19	0.43
3:C:1:LKJ:H25	3:C:1:LKJ:H22	1.74	0.42
1:C:192:SER:O	1:C:239:VAL:HA	2.19	0.42
1:B:148:MET:O	1:B:149:SER:C	2.58	0.42
1:B:224:HIS:CD2	4:B:81:HOH:O	2.60	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:127:ILE:CG2	1:C:128:SER:N	2.83	0.42
1:B:166:GLN:HG3	1:B:167:GLY:N	2.34	0.42
1:A:140:TRP:N	1:A:158:GLY:O	2.49	0.41
1:C:135:THR:CG2	1:C:136:SER:H	2.33	0.41
1:A:132:SER:C	1:A:134:THR:H	2.24	0.41
1:C:221:GLN:HB3	1:C:221:GLN:HE21	1.65	0.41
1:A:166:GLN:HE21	1:A:233:PRO:HD3	1.85	0.41
1:C:258:LEU:HD12	1:C:258:LEU:C	2.41	0.41
1:C:166:GLN:HB2	1:C:233:PRO:HD3	2.03	0.41
1:C:175:VAL:HA	1:C:254:THR:HG23	2.02	0.40
1:A:194:CYS:HB2	1:A:238:PHE:CE2	2.57	0.40
1:B:162:THR:HA	1:B:235:ALA:O	2.21	0.40
1:A:203:ARG:HG2	4:A:24:HOH:O	2.22	0.40
1:A:128:SER:HB2	1:A:249:HIS:CD2	2.57	0.40
1:C:166:GLN:HA	1:C:231:LEU:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	127/141 (90%)	121 (95%)	6 (5%)	0	100	100
1	B	126/141 (89%)	117 (93%)	6 (5%)	3 (2%)	7	11
1	C	123/141 (87%)	112 (91%)	10 (8%)	1 (1%)	24	41
All	All	376/423 (89%)	350 (93%)	22 (6%)	4 (1%)	17	31

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	216	LYS
1	B	130	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	179	SER
1	C	250	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	110/118 (93%)	91 (83%)	19 (17%)	2	4
1	B	109/118 (92%)	87 (80%)	22 (20%)	1	2
1	C	108/118 (92%)	91 (84%)	17 (16%)	3	5
All	All	327/354 (92%)	269 (82%)	58 (18%)	2	4

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	127	ILE
1	A	135	THR
1	A	137	VAL
1	A	150	ASN
1	A	153	VAL
1	A	155	LEU
1	A	160	GLN
1	A	166	GLN
1	A	174	GLN
1	A	175	VAL
1	A	193	LEU
1	A	202	GLU
1	A	203	ARG
1	A	206	LEU
1	A	216	LYS
1	A	218	CYS
1	A	223	ILE
1	A	232	GLN
1	A	247	VAL
1	B	127	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	131	SER
1	B	135	THR
1	B	137	VAL
1	B	145	TYR
1	B	147	THR
1	B	155	LEU
1	B	164	LYS
1	B	171	ILE
1	B	176	THR
1	B	179	SER
1	B	197	SER
1	B	203	ARG
1	B	206	LEU
1	B	212	HIS
1	B	218	CYS
1	B	223	ILE
1	B	230	GLU
1	B	241	VAL
1	B	243	ASP
1	B	251	THR
1	B	259	LEU
1	C	121	GLN
1	C	126	VAL
1	C	136	SER
1	C	148	MET
1	C	150	ASN
1	C	157	ASN
1	C	168	LEU
1	C	180	ASN
1	C	192	SER
1	C	196	LYS
1	C	197	SER
1	C	206	LEU
1	C	210	ASN
1	C	221	GLN
1	C	236	SER
1	C	251	THR
1	C	259	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	139	GLN
1	A	150	ASN
1	A	166	GLN
1	A	221	GLN
1	A	232	GLN
1	A	249	HIS
1	B	139	GLN
1	B	232	GLN
1	C	121	GLN
1	C	150	ASN
1	C	210	ASN
1	C	221	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	A	2	1	14,14,15	0.51	0	15,19,21	2.36	5 (33%)
2	NAG	A	3	-	14,14,15	0.63	0	15,19,21	1.42	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	2	1	14,14,15	0.87	1 (7%)	15,19,21	1.31	2 (13%)
2	NAG	B	3	-	14,14,15	0.51	0	15,19,21	0.96	1 (6%)
3	LKJ	C	1	-	71,75,75	1.74	8 (11%)	95,105,105	3.00	32 (33%)
2	NAG	C	2	1	14,14,15	0.42	0	15,19,21	2.00	2 (13%)
2	NAG	C	3	-	14,14,15	0.59	0	15,19,21	1.86	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	2	1	-	0/6/23/26	0/1/1/1
2	NAG	A	3	-	-	0/6/23/26	0/1/1/1
2	NAG	B	2	1	-	0/6/23/26	0/1/1/1
2	NAG	B	3	-	-	0/6/23/26	0/1/1/1
3	LKJ	C	1	-	-	0/53/92/92	0/9/9/9
2	NAG	C	2	1	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	C	3	-	-	0/6/23/26	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1	LKJ	C13-C14	-4.37	1.37	1.49
3	C	1	LKJ	C23-C24	-3.53	1.39	1.49
3	C	1	LKJ	C6-N2	-2.62	1.45	1.48
2	B	2	NAG	C1-C2	2.10	1.55	1.52
3	C	1	LKJ	C9-C8	3.56	1.53	1.40
3	C	1	LKJ	C7-N2	4.46	1.45	1.37
3	C	1	LKJ	C10-N2	5.10	1.47	1.37
3	C	1	LKJ	C10-C9	6.52	1.52	1.37
3	C	1	LKJ	C7-C8	6.59	1.52	1.37

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1	LKJ	C33-C37-N6	-5.70	106.12	113.36
3	C	1	LKJ	C11-C1-N1	-5.69	114.94	119.89
3	C	1	LKJ	C31-C32-N5	-5.53	115.08	119.89
3	C	1	LKJ	C40-C41-N6	-4.74	98.52	103.91
3	C	1	LKJ	C5-N1-C2	-4.37	104.02	111.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	3	NAG	C2-N2-C7	-4.02	117.87	123.04
3	C	1	LKJ	C52-C47-C46	-3.74	107.03	111.98
3	C	1	LKJ	C13-C43-C44	-3.17	116.97	119.34
3	C	1	LKJ	C6-N2-C10	-3.16	118.93	125.97
2	C	3	NAG	C3-C4-C5	-2.79	105.34	110.20
2	A	2	NAG	O3-C3-C4	-2.77	104.10	110.34
3	C	1	LKJ	C23-C30-C19	-2.45	117.68	121.14
3	C	1	LKJ	C44-C45-N7	-2.40	109.76	115.10
3	C	1	LKJ	C45-C44-N8	-2.33	113.45	117.45
2	A	2	NAG	O7-C7-C8	-2.31	117.83	122.06
2	A	2	NAG	O6-C6-C5	-2.29	103.78	111.33
3	C	1	LKJ	C22-C21-C20	-2.27	117.00	120.24
2	B	2	NAG	C2-N2-C7	-2.27	120.12	123.04
3	C	1	LKJ	C15-C16-N4	-2.18	118.97	123.38
3	C	1	LKJ	C34-C33-C37	-2.12	108.88	112.66
3	C	1	LKJ	C12-C13-C14	-2.10	117.32	120.90
3	C	1	LKJ	C14-C42-C31	-2.07	117.79	119.34
3	C	1	LKJ	O1-C1-N1	2.04	124.33	121.52
2	A	2	NAG	C3-C4-C5	2.10	113.86	110.20
2	B	3	NAG	C2-N2-C7	2.17	125.83	123.04
3	C	1	LKJ	C20-C19-C30	2.20	121.81	118.55
3	C	1	LKJ	O3-C32-N5	2.21	124.57	121.52
3	C	1	LKJ	C14-C15-C16	2.26	121.03	119.34
3	C	1	LKJ	C16-C17-N3	2.41	118.67	115.42
3	C	1	LKJ	C50-C49-C48	2.56	116.81	111.44
2	B	2	NAG	C1-O5-C5	2.59	115.53	112.25
2	C	3	NAG	O4-C4-C5	2.66	116.28	109.24
2	C	3	NAG	O7-C7-N2	2.75	127.47	121.86
2	C	2	NAG	C2-N2-C7	2.81	126.64	123.04
3	C	1	LKJ	C3-C2-C6	2.85	117.71	112.75
2	A	3	NAG	C3-C4-C5	3.13	115.65	110.20
3	C	1	LKJ	C44-N8-C11	3.13	121.82	117.56
3	C	1	LKJ	C17-C16-N4	3.23	123.01	117.45
2	C	3	NAG	C1-O5-C5	4.32	117.73	112.25
3	C	1	LKJ	C38-N6-C37	4.80	120.40	113.13
3	C	1	LKJ	C53-C46-N7	5.47	124.47	113.51
3	C	1	LKJ	C41-N6-C37	5.66	121.71	113.13
2	C	2	NAG	C1-O5-C5	6.66	120.70	112.25
3	C	1	LKJ	C48-C47-C46	6.90	121.09	111.98
2	A	2	NAG	C1-O5-C5	7.25	121.45	112.25
3	C	1	LKJ	C10-N2-C7	8.92	118.94	108.22
3	C	1	LKJ	C46-N7-C45	10.85	140.28	122.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1	LKJ	C41-N6-C38	13.47	117.87	104.08

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	C	2	NAG	C1

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2	NAG	1	0
2	B	2	NAG	3	0
2	B	3	NAG	3	0
3	C	1	LKJ	13	0
2	C	2	NAG	3	0
2	C	3	NAG	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	133/141 (94%)	-0.20	2 (1%) 76 79	19, 31, 47, 62	0
1	B	132/141 (93%)	0.42	11 (8%) 14 15	21, 35, 62, 69	0
1	C	129/141 (91%)	0.27	9 (6%) 19 22	21, 36, 57, 65	0
All	All	394/423 (93%)	0.16	22 (5%) 28 31	19, 34, 56, 69	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	215	ALA	6.4
1	C	134	THR	6.2
1	B	201	PHE	5.8
1	B	214	SER	5.4
1	B	213	SER	4.6
1	C	150	ASN	4.0
1	C	131	SER	3.3
1	B	212	HIS	3.2
1	C	132	SER	3.0
1	B	218	CYS	3.0
1	B	219	GLY	2.9
1	C	149	SER	2.9
1	B	130	ALA	2.7
1	C	180	ASN	2.7
1	A	217	PRO	2.5
1	C	133	LYS	2.4
1	B	217	PRO	2.1
1	C	135	THR	2.1
1	B	121	GLN	2.0
1	B	179	SER	2.0
1	C	121	GLN	2.0
1	A	201	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAG	B	2	14/15	0.89	0.22	2.18	57,61,62,64	0
2	NAG	C	2	14/15	0.88	0.16	1.28	41,44,48,52	0
3	LKJ	C	1	67/67	0.88	0.20	0.61	25,31,46,50	0
2	NAG	A	2	14/15	0.91	0.16	0.30	44,47,51,51	0
2	NAG	B	3	14/15	0.65	0.28	-	50,65,66,67	0
2	NAG	A	3	14/15	0.87	0.22	-	62,67,68,68	0
2	NAG	C	3	14/15	0.82	0.21	-	59,65,66,67	0

6.5 Other polymers [i](#)

There are no such residues in this entry.