



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:26 AM GMT

PDB ID : 3LSL  
Title : Piracetam bound to the ligand binding domain of GluA2 (flopp form)  
Authors : Ahmed, A.H.; Oswald, R.E.  
Deposited on : 2010-02-12  
Resolution : 2.12 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4587 (2.14-2.10)
Clashscore	102246	5132 (2.14-2.10)
Ramachandran outliers	100387	5080 (2.14-2.10)
Sidechain outliers	100360	5081 (2.14-2.10)
RSRZ outliers	91569	4597 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	258	<div> <div>3%</div> <div>78%</div> <div>21%</div> <div>.</div> </div>
1	D	258	<div> <div>3%</div> <div>72%</div> <div>27%</div> </div>
1	G	258	<div> <div>2%</div> <div>77%</div> <div>19%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PZI	A	800	-	-	X	X
3	PZI	A	801[A]	-	-	X	X
3	PZI	A	801[B]	-	-	X	X
3	PZI	A	802	-	-	-	X
3	PZI	D	800	-	-	X	X
3	PZI	D	801[A]	-	-	-	X
3	PZI	D	801[B]	-	-	X	X
3	PZI	D	802	-	-	-	X
3	PZI	G	800	-	-	X	X
3	PZI	G	801[A]	-	-	X	X
3	PZI	G	801[B]	-	-	X	X
3	PZI	G	802	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6708 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate receptor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total 2017	C 1286	N 336	O 381	S 14	0	0	0
1	D	258	Total 2017	C 1286	N 336	O 381	S 14	0	0	0
1	G	258	Total 2017	C 1286	N 336	O 381	S 14	0	0	0

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	118	GLY	-	LINKER	UNP P19491
A	119	THR	-	LINKER	UNP P19491
D	118	GLY	-	LINKER	UNP P19491
D	119	THR	-	LINKER	UNP P19491
G	118	GLY	-	LINKER	UNP P19491
G	119	THR	-	LINKER	UNP P19491

- Molecule 2 is GLUTAMIC ACID (three-letter code: GLU) (formula: C<sub>5</sub>H<sub>9</sub>NO<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			10	5	1	4		
2	D	1	Total	C	N	O	0	0
			10	5	1	4		
2	G	1	Total	C	N	O	0	0
			10	5	1	4		

- Molecule 3 is 2-(2-OXOPYRROLIDIN-1-YL)ACETAMIDE (three-letter code: PZI) (formula: C<sub>6</sub>H<sub>10</sub>N<sub>2</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			10	6	2	2		
3	A	1	Total	C	N	O	0	0
			10	6	2	2		
3	A	1	Total	C	N	O	0	1
			20	12	4	4		
3	D	1	Total	C	N	O	0	1
			20	12	4	4		
3	D	1	Total	C	N	O	0	0
			10	6	2	2		
3	D	1	Total	C	N	O	0	0
			10	6	2	2		
3	G	1	Total	C	N	O	0	0
			10	6	2	2		
3	G	1	Total	C	N	O	0	1
			20	12	4	4		
3	G	1	Total	C	N	O	0	0
			10	6	2	2		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	G	1	Total	Zn	0	0
			1	1		
4	A	2	Total	Zn	0	0
			2	2		
4	D	2	Total	Zn	0	0
			2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	146	Total	O	0	0
			146	146		
5	D	151	Total	O	0	0
			151	151		
5	G	205	Total	O	0	0
			205	205		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutamate receptor 2



- Molecule 1: Glutamate receptor 2



- Molecule 1: Glutamate receptor 2



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 2 <sub>1</sub> 2 <sub>1</sub> 2 <sub>1</sub>	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	47.53Å 114.34Å 163.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.88 – 2.12 46.88 – 2.12	Depositor EDS
% Data completeness (in resolution range)	84.5 (46.88-2.12) 84.5 (46.88-2.12)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.40 (at 2.12Å)	Xtriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, $R_{free}$	0.201 , 0.263 0.208 , 0.254	Depositor DCC
$R_{free}$ test set	1999 reflections (4.80%)	DCC
Wilson B-factor (Å <sup>2</sup> )	27.9	Xtriage
Anisotropy	0.032	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 63.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 45684 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6708	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.99% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, PZI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.54	0/2053	0.67	0/2761
1	D	0.60	1/2053 (0.0%)	0.67	1/2761 (0.0%)
1	G	0.67	0/2053	0.77	3/2761 (0.1%)
All	All	0.61	1/6159 (0.0%)	0.70	4/8283 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	G	0	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	261	CYS	CB-SG	5.38	1.91	1.82

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	22	ASN	N-CA-C	-7.69	90.23	111.00
1	G	21	LYS	CA-C-N	-5.91	104.21	117.20
1	G	21	LYS	O-C-N	5.29	131.17	122.70
1	D	109	LEU	CA-CB-CG	5.25	127.39	115.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	G	21	LYS	Mainchain,Peptide
1	G	22	ASN	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2017	0	2050	63	0
1	D	2017	0	2050	68	1
1	G	2017	0	2050	81	0
2	A	10	0	5	0	0
2	D	10	0	5	0	0
2	G	10	0	5	1	0
3	A	40	0	40	36	0
3	D	40	0	40	31	0
3	G	40	0	40	29	1
4	A	2	0	0	0	0
4	D	2	0	0	0	0
4	G	1	0	0	0	1
5	A	146	0	0	3	0
5	D	151	0	0	11	0
5	G	205	0	0	14	1
All	All	6708	0	6285	243	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (243) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:21:LYS:O	1:G:23:HIS:HB3	1.32	1.25
1:G:21:LYS:O	1:G:23:HIS:CB	1.83	1.25
1:G:251:LYS:HB2	3:G:800:PZI:HN0A	0.97	1.14
1:G:251:LYS:HB2	3:G:800:PZI:N01	1.62	1.13
1:D:219:GLY:HA3	3:D:801[B]:PZI:HN0A	1.14	1.07
1:A:251:LYS:HB2	3:A:800:PZI:HN0A	1.24	1.03
1:D:46:HIS:CE1	1:G:166:GLU:OE1	2.10	1.02

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:35:TYR:HE2	3:G:800:PZI:HN01	1.07	1.02
1:D:218:LYS:HA	3:D:801[B]:PZI:H06A	1.39	1.01
1:G:23:HIS:O	1:G:23:HIS:ND1	1.94	0.99
1:G:251:LYS:CB	3:G:800:PZI:HN0A	1.79	0.95
1:D:219:GLY:CA	3:D:801[B]:PZI:HN0A	1.78	0.95
1:G:24:GLU:HB2	5:G:485:HOH:O	1.66	0.94
1:D:22:ASN:HD22	1:D:22:ASN:H	0.97	0.94
1:D:251:LYS:HB2	3:D:800:PZI:HN0A	1.29	0.92
1:G:21:LYS:HG3	1:G:22:ASN:HB3	1.49	0.92
1:G:21:LYS:C	1:G:23:HIS:N	2.10	0.91
1:A:218:LYS:HA	3:A:801[B]:PZI:H06A	1.51	0.89
1:G:21:LYS:O	1:G:23:HIS:HB2	1.74	0.87
1:A:35:TYR:HE2	3:A:800:PZI:HN01	1.24	0.85
1:D:22:ASN:HD22	1:D:22:ASN:N	1.76	0.84
1:D:22:ASN:H	1:D:22:ASN:ND2	1.78	0.81
1:A:65:ASP:HB3	1:A:68:THR:HG22	1.61	0.81
1:G:21:LYS:C	1:G:23:HIS:HB3	2.01	0.81
1:G:24:GLU:O	5:G:383:HOH:O	1.98	0.81
1:A:251:LYS:HB2	3:A:800:PZI:N01	1.96	0.79
1:G:35:TYR:HE2	3:G:800:PZI:N01	1.81	0.79
1:A:22:ASN:HD22	1:A:22:ASN:H	1.31	0.78
3:A:801[B]:PZI:O03	3:D:801[B]:PZI:O03	2.01	0.78
1:G:165:ALA:O	1:G:166:GLU:HG3	1.84	0.77
1:A:35:TYR:HE2	3:A:800:PZI:N01	1.82	0.77
3:A:800:PZI:H07	3:D:801[A]:PZI:H08	1.65	0.76
1:G:108:SER:OG	3:G:801[A]:PZI:H07A	1.85	0.76
3:G:800:PZI:C08	3:G:801[B]:PZI:H08A	2.15	0.76
1:D:35:TYR:HE2	3:D:800:PZI:HN01	1.34	0.76
1:G:24:GLU:O	1:G:25:MET:HB2	1.84	0.75
3:G:800:PZI:H08A	3:G:801[B]:PZI:C07	2.17	0.74
1:A:68:THR:HG23	1:A:70:ILE:H	1.51	0.74
1:G:25:MET:HB2	5:G:383:HOH:O	1.86	0.74
3:A:801[A]:PZI:H08	3:D:800:PZI:H07	1.70	0.73
1:G:21:LYS:HG3	1:G:22:ASN:CB	2.19	0.72
3:G:800:PZI:H06A	5:G:497:HOH:O	1.90	0.71
1:A:251:LYS:O	1:A:255:TRP:HB2	1.91	0.71
1:G:254:TRP:O	1:G:258:LYS:HG3	1.91	0.70
1:G:166:GLU:HA	1:G:167:PRO:C	2.10	0.70
1:D:256:TYR:C	1:D:258:LYS:H	1.94	0.69
1:A:22:ASN:N	1:A:22:ASN:HD22	1.90	0.68
1:A:153:ALA:HB2	1:G:131:THR:HG21	1.74	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:801[A]:PZI:H07A	1:D:108:SER:OG	1.93	0.68
1:G:88:ALA:HB1	1:G:89:PRO:HD2	1.75	0.67
1:G:23:HIS:C	1:G:23:HIS:HD1	1.98	0.67
1:D:35:TYR:HE2	3:D:800:PZI:N01	1.93	0.67
1:A:22:ASN:ND2	1:A:22:ASN:H	1.93	0.67
3:G:800:PZI:H07	3:G:801[A]:PZI:H08	1.77	0.66
1:G:21:LYS:C	1:G:23:HIS:H	1.88	0.66
1:D:136:GLY:HA3	1:D:169:VAL:O	1.95	0.66
1:D:35:TYR:CE2	3:D:800:PZI:N01	2.64	0.66
1:D:15:PRO:HG3	1:D:199:TYR:CD1	2.31	0.66
1:D:172:ARG:HB3	1:D:176:GLU:OE1	1.95	0.65
3:G:802:PZI:O03	3:G:802:PZI:H06	1.96	0.65
3:A:801[B]:PZI:H08A	3:D:800:PZI:H08	1.78	0.64
1:A:108:SER:HG	3:D:801[A]:PZI:H07A	1.62	0.64
3:G:800:PZI:H07	3:G:801[A]:PZI:H07	1.79	0.64
1:G:24:GLU:C	1:G:26:LEU:H	2.01	0.64
1:A:108:SER:O	1:A:109:LEU:HB3	1.98	0.64
1:D:219:GLY:HA3	3:D:801[B]:PZI:N01	2.00	0.63
3:A:801[B]:PZI:H08A	3:D:800:PZI:C08	2.27	0.63
3:G:800:PZI:H08A	3:G:801[B]:PZI:H07A	1.79	0.63
1:G:42:GLU:HG2	1:G:241:LEU:HD22	1.79	0.62
1:A:240:LYS:O	1:A:244:GLN:HG3	1.99	0.61
1:A:251:LYS:HD3	3:A:800:PZI:H04	1.81	0.61
1:D:15:PRO:HD3	1:D:199:TYR:CG	2.36	0.61
1:D:137:THR:HG22	1:D:191:LEU:HB2	1.82	0.61
1:D:65:ASP:CG	1:D:68:THR:HG22	2.21	0.61
3:G:800:PZI:H08	3:G:801[B]:PZI:H08A	1.82	0.60
1:D:109:LEU:HD23	1:D:193:GLU:HB3	1.83	0.60
1:G:21:LYS:C	1:G:23:HIS:CB	2.64	0.60
1:G:54:THR:HG22	5:G:427:HOH:O	2.02	0.60
1:D:209:MET:HE2	1:D:211:VAL:CG1	2.32	0.60
1:D:219:GLY:CA	3:D:801[B]:PZI:N01	2.58	0.60
1:G:42:GLU:HG3	1:G:46:HIS:CD2	2.37	0.60
1:A:109:LEU:HD22	1:A:109:LEU:C	2.22	0.60
1:A:109:LEU:HD23	1:A:193:GLU:HB3	1.83	0.60
1:G:69:LYS:HD3	5:G:370:HOH:O	2.03	0.59
1:G:108:SER:HG	3:G:801[A]:PZI:H07A	1.68	0.58
1:D:65:ASP:OD1	1:D:67:ASP:OD1	2.20	0.58
1:G:64:ARG:NH1	1:G:69:LYS:HD2	2.18	0.58
3:A:801[B]:PZI:H07A	3:D:800:PZI:H08A	1.85	0.58
1:A:249:LYS:NZ	1:A:249:LYS:HB2	2.19	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:23:HIS:C	1:G:23:HIS:ND1	2.57	0.57
1:A:248:ASP:OD1	3:A:802:PZI:H04A	2.04	0.57
1:G:251:LYS:HE2	5:G:497:HOH:O	2.05	0.57
1:D:174:THR:HG23	5:D:380:HOH:O	2.04	0.57
1:G:248:ASP:CG	3:G:802:PZI:H04A	2.26	0.57
1:A:217:SER:HB2	3:D:802:PZI:H08	1.88	0.56
3:A:800:PZI:C07	3:D:801[A]:PZI:H08	2.36	0.56
1:D:256:TYR:C	1:D:258:LYS:N	2.59	0.56
1:G:184:SER:HB2	5:G:262:HOH:O	2.06	0.56
1:A:108:SER:OG	3:D:801[A]:PZI:H07A	2.06	0.56
1:D:15:PRO:HD3	1:D:199:TYR:CD2	2.40	0.56
1:G:107:MET:HA	3:G:800:PZI:H06	1.88	0.56
3:A:801[A]:PZI:C08	3:D:800:PZI:H07	2.35	0.55
1:G:68:THR:HG23	1:G:70:ILE:H	1.70	0.55
1:D:115:ILE:HD11	1:D:209:MET:HE2	1.90	0.54
1:A:68:THR:HG23	1:A:70:ILE:HG13	1.90	0.54
1:A:159:TRP:NE1	1:A:163:ARG:HD3	2.23	0.54
1:G:21:LYS:HG3	1:G:22:ASN:N	2.22	0.54
1:G:15:PRO:HG3	1:G:199:TYR:CD1	2.43	0.54
1:G:254:TRP:C	1:G:258:LYS:HG3	2.28	0.54
1:G:35:TYR:CE2	3:G:800:PZI:N01	2.56	0.53
1:D:39:LEU:O	1:D:43:ILE:HG12	2.08	0.53
3:A:801[B]:PZI:C07	3:D:800:PZI:H08A	2.39	0.53
1:G:16:TYR:CG	1:G:89:PRO:HG3	2.44	0.53
1:D:246:LEU:O	1:D:250:LEU:HD13	2.09	0.53
1:A:166:GLU:HA	1:A:167:PRO:C	2.29	0.52
1:D:29:ASN:HB3	5:D:353:HOH:O	2.09	0.52
1:G:97:GLU:O	1:G:226:LYS:NZ	2.35	0.52
1:G:16:TYR:CD2	1:G:89:PRO:HG3	2.45	0.52
1:A:219:GLY:CA	3:A:801[B]:PZI:HN0A	2.23	0.52
1:G:88:ALA:HB1	1:G:89:PRO:CD	2.40	0.52
3:G:800:PZI:H07	3:G:801[A]:PZI:C08	2.39	0.52
1:A:35:TYR:CE2	3:A:800:PZI:N01	2.60	0.52
1:G:42:GLU:HG2	1:G:241:LEU:CD2	2.39	0.52
3:A:800:PZI:H08A	3:D:801[B]:PZI:C07	2.40	0.52
1:D:154:VAL:O	1:D:158:MET:HG3	2.10	0.51
1:G:19:MET:SD	1:G:24:GLU:HG2	2.51	0.51
1:D:145:GLU:HG2	5:D:296:HOH:O	2.08	0.51
1:G:65:ASP:CG	1:G:68:THR:HG22	2.31	0.51
1:G:19:MET:SD	1:G:24:GLU:HB3	2.50	0.51
1:A:105:PRO:HG3	3:A:801[A]:PZI:HN0A	1.76	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:68:THR:HG23	1:D:70:ILE:H	1.75	0.50
3:G:800:PZI:H07	3:G:801[A]:PZI:C07	2.41	0.50
1:D:184:SER:HB2	5:D:377:HOH:O	2.10	0.50
1:A:22:ASN:ND2	1:A:22:ASN:N	2.56	0.50
3:G:801[B]:PZI:O10	3:G:801[B]:PZI:O03	2.29	0.50
1:A:23:HIS:CD2	1:A:24:GLU:N	2.80	0.50
1:D:163:ARG:NH1	5:D:475:HOH:O	2.44	0.50
3:G:800:PZI:C07	3:G:801[A]:PZI:H08	2.42	0.50
1:A:64:ARG:CZ	1:A:69:LYS:HD2	2.42	0.49
1:D:148:ARG:HD3	5:D:427:HOH:O	2.12	0.49
1:A:219:GLY:HA2	3:A:801[B]:PZI:HN0A	1.77	0.49
1:G:19:MET:CG	1:G:24:GLU:HG2	2.42	0.49
1:D:172:ARG:HG3	1:D:173:THR:HG23	1.94	0.49
1:G:19:MET:SD	1:G:24:GLU:CG	3.01	0.49
1:A:258:LYS:NZ	5:A:358:HOH:O	2.46	0.49
3:A:801[B]:PZI:H08A	3:D:800:PZI:H07	1.95	0.48
1:A:145:GLU:HG2	5:A:319:HOH:O	2.12	0.48
1:D:6:VAL:HG13	1:D:84:ASP:HB2	1.95	0.48
1:A:199:TYR:HD2	1:A:200:ILE:HD13	1.77	0.48
1:G:183:LYS:N	1:G:183:LYS:HD2	2.27	0.48
1:G:248:ASP:OD1	3:G:802:PZI:H04A	2.13	0.48
1:D:209:MET:CE	1:D:211:VAL:HG12	2.44	0.48
1:A:218:LYS:C	3:A:801[B]:PZI:H04A	2.34	0.48
1:G:21:LYS:CG	1:G:22:ASN:HB3	2.33	0.48
1:A:39:LEU:O	1:A:43:ILE:HG12	2.13	0.48
3:G:801[A]:PZI:C02	5:G:483:HOH:O	2.61	0.48
1:D:67:ASP:OD1	1:D:68:THR:N	2.46	0.48
1:G:125:GLU:CG	1:G:129:LYS:HE3	2.44	0.48
1:G:145:GLU:CD	1:G:148:ARG:HE	2.17	0.47
3:A:800:PZI:C08	3:D:801[B]:PZI:H08A	2.45	0.47
1:A:6:VAL:HG21	1:A:49:PHE:CD1	2.49	0.47
1:D:246:LEU:O	1:D:246:LEU:HG	2.12	0.47
1:A:137:THR:HG22	1:A:191:LEU:HB2	1.96	0.47
1:D:148:ARG:O	1:D:148:ARG:HG2	2.14	0.47
1:G:4:LYS:HG3	1:G:5:THR:N	2.29	0.47
1:D:251:LYS:HB2	3:D:800:PZI:N01	2.12	0.47
1:D:152:ILE:O	1:D:156:ASP:HB2	2.15	0.46
3:G:800:PZI:H08A	3:G:801[B]:PZI:C08	2.45	0.46
1:D:174:THR:CG2	5:D:380:HOH:O	2.61	0.46
1:G:125:GLU:HG2	1:G:129:LYS:HE3	1.97	0.46
3:A:800:PZI:H08A	3:D:801[B]:PZI:H07A	1.98	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:802:PZI:H08	1:D:217:SER:HB2	1.98	0.46
1:A:42:GLU:HA	1:A:42:GLU:OE1	2.16	0.46
1:G:247:LEU:O	3:G:800:PZI:N01	2.49	0.46
1:A:219:GLY:CA	3:A:801[B]:PZI:N01	2.78	0.46
1:D:159:TRP:O	1:D:163:ARG:HG2	2.15	0.46
1:D:65:ASP:HB3	1:D:68:THR:CG2	2.46	0.46
1:D:68:THR:OG1	1:D:70:ILE:HG13	2.16	0.45
1:A:16:TYR:CD2	1:A:89:PRO:HG3	2.51	0.45
1:G:21:LYS:C	1:G:23:HIS:CA	2.85	0.45
3:G:800:PZI:C08	3:G:801[A]:PZI:H08	2.47	0.45
1:G:23:HIS:CG	1:G:23:HIS:O	2.60	0.45
1:A:150:SER:OG	1:A:155:PHE:HB2	2.17	0.45
1:A:35:TYR:C	1:A:35:TYR:CD1	2.89	0.45
3:A:801[B]:PZI:H08A	3:D:800:PZI:C07	2.47	0.45
1:G:91:THR:HG1	2:G:400:GLU:N	2.14	0.45
1:D:135:TYR:HA	1:D:189:ALA:O	2.18	0.44
1:D:168:SER:HA	5:D:306:HOH:O	2.16	0.44
1:G:21:LYS:O	1:G:23:HIS:CA	2.59	0.44
1:A:35:TYR:CZ	1:A:107:MET:CE	3.01	0.44
1:A:23:HIS:CG	1:A:24:GLU:N	2.86	0.44
1:A:183:LYS:N	1:A:183:LYS:HD2	2.32	0.44
1:G:214:ASN:ND2	5:G:445:HOH:O	2.41	0.44
1:G:165:ALA:O	1:G:166:GLU:CG	2.61	0.43
1:G:145:GLU:HG2	5:G:369:HOH:O	2.18	0.43
1:A:88:ALA:HB1	1:A:89:PRO:HD2	2.00	0.43
1:D:65:ASP:OD1	1:D:65:ASP:C	2.57	0.43
1:G:24:GLU:O	1:G:26:LEU:HD13	2.19	0.43
1:D:159:TRP:O	1:D:160:THR:C	2.57	0.43
1:D:46:HIS:HE1	1:G:166:GLU:OE1	1.73	0.42
1:G:148:ARG:O	1:G:148:ARG:HG2	2.19	0.42
1:A:113:ILE:HG12	1:A:191:LEU:HD23	2.01	0.42
1:A:246:LEU:O	1:A:246:LEU:HG	2.19	0.42
1:D:203:ARG:NH1	5:D:312:HOH:O	2.52	0.42
1:G:81:GLY:HA2	5:G:316:HOH:O	2.20	0.42
3:G:802:PZI:O03	3:G:802:PZI:C06	2.65	0.42
1:A:217:SER:O	3:A:801[B]:PZI:H07A	2.19	0.42
3:A:801[B]:PZI:C08	3:D:800:PZI:H08	2.47	0.42
1:D:64:ARG:NH1	5:D:374:HOH:O	2.37	0.42
3:A:800:PZI:H07	3:D:801[A]:PZI:C08	2.43	0.42
1:G:24:GLU:C	1:G:26:LEU:N	2.68	0.42
1:A:216:ASP:HA	3:D:802:PZI:O10	2.20	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:145:GLU:CD	1:A:148:ARG:HE	2.22	0.41
1:A:20:LYS:HD2	1:A:30:GLU:O	2.21	0.41
1:D:179:ALA:O	1:D:183:LYS:HD3	2.20	0.41
3:G:800:PZI:C08	3:G:801[B]:PZI:C08	2.90	0.41
1:D:108:SER:O	1:D:109:LEU:HB3	2.20	0.41
1:G:131:THR:HG23	5:G:407:HOH:O	2.19	0.41
1:G:109:LEU:HD13	1:G:109:LEU:N	2.35	0.41
1:A:217:SER:C	3:A:801[A]:PZI:H06	2.40	0.41
1:A:42:GLU:HG3	1:A:246:LEU:HD21	2.01	0.41
1:G:196:MET:O	1:G:200:ILE:HG12	2.20	0.41
1:D:14:SER:HA	1:D:15:PRO:HA	1.62	0.41
1:D:65:ASP:HB3	1:D:68:THR:HG23	2.03	0.41
1:G:139:ASP:HB2	1:G:171:VAL:O	2.21	0.41
1:G:121:ILE:HD12	1:G:127:LEU:HD23	2.02	0.41
1:G:251:LYS:HE2	5:G:486:HOH:O	2.20	0.41
1:A:219:GLY:N	3:A:801[A]:PZI:H04	2.36	0.41
1:D:258:LYS:HB3	5:D:312:HOH:O	2.21	0.41
1:A:119:THR:HA	1:A:120:PRO:HD3	1.83	0.41
1:D:230:LEU:HA	1:D:230:LEU:HD23	1.84	0.41
1:D:196:MET:O	1:D:200:ILE:HG12	2.21	0.41
3:A:801[B]:PZI:C07	3:D:800:PZI:C08	2.99	0.41
1:D:28:GLY:HA2	1:D:31:ARG:HH21	1.84	0.41
1:A:207:ASP:OD1	1:A:207:ASP:N	2.52	0.41
1:D:209:MET:HE2	1:D:211:VAL:HG12	1.97	0.40
1:D:259:GLY:C	1:D:260:GLU:HG3	2.41	0.40
1:A:183:LYS:NZ	5:A:266:HOH:O	2.48	0.40
1:D:8:VAL:HG22	1:D:85:ILE:CG2	2.52	0.40
1:A:109:LEU:CD1	1:A:109:LEU:N	2.85	0.40
1:A:66:ALA:O	1:A:69:LYS:HE2	2.21	0.40
1:A:248:ASP:CG	3:A:802:PZI:H04A	2.41	0.40
1:G:19:MET:HG2	1:G:24:GLU:HG2	2.02	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:166:GLU:OE1	4:G:401:ZN:ZN[4_545]	1.50	0.70
3:G:801[A]:PZI:O03	5:G:268:HOH:O[2_554]	2.16	0.04



## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	256/258 (99%)	248 (97%)	8 (3%)	0	100	100
1	D	256/258 (99%)	242 (94%)	12 (5%)	2 (1%)	24	17
1	G	256/258 (99%)	246 (96%)	9 (4%)	1 (0%)	39	36
All	All	768/774 (99%)	736 (96%)	29 (4%)	3 (0%)	39	36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	153	ALA
1	D	257	ASP
1	G	259	GLY

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	217/217 (100%)	210 (97%)	7 (3%)	46	48
1	D	217/217 (100%)	210 (97%)	7 (3%)	46	48
1	G	217/217 (100%)	204 (94%)	13 (6%)	24	20
All	All	651/651 (100%)	624 (96%)	27 (4%)	37	36

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	MET
1	A	22	ASN
1	A	68	THR
1	A	78	LEU
1	A	109	LEU
1	A	246	LEU
1	A	250	LEU
1	D	4	LYS
1	D	19	MET
1	D	22	ASN
1	D	78	LEU
1	D	109	LEU
1	D	129	LYS
1	D	139	ASP
1	G	22	ASN
1	G	23	HIS
1	G	24	GLU
1	G	25	MET
1	G	26	LEU
1	G	27	GLU
1	G	78	LEU
1	G	109	LEU
1	G	172	ARG
1	G	183	LYS
1	G	228	SER
1	G	250	LEU
1	G	258	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	ASN
1	D	22	ASN
1	D	244	GLN
1	D	252	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 5 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GLU	A	400	-	3,9,9	0.23	0	2,11,11	0.28	0
3	PZI	A	800	-	10,10,10	4.51	6 (60%)	13,13,13	2.17	3 (23%)
3	PZI	A	801[A]	-	10,10,10	4.53	6 (60%)	13,13,13	3.95	6 (46%)
3	PZI	A	801[B]	-	10,10,10	4.25	6 (60%)	13,13,13	2.45	6 (46%)
3	PZI	A	802	-	10,10,10	4.27	5 (50%)	13,13,13	3.11	7 (53%)
2	GLU	D	399	-	3,9,9	0.27	0	2,11,11	0.48	0
3	PZI	D	800	-	10,10,10	4.44	5 (50%)	13,13,13	2.00	3 (23%)
3	PZI	D	801[A]	-	10,10,10	4.40	5 (50%)	13,13,13	3.20	5 (38%)
3	PZI	D	801[B]	-	10,10,10	4.34	5 (50%)	13,13,13	2.78	8 (61%)
3	PZI	D	802	-	10,10,10	4.16	5 (50%)	13,13,13	2.57	4 (30%)
2	GLU	G	400	-	3,9,9	0.68	0	2,11,11	0.31	0
3	PZI	G	800	-	10,10,10	4.36	5 (50%)	13,13,13	3.35	6 (46%)
3	PZI	G	801[A]	-	10,10,10	4.46	5 (50%)	13,13,13	3.53	4 (30%)
3	PZI	G	801[B]	-	10,10,10	4.24	6 (60%)	13,13,13	2.12	4 (30%)
3	PZI	G	802	-	10,10,10	4.27	5 (50%)	13,13,13	3.24	4 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLU	A	400	-	-	0/3/9/9	0/0/0/0
3	PZI	A	800	-	-	0/4/14/14	0/1/1/1
3	PZI	A	801[A]	-	-	0/4/14/14	0/1/1/1
3	PZI	A	801[B]	-	-	0/4/14/14	0/1/1/1
3	PZI	A	802	-	-	0/4/14/14	0/1/1/1
2	GLU	D	399	-	-	0/3/9/9	0/0/0/0
3	PZI	D	800	-	-	0/4/14/14	0/1/1/1
3	PZI	D	801[A]	-	-	0/4/14/14	0/1/1/1
3	PZI	D	801[B]	-	-	0/4/14/14	0/1/1/1
3	PZI	D	802	-	-	0/4/14/14	0/1/1/1
2	GLU	G	400	-	-	0/3/9/9	0/0/0/0
3	PZI	G	800	-	-	0/4/14/14	0/1/1/1
3	PZI	G	801[A]	-	-	0/4/14/14	0/1/1/1
3	PZI	G	801[B]	-	-	0/4/14/14	0/1/1/1
3	PZI	G	802	-	-	0/4/14/14	0/1/1/1

All (64) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	801[B]	PZI	O03-C02	-2.14	1.17	1.24
3	G	801[B]	PZI	O03-C02	-2.05	1.17	1.24
3	A	800	PZI	C04-C02	2.01	1.54	1.52
3	A	801[A]	PZI	C04-C02	2.47	1.55	1.52
3	G	801[A]	PZI	C06-N05	2.61	1.53	1.47
3	G	801[B]	PZI	C06-N05	2.92	1.54	1.47
3	G	802	PZI	C06-N05	2.98	1.54	1.47
3	D	801[A]	PZI	C06-N05	2.98	1.54	1.47
3	A	801[B]	PZI	C06-N05	3.01	1.54	1.47
3	D	802	PZI	C06-N05	3.06	1.54	1.47
3	D	801[B]	PZI	C06-N05	3.11	1.54	1.47
3	A	802	PZI	C06-N05	3.18	1.54	1.47
3	A	801[A]	PZI	C06-N05	3.21	1.54	1.47
3	D	800	PZI	C06-N05	3.37	1.55	1.47
3	G	800	PZI	C06-N05	3.42	1.55	1.47
3	D	800	PZI	C02-N01	3.45	1.43	1.32
3	A	800	PZI	C06-N05	3.56	1.55	1.47
3	G	801[A]	PZI	C02-N01	3.69	1.44	1.32
3	D	801[B]	PZI	C02-N01	3.77	1.44	1.32
3	A	801[B]	PZI	C02-N01	3.84	1.45	1.32
3	A	800	PZI	C02-N01	3.90	1.45	1.32
3	G	801[B]	PZI	C02-N01	3.90	1.45	1.32
3	A	801[A]	PZI	C02-N01	3.90	1.45	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	800	PZI	C02-N01	3.94	1.45	1.32
3	D	801[A]	PZI	C02-N01	3.96	1.45	1.32
3	D	802	PZI	C02-N01	4.03	1.45	1.32
3	A	802	PZI	C02-N01	4.07	1.45	1.32
3	G	802	PZI	C02-N01	4.12	1.46	1.32
3	G	800	PZI	C04-N05	5.53	1.52	1.45
3	D	802	PZI	C04-N05	5.87	1.53	1.45
3	D	800	PZI	C04-N05	6.04	1.53	1.45
3	G	801[B]	PZI	C04-N05	6.06	1.53	1.45
3	A	801[B]	PZI	C04-N05	6.07	1.53	1.45
3	G	802	PZI	C04-N05	6.23	1.53	1.45
3	A	800	PZI	C04-N05	6.27	1.53	1.45
3	A	802	PZI	C04-N05	6.50	1.54	1.45
3	D	801[B]	PZI	C04-N05	6.64	1.54	1.45
3	D	801[A]	PZI	C04-N05	6.82	1.54	1.45
3	A	802	PZI	C09-N05	6.97	1.53	1.34
3	G	801[A]	PZI	C04-N05	7.04	1.54	1.45
3	D	802	PZI	C09-N05	7.05	1.53	1.34
3	D	801[A]	PZI	C09-N05	7.15	1.53	1.34
3	G	802	PZI	C09-N05	7.19	1.53	1.34
3	A	801[A]	PZI	C09-N05	7.37	1.54	1.34
3	D	801[B]	PZI	C09-N05	7.41	1.54	1.34
3	A	801[B]	PZI	C09-N05	7.42	1.54	1.34
3	A	801[A]	PZI	C04-N05	7.45	1.55	1.45
3	G	801[B]	PZI	C09-N05	7.46	1.54	1.34
3	G	801[A]	PZI	C09-N05	7.50	1.54	1.34
3	A	802	PZI	O10-C09	7.52	1.40	1.23
3	G	800	PZI	C09-N05	7.57	1.54	1.34
3	G	801[B]	PZI	O10-C09	7.58	1.40	1.23
3	A	801[B]	PZI	O10-C09	7.63	1.40	1.23
3	D	801[B]	PZI	O10-C09	7.64	1.40	1.23
3	D	802	PZI	O10-C09	7.67	1.40	1.23
3	A	801[A]	PZI	O10-C09	7.73	1.40	1.23
3	G	802	PZI	O10-C09	7.74	1.40	1.23
3	A	800	PZI	C09-N05	7.81	1.55	1.34
3	D	800	PZI	C09-N05	7.95	1.55	1.34
3	D	801[A]	PZI	O10-C09	8.03	1.41	1.23
3	A	800	PZI	O10-C09	8.20	1.41	1.23
3	G	801[A]	PZI	O10-C09	8.23	1.41	1.23
3	D	800	PZI	O10-C09	8.27	1.41	1.23
3	G	800	PZI	O10-C09	8.39	1.42	1.23

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	800	PZI	C08-C09-N05	-10.10	97.26	108.69
3	G	801[A]	PZI	C06-N05-C09	-8.70	101.49	113.78
3	G	802	PZI	C08-C09-N05	-8.65	98.90	108.69
3	A	801[A]	PZI	C06-N05-C09	-8.28	102.08	113.78
3	A	801[A]	PZI	C08-C09-N05	-8.15	99.47	108.69
3	G	801[A]	PZI	C08-C09-N05	-8.14	99.48	108.69
3	D	801[A]	PZI	C08-C09-N05	-6.96	100.82	108.69
3	A	802	PZI	C06-N05-C09	-6.82	104.15	113.78
3	D	801[A]	PZI	C06-N05-C09	-6.59	104.48	113.78
3	G	802	PZI	C06-N05-C09	-6.52	104.57	113.78
3	D	802	PZI	C08-C09-N05	-6.30	101.57	108.69
3	A	802	PZI	C08-C09-N05	-6.16	101.72	108.69
3	A	800	PZI	C08-C09-N05	-5.58	102.38	108.69
3	D	801[B]	PZI	C08-C09-N05	-5.47	102.51	108.69
3	D	800	PZI	C08-C09-N05	-5.26	102.74	108.69
3	A	801[B]	PZI	C06-N05-C09	-4.70	107.14	113.78
3	D	802	PZI	C06-N05-C09	-4.26	107.76	113.78
3	G	801[B]	PZI	C06-N05-C09	-4.15	107.92	113.78
3	G	800	PZI	O10-C09-C08	-3.84	117.23	127.09
3	D	801[B]	PZI	O10-C09-N05	-3.82	119.11	124.58
3	A	801[B]	PZI	C08-C09-N05	-3.81	104.38	108.69
3	D	801[B]	PZI	C06-N05-C09	-3.70	108.56	113.78
3	D	802	PZI	O10-C09-N05	-3.56	119.49	124.58
3	D	801[A]	PZI	O10-C09-N05	-3.48	119.61	124.58
3	G	801[B]	PZI	C08-C09-N05	-3.40	104.84	108.69
3	A	800	PZI	C06-N05-C09	-3.35	109.04	113.78
3	D	801[B]	PZI	O10-C09-C08	-3.33	118.54	127.09
3	A	802	PZI	O10-C09-N05	-3.05	120.22	124.58
3	D	800	PZI	O10-C09-C08	-2.94	119.53	127.09
3	D	801[A]	PZI	O10-C09-C08	-2.81	119.89	127.09
3	D	800	PZI	C06-N05-C09	-2.75	109.89	113.78
3	A	802	PZI	C04-N05-C09	-2.72	119.85	123.07
3	A	801[B]	PZI	O10-C09-C08	-2.69	120.17	127.09
3	A	800	PZI	O10-C09-C08	-2.59	120.45	127.09
3	G	801[A]	PZI	O10-C09-C08	-2.52	120.63	127.09
3	G	800	PZI	O10-C09-N05	-2.51	120.98	124.58
3	A	801[A]	PZI	O10-C09-C08	-2.41	120.90	127.09
3	D	802	PZI	O10-C09-C08	-2.39	120.95	127.09
3	A	801[B]	PZI	O03-C02-C04	-2.38	116.45	120.59
3	G	802	PZI	O10-C09-C08	-2.27	121.25	127.09
3	G	800	PZI	C06-N05-C09	-2.20	110.67	113.78
3	D	801[B]	PZI	O03-C02-N01	-2.17	116.23	122.46
3	G	801[B]	PZI	O10-C09-C08	-2.11	121.67	127.09

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	802	PZI	O10-C09-C08	-2.07	121.78	127.09
3	A	801[B]	PZI	O03-C02-N01	-2.06	116.54	122.46
3	G	801[A]	PZI	C04-C02-N01	2.01	119.23	115.85
3	G	800	PZI	C04-N05-C06	2.16	125.30	121.87
3	G	802	PZI	C04-C02-N01	2.23	119.59	115.85
3	A	802	PZI	C04-C02-N01	2.34	119.79	115.85
3	A	801[A]	PZI	O03-C02-C04	2.50	124.95	120.59
3	G	800	PZI	C04-C02-N01	2.68	120.35	115.85
3	D	801[B]	PZI	C04-N05-C09	2.72	126.29	123.07
3	D	801[B]	PZI	C04-C02-N01	2.82	120.58	115.85
3	A	802	PZI	C02-C04-N05	2.91	118.64	112.97
3	D	801[B]	PZI	C02-C04-N05	2.95	118.71	112.97
3	A	801[A]	PZI	C04-N05-C09	3.28	126.95	123.07
3	D	801[A]	PZI	C02-C04-N05	3.65	120.07	112.97
3	G	801[B]	PZI	C04-C02-N01	3.97	122.53	115.85
3	A	801[B]	PZI	C02-C04-N05	4.14	121.04	112.97
3	A	801[A]	PZI	C02-C04-N05	6.32	125.27	112.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

13 monomers are involved in 81 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	800	PZI	12	0
3	A	801[A]	PZI	6	0
3	A	801[B]	PZI	15	0
3	A	802	PZI	3	0
3	D	800	PZI	15	0
3	D	801[A]	PZI	5	0
3	D	801[B]	PZI	9	0
3	D	802	PZI	2	0
2	G	400	GLU	1	0
3	G	800	PZI	21	0
3	G	801[A]	PZI	9	1
3	G	801[B]	PZI	7	0
3	G	802	PZI	4	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å <sup>2</sup> )	Q<0.9
1	A	258/258 (100%)	0.10	9 (3%)	48	57	17, 31, 53, 60	0
1	D	258/258 (100%)	0.12	7 (2%)	58	65	19, 31, 51, 59	0
1	G	258/258 (100%)	-0.11	6 (2%)	64	70	16, 25, 46, 64	0
All	All	774/774 (100%)	0.04	22 (2%)	56	64	16, 29, 51, 64	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	67	ASP	4.5
1	G	22	ASN	4.4
1	A	172	ARG	4.0
1	A	24	GLU	3.9
1	A	131	THR	3.8
1	G	66	ALA	3.7
1	D	21	LYS	3.2
1	A	259	GLY	3.1
1	G	24	GLU	2.6
1	G	25	MET	2.6
1	A	257	ASP	2.4
1	D	152	ILE	2.4
1	A	165	ALA	2.3
1	A	149	ARG	2.3
1	D	151	LYS	2.3
1	D	131	THR	2.3
1	D	153	ALA	2.3
1	A	129	LYS	2.2
1	G	68	THR	2.2
1	D	103	SER	2.1
1	D	24	GLU	2.0
1	A	256	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	PZI	A	800	10/10	0.73	0.43	18.16	41,45,49,49	0
3	PZI	D	802	10/10	0.71	0.25	13.23	45,51,60,61	0
3	PZI	D	800	10/10	0.75	0.39	10.02	37,41,49,50	0
3	PZI	A	801[B]	10/10	0.68	0.42	8.97	30,32,34,34	10
3	PZI	A	801[A]	10/10	0.68	0.42	8.90	24,34,35,36	10
3	PZI	G	800	10/10	0.84	0.33	7.89	29,37,41,43	0
3	PZI	A	802	10/10	0.75	0.21	6.91	44,53,59,61	0
3	PZI	G	801[A]	10/10	0.82	0.31	6.56	21,29,31,32	10
3	PZI	G	801[B]	10/10	0.82	0.31	6.43	26,28,30,30	10
3	PZI	D	801[A]	10/10	0.84	0.30	5.53	28,34,35,35	10
3	PZI	G	802	10/10	0.84	0.27	5.38	35,52,58,67	0
3	PZI	D	801[B]	10/10	0.84	0.30	5.17	30,33,34,34	10
4	ZN	G	401	1/1	0.14	0.19	1.40	50,50,50,50	0
4	ZN	D	400	1/1	0.95	0.19	1.32	47,47,47,47	0
2	GLU	D	399	10/10	0.96	0.11	-0.62	19,22,25,28	0
2	GLU	G	400	10/10	0.97	0.10	-0.72	13,18,20,20	0
2	GLU	A	400	10/10	0.97	0.11	-0.98	18,20,23,25	0
4	ZN	A	1	1/1	0.90	0.07	-	31,31,31,31	0
4	ZN	A	2	1/1	0.75	0.28	-	44,44,44,44	0
4	ZN	D	3	1/1	0.89	0.09	-	46,46,46,46	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.