



Full wwPDB NMR Structure Validation Report ⓘ

Apr 27, 2016 – 02:13 AM BST

PDB ID : 2LUH
Title : NMR structure of the Vta1-Vps60 complex
Authors : Yang, Z.; Vild, C.; Ju, J.; Zhang, X.; Liu, J.; Shen, J.; Zhao, B.; Lan, W.;
Gong, F.; Liu, M.; Cao, C.; Xu, Z.
Deposited on : 2012-06-13

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 90%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	167	 68% 29% ••
2	B	59	 44% 39% • 15%

2 Ensemble composition and analysis

This entry contains 20 models. Model 4 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:3-A:167, B:128-B:133, B:140-B:183 (215)	0.25	4

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 3 single-model clusters were found.

Cluster number	Models
1	1, 2, 4, 8, 9, 10, 12, 13, 15
2	5, 7, 14, 18, 19, 20
3	3, 6
Single-model clusters	11; 16; 17

3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 3577 atoms, of which 1784 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Vacuolar protein sorting-associated protein VTA1.

Mol	Chain	Residues	Atoms						Trace
1	A	167	Total	C	H	N	O	S	0
			2692	850	1359	216	257	10	

- Molecule 2 is a protein called Vacuolar protein-sorting-associated protein 60.


Mol	Chain	Residues	Atoms						Trace
2	B	59	Total	C	H	N	O	S	0
			885	278	425	69	110	3	

4 Residue-property plots


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Vacuolar protein sorting-associated protein VTA1



- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2 Scores per residue for each member of the ensemble


Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.2 Score per residue for model 2

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.3 Score per residue for model 3

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.4 Score per residue for model 4 (medoid)

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




4.2.5 Score per residue for model 5

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.6 Score per residue for model 6

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.7 Score per residue for model 7

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.8 Score per residue for model 8

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.9 Score per residue for model 9

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.10 Score per residue for model 10

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.11 Score per residue for model 11

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.12 Score per residue for model 12

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.13 Score per residue for model 13

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.14 Score per residue for model 14

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.15 Score per residue for model 15

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.16 Score per residue for model 16

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.17 Score per residue for model 17

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.18 Score per residue for model 18

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60




4.2.19 Score per residue for model 19

- Molecule 1: Vacuolar protein sorting-associated protein VTA1




- Molecule 2: Vacuolar protein-sorting-associated protein 60



4.2.20 Score per residue for model 20

- Molecule 1: Vacuolar protein sorting-associated protein VTA1



- Molecule 2: Vacuolar protein-sorting-associated protein 60

5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR NIH	structure solution	NIH
X-PLOR NIH	refinement	NIH

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	2luh_cs.str
Number of chemical shift lists	1
Total number of shifts	2763
Number of shifts mapped to atoms	2763
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	90%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality

6.1 Standard geometry

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1320	1343	1340	57±5
2	B	386	361	358	36±4
All	All	34120	34080	33960	1591

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:158:LEU:HD23	2:B:175:LEU:HD11	0.86	1.47	11	11
1:A:105:LEU:HD12	2:B:150:LEU:HD11	0.83	1.50	17	2
1:A:95:ASN:ND2	2:B:143:LEU:HD12	0.81	1.90	2	1
1:A:122:TRP:NE1	1:A:158:LEU:HD21	0.80	1.90	20	20
2:B:128:ILE:HG23	2:B:129:ASN:H	0.80	1.37	18	1
1:A:132:LEU:HD21	1:A:147:LEU:HD12	0.80	1.53	2	18
1:A:105:LEU:HD12	2:B:150:LEU:HD21	0.80	1.52	19	8
1:A:108:LEU:HD11	1:A:157:TYR:CD1	0.80	2.12	20	19
1:A:105:LEU:HD22	2:B:150:LEU:HD11	0.79	1.54	1	2
1:A:101:TYR:CE2	1:A:105:LEU:HD11	0.78	2.14	18	12
1:A:101:TYR:CZ	1:A:105:LEU:HD11	0.78	2.13	19	14
1:A:15:PHE:CE2	1:A:23:ILE:HG21	0.77	2.15	9	7
1:A:5:ALA:HB2	1:A:34:LEU:HD23	0.75	1.56	8	15

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:156:ILE:HG21	2:B:166:ILE:HD12	0.74	1.57	11	2
2:B:128:ILE:HG23	2:B:129:ASN:N	0.74	1.97	18	1
1:A:153:TYR:OH	2:B:154:LEU:HD11	0.74	1.83	20	15
1:A:97:THR:OG1	1:A:131:ILE:HD11	0.72	1.84	17	12
1:A:107:GLN:OE1	1:A:117:LEU:HD22	0.72	1.85	3	1
1:A:95:ASN:ND2	2:B:144:ILE:HD11	0.72	2.00	5	1
1:A:107:GLN:OE1	1:A:117:LEU:HD13	0.72	1.85	3	9
1:A:30:TYR:CE1	1:A:34:LEU:HD11	0.70	2.21	18	13
1:A:25:TYR:CD1	1:A:59:PHE:CD1	0.70	2.80	11	19
1:A:80:ASN:ND2	1:A:81:THR:N	0.69	2.40	19	4
1:A:25:TYR:CD1	1:A:59:PHE:CD2	0.69	2.80	9	1
1:A:80:ASN:ND2	1:A:84:HIS:NE2	0.69	2.41	15	1
1:A:80:ASN:ND2	1:A:84:HIS:CD2	0.68	2.61	15	9
2:B:128:ILE:HG22	2:B:129:ASN:ND2	0.68	2.03	14	4
1:A:22:ILE:HD11	1:A:79:MET:CE	0.68	2.19	6	12
1:A:22:ILE:HD11	1:A:79:MET:HE2	0.67	1.65	19	10
2:B:143:LEU:O	2:B:143:LEU:HD13	0.67	1.89	15	2
1:A:88:LYS:HZ1	2:B:130:ILE:HD13	0.67	1.49	17	2
1:A:63:ILE:O	1:A:63:ILE:HG22	0.67	1.88	20	14
1:A:95:ASN:HD21	2:B:143:LEU:HD12	0.67	1.46	2	1
1:A:108:LEU:HD11	1:A:157:TYR:CE1	0.67	2.24	6	19
1:A:109:LYS:NZ	2:B:156:MET:SD	0.67	2.68	8	16
1:A:30:TYR:CD2	1:A:130:CYS:SG	0.66	2.88	20	6
1:A:98:MET:SD	1:A:150:ARG:NH1	0.66	2.69	3	5
1:A:15:PHE:CE1	1:A:23:ILE:HG21	0.66	2.24	13	1
1:A:30:TYR:O	1:A:34:LEU:HD13	0.66	1.90	14	12
2:B:150:LEU:HD23	2:B:150:LEU:C	0.66	2.11	1	9
2:B:167:SER:O	2:B:171:LEU:HD12	0.65	1.92	11	4
1:A:82:LEU:O	1:A:89:ALA:HB2	0.65	1.91	14	18
2:B:158:ASN:ND2	2:B:158:ASN:N	0.65	2.41	8	1
2:B:150:LEU:HD13	2:B:150:LEU:C	0.65	2.13	16	2
2:B:158:ASN:N	2:B:158:ASN:ND2	0.64	2.41	2	2
1:A:153:TYR:CZ	2:B:154:LEU:HD11	0.64	2.27	14	17
2:B:180:GLN:N	2:B:180:GLN:HE21	0.64	1.89	13	1
1:A:108:LEU:HD21	1:A:157:TYR:CZ	0.64	2.28	20	16
1:A:65:GLY:O	1:A:69:ALA:HB2	0.63	1.93	5	2
2:B:150:LEU:C	2:B:150:LEU:HD23	0.63	2.14	4	7
2:B:158:ASN:HD22	2:B:158:ASN:N	0.63	1.92	8	1
2:B:158:ASN:N	2:B:158:ASN:HD22	0.63	1.91	2	2
1:A:90:LYS:NZ	1:A:138:ASN:HD22	0.63	1.91	16	3
1:A:30:TYR:CZ	1:A:34:LEU:HD11	0.62	2.29	10	12

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:180:GLN:H	2:B:180:GLN:HE21	0.62	1.37	13	1
1:A:130:CYS:SG	1:A:134:LEU:HD12	0.62	2.35	2	7
1:A:156:ILE:HG23	2:B:171:LEU:HD13	0.62	1.72	11	3
1:A:63:ILE:HG22	1:A:63:ILE:O	0.61	1.94	13	6
1:A:104:LYS:HZ1	1:A:120:SER:C	0.61	1.97	6	2
1:A:33:GLU:OE1	1:A:133:HIS:NE2	0.61	2.33	16	14
1:A:153:TYR:CZ	1:A:157:TYR:CE2	0.61	2.88	19	7
1:A:130:CYS:SG	1:A:131:ILE:N	0.61	2.74	8	13
1:A:60:LYS:O	1:A:64:GLY:N	0.60	2.34	8	20
2:B:166:ILE:O	2:B:168:ASP:N	0.60	2.35	19	20
1:A:152:LYS:NZ	2:B:172:ASP:OD2	0.60	2.35	7	20
1:A:80:ASN:OD1	1:A:81:THR:N	0.60	2.35	7	6
1:A:162:ALA:HB2	2:B:178:LEU:HD22	0.60	1.73	14	6
2:B:150:LEU:HD23	2:B:150:LEU:O	0.60	1.97	20	6
1:A:104:LYS:HZ1	1:A:120:SER:CB	0.60	2.09	4	2
1:A:104:LYS:NZ	1:A:120:SER:OG	0.59	2.35	10	6
1:A:118:LYS:NZ	2:B:182:ASP:OD1	0.59	2.35	5	9
1:A:106:LYS:NZ	2:B:149:GLU:OE2	0.59	2.36	5	16
2:B:158:ASN:OD1	2:B:161:GLY:N	0.59	2.36	5	4
2:B:150:LEU:O	2:B:150:LEU:HD23	0.59	1.97	18	9
1:A:77:HIS:O	1:A:80:ASN:ND2	0.59	2.36	13	11
2:B:176:ASP:O	2:B:180:GLN:NE2	0.59	2.35	13	1
1:A:132:LEU:HD22	1:A:144:THR:HG23	0.59	1.74	16	10
2:B:150:LEU:HD13	2:B:150:LEU:O	0.59	1.98	19	2
1:A:7:ARG:NH1	1:A:126:ASP:OD1	0.59	2.36	17	1
1:A:80:ASN:OD1	1:A:84:HIS:CD2	0.59	2.56	6	13
1:A:69:ALA:O	1:A:73:ASP:N	0.58	2.36	17	6
1:A:33:GLU:OE1	1:A:133:HIS:CD2	0.58	2.56	9	10
2:B:163:LEU:H	2:B:163:LEU:HD12	0.58	1.58	7	8
1:A:84:HIS:O	1:A:86:GLN:NE2	0.58	2.36	2	6
1:A:95:ASN:ND2	2:B:140:MET:O	0.58	2.37	20	3
1:A:146:SER:O	1:A:150:ARG:NH1	0.58	2.37	17	4
1:A:7:ARG:NH1	1:A:126:ASP:OD2	0.58	2.36	17	1
1:A:80:ASN:CG	1:A:84:HIS:CD2	0.57	2.78	9	3
1:A:157:TYR:CZ	1:A:160:LYS:NZ	0.57	2.71	9	1
2:B:157:ASN:O	2:B:158:ASN:CB	0.57	2.52	6	9
1:A:88:LYS:NZ	2:B:130:ILE:HD13	0.57	2.14	17	6
1:A:113:TRP:CZ3	1:A:167:GLY:O	0.57	2.58	17	1
1:A:90:LYS:NZ	1:A:138:ASN:ND2	0.57	2.52	12	2
2:B:152:GLU:OE2	2:B:156:MET:SD	0.57	2.63	5	18
1:A:163:LYS:NZ	2:B:174:GLU:OE1	0.57	2.35	4	11

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:143:LEU:N	2:B:143:LEU:HD22	0.57	2.14	18	2
1:A:128:PHE:HB3	1:A:151:ILE:HD11	0.56	1.77	13	19
1:A:100:LEU:CD2	1:A:124:CYS:SG	0.56	2.93	4	11
1:A:150:ARG:O	1:A:154:CYS:SG	0.56	2.63	10	3
1:A:78:VAL:HG22	2:B:130:ILE:HD12	0.56	1.76	12	16
1:A:162:ALA:CB	2:B:178:LEU:HD13	0.56	2.31	4	9
1:A:100:LEU:HD11	1:A:104:LYS:NZ	0.56	2.16	18	1
1:A:4:ASN:O	1:A:8:VAL:HG23	0.56	1.99	5	6
2:B:180:GLN:N	2:B:180:GLN:NE2	0.55	2.54	13	1
1:A:101:TYR:CD2	2:B:150:LEU:HD11	0.55	2.36	13	8
1:A:160:LYS:NZ	1:A:166:ILE:HD11	0.55	2.17	19	1
2:B:152:GLU:OE2	2:B:156:MET:CE	0.55	2.54	2	6
2:B:181:GLU:CD	2:B:182:ASP:N	0.55	2.60	19	1
2:B:155:ALA:O	2:B:159:ASN:ND2	0.55	2.40	4	2
1:A:104:LYS:NZ	1:A:120:SER:C	0.55	2.60	6	2
1:A:8:VAL:CG1	1:A:31:ALA:HB2	0.54	2.33	9	1
2:B:143:LEU:N	2:B:143:LEU:CD2	0.54	2.70	20	4
1:A:107:GLN:O	1:A:111:GLY:N	0.54	2.41	7	9
1:A:80:ASN:CG	1:A:84:HIS:NE2	0.54	2.60	15	1
2:B:129:ASN:C	2:B:129:ASN:ND2	0.54	2.61	4	2
2:B:128:ILE:CG2	2:B:129:ASN:H	0.54	2.13	18	1
2:B:163:LEU:HD12	2:B:163:LEU:H	0.54	1.63	17	10
2:B:130:ILE:HG23	2:B:131:ASP:N	0.54	2.18	18	20
1:A:7:ARG:NH1	1:A:11:THR:OG1	0.54	2.40	19	5
1:A:153:TYR:OH	1:A:157:TYR:CE2	0.54	2.60	10	5
2:B:129:ASN:HD22	2:B:129:ASN:C	0.53	2.07	4	1
1:A:118:LYS:NZ	2:B:182:ASP:OD2	0.53	2.41	14	6
1:A:100:LEU:HD21	1:A:124:CYS:SG	0.53	2.42	5	5
2:B:163:LEU:N	2:B:163:LEU:HD12	0.53	2.18	7	12
1:A:26:TYR:OH	1:A:89:ALA:CB	0.53	2.56	6	11
1:A:63:ILE:O	1:A:63:ILE:CG2	0.53	2.56	20	9
1:A:108:LEU:HD11	1:A:157:TYR:CE2	0.53	2.39	11	1
1:A:22:ILE:HD11	1:A:79:MET:HE3	0.53	1.80	15	5
1:A:104:LYS:NZ	1:A:120:SER:CB	0.53	2.72	4	2
2:B:141:LEU:HD22	2:B:141:LEU:N	0.53	2.18	2	5
1:A:72:SER:C	1:A:74:LYS:H	0.52	2.07	17	6
1:A:63:ILE:HG23	1:A:76:LEU:HD11	0.52	1.81	5	8
2:B:141:LEU:CD2	2:B:141:LEU:N	0.52	2.72	10	6
1:A:30:TYR:CE1	1:A:34:LEU:HD13	0.52	2.38	12	1
1:A:122:TRP:CZ2	2:B:179:ALA:HB2	0.52	2.40	17	9
2:B:157:ASN:OD1	2:B:158:ASN:ND2	0.52	2.42	11	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:102:ASN:ND2	2:B:146:GLN:O	0.52	2.42	7	7
2:B:167:SER:O	2:B:171:LEU:CD1	0.52	2.57	17	3
2:B:141:LEU:N	2:B:141:LEU:CD2	0.52	2.73	2	2
2:B:130:ILE:CG2	2:B:131:ASP:N	0.52	2.73	14	20
1:A:122:TRP:CH2	2:B:179:ALA:HB2	0.52	2.39	17	4
1:A:33:GLU:CB	1:A:133:HIS:NE2	0.52	2.73	11	2
1:A:33:GLU:CB	1:A:133:HIS:HE2	0.52	2.17	1	3
2:B:163:LEU:HD12	2:B:163:LEU:N	0.52	2.20	4	6
2:B:141:LEU:N	2:B:141:LEU:HD22	0.51	2.19	10	3
1:A:100:LEU:HD11	1:A:104:LYS:HZ1	0.51	1.65	18	1
1:A:149:LYS:NZ	2:B:162:GLU:OE2	0.51	2.43	12	5
1:A:30:TYR:CZ	1:A:34:LEU:HD13	0.51	2.40	6	3
1:A:100:LEU:CD1	1:A:104:LYS:NZ	0.51	2.74	18	1
1:A:159:SER:HB2	2:B:175:LEU:HD23	0.51	1.83	8	5
2:B:143:LEU:HD22	2:B:143:LEU:N	0.51	2.21	20	3
1:A:107:GLN:OE1	1:A:117:LEU:CD2	0.51	2.59	3	1
1:A:105:LEU:CD1	2:B:150:LEU:HD21	0.51	2.36	10	8
1:A:109:LYS:O	1:A:110:ASP:OD1	0.51	2.29	16	19
1:A:109:LYS:HD2	2:B:153:VAL:HG13	0.50	1.82	16	2
1:A:107:GLN:OE1	1:A:117:LEU:CD1	0.50	2.59	3	1
2:B:128:ILE:CG1	2:B:129:ASN:H	0.50	2.19	13	5
1:A:25:TYR:CE2	1:A:83:ILE:HG23	0.50	2.42	11	8
1:A:109:LYS:CE	2:B:156:MET:SD	0.50	2.99	17	9
1:A:97:THR:CB	1:A:131:ILE:HD11	0.50	2.37	17	3
2:B:167:SER:C	2:B:171:LEU:HD12	0.50	2.27	11	2
1:A:108:LEU:HD11	1:A:157:TYR:CD2	0.50	2.42	11	1
2:B:132:LYS:N	2:B:132:LYS:CD	0.50	2.75	13	1
1:A:95:ASN:ND2	2:B:143:LEU:CD1	0.50	2.75	16	1
2:B:168:ASP:OD1	2:B:172:ASP:OD1	0.50	2.30	8	19
1:A:80:ASN:HD22	1:A:81:THR:N	0.49	2.05	19	4
1:A:105:LEU:HD12	2:B:150:LEU:CG	0.49	2.37	10	4
1:A:105:LEU:CD1	2:B:150:LEU:HD11	0.49	2.31	17	2
1:A:113:TRP:CZ3	1:A:167:GLY:OXT	0.49	2.65	19	3
2:B:158:ASN:OD1	2:B:160:SER:OG	0.49	2.30	6	1
2:B:168:ASP:OD1	2:B:172:ASP:OD2	0.49	2.31	16	20
1:A:77:HIS:O	1:A:80:ASN:OD1	0.49	2.31	7	6
1:A:73:ASP:O	1:A:73:ASP:OD1	0.49	2.31	17	2
2:B:167:SER:OG	2:B:167:SER:O	0.49	2.31	4	1
1:A:86:GLN:N	1:A:86:GLN:CD	0.49	2.66	17	3
1:A:26:TYR:OH	1:A:82:LEU:O	0.49	2.29	16	20
2:B:157:ASN:O	2:B:158:ASN:OD1	0.49	2.31	19	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:128:ILE:C	2:B:130:ILE:H	0.49	2.11	16	19
1:A:132:LEU:HD21	1:A:147:LEU:CD1	0.48	2.34	2	14
1:A:118:LYS:NZ	2:B:182:ASP:CG	0.48	2.67	14	4
2:B:172:ASP:O	2:B:176:ASP:OD2	0.48	2.31	13	13
2:B:129:ASN:C	2:B:129:ASN:HD22	0.48	2.10	16	1
1:A:72:SER:OG	1:A:73:ASP:N	0.48	2.44	12	1
1:A:95:ASN:OD1	2:B:140:MET:O	0.48	2.31	1	3
1:A:80:ASN:ND2	1:A:80:ASN:C	0.48	2.66	6	3
1:A:149:LYS:HG3	2:B:163:LEU:HD11	0.48	1.86	3	2
2:B:170:GLU:OE2	2:B:174:GLU:OE2	0.48	2.31	16	2
2:B:155:ALA:O	2:B:159:ASN:OD1	0.48	2.31	13	2
1:A:41:ARG:NH1	1:A:46:THR:OG1	0.48	2.46	6	1
2:B:128:ILE:HG22	2:B:129:ASN:N	0.48	2.23	3	9
2:B:143:LEU:HD13	2:B:143:LEU:C	0.48	2.28	15	1
2:B:181:GLU:OE1	2:B:182:ASP:OD1	0.48	2.30	20	1
1:A:72:SER:O	1:A:72:SER:OG	0.48	2.31	5	2
1:A:78:VAL:CG1	1:A:79:MET:N	0.48	2.76	2	20
1:A:63:ILE:O	1:A:80:ASN:OD1	0.48	2.30	15	1
1:A:30:TYR:CE1	1:A:34:LEU:CD1	0.48	2.96	13	11
1:A:146:SER:C	1:A:150:ARG:NH1	0.48	2.67	17	2
1:A:80:ASN:C	1:A:80:ASN:ND2	0.48	2.66	19	1
1:A:7:ARG:NH1	1:A:126:ASP:CG	0.47	2.67	17	1
1:A:86:GLN:CD	1:A:86:GLN:N	0.47	2.68	20	3
1:A:73:ASP:OD1	1:A:73:ASP:O	0.47	2.31	15	2
1:A:102:ASN:HA	2:B:150:LEU:HD12	0.47	1.84	1	1
2:B:143:LEU:HD12	2:B:143:LEU:N	0.47	2.25	6	1
1:A:69:ALA:HB1	1:A:73:ASP:OD1	0.47	2.09	20	1
2:B:150:LEU:CD2	2:B:150:LEU:C	0.47	2.83	1	11
1:A:7:ARG:NH1	1:A:123:CYS:SG	0.47	2.87	7	3
1:A:90:LYS:HZ3	1:A:138:ASN:HD22	0.46	1.54	16	1
2:B:168:ASP:O	2:B:172:ASP:CG	0.46	2.54	20	20
2:B:141:LEU:HD13	2:B:144:ILE:HD12	0.46	1.88	14	3
1:A:146:SER:C	1:A:150:ARG:HH12	0.46	2.14	17	2
1:A:72:SER:C	1:A:74:LYS:N	0.46	2.68	17	3
2:B:150:LEU:CD1	2:B:150:LEU:C	0.46	2.83	16	1
1:A:113:TRP:CE3	1:A:167:GLY:C	0.46	2.89	6	1
1:A:63:ILE:CG2	1:A:63:ILE:O	0.46	2.62	11	9
1:A:7:ARG:NH2	1:A:123:CYS:SG	0.46	2.88	7	1
1:A:108:LEU:HD21	1:A:157:TYR:CE1	0.46	2.44	20	5
1:A:88:LYS:HZ1	2:B:130:ILE:CD1	0.46	2.22	18	2
1:A:72:SER:O	1:A:74:LYS:N	0.46	2.49	17	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:80:ASN:OD1	1:A:84:HIS:NE2	0.46	2.48	9	3
1:A:81:THR:CG2	1:A:85:ASP:OD2	0.46	2.64	15	1
1:A:109:LYS:O	1:A:110:ASP:CG	0.46	2.54	15	19
1:A:73:ASP:C	1:A:73:ASP:OD1	0.46	2.54	3	9
1:A:158:LEU:HB3	2:B:175:LEU:HD21	0.46	1.87	17	1
1:A:156:ILE:CG2	2:B:171:LEU:HD13	0.46	2.39	11	1
1:A:90:LYS:CE	1:A:138:ASN:HD22	0.46	2.24	16	2
2:B:157:ASN:O	2:B:158:ASN:CG	0.45	2.55	12	10
1:A:80:ASN:OD1	1:A:80:ASN:C	0.45	2.55	5	3
1:A:80:ASN:HD22	1:A:84:HIS:CD2	0.45	2.29	2	3
1:A:80:ASN:C	1:A:80:ASN:OD1	0.45	2.55	14	7
1:A:95:ASN:O	1:A:99:SER:OG	0.45	2.31	4	5
2:B:168:ASP:OD1	2:B:172:ASP:CG	0.45	2.55	7	19
1:A:73:ASP:OD1	1:A:73:ASP:C	0.45	2.55	10	3
1:A:104:LYS:HZ1	1:A:120:SER:HB3	0.45	1.71	4	1
1:A:95:ASN:ND2	2:B:144:ILE:CG1	0.45	2.79	19	2
1:A:95:ASN:ND2	2:B:144:ILE:CD1	0.45	2.75	5	1
2:B:152:GLU:OE1	2:B:152:GLU:C	0.45	2.56	19	8
1:A:101:TYR:CE2	2:B:150:LEU:HD11	0.45	2.47	13	1
1:A:9:VAL:HG12	1:A:13:LYS:NZ	0.45	2.27	18	1
1:A:102:ASN:HA	2:B:150:LEU:HD13	0.45	1.88	12	1
2:B:152:GLU:C	2:B:152:GLU:OE1	0.44	2.55	14	12
2:B:162:GLU:CD	2:B:163:LEU:H	0.44	2.16	19	1
1:A:29:LEU:HD12	1:A:29:LEU:N	0.44	2.27	2	2
2:B:170:GLU:OE2	2:B:174:GLU:CD	0.44	2.55	2	1
1:A:159:SER:CB	2:B:175:LEU:HD23	0.44	2.42	6	3
2:B:181:GLU:OE1	2:B:182:ASP:CG	0.44	2.56	11	6
1:A:63:ILE:HG23	1:A:76:LEU:CD1	0.44	2.41	5	3
1:A:125:ILE:HG23	1:A:151:ILE:HG23	0.44	1.89	13	5
1:A:153:TYR:CZ	1:A:157:TYR:CE1	0.44	3.05	11	1
1:A:153:TYR:CZ	1:A:157:TYR:CD2	0.44	3.05	9	2
1:A:95:ASN:C	1:A:95:ASN:ND2	0.44	2.71	2	1
2:B:128:ILE:CG2	2:B:129:ASN:N	0.44	2.69	18	1
2:B:150:LEU:C	2:B:150:LEU:CD2	0.43	2.85	9	3
1:A:28:GLN:O	1:A:32:VAL:HG23	0.43	2.13	5	1
2:B:128:ILE:CG1	2:B:129:ASN:N	0.43	2.81	5	5
1:A:69:ALA:O	1:A:73:ASP:CB	0.43	2.66	8	2
1:A:122:TRP:HE1	1:A:158:LEU:HD21	0.43	1.69	3	2
1:A:95:ASN:ND2	1:A:99:SER:OG	0.43	2.51	2	1
1:A:108:LEU:CD1	1:A:157:TYR:CD1	0.43	2.99	15	8
1:A:113:TRP:CZ3	1:A:167:GLY:C	0.43	2.91	6	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:125:ILE:HG23	1:A:151:ILE:CG2	0.43	2.44	12	1
1:A:95:ASN:HD22	1:A:95:ASN:N	0.43	2.12	5	2
1:A:72:SER:O	1:A:73:ASP:CB	0.43	2.66	12	1
1:A:122:TRP:NE1	1:A:158:LEU:CD2	0.42	2.77	15	13
2:B:129:ASN:N	2:B:129:ASN:HD22	0.42	2.11	14	1
1:A:113:TRP:CE3	1:A:167:GLY:OXT	0.42	2.71	9	1
1:A:122:TRP:CZ2	2:B:175:LEU:CD1	0.42	3.02	17	3
1:A:95:ASN:HD21	2:B:144:ILE:CG1	0.42	2.28	19	1
1:A:105:LEU:HD12	2:B:150:LEU:HG	0.42	1.91	13	1
2:B:140:MET:N	2:B:140:MET:SD	0.42	2.91	16	1
1:A:115:VAL:HG12	1:A:119:ARG:NH1	0.42	2.30	12	1
1:A:122:TRP:CE2	1:A:158:LEU:HD21	0.42	2.47	8	1
1:A:156:ILE:CG2	2:B:166:ILE:HG21	0.42	2.45	20	1
2:B:132:LYS:CD	2:B:132:LYS:H	0.42	2.28	13	1
1:A:160:LYS:HZ2	1:A:166:ILE:HD11	0.42	1.72	19	1
2:B:143:LEU:C	2:B:143:LEU:HD13	0.42	2.35	14	1
2:B:143:LEU:CD1	2:B:143:LEU:N	0.42	2.82	6	1
2:B:150:LEU:C	2:B:150:LEU:CD1	0.42	2.88	19	1
1:A:122:TRP:CD1	1:A:158:LEU:HD21	0.42	2.50	19	1
2:B:158:ASN:N	2:B:158:ASN:OD1	0.42	2.51	11	1
1:A:122:TRP:CE2	1:A:158:LEU:CD2	0.42	3.03	8	1
1:A:35:ILE:CD1	1:A:49:ALA:HB2	0.42	2.45	16	1
1:A:130:CYS:SG	1:A:134:LEU:CD1	0.41	3.08	19	5
1:A:90:LYS:CE	1:A:138:ASN:ND2	0.41	2.83	16	2
2:B:163:LEU:CD1	2:B:163:LEU:H	0.41	2.27	7	1
1:A:159:SER:N	2:B:175:LEU:CD2	0.41	2.83	17	1
1:A:69:ALA:O	1:A:72:SER:N	0.41	2.53	15	1
1:A:104:LYS:CE	1:A:120:SER:OG	0.41	2.68	2	1
1:A:105:LEU:N	1:A:105:LEU:HD12	0.41	2.30	1	1
2:B:128:ILE:HG22	2:B:129:ASN:HD22	0.41	1.74	14	1
1:A:101:TYR:CD2	2:B:150:LEU:CD1	0.41	3.04	14	1
1:A:133:HIS:CD2	1:A:133:HIS:C	0.41	2.93	15	1
2:B:166:ILE:HG22	2:B:171:LEU:CD1	0.41	2.45	17	1
1:A:73:ASP:O	1:A:77:HIS:CG	0.41	2.74	14	1
1:A:118:LYS:HZ1	2:B:182:ASP:HB2	0.41	1.75	19	1
1:A:97:THR:HG22	1:A:128:PHE:CZ	0.41	2.51	20	2
1:A:118:LYS:CE	2:B:182:ASP:OD2	0.41	2.68	12	1
2:B:158:ASN:OD1	2:B:158:ASN:N	0.41	2.51	1	1
2:B:129:ASN:N	2:B:129:ASN:ND2	0.41	2.69	14	1
2:B:144:ILE:O	2:B:147:GLY:N	0.41	2.54	16	1
1:A:162:ALA:HB2	2:B:178:LEU:CD2	0.40	2.44	17	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:80:ASN:HD21	1:A:84:HIS:CD2	0.40	2.32	3	1
2:B:152:GLU:OE1	2:B:153:VAL:N	0.40	2.54	16	1
2:B:143:LEU:CD2	2:B:143:LEU:N	0.40	2.83	9	1
2:B:170:GLU:C	2:B:170:GLU:OE1	0.40	2.60	4	1
1:A:41:ARG:CB	1:A:41:ARG:NH1	0.40	2.84	6	1
1:A:156:ILE:O	1:A:159:SER:OG	0.40	2.32	19	1
1:A:132:LEU:O	1:A:136:LYS:CG	0.40	2.70	15	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	164/167 (98%)	158±1 (96±1%)	5±1 (3±1%)	1±0 (1±0%)	34	78
2	B	49/59 (83%)	45±0 (92±0%)	1±0 (3±1%)	3±0 (6±1%)	4	24
All	All	4260/4520 (94%)	4060 (95%)	127 (3%)	73 (2%)	16	59

All 4 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	B	167	SER	20
1	A	110	ASP	19
2	B	158	ASN	17
2	B	161	GLY	17

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	146/147 (99%)	138±1 (95±1%)	8±1 (5±1%)	33	78
2	B	43/52 (83%)	41±1 (95±2%)	2±1 (5±2%)	37	80
All	All	3780/3980 (95%)	3588 (95%)	192 (5%)	34	78

All 25 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	90	LYS	20
1	A	18	VAL	20
1	A	123	CYS	20
1	A	78	VAL	20
1	A	80	ASN	18
2	B	170	GLU	16
1	A	130	CYS	14
1	A	67	SER	13
2	B	158	ASN	9
2	B	175	LEU	5
2	B	154	LEU	4
1	A	154	CYS	4
1	A	136	LYS	4
1	A	157	TYR	4
1	A	72	SER	4
1	A	159	SER	3
2	B	133	LEU	2
2	B	129	ASN	2
1	A	73	ASP	2
1	A	13	LYS	2
1	A	124	CYS	2
2	B	132	LYS	1
1	A	93	MET	1
2	B	180	GLN	1
1	A	95	ASN	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 90% for the well-defined parts and 88% for the entire structure.

7.1 Chemical shift list 1

File name: 2luh_cs.str

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2763
Number of shifts mapped to atoms	2763
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	221	-0.49 ± 0.07	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	199	0.18 ± 0.11	None needed (< 0.5 ppm)
$^{13}\text{C}'$	213	-0.40 ± 0.06	None needed (< 0.5 ppm)
^{15}N	215	-0.70 ± 0.18	Should be applied

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 90%, i.e. 2381 atoms were assigned a chemical shift out of a possible 2634. 0 out of 38 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	1060/1073 (99%)	424/429 (99%)	425/430 (99%)	211/214 (99%)
Sidechain	1180/1400 (84%)	758/810 (94%)	409/542 (75%)	13/48 (27%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	141/161 (88%)	79/83 (95%)	59/69 (86%)	3/9 (33%)
Overall	2381/2634 (90%)	1261/1322 (95%)	893/1041 (86%)	227/271 (84%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 88%, i.e. 2435 atoms were assigned a chemical shift out of a possible 2762. 0 out of 39 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	1082/1126 (96%)	433/450 (96%)	434/452 (96%)	215/224 (96%)
Sidechain	1212/1475 (82%)	777/854 (91%)	421/571 (74%)	14/50 (28%)
Aromatic	141/161 (88%)	79/83 (95%)	59/69 (86%)	3/9 (33%)
Overall	2435/2762 (88%)	1289/1387 (93%)	914/1092 (84%)	232/283 (82%)


7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [i](#)

The images below report *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



Random coil index (RCI) for chain B:

