



wwPDB/EMDatabank EM Map/Model Validation Summary Report ⓘ

Dec 5, 2016 – 04:27 PM EST

PDB ID : 5LZA
EMDB ID: : EMD-4121
Title : Structure of the 70S ribosome with SECIS-mRNA and P-site tRNA (Initial complex, IC)
Authors : Fischer, N.; Neumann, P.; Bock, L.V.; Maracci, C.; Wang, Z.; Paleskava, A.; Konevega, A.L.; Schroeder, G.F.; Grubmueller, H.; Ficner, R.; Rodnina, M.V.; Stark, H.
Deposited on : 2016-09-29
Resolution : 3.60 Å(reported)

This is a wwPDB/EMDatabank EM Map/Model Validation Summary Report
for a publicly released PDB/EMDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.


MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20028442

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	114402	924
Ramachandran outliers	111179	726
Sidechain outliers	111093	686
RNA backbone	3027	244

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain
1	a	1539	<div><div>74%</div><div>24%</div><div>.</div></div>
2	b	218	<div><div>96%</div><div>..</div></div>
3	c	206	<div><div>100%</div></div>
4	d	205	<div><div>99%</div><div>.</div></div>
5	e	157	<div><div>94%</div><div>..</div></div>
6	f	100	<div><div>93%</div><div>5%</div><div>.</div></div>
7	g	151	<div><div>97%</div><div>..</div></div>
8	h	129	<div><div>98%</div><div>.</div></div>























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	i	127	 94% 6%
10	j	98	 93% 5% .
11	k	116	 97% .
12	l	123	 91% 8% .
13	m	114	 96% . .
14	n	100	 97% . .
15	o	88	 98% .
16	p	82	 95% . .
17	q	80	 95% . .
18	r	65	 91% 8% .
19	s	79	 97% . .
20	t	85	 100%
21	u	65	 94% . .
22	v	77	 68% 31% .
23	x	48	 52% 48%
24	A	2903	 60% 31% 8% .
25	B	120	 63% 29% 7% .
26	C	271	 84% 16%
27	D	209	 84% 16%
28	E	201	 86% 14%
29	F	177	 82% 18% .
30	G	176	 82% 15% . .
31	I	141	 89% 10% .
32	H	149	 91% 9% .
33	J	142	 87% 13%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	K	122	 77% 20% .
35	L	143	 85% 13% ..
36	M	136	 85% 15%
37	N	120	 89% 11%
38	O	116	 92% 7% .
39	P	114	 84% 16%
40	Q	117	 94% 5% .
41	R	103	 84% 16%
42	S	110	 88% 12%
43	T	93	 88% 12%
44	U	102	 85% 13% .
45	V	94	 84% 16%
46	W	75	 83% 17%
47	X	77	 84% 16%
48	Y	63	 86% 13% .
49	Z	58	 98%
50	0	56	 89% 9% .
51	1	50	 76% 20% .
52	2	46	 83% 17%
53	3	64	 88% 11% .
54	4	38	 87% 11% .
55	6	66	 79% 20% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	G7M	a	527	X	-	-	-
24	G7M	A	2069	X	-	-	-

2 Entry composition

There are 56 unique types of molecules in this entry. The entry contains 146037 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	a	1539	Total	C	N	O	P	4	0
			33119	14778	6072	10726	1543		

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	b	218	Total	C	N	O	S	0	0
			1705	1081	305	312	7		

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	c	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	d	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	e	157	Total	C	N	O	S	0	0
			1157	719	218	214	6		

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	f	100	Total	C	N	O	S	0	0
			818	515	148	149	6		

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	g	151	Total	C	N	O	S	0	0
			1182	735	227	216	4		

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	h	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	i	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	j	98	Total	C	N	O	S	0	0
			787	493	150	143	1		

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	k	116	Total	C	N	O	S	0	0
			870	535	173	159	3		

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	l	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	m	114	Total	C	N	O	S	0	0
			884	546	178	157	3		

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	n	100	Total	C	N	O	S	0	0
			794	495	164	132	3		

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	o	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	p	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	q	80	Total	C	N	O	S	0	0
			649	411	121	114	3		

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	r	65	Total	C	N	O	0	0
			505	317	96	92		

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	s	79	Total	C	N	O	S	0	0
			638	408	120	108	2		

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	t	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	u	65	Total	C	N	O	S	0	0
			496	307	100	88	1		

- Molecule 22 is a RNA chain called fMet-tRNA^{fMet}.

Mol	Chain	Residues	Atoms						AltConf	Trace
22	v	77	Total	C	N	O	P	S	0	0
			1644	733	297	536	77	1		

- Molecule 23 is a RNA chain called SECIS mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	x	48	Total	C	N	O	P	0	0
			1025	457	183	337	48		

- Molecule 24 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	A	2900	Total	C	N	O	P	1	0
			62296	27797	11464	20134	2901		

- Molecule 25 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	B	120	Total	C	N	O	P	0	0
			2570	1144	468	838	120		

- Molecule 26 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	C	271	Total	C	N	O	S	0	0
			2083	1288	423	365	7		

- Molecule 27 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	D	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 28 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	E	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 29 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	F	177	Total	C	N	O	S	0	0
			1411	899	249	257	6		

- Molecule 30 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	G	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 31 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	I	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 32 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	H	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 33 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	K	122	Total	C	N	O	S	0	0
			939	587	180	166	6		

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	L	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 37 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	N	120	Total	C	N	O	S	0	0
			961	593	196	167	5		

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	O	116	Total	C	N	O		0	0
			892	552	178	162			

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	P	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 40 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	Q	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 41 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	R	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 42 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	S	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 43 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	T	93	Total	C	N	O	S	0	0
			739	466	139	132	2		

- Molecule 44 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	U	102	Total	C	N	O		0	0
			780	492	146	142			

- Molecule 45 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 46 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	W	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 47 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 48 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	Y	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 49 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Z	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 50 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	0	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 51 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	1	50	Total	C	N	O	S	0	0
			410	263	75	72			

- Molecule 52 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	2	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 53 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	3	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 54 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	4	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 55 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	6	66	Total	C	N	O	S	0	0
			523	323	99	95	6		


- Molecule 56 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
56	4	1	Total 1	Zn 1	0
56	6	1	Total 1	Zn 1	0


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 16S ribosomal RNA



- Molecule 2: 30S ribosomal protein S2

Chain b:  96% ..




- Molecule 3: 30S ribosomal protein S3

Chain c:  100%



- Molecule 4: 30S ribosomal protein S4

Chain d:  99% .



- Molecule 5: 30S ribosomal protein S5

Chain e:  94% ..




- Molecule 6: 30S ribosomal protein S6

Chain f:  93% 5% .



- Molecule 7: 30S ribosomal protein S7

Chain g:  97% ..



- Molecule 8: 30S ribosomal protein S8

Chain h:  98% .



- Molecule 9: 30S ribosomal protein S9

Chain i:  94% 6%



- Molecule 10: 30S ribosomal protein S10

Chain j: 93% 5% .



- Molecule 11: 30S ribosomal protein S11

Chain k: 97% .



- Molecule 12: 30S ribosomal protein S12

Chain l: 91% 8% .



- Molecule 13: 30S ribosomal protein S13

Chain m: 96% . .



- Molecule 14: 30S ribosomal protein S14

Chain n: 97% . .



- Molecule 15: 30S ribosomal protein S15

Chain o: 98% .



- Molecule 16: 30S ribosomal protein S16

Chain p: 95% . .





- Molecule 17: 30S ribosomal protein S17

Chain q:  95% ..



- Molecule 18: 30S ribosomal protein S18

Chain r:  91% 8% .



- Molecule 19: 30S ribosomal protein S19

Chain s:  97% ..



- Molecule 20: 30S ribosomal protein S20

Chain t:  100%

There are no outlier residues recorded for this chain.


- Molecule 21: 30S ribosomal protein S21

Chain u:  94% . .



- Molecule 22: fMet-tRNA^{fMet}

Chain v:  68% 31% .



- Molecule 23: SECIS mRNA

Chain x:  52% 48%




- Molecule 24: 23S ribosomal RNA

Chain A:  60% 31% 8% .


U1513	G1514	A1515	G1516	U1523	G1524	A1525	U1526	G1527	U1528	U1529	U1530	C1043	C944	U846	C736	A627	C542	A412	U306	C208	C106	G1
G1514	G1515	G1516	G1517	G1523	G1524	G1525	G1526	G1527	G1528	G1529	G1530	C1044	A945	C848	G737	A632	G543	A415	G307	G214	C106	G7
G1515	G1516	G1517	G1518	G1524	G1525	G1526	G1527	G1528	G1529	G1530	U1131	C1045	C946	A849	G738	A633	U544	U416	G308	G215	U114	C8
U1523	G1524	G1525	G1526	G1527	G1528	G1529	G1530	G1531	G1532	G1533	G1135	A1046	A947	G856	A739	G635	U546	C420	A311	A216	A118	G9
G1524	G1525	G1526	G1527	G1528	G1529	G1530	G1531	G1532	G1533	G1534	G1136	U1047	C948	G857	U741	G636	G548	G424	C314	A219	A119	G11
A1525	U1526	G1527	G1528	G1529	G1530	G1531	G1532	G1533	G1534	G1535	G1137	A1054	G953	G858	A742	G638	G549	G435	G317	G220	U120	U12
U1526	G1527	G1528	G1529	G1530	G1531	G1532	G1533	G1534	G1535	G1536	G1138	A1054	G954	G859	A743	G639	C550	G424	C318	G221	G121	A13
G1527	G1528	G1529	G1530	G1531	G1532	G1533	G1534	G1535	G1536	G1537	G1139	A1057	C961	A866	U746	C640	G555	C435	G319	G222	A126	A14
U1528	G1529	G1530	G1531	G1532	G1533	G1534	G1535	G1536	G1537	G1538	G1140	A1060	G962	C867	U747	C641	A566	G438	G320	G223	G122	G15
G1529	G1530	G1531	G1532	G1533	G1534	G1535	G1536	G1537	G1538	G1539	U1141	U1061	C965	U868	A752	A643	C557	A439	A320	C225	A131	C16
C1583	U1534	G1535	G1536	G1537	G1538	G1539	G1540	G1541	G1542	G1543	A1143	U1062	C968	G869	A753	A644	U558	A443	A321	C226	G123	U18
U1534	G1535	G1536	G1537	G1538	G1539	G1540	G1541	G1542	G1543	G1544	A1151	G1063	C968	U870	C758	U646	C560	C444	C322	C228	U137	A19
C1586	G1537	G1538	G1539	G1540	G1541	G1542	G1543	G1544	G1545	G1546	A1156	U1065	U970	U872	A764	G647	A574	C445	C323	C229	U138	U139
G1538	G1539	G1540	G1541	G1542	G1543	G1544	G1545	G1546	G1547	G1548	A1157	U1066	U971	A877	A765	A654	A575	G469	G327	U234	C140	A28
U1539	G1540	G1541	G1542	G1543	G1544	G1545	G1546	G1547	G1548	G1549	U1159	A1067	A973	A878	G771	A655	U566	A454	U328	U235	G141	C32
G1546	G1547	G1548	G1549	G1550	G1551	G1552	G1553	G1554	G1555	G1556	U1160	A1068	G974	A879	G772	A656	U567	C455	A454	U329	A241	C33
C1558	U1559	G1560	G1561	G1562	G1563	G1564	G1565	G1566	G1567	G1568	G1162	A1069	A983	G882	G774	G657	A572	C456	A457	A330	G242	U34
U1559	G1560	G1561	G1562	G1563	G1564	G1565	G1566	G1567	G1568	G1569	A1165	A1070	A984	G883	G775	G658	U573	C458	A458	C335	U243	G35
G1560	G1561	G1562	G1563	G1564	G1565	G1566	G1567	G1568	G1569	G1570	A1166	A1071	A985	G884	G776	C660	A574	G469	A346	C346	U244	G39
C1565	A1566	G1567	G1568	G1569	G1570	G1571	G1572	G1573	G1574	G1575	A1169	A1072	C985	U886	G780	A668	C581	G481	U349	G245	C151	U40
A1566	G1567	G1568	G1569	G1570	G1571	G1572	G1573	G1574	G1575	G1576	C1170	G1074	G989	U	A781	A669	C582	G482	U349	G246	A152	G43
G1567	G1568	G1569	G1570	G1571	G1572	G1573	G1574	G1575	G1576	G1577	C1171	G1075	A990	C	A782	A670	U582	A483	C353	C249	U158	A44
G1568	G1569	G1570	G1571	G1572	G1573	G1574	G1575	G1576	G1577	G1578	C1172	G1076	C991	C	A783	C871	G583	A484	C353	G250	C143	G45
A1569	G1570	G1571	G1572	G1573	G1574	G1575	G1576	G1577	G1578	G1579	C1173	G1077	C992	G890	G784	G672	C584	C484	A251	A251	A144	G46
A1570	G1571	G1572	G1573	G1574	G1575	G1576	G1577	G1578	G1579	G1580	C1174	G1078	C993	G891	G785	C673	G585	C490	G359	G255	A161	U50
U1578	G1579	G1580	G1581	G1582	G1583	G1584	G1585	G1586	G1587	G1588	C1175	G1079	C995	A892	A789	G674	U588	C491	U360	A256	C162	G51
G1584	G1585	G1586	G1587	G1588	G1589	G1590	G1591	G1592	G1593	G1594	C1176	G1080	A996	C893	A794	A676	U589	G496	G363	C257	A163	A52
C1585	G1586	G1587	G1588	G1589	G1590	G1591	G1592	G1593	G1594	G1595	C1177	G1081	C997	U894	C795	A677	C592	C496	U364	G266	A165	A53
G1600	G1601	G1602	G1603	G1604	G1605	G1606	G1607	G1608	G1609	G1610	C1178	G1082	C998	A896	A800	C680	U594	G500	C366	C269	A172	U62
G1601	G1602	G1603	G1604	G1605	G1606	G1607	G1608	G1609	G1610	G1611	C1179	G1083	C999	A897	A801	C681	U595	G501	U369	A270	A173	A63
A1614	G1615	G1616	G1617	G1618	G1619	G1620	G1621	G1622	G1623	G1624	C1180	G1084	C999	A898	A802	C682	U596	G502	U370	U276	G178	U71
G1615	G1616	G1617	G1618	G1619	G1620	G1621	G1622	G1623	G1624	G1625	C1181	G1085	C999	A899	A803	C683	U597	G503	A371	G277	A181	U72
U1624	G1625	G1626	G1627	G1628	G1629	G1630	G1631	G1632	G1633	G1634	C1182	G1086	C999	A899	A804	C684	U598	G504	G372	A278	A182	A73
G1627	G1628	G1629	G1630	G1631	G1632	G1633	G1634	G1635	G1636	G1637	C1183	G1087	C999	A899	A805	C685	U599	G505	U373	U279	C183	A74
U1629	G1630	G1631	G1632	G1633	G1634	G1635	G1636	G1637	G1638	G1639	C1184	G1088	C999	A899	A806	C686	U600	G506	G383	C281	C184	G75
G1633	A1634	G1635	G1636	G1637	G1638	G1639	G1640	G1641	G1642	G1643	C1185	G1089	C999	A899	A807	C687	G600	G507	A384	A282	G185	U73
A1634	G1635	G1636	G1637	G1638	G1639	G1640	G1641	G1642	G1643	G1644	C1186	G1090	C999	A899	A808	C688	G601	G508	G384	A283	G186	G81
G1637	G1638	G1639	G1640	G1641	G1642	G1643	G1644	G1645	G1646	G1647	C1187	G1091	C999	A899	A809	C689	U602	G509	U387	G285	G187	A84
G1638	G1639	G1640	G1641	G1642	G1643	G1644	G1645	G1646	G1647	G1648	C1188	G1092	C999	A899	A810	C690	U603	G510	G388	U286	A190	U84
G1639	G1640	G1641	G1642	G1643	G1644	G1645	G1646	G1647	G1648	G1649	C1189	G1093	C999	A899	A811	C691	U604	G511	A402	G287	A191	A91
G1640	G1641	G1642	G1643	G1644	G1645	G1646	G1647	G1648	G1649	G1650	C1190	G1094	C999	A899	A812	C692	U605	G512	U403	U288	A192	U92
G1641	G1642	G1643	G1644	G1645	G1646	G1647	G1648	G1649	G1650	G1651	C1191	G1095	C999	A899	A813	C693	U606	G513	U404	U289	A193	C96
G1642	G1643	G1644	G1645	G1646	G1647	G1648	G1649	G1650	G1651	G1652	C1192	G1096	C999	A899	A814	C694	U607	G514	U405	U290	C198	G97
G1643	G1644	G1645	G1646	G1647	G1648	G1649	G1650	G1651	G1652	G1653	C1193	G1097	C999	A899	A815	C695	U608	G515	U406	A294	G295	G98
G1644	G1645	G1646	G1647	G1648	G1649	G1650	G1651	G1652	G1653	G1654	C1194	G1098	C999	A899	A816	C696	U609	G516	U407	G295	G296	U102
G1645	G1646	G1647	G1648	G1649	G1650	G1651	G1652	G1653	G1654	G1655	C1195	G1099	C999	A899	A817	C697	U610	G517	U408	G296	G297	A103
G1646	G1647	G1648	G1649	G1650	G1651	G1652	G1653	G1654	G1655	G1656	C1196	G1100	C999	A899	A818	C698	U611	G518	U409	G297	G298	U102
G1647	G1648	G1649	G1650	G1651	G1652	G1653	G1654	G1655	G1656	G1657	C1197	G1101	C999	A899	A819	C699	U612	G519	U410	G298	G299	U102
G1648	G1649	G1650	G1651	G1652	G1653	G1654	G1655	G1656	G1657	G1658	C1198	G1102	C999	A899	A820	C700	U613	G520	U411	G299	G300	U102
G1649	G1650	G1651	G1652	G1653	G1654	G1655	G1656	G1657	G1658	G1659	C1199	G1103	C999	A899	A821	C701	U614	G521	U412	U304	G301	U102
G1650	G1651	G1652	G1653	G1654	G1655	G1656	G1657	G1658	G1659	G1660	C1200	G1104	C999	A899	A822	C702	U615	G522	U413	U305	G302	U102
G1651	G1652	G1653	G1654	G1655	G1656	G1657	G1658	G1659	G1660	G1661	C1201	G1105	C999	A899	A823	C703	U616	G523	U414	U306	G303	U102
G1652	G1653	G1654	G1655	G1656	G1657	G1658	G1659	G1660	G1661	G1662	C1202	G1106	C999	A899	A824	C704	U617	G524	U415	U307	G304	U102
G1653	G1654	G1655	G1656	G1657	G1658	G1659	G1660	G1661	G1662	G1663	C1203	G1107	C999	A899	A825	C705	U618	G525	U416	U308	G305	U102
G1654	G1655	G1656	G1657	G1658	G1659	G1660	G1661	G1662	G1663	G1664	C1204	G1108	C999	A899	A826	C706	U619	G526	U417	U309	G306	U102
G1655	G1656	G1657	G1658	G1659	G1660	G1661	G1662	G1663	G1664	G1665	C1205	G1109	C999	A899	A827	C707	U620	G527	U418	U310	G307	U102
G1656	G1657	G1658	G1659	G1660	G1661	G1662	G1663	G1664	G1665	G1666	C1206	G1110	C999	A899	A828	C708	U621	G528	U419	U311	G308	U102
G1657	G1658	G1659	G1660	G1661	G1662	G1663	G1664	G1665	G1666	G1667	C1207	G1111	C999	A899	A829	C709	U622	G529	U420	U312	G309	U102
G1658	G1659	G1660	G1661	G1662	G1663	G1664	G1665	G1666	G1667	G1668	C1208	G1112	C999	A899	A830	C710	U623	G530	U421	U313	G310	U102
G1659	G1660	G1661	G1662	G1663	G1664	G1665	G1666	G1667	G1668	G1669	C1209	G1113	C999	A899	A831	C711	U624	G531	U422	U314	G311	U102
G1660	G1661</																					

C2830	G2831	U2832	U2833	G2834	C2840	G2843	U2844	U2849	G2859	U2860	C2861	G2862	U2863	G2867	A2868	G2869	C2870	U2871	A2872	A2873	C2880	A2883	U2884	G2885	C2888	U2891	G2895	C2896	U2903			
C2745	A2748	G2751	U2754	C2755	G2756	A2757	U2758	A2764	U2765	C2766	U2767	G2768	U2769	C2773	C2774	A2778	U2779	G2780	A2781	U2782	U2783	U2784	C2785	C2788	C2789	U2790	G2791	A2792	C2793	C2794		
G2627	C2628	U2629	A2635	U2636	U2637	G2645	C2646	C2649	U2650	C2651	G2655	U2656	G2664	A2665	C2666	G2667	G2668	G2669	C2676	C2683	U2684	G2685	U2688	U2689	U2690	U2696	G2697	C2698	A2700	A2711		
C2538	G2543	A2547	U2548	G2549	U2554	U2555	C2556	G2557	C2558	U2561	U2562	A2563	G2566	U2567	G2568	A2572	C2573	G2578	C2579	U2580	G2581	U2582	G2583	U2584	U2585	U2586	C2591	G2592	U2593	C2594		
G2447	A2448	C2456	U2460	C2463	U2464	A2468	U2473	U2474	C2475	A2476	U2477	A2478	U2479	C2480	U2481	G2484	U2485	C2486	U2491	G2494	U2495	C2496	A2497	C2498	C2501	U2502	A2503	U2504	U2506	G2507		
C2339	A2340	G2342	C2347	U2348	G2349	C2350	C2354	G2357	A2358	C2359	C2362	U2363	G2370	U2371	C2372	G2379	C2380	G2383	U2384	C2385	G2389	U2390	C2391	C2393	U2394	C2395	C2396	U2402	C2403	U2404	G2405	
G2250	C2254	G2264	A2267	U2268	G2271	G2279	G2282	C2283	U2284	C2285	U2286	A2287	U2288	U2291	U2292	G2293	G2294	A2297	C2298	G2303	U2304	U2305	G2308	C2309	C2310	A2311	U2312	G2318	U2319	U2320	U2321	
C2164	C2165	U2166	A2169	U2170	U2172	C2174	C2175	A2176	C2177	C2178	U2180	A2183	U2184	U2187	U2188	U2189	A2198	U2199	C2200	G2204	A2211	C2214	C2215	G2216	U2220	G2223	G2224	A2225	C2226	G2230	U2231	C2232
A2077	A2080	G2093	C2096	U2097	U2098	U2099	G2100	A2101	A2108	U2109	C2110	U2111	G2112	U2113	A2117	U2118	A2119	G2120	U2121	U2122	G2123	G2124	U2125	A2126	G2127	G2128	C2129	U2130	U2131	U2132	G2133	
G1973	A1978	U1982	U1991	U1992	U1993	C1994	G1997	C2008	A2009	C2010	U2011	A2015	U2022	C2023	A1912	A1913	G1914	U1915	A1916	U1917	C1920	U1921	G1929	U1930	U1931	A1932	G1933	C1934	G1935	A1936	A1937	
U1769	A1773	C1774	U1779	A1780	U1781	U1782	A1783	A1784	A1785	C1788	U1789	A1791	U1794	C1795	U1796	G1797	U1798	G1799	A1800	A1801	A1802	A1803	A1804	A1805	C1806	G1807	A1808	A1809	A1810	U1816	G1817	G1824
U1647	U1648	G1649	C1656	U1657	C1658	G1659	U1662	G1666	A1669	G1674	A1679	U1680	U1683	G1684	U1693	C1694	G1695	G1696	A1697	A1698	G1703	A1704	U1713	U1714	G1715	U1716	U1717	G1718	G1723	G1724	U1725	C1728
A108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13	G16	C17	U25	C26	C27	C28	A29	C30	C31	C35	C36	C37	C38	G41	G42	C43	G44	C49	A57	C60	A66	G67	C68	G69	C70	G71
U108	A109	C114	U115	U120	C12	G13																										


- Molecule 26: 50S ribosomal protein L2




- Molecule 27: 50S ribosomal protein L3




- Molecule 28: 50S ribosomal protein L4




- Molecule 29: 50S ribosomal protein L5




- Molecule 30: 50S ribosomal protein L6



- Molecule 31: 50S ribosomal protein L11



- Molecule 32: 50S ribosomal protein L9





- Molecule 33: 50S ribosomal protein L13

Chain J: 87% 13%



- Molecule 34: 50S ribosomal protein L14

Chain K: 77% 20%




- Molecule 35: 50S ribosomal protein L15

Chain L: 85% 13%



- Molecule 36: 50S ribosomal protein L16

Chain M: 85% 15%




- Molecule 37: 50S ribosomal protein L17

Chain N: 89% 11%



- Molecule 38: 50S ribosomal protein L18

Chain O: 92% 7%



- Molecule 39: 50S ribosomal protein L19

Chain P: 84% 16%




- Molecule 40: 50S ribosomal protein L20

Chain Q:  94% 5%




- Molecule 41: 50S ribosomal protein L21

Chain R:  84% 16%





- Molecule 42: 50S ribosomal protein L22

Chain S:  88% 12%





- Molecule 43: 50S ribosomal protein L23

Chain T:  88% 12%




- Molecule 44: 50S ribosomal protein L24

Chain U:  85% 13%




- Molecule 45: 50S ribosomal protein L25

Chain V:  84% 16%




- Molecule 46: 50S ribosomal protein L27

Chain W:  83% 17%





- Molecule 47: 50S ribosomal protein L28

Chain X:  84% 16%



- Molecule 48: 50S ribosomal protein L29

Chain Y:  86% 13%




- Molecule 49: 50S ribosomal protein L30

Chain Z:  98%



- Molecule 50: 50S ribosomal protein L32

Chain 0:  89% 9%




- Molecule 51: 50S ribosomal protein L33

Chain 1:  76% 20%




- Molecule 52: 50S ribosomal protein L34

Chain 2:  83% 17%





- Molecule 53: 50S ribosomal protein L35

Chain 3:  88% 11%



- Molecule 54: 50S ribosomal protein L36

Chain 4:  87% 11%




- Molecule 55: 50S ribosomal protein L31

Chain 6:

79%

20%



4 Experimental information

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of particles used	75176	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	Not provided	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	Not provided	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	2600	Depositor
Magnification	59000	Depositor
Image detector	Not provided	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5MU, 3TD, ZN, OMG, 5MC, MA6, G7M, OMC, H2U, 2MA, 6MZ, 2MG, OMU, UR3, 4OC, 4SU, 1MG, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >2	RMSZ	# Z >2
1	a	0.61	4/36803 (0.0%)	1.26	322/57406 (0.6%)
10	j	0.37	0/797	0.74	0/1077
11	k	0.40	0/886	0.71	0/1195
12	l	0.43	0/969	0.82	2/1300 (0.2%)
13	m	0.46	0/893	0.78	3/1193 (0.3%)
14	n	0.45	0/806	0.66	1/1074 (0.1%)
15	o	0.40	0/722	0.61	0/964
16	p	0.45	0/659	0.70	1/884 (0.1%)
17	q	0.45	0/658	0.78	1/881 (0.1%)
18	r	0.42	0/512	0.70	0/689
19	s	0.41	0/653	0.75	1/877 (0.1%)
2	b	0.43	0/1736	0.66	3/2338 (0.1%)
20	t	0.42	0/671	0.60	0/888
21	u	0.53	0/501	0.84	1/668 (0.1%)
22	v	0.55	1/1747 (0.1%)	1.29	19/2721 (0.7%)
23	x	0.58	1/1145 (0.1%)	1.09	1/1781 (0.1%)
24	A	0.66	9/69196 (0.0%)	1.26	616/107943 (0.6%)
25	B	0.59	1/2873 (0.0%)	1.25	29/4478 (0.6%)
26	C	0.48	0/2122	0.73	1/2852 (0.0%)
27	D	0.44	0/1586	0.67	0/2134
28	E	0.43	0/1571	0.63	0/2113
29	F	0.43	0/1435	0.71	2/1926 (0.1%)
3	c	0.40	0/1652	0.60	0/2225
30	G	0.42	0/1343	0.67	4/1816 (0.2%)
31	I	0.38	0/1046	0.61	0/1410
32	H	0.38	0/1122	0.63	0/1515
33	J	0.46	0/1152	0.61	0/1551
34	K	0.46	0/948	0.69	0/1268
35	L	0.44	0/1054	0.74	1/1403 (0.1%)
36	M	0.46	0/1093	0.72	1/1460 (0.1%)
37	N	0.44	0/974	0.65	0/1301

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >2	RMSZ	# Z >2
38	O	0.42	0/902	0.59	0/1209
39	P	0.45	0/929	0.67	0/1242
4	d	0.43	0/1665	0.62	0/2227
40	Q	0.47	0/960	0.60	1/1278 (0.1%)
41	R	0.45	0/829	0.72	0/1107
42	S	0.40	0/864	0.62	0/1156
43	T	0.40	0/745	0.63	0/994
44	U	0.44	0/788	0.78	2/1051 (0.2%)
45	V	0.40	0/766	0.60	0/1025
46	W	0.41	0/582	0.62	0/769
47	X	0.38	0/635	0.59	0/848
48	Y	0.42	0/510	0.64	0/677
49	Z	0.40	0/453	0.60	0/605
5	e	0.44	0/1170	0.80	2/1573 (0.1%)
50	0	0.41	0/450	0.72	0/599
51	1	0.42	0/417	0.84	1/554 (0.2%)
52	2	0.41	0/380	0.67	0/498
53	3	0.47	0/513	0.65	0/676
54	4	0.67	1/303 (0.3%)	0.78	0/397
55	6	0.42	0/532	0.62	0/709
6	f	0.49	0/836	0.83	2/1128 (0.2%)
7	g	0.43	0/1196	0.70	3/1602 (0.2%)
8	h	0.42	0/989	0.66	0/1326
9	i	0.41	0/1034	0.69	0/1375
All	All	0.59	17/157773 (0.0%)	1.14	1020/235956 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	a	2	0
10	j	0	5
12	l	0	1
13	m	0	1
16	p	0	1
17	q	0	2
18	r	0	3
19	s	0	1
2	b	0	4
21	u	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
24	A	2	0
26	C	0	1
28	E	0	1
30	G	0	3
32	H	0	2
34	K	0	3
35	L	0	4
42	S	0	1
44	U	0	3
48	Y	0	1
5	e	0	4
50	0	0	2
51	1	0	1
53	3	0	1
6	f	0	1
7	g	0	2
8	h	0	1
9	i	0	1
All	All	4	51

The worst 5 of 17 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	x	87	A	OP3-P	-10.73	1.48	1.61
24	A	1	G	OP3-P	-10.59	1.48	1.61
25	B	1	U	OP3-P	-10.53	1.48	1.61
22	v	1	C	OP3-P	-10.52	1.48	1.61
1	a	2	A	OP3-P	-10.51	1.48	1.61

The worst 5 of 1020 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	A	1313	U	N3-C2-O2	-14.71	111.90	122.20
24	A	2072	C	C6-N1-C2	-14.04	114.69	120.30
1	a	89	U	C5-C4-O4	-13.94	117.53	125.90
1	a	529	G	C5-C6-O6	-13.71	120.38	128.60
24	A	62	U	N1-C2-O2	13.14	132.00	122.80

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	a	527	G7M	C4',C3'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
24	A	2069	G7M	C4',C3'

5 of 51 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	b	16	GLY	Peptide
2	b	17	HIS	Mainchain,Peptide
2	b	72	LYS	Peptide
5	e	76	ASN	Peptide
5	e	88	HIS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	a	33119	0	16685	0	0
2	b	1705	0	1732	0	0
3	c	1625	0	1699	0	0
4	d	1643	0	1710	0	0
5	e	1157	0	1199	0	0
6	f	818	0	808	0	0
7	g	1182	0	1240	0	0
8	h	979	0	1034	0	0
9	i	1022	0	1070	0	0
10	j	787	0	828	0	0
11	k	870	0	878	0	0
12	l	955	0	1019	0	0
13	m	884	0	944	0	0
14	n	794	0	836	0	0
15	o	714	0	737	0	0
16	p	649	0	666	0	0
17	q	649	0	691	0	0
18	r	505	0	502	0	0
19	s	638	0	665	0	0
20	t	665	0	714	0	0
21	u	496	0	486	0	0
22	v	1644	0	840	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
23	x	1025	0	518	0	0
24	A	62296	0	31354	341	0
25	B	2570	0	1301	10	0
26	C	2083	0	2157	28	0
27	D	1565	0	1616	24	0
28	E	1552	0	1619	18	0
29	F	1411	0	1447	17	0
30	G	1323	0	1374	14	0
31	I	1032	0	1088	7	0
32	H	1111	0	1148	5	0
33	J	1129	0	1162	13	0
34	K	939	0	1012	15	0
35	L	1045	0	1117	16	0
36	M	1074	0	1157	9	0
37	N	961	0	1000	8	0
38	O	892	0	923	4	0
39	P	917	0	965	11	0
40	Q	947	0	1022	7	0
41	R	816	0	839	10	0
42	S	857	0	922	7	0
43	T	739	0	807	5	0
44	U	780	0	834	5	0
45	V	753	0	780	9	0
46	W	575	0	592	8	0
47	X	625	0	655	9	0
48	Y	509	0	543	6	0
49	Z	449	0	491	1	0
50	0	444	0	461	4	0
51	1	410	0	440	9	0
52	2	377	0	418	6	0
53	3	504	0	574	5	0
54	4	302	0	341	3	0
55	6	523	0	522	8	0
56	4	1	0	0	0	0
56	6	1	0	0	0	0
All	All	146037	0	98182	563	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 563 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
30:G:83:THR:HA	30:G:132:LEU:O	1.83	0.79
39:P:88:ARG:HE	39:P:112:ARG:HH21	1.32	0.76
30:G:132:LEU:HB3	30:G:140:ILE:HD11	1.69	0.74
24:A:243:U:OP2	53:3:7:ARG:NH1	2.20	0.73
39:P:59:THR:HG22	39:P:72:VAL:HG12	1.70	0.72

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	b	216/218 (99%)	189 (88%)	23 (11%)	4 (2%)	10	53
3	c	204/206 (99%)	190 (93%)	13 (6%)	1 (0%)	34	77
4	d	203/205 (99%)	187 (92%)	14 (7%)	2 (1%)	19	66
5	e	155/157 (99%)	134 (86%)	16 (10%)	5 (3%)	5	42
6	f	98/100 (98%)	82 (84%)	10 (10%)	6 (6%)	2	24
7	g	149/151 (99%)	135 (91%)	11 (7%)	3 (2%)	9	53
8	h	127/129 (98%)	115 (91%)	11 (9%)	1 (1%)	24	69
9	i	125/127 (98%)	104 (83%)	15 (12%)	6 (5%)	3	30
10	j	96/98 (98%)	82 (85%)	10 (10%)	4 (4%)	3	33
11	k	114/116 (98%)	100 (88%)	11 (10%)	3 (3%)	7	46
12	l	121/123 (98%)	98 (81%)	14 (12%)	9 (7%)	1	18
13	m	112/114 (98%)	97 (87%)	12 (11%)	3 (3%)	6	46
14	n	98/100 (98%)	83 (85%)	13 (13%)	2 (2%)	9	53
15	o	86/88 (98%)	73 (85%)	11 (13%)	2 (2%)	8	50
16	p	80/82 (98%)	71 (89%)	6 (8%)	3 (4%)	4	37
17	q	78/80 (98%)	66 (85%)	10 (13%)	2 (3%)	7	46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
18	r	63/65 (97%)	57 (90%)	2 (3%)	4 (6%)	2	23
19	s	77/79 (98%)	70 (91%)	6 (8%)	1 (1%)	15	60
20	t	83/85 (98%)	77 (93%)	6 (7%)	0	100	100
21	u	63/65 (97%)	50 (79%)	9 (14%)	4 (6%)	2	23
26	C	269/271 (99%)	246 (91%)	20 (7%)	3 (1%)	17	64
27	D	207/209 (99%)	193 (93%)	13 (6%)	1 (0%)	34	77
28	E	199/201 (99%)	184 (92%)	12 (6%)	3 (2%)	13	57
29	F	175/177 (99%)	158 (90%)	13 (7%)	4 (2%)	8	50
30	G	174/176 (99%)	157 (90%)	11 (6%)	6 (3%)	5	41
31	I	139/141 (99%)	121 (87%)	15 (11%)	3 (2%)	8	51
32	H	147/149 (99%)	129 (88%)	14 (10%)	4 (3%)	6	46
33	J	140/142 (99%)	136 (97%)	4 (3%)	0	100	100
34	K	120/122 (98%)	105 (88%)	10 (8%)	5 (4%)	3	33
35	L	141/143 (99%)	129 (92%)	9 (6%)	3 (2%)	9	52
36	M	134/136 (98%)	124 (92%)	7 (5%)	3 (2%)	8	51
37	N	118/120 (98%)	106 (90%)	12 (10%)	0	100	100
38	O	114/116 (98%)	104 (91%)	8 (7%)	2 (2%)	11	54
39	P	112/114 (98%)	104 (93%)	7 (6%)	1 (1%)	21	67
40	Q	115/117 (98%)	108 (94%)	7 (6%)	0	100	100
41	R	101/103 (98%)	91 (90%)	8 (8%)	2 (2%)	9	53
42	S	108/110 (98%)	102 (94%)	6 (6%)	0	100	100
43	T	91/93 (98%)	81 (89%)	7 (8%)	3 (3%)	5	41
44	U	100/102 (98%)	89 (89%)	6 (6%)	5 (5%)	3	29
45	V	92/94 (98%)	90 (98%)	2 (2%)	0	100	100
46	W	73/75 (97%)	68 (93%)	4 (6%)	1 (1%)	14	59
47	X	75/77 (97%)	71 (95%)	4 (5%)	0	100	100
48	Y	61/63 (97%)	57 (93%)	4 (7%)	0	100	100
49	Z	56/58 (97%)	53 (95%)	3 (5%)	0	100	100
50	0	54/56 (96%)	49 (91%)	4 (7%)	1 (2%)	10	53
51	1	48/50 (96%)	45 (94%)	2 (4%)	1 (2%)	9	52
52	2	44/46 (96%)	41 (93%)	2 (4%)	1 (2%)	8	50

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
53	3	62/64 (97%)	57 (92%)	4 (6%)	1 (2%)	12	56
54	4	36/38 (95%)	33 (92%)	2 (6%)	1 (3%)	6	45
55	6	64/66 (97%)	59 (92%)	4 (6%)	1 (2%)	12	56
All	All	5717/5817 (98%)	5150 (90%)	447 (8%)	120 (2%)	13	52

5 of 120 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	b	17	HIS
2	b	18	GLN
2	b	73	ARG
4	d	192	ALA
5	e	77	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	b	180/180 (100%)	178 (99%)	2 (1%)	80	92
3	c	170/170 (100%)	170 (100%)	0	100	100
4	d	172/172 (100%)	171 (99%)	1 (1%)	90	97
5	e	119/119 (100%)	119 (100%)	0	100	100
6	f	87/87 (100%)	87 (100%)	0	100	100
7	g	124/124 (100%)	124 (100%)	0	100	100
8	h	104/104 (100%)	104 (100%)	0	100	100
9	i	105/105 (100%)	105 (100%)	0	100	100
10	j	86/86 (100%)	86 (100%)	0	100	100
11	k	89/89 (100%)	89 (100%)	0	100	100
12	l	103/103 (100%)	102 (99%)	1 (1%)	82	93
13	m	92/92 (100%)	92 (100%)	0	100	100
14	n	79/83 (95%)	78 (99%)	1 (1%)	76	91

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
15	o	76/76 (100%)	76 (100%)	0	100	100
16	p	65/65 (100%)	64 (98%)	1 (2%)	72	90
17	q	74/74 (100%)	74 (100%)	0	100	100
18	r	48/56 (86%)	48 (100%)	0	100	100
19	s	70/70 (100%)	70 (100%)	0	100	100
20	t	65/65 (100%)	65 (100%)	0	100	100
21	u	44/55 (80%)	44 (100%)	0	100	100
26	C	216/216 (100%)	215 (100%)	1 (0%)	92	97
27	D	164/164 (100%)	164 (100%)	0	100	100
28	E	165/165 (100%)	165 (100%)	0	100	100
29	F	148/148 (100%)	148 (100%)	0	100	100
30	G	137/137 (100%)	137 (100%)	0	100	100
31	I	109/109 (100%)	109 (100%)	0	100	100
32	H	114/114 (100%)	114 (100%)	0	100	100
33	J	116/116 (100%)	116 (100%)	0	100	100
34	K	103/103 (100%)	102 (99%)	1 (1%)	82	93
35	L	102/102 (100%)	101 (99%)	1 (1%)	82	93
36	M	109/109 (100%)	109 (100%)	0	100	100
37	N	100/100 (100%)	100 (100%)	0	100	100
38	O	86/86 (100%)	86 (100%)	0	100	100
39	P	99/99 (100%)	99 (100%)	0	100	100
40	Q	89/89 (100%)	89 (100%)	0	100	100
41	R	84/84 (100%)	84 (100%)	0	100	100
42	S	93/93 (100%)	93 (100%)	0	100	100
43	T	80/80 (100%)	80 (100%)	0	100	100
44	U	83/83 (100%)	83 (100%)	0	100	100
45	V	78/78 (100%)	78 (100%)	0	100	100
46	W	57/57 (100%)	57 (100%)	0	100	100
47	X	67/67 (100%)	66 (98%)	1 (2%)	72	90
48	Y	55/55 (100%)	55 (100%)	0	100	100
49	Z	48/48 (100%)	48 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
50	0	47/47 (100%)	46 (98%)	1 (2%)	61	87
51	1	45/45 (100%)	45 (100%)	0	100	100
52	2	38/38 (100%)	38 (100%)	0	100	100
53	3	51/51 (100%)	51 (100%)	0	100	100
54	4	34/34 (100%)	34 (100%)	0	100	100
55	6	59/59 (100%)	59 (100%)	0	100	100
All	All	4728/4751 (100%)	4717 (100%)	11 (0%)	95	99

5 of 11 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
14	n	34	ASN
16	p	2	VAL
35	L	27	LEU
12	l	33	CYS
34	K	21	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 16 such sidechains are listed below:

Mol	Chain	Res	Type
26	C	44	ASN
27	D	49	GLN
37	N	62	ASN
20	t	12	GLN
37	N	81	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	a	1531/1539 (99%)	260 (16%)	0
22	v	76/77 (98%)	15 (19%)	0
23	x	47/48 (97%)	21 (44%)	0
24	A	2893/2903 (99%)	540 (18%)	34 (1%)
25	B	119/120 (99%)	17 (14%)	3 (2%)
All	All	4666/4687 (99%)	853 (18%)	37 (0%)

5 of 853 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	a	6	G
1	a	9	G
1	a	22	G
1	a	32	A
1	a	39	G

5 of 37 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
24	A	1211	C
24	A	1458	U
25	B	3	C
24	A	1212	G
24	A	1251	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

39 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
24	6MZ	A	1618	24	17,25,26	1.03	1 (5%)	15,36,39	2.69	2 (13%)
24	2MG	A	1835	24	18,26,27	1.10	2 (11%)	21,38,41	2.51	7 (33%)
24	PSU	A	1911	24	15,21,22	1.45	2 (13%)	16,30,33	2.39	4 (25%)
24	3TD	A	1915	24	15,22,23	3.26	6 (40%)	17,32,35	1.59	3 (17%)
24	PSU	A	1917	24	15,21,22	1.39	2 (13%)	16,30,33	2.16	4 (25%)
24	5MU	A	1939	24	13,22,23	0.74	1 (7%)	16,32,35	2.37	2 (12%)
24	5MC	A	1962	24	14,22,23	1.14	1 (7%)	17,32,35	1.70	3 (17%)
24	6MZ	A	2030	24	17,25,26	1.05	1 (5%)	15,36,39	2.64	2 (13%)
24	G7M	A	2069	24	18,26,27	1.18	2 (11%)	21,39,42	2.50	6 (28%)
24	OMG	A	2251	24,22	18,26,27	1.08	2 (11%)	21,38,41	1.72	4 (19%)
24	2MG	A	2445	24	18,26,27	1.04	2 (11%)	21,38,41	2.27	5 (23%)
24	H2U	A	2449	24	17,21,22	1.11	2 (11%)	23,30,33	2.19	5 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
24	PSU	A	2457	24	15,21,22	1.77	4 (26%)	16,30,33	2.45	4 (25%)
24	OMC	A	2498	24	15,22,23	0.69	0	20,31,34	1.58	1 (5%)
24	2MA	A	2503	24	17,25,26	1.52	3 (17%)	18,37,40	3.16	1 (5%)
24	PSU	A	2504	24	15,21,22	1.31	1 (6%)	16,30,33	2.42	4 (25%)
24	OMU	A	2552	24	14,22,23	0.69	1 (7%)	19,31,34	1.67	1 (5%)
24	PSU	A	2580	24	15,21,22	1.53	3 (20%)	16,30,33	2.21	3 (18%)
24	PSU	A	2604	24	15,21,22	1.36	2 (13%)	16,30,33	2.41	4 (25%)
24	PSU	A	2605	24	15,21,22	1.30	2 (13%)	16,30,33	2.06	3 (18%)
24	1MG	A	745	24	17,26,27	1.49	3 (17%)	19,39,42	1.15	2 (10%)
24	PSU	A	746	24	15,21,22	1.25	1 (6%)	16,30,33	2.27	4 (25%)
24	5MU	A	747	24	13,22,23	0.58	0	16,32,35	2.74	2 (12%)
24	PSU	A	955	24	15,21,22	1.71	3 (20%)	16,30,33	2.16	4 (25%)
1	2MG	a	1207	1	18,26,27	1.14	2 (11%)	21,38,41	2.15	6 (28%)
1	4OC	a	1402	1	15,23,24	0.60	0	21,32,35	1.74	3 (14%)
1	5MC	a	1407	1	14,22,23	1.29	1 (7%)	17,32,35	0.85	1 (5%)
1	UR3	a	1498	1	13,22,23	0.63	0	18,32,35	0.83	0
1	2MG	a	1516	1	18,26,27	1.06	2 (11%)	21,38,41	2.27	6 (28%)
1	MA6	a	1518	1	18,26,27	0.96	1 (5%)	15,38,41	2.39	3 (20%)
1	MA6	a	1519	1	18,26,27	0.90	1 (5%)	15,38,41	2.51	4 (26%)
1	PSU	a	516	1	15,21,22	1.37	2 (13%)	16,30,33	2.14	3 (18%)
1	G7M	a	527	1	18,26,27	1.52	2 (11%)	21,39,42	3.06	11 (52%)
1	2MG	a	966	1	18,26,27	1.13	2 (11%)	21,38,41	2.28	6 (28%)
1	5MC	a	967	1	14,22,23	1.25	1 (7%)	17,32,35	0.93	1 (5%)
22	H2U	v	20	22	17,21,22	0.96	2 (11%)	23,30,33	1.71	4 (17%)
22	5MU	v	54	22	13,22,23	0.57	0	16,32,35	2.59	2 (12%)
22	PSU	v	55	22	15,21,22	1.10	2 (13%)	16,30,33	2.24	4 (25%)
22	4SU	v	8	22	12,21,22	0.70	0	15,30,33	0.96	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	6MZ	A	1618	24	-	0/5/27/28	0/3/3/3
24	2MG	A	1835	24	-	0/5/27/28	0/3/3/3
24	PSU	A	1911	24	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	3TD	A	1915	24	-	1/7/25/26	0/2/2/2
24	PSU	A	1917	24	-	0/7/25/26	0/2/2/2
24	5MU	A	1939	24	-	0/3/25/26	0/2/2/2
24	5MC	A	1962	24	-	0/3/25/26	0/2/2/2
24	6MZ	A	2030	24	-	0/5/27/28	0/3/3/3
24	G7M	A	2069	24	2/2/5/5	0/3/25/26	0/3/3/3
24	OMG	A	2251	24,22	-	0/5/27/28	0/3/3/3
24	2MG	A	2445	24	-	0/5/27/28	0/3/3/3
24	H2U	A	2449	24	-	0/7/38/39	0/2/2/2
24	PSU	A	2457	24	-	0/7/25/26	0/2/2/2
24	OMC	A	2498	24	-	0/5/27/28	0/2/2/2
24	2MA	A	2503	24	-	0/3/25/26	0/3/3/3
24	PSU	A	2504	24	-	0/7/25/26	0/2/2/2
24	OMU	A	2552	24	-	0/5/27/28	0/2/2/2
24	PSU	A	2580	24	-	0/7/25/26	0/2/2/2
24	PSU	A	2604	24	-	0/7/25/26	0/2/2/2
24	PSU	A	2605	24	-	0/7/25/26	0/2/2/2
24	1MG	A	745	24	-	0/3/25/26	0/3/3/3
24	PSU	A	746	24	-	0/7/25/26	0/2/2/2
24	5MU	A	747	24	-	0/3/25/26	0/2/2/2
24	PSU	A	955	24	-	0/7/25/26	0/2/2/2
1	2MG	a	1207	1	-	0/5/27/28	0/3/3/3
1	4OC	a	1402	1	-	0/7/29/30	0/2/2/2
1	5MC	a	1407	1	-	0/3/25/26	0/2/2/2
1	UR3	a	1498	1	-	0/3/25/26	0/2/2/2
1	2MG	a	1516	1	-	0/5/27/28	0/3/3/3
1	MA6	a	1518	1	-	0/7/29/30	0/3/3/3
1	MA6	a	1519	1	-	0/7/29/30	0/3/3/3
1	PSU	a	516	1	-	0/7/25/26	0/2/2/2
1	G7M	a	527	1	2/2/5/5	0/3/25/26	0/3/3/3
1	2MG	a	966	1	-	0/5/27/28	0/3/3/3
1	5MC	a	967	1	-	0/3/25/26	0/2/2/2
22	H2U	v	20	22	-	0/7/38/39	0/2/2/2
22	5MU	v	54	22	-	0/3/25/26	0/2/2/2
22	PSU	v	55	22	-	0/7/25/26	0/2/2/2
22	4SU	v	8	22	-	0/3/25/26	0/2/2/2

The worst 5 of 65 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	A	2457	PSU	C5-C1'	-5.55	1.47	1.52
24	A	955	PSU	C5-C1'	-5.34	1.47	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	A	2580	PSU	C5-C1'	-4.59	1.48	1.52
24	A	1911	PSU	C5-C1'	-4.43	1.48	1.52
1	a	516	PSU	C5-C1'	-3.91	1.48	1.52

The worst 5 of 135 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	A	747	5MU	C5-C4-N3	-8.10	118.55	125.35
1	a	527	G7M	C5-C6-N1	-7.93	113.16	123.52
22	v	54	5MU	C5-C4-N3	-7.48	119.07	125.35
1	a	1519	MA6	N3-C2-N1	-7.23	123.19	128.87
24	A	2449	H2U	C5-C6-N1	-6.90	103.21	110.76

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
24	A	2069	G7M	C4'
24	A	2069	G7M	C3'
1	a	527	G7M	C4'
1	a	527	G7M	C3'

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
24	A	1915	3TD	O4'-C1'-C5-C4

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
24	A	1915	3TD	1	0
24	A	1917	PSU	1	0
24	A	2580	PSU	1	0

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.