



wwPDB/EMDataBank EM Map/Model Validation Summary Report ⓘ

Dec 5, 2016 – 06:47 PM EST

PDB ID : 5LZD
EMDB ID: : EMD-4124
Title : Structure of SelB-Sec-tRNA^{Sec} bound to the 70S ribosome in the GTPase activated state (GA)
Authors : Fischer, N.; Neumann, P.; Bock, L.V.; Maracci, C.; Wang, Z.; Paleskava, A.; Konevega, A.L.; Schroeder, G.F.; Grubmueller, H.; Ficner, R.; Rodnina, M.V.; Stark, H.
Deposited on : 2016-09-29
Resolution : 3.40 Å(reported)

This is a wwPDB/EMDataBank EM Map/Model Validation Summary Report
for a publicly released PDB/EMDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20028442


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	114402	924
Ramachandran outliers	111179	726
Sidechain outliers	111093	686
RNA backbone	3027	244

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	a	1539	80% 18% .
2	b	218	93% 6% .
3	c	206	98% .
4	d	205	95% 5%
5	e	157	96% .
6	f	100	94% 5% .
7	g	151	97% .
8	h	129	96% . .


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	i	127	 94% 5% .
10	j	98	 93% 6% .
11	k	116	 96% . .
12	l	123	 92% 7% .
13	m	114	 92% 8%
14	n	100	 94% 6%
15	o	88	 94% 6%
16	p	82	 99% .
17	q	80	 90% 10%
18	r	65	 94% 6%
19	s	86	 93% 6% .
20	t	85	 98% .
21	u	65	 89% 11%
22	v	77	 79% 19% .
23	x	48	 40% 38% 23%
24	y	95	 68% 32%
25	z	614	 96% .
26	A	2903	 63% 30% 6% .
27	B	120	 61% 32% 6% .
28	C	271	 77% 22% .
29	D	209	 77% 23%
30	E	201	 69% 30% .
31	F	177	 68% 29% . .
32	G	176	 72% 28%
33	I	141	 77% 22% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	H	149	 77% 21% .
35	J	142	 78% 22%
36	K	122	 77% 21% .
37	L	143	 77% 22% .
38	M	136	 76% 22% .
39	N	120	 84% 14% .
40	O	116	 78% 22%
41	P	114	 70% 30%
42	Q	117	 86% 14%
43	R	103	 81% 19%
44	S	110	 75% 25% .
45	T	93	 76% 24%
46	U	102	 61% 36% .
47	V	94	 79% 21%
48	W	75	 92% 8%
49	X	77	 79% 19% .
50	Y	63	 81% 19%
51	Z	58	 74% 24% .
52	0	56	 73% 25% .
53	1	50	 76% 24%
54	2	46	 89% 11%
55	3	64	 84% 14% .
56	4	38	 68% 26% 5%
57	6	66	 74% 24% .
58	w	3	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	G7M	a	527	X	-	-	-
26	G7M	A	2069	X	-	-	-

2 Entry composition

There are 65 unique types of molecules in this entry. The entry contains 153177 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	a	1539	Total	C	N	O	P	0	0
			33029	14738	6052	10700	1539		

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	b	218	Total	C	N	O	S	0	0
			1705	1081	305	312	7		

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	c	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	d	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	e	157	Total	C	N	O	S	0	0
			1157	719	218	214	6		

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	f	100	Total	C	N	O	S	0	0
			818	515	148	149	6		

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	g	151	Total	C	N	O	S	0	0
			1182	735	227	216	4		

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	h	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	i	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	j	98	Total	C	N	O	S	0	0
			787	493	150	143	1		

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	k	116	Total	C	N	O	S	0	0
			870	535	173	159	3		

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	l	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	m	114	Total	C	N	O	S	0	0
			884	546	178	157	3		

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	n	100	Total	C	N	O	S	0	0
			794	495	164	132	3		

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	o	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	p	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	q	80	Total	C	N	O	S	0	0
			649	411	121	114	3		

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	r	65	Total	C	N	O	0	0
			505	317	96	92		

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	s	86	Total	C	N	O	S	0	0
			687	438	131	116	2		

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	t	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	u	65	Total	C	N	O	S	0	0
			496	307	100	88	1		

- Molecule 22 is a RNA chain called fMet-tRNA^{fMet}.

Mol	Chain	Residues	Atoms						AltConf	Trace
22	v	77	Total	C	N	O	P	S	0	0
			1642	733	297	534	77	1		

- Molecule 23 is a RNA chain called SECIS mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	x	48	Total	C	N	O	P	0	0
			1025	457	183	337	48		

- Molecule 24 is a RNA chain called Sec-tRNA^{Sec}.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	y	95	Total	C	N	O	P	0	0
			2031	907	357	672	95		

- Molecule 25 is a protein called Selenocysteine-specific elongation factor.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	z	614	Total	C	N	O	S	0	0
			4853	3043	901	892	17		

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	A	2903	Total	C	N	O	P	0	0
			62335	27815	11467	20150	2903		

- Molecule 27 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	B	120	Total	C	N	O	P	0	0
			2570	1144	468	838	120		

- Molecule 28 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	C	271	Total	C	N	O	S	0	0
			2083	1288	423	365	7		

- Molecule 29 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	D	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 30 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	E	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 31 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	F	177	Total	C	N	O	S	0	0
			1411	899	249	257	6		

- Molecule 32 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	G	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 33 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	I	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 34 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	H	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 35 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 36 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	K	122	Total	C	N	O	S	0	0
			939	587	180	166	6		

- Molecule 37 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	L	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 38 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 39 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	N	120	Total	C	N	O	S	0	0
			961	593	196	167	5		

- Molecule 40 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
40	O	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 41 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	P	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 42 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	Q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 43 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	R	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 44 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	S	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 45 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	T	93	Total	C	N	O	S	0	0
			739	466	139	132	2		

- Molecule 46 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
46	U	102	Total	C	N	O	0	0
			780	492	146	142		

- Molecule 47 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 48 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	W	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 49 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 50 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	Y	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 51 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	Z	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 52 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	0	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 53 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
53	1	50	Total	C	N	O	0	0
			410	263	75	72		

- Molecule 54 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	2	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 55 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	3	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 56 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	4	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 57 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	6	66	Total	C	N	O	S	0	0
			523	323	99	95	6		

- Molecule 58 is a RNA chain called CCA 3' end of E-site tRNA^{Sec} (low occupancy).

Mol	Chain	Residues	Atoms					AltConf	Trace
58	w	3	Total	C	N	O	P	0	0
			62	28	11	20	3		


- Molecule 59 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		AltConf
59	a	1	Total	Cl	0
			1	1	

- Molecule 60 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
60	B	2	Total	Mg	0
			2	2	
60	a	30	Total	Mg	0
			30	30	
60	z	1	Total	Mg	0
			1	1	
60	A	111	Total	Mg	0
			111	111	
60	v	1	Total	Mg	0
			1	1	
60	n	1	Total	Mg	0
			1	1	
60	y	1	Total	Mg	0
			1	1	

- Molecule 61 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: C₆H₁₁NO₃S).




Mol	Chain	Residues	Atoms					AltConf
61	v	1	Total	C	N	O	S	0
			10	6	1	2	1	

- Molecule 62 is SELENOCYSTEINE (three-letter code: SEC) (formula: $C_3H_7NO_2Se$).



Mol	Chain	Residues	Atoms					AltConf
62	y	1	Total	C	N	O	Se	0
			6	3	1	1	1	

- Molecule 63 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (three-letter code: GNP) (formula: $C_{10}H_{17}N_6O_{13}P_3$).



Mol	Chain	Residues	Atoms					AltConf
63	z	1	Total	C	N	O	P	0
			32	10	6	13	3	

- Molecule 64 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
64	4	1	Total	Zn	0
			1	1	
64	6	1	Total	Zn	0
			1	1	


- Molecule 65 is water.

Mol	Chain	Residues	Atoms		AltConf
65	z	2	Total	O	0
			2	2	


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 16S ribosomal RNA



- Molecule 2: 30S ribosomal protein S2




- Molecule 3: 30S ribosomal protein S3

Chain c:  98% .




- Molecule 4: 30S ribosomal protein S4

Chain d:  95% 5% .



- Molecule 5: 30S ribosomal protein S5

Chain e:  96% .



- Molecule 6: 30S ribosomal protein S6

Chain f:  94% 5% .



- Molecule 7: 30S ribosomal protein S7

Chain g:  97% .




- Molecule 8: 30S ribosomal protein S8

Chain h:  96% . .




- Molecule 9: 30S ribosomal protein S9

Chain i:  94% 5% .



- Molecule 10: 30S ribosomal protein S10

Chain j:  93% 6% .




- Molecule 11: 30S ribosomal protein S11

Chain k: 96% ..



- Molecule 12: 30S ribosomal protein S12

Chain l: 92% 7% .



- Molecule 13: 30S ribosomal protein S13

Chain m: 92% 8%



- Molecule 14: 30S ribosomal protein S14

Chain n: 94% 6%



- Molecule 15: 30S ribosomal protein S15

Chain o: 94% 6%



- Molecule 16: 30S ribosomal protein S16

Chain p: 99% .



- Molecule 17: 30S ribosomal protein S17

Chain q: 90% 10%



- Molecule 18: 30S ribosomal protein S18

Chain r:  94% 6%



- Molecule 19: 30S ribosomal protein S19

Chain s:  93% 6%




- Molecule 20: 30S ribosomal protein S20

Chain t:  98%




- Molecule 21: 30S ribosomal protein S21

Chain u:  89% 11%



- Molecule 22: fMet-tRNA^{fMet}

Chain v:  79% 19%



- Molecule 23: SECIS mRNA

Chain x:  40% 38% 23%



- Molecule 24: Sec-tRNA^{Sec}

Chain y:  68% 32%




- Molecule 25: Selenocysteine-specific elongation factor


Chain z:  96%



• Molecule 26: 23S ribosomal RNA


Chain A: 63% 30% 6%






• Molecule 27: 5S ribosomal RNA


Chain B:




- Molecule 28: 50S ribosomal protein L2




- Molecule 29: 50S ribosomal protein L3




- Molecule 30: 50S ribosomal protein L4




- Molecule 31: 50S ribosomal protein L5




- Molecule 32: 50S ribosomal protein L6





- Molecule 33: 50S ribosomal protein L11

Chain I:  77% 22%




- Molecule 34: 50S ribosomal protein L9

Chain H:  77% 21%





- Molecule 35: 50S ribosomal protein L13

Chain J:  78% 22%




- Molecule 36: 50S ribosomal protein L14

Chain K:  77% 21%





- Molecule 37: 50S ribosomal protein L15

Chain L:  77% 22%




- Molecule 38: 50S ribosomal protein L16

Chain M:  76% 22%




- Molecule 39: 50S ribosomal protein L17

Chain N:  84% 14%



- Molecule 40: 50S ribosomal protein L18


Chain O:  78% 22%




- Molecule 41: 50S ribosomal protein L19



- Molecule 42: 50S ribosomal protein L20




- Molecule 43: 50S ribosomal protein L21




- Molecule 44: 50S ribosomal protein L22




- Molecule 45: 50S ribosomal protein L23




- Molecule 46: 50S ribosomal protein L24




- Molecule 47: 50S ribosomal protein L25







- Molecule 48: 50S ribosomal protein L27



- Molecule 49: 50S ribosomal protein L28



- Molecule 50: 50S ribosomal protein L29



- Molecule 51: 50S ribosomal protein L30




- Molecule 52: 50S ribosomal protein L32




- Molecule 53: 50S ribosomal protein L33



- Molecule 54: 50S ribosomal protein L34



- Molecule 55: 50S ribosomal protein L35

Chain 3:  84% 14% .




- Molecule 56: 50S ribosomal protein L36

Chain 4:  68% 26% 5%



- Molecule 57: 50S ribosomal protein L31

Chain 6:  74% 24% .



- Molecule 58: CCA 3' end of E-site tRNA^{Sec} (low occupancy)

Chain w:  100%

There are no outlier residues recorded for this chain.

4 Experimental information

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of particles used	159729	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	Not provided	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	Not provided	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	2600	Depositor
Magnification	59000	Depositor
Image detector	Not provided	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GNP, MA6, 2MA, 2MG, 1MG, 3TD, G7M, SEC, UR3, 5MU, ZN, 6IA, 5MC, CL, 6MZ, FME, OMC, MG, OMG, H2U, OMU, 4OC, 4SU, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >2	RMSZ	# Z >2
1	a	0.58	2/36701 (0.0%)	1.18	255/57246 (0.4%)
10	j	0.50	0/797	0.95	1/1077 (0.1%)
11	k	0.53	0/886	0.88	2/1195 (0.2%)
12	l	0.64	2/969 (0.2%)	0.93	3/1300 (0.2%)
13	m	0.52	0/893	0.98	5/1193 (0.4%)
14	n	0.53	0/806	0.90	3/1074 (0.3%)
15	o	0.44	0/722	0.81	3/964 (0.3%)
16	p	0.49	0/659	0.77	0/884
17	q	0.60	0/658	1.07	3/881 (0.3%)
18	r	0.42	0/512	0.82	2/689 (0.3%)
19	s	0.45	0/703	0.89	2/944 (0.2%)
2	b	0.51	2/1736 (0.1%)	0.90	6/2338 (0.3%)
20	t	0.47	0/671	0.81	2/888 (0.2%)
21	u	0.53	0/501	1.06	2/668 (0.3%)
22	v	0.58	1/1745 (0.1%)	1.18	13/2716 (0.5%)
23	x	0.76	2/1145 (0.2%)	1.63	31/1781 (1.7%)
24	y	0.53	1/2168 (0.0%)	1.27	26/3375 (0.8%)
25	z	0.46	1/4952 (0.0%)	0.89	13/6712 (0.2%)
26	A	0.62	10/69240 (0.0%)	1.22	593/108014 (0.5%)
27	B	0.58	1/2873 (0.0%)	1.28	30/4478 (0.7%)
28	C	0.50	1/2122 (0.0%)	0.81	3/2852 (0.1%)
29	D	0.49	0/1586	0.81	2/2134 (0.1%)
3	c	0.44	0/1652	0.82	4/2225 (0.2%)
30	E	0.47	0/1571	0.81	4/2113 (0.2%)
31	F	0.61	1/1435 (0.1%)	1.00	9/1926 (0.5%)
32	G	0.45	0/1343	0.79	2/1816 (0.1%)
33	I	0.40	0/1046	0.73	1/1410 (0.1%)
34	H	0.41	0/1122	0.72	0/1515
35	J	0.46	0/1152	0.72	0/1551
36	K	0.53	1/948 (0.1%)	0.85	1/1268 (0.1%)
37	L	0.42	0/1054	0.78	1/1403 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >2	RMSZ	# Z >2
38	M	0.44	0/1093	0.78	0/1460
39	N	0.50	0/974	0.78	1/1301 (0.1%)
4	d	0.49	0/1665	0.87	2/2227 (0.1%)
40	O	0.48	0/902	0.75	1/1209 (0.1%)
41	P	0.45	0/929	0.82	3/1242 (0.2%)
42	Q	0.50	0/960	0.68	1/1278 (0.1%)
43	R	0.47	0/829	0.77	0/1107
44	S	0.46	0/864	0.80	2/1156 (0.2%)
45	T	0.45	0/745	0.73	0/994
46	U	0.52	0/788	0.90	3/1051 (0.3%)
47	V	0.47	0/766	0.71	0/1025
48	W	0.46	0/582	0.75	0/769
49	X	0.42	0/635	0.77	1/848 (0.1%)
5	e	0.51	0/1170	0.88	2/1573 (0.1%)
50	Y	0.52	0/510	0.97	2/677 (0.3%)
51	Z	0.41	0/453	0.78	1/605 (0.2%)
52	0	0.51	1/450 (0.2%)	0.93	2/599 (0.3%)
53	1	0.42	0/417	0.85	1/554 (0.2%)
54	2	0.45	0/380	0.73	0/498
55	3	0.43	0/513	0.73	0/676
56	4	0.75	2/303 (0.7%)	0.93	2/397 (0.5%)
57	6	0.47	0/532	1.00	4/709 (0.6%)
58	w	0.39	0/68	0.94	0/103
6	f	0.56	0/836	0.87	2/1128 (0.2%)
7	g	0.48	0/1196	0.81	2/1602 (0.1%)
8	h	0.46	0/989	0.86	5/1326 (0.4%)
9	i	0.55	0/1034	0.97	4/1375 (0.3%)
All	All	0.57	28/164951 (0.0%)	1.12	1063/246119 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	a	2	0
10	j	0	3
11	k	0	2
12	l	0	2
16	p	0	1
17	q	0	2
2	b	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
21	u	0	1
25	z	0	1
26	A	2	0
28	C	0	1
30	E	0	1
31	F	0	2
32	G	0	2
34	H	0	3
4	d	0	1
44	S	0	1
46	U	0	2
53	1	0	1
55	3	0	1
6	f	0	1
All	All	4	30

The worst 5 of 28 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
27	B	1	U	OP3-P	-10.85	1.48	1.61
24	y	1	G	OP3-P	-10.68	1.48	1.61
22	v	1	C	OP3-P	-10.68	1.48	1.61
26	A	1	G	OP3-P	-10.59	1.48	1.61
1	a	2	A	OP3-P	-10.59	1.48	1.61

The worst 5 of 1063 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	a	968	A	N1-C6-N6	-23.76	104.34	118.60
1	a	1158	C	N1-C2-O2	18.14	129.78	118.90
26	A	2059	A	N1-C2-N3	-17.84	120.38	129.30
1	a	1158	C	N3-C2-O2	-17.55	109.61	121.90
1	a	529	G	C5-C6-O6	-15.48	119.31	128.60

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	a	527	G7M	C4',C3'
26	A	2069	G7M	C4',C3'

5 of 30 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	b	16	GLY	Peptide
2	b	17	HIS	Mainchain
4	d	30	LYS	Mainchain
6	f	97	THR	Peptide
10	j	41	PRO	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	a	33029	0	16643	0	0
2	b	1705	0	1732	0	0
3	c	1625	0	1699	0	0
4	d	1643	0	1710	0	0
5	e	1157	0	1199	0	0
6	f	818	0	808	0	0
7	g	1182	0	1240	0	0
8	h	979	0	1034	0	0
9	i	1022	0	1070	0	0
10	j	787	0	828	0	0
11	k	870	0	878	0	0
12	l	955	0	1019	0	0
13	m	884	0	944	0	0
14	n	794	0	836	0	0
15	o	714	0	737	0	0
16	p	649	0	666	0	0
17	q	649	0	691	0	0
18	r	505	0	502	0	0
19	s	687	0	715	0	0
20	t	665	0	714	0	0
21	u	496	0	486	0	0
22	v	1642	0	839	0	0
23	x	1025	0	518	0	0
24	y	2031	0	1039	0	0
25	z	4853	0	4831	0	0
26	A	62335	0	31374	392	0
27	B	2570	0	1301	24	0
28	C	2083	0	2157	40	0
29	D	1565	0	1616	37	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
30	E	1552	0	1619	42	0
31	F	1411	0	1447	38	0
32	G	1323	0	1374	25	0
33	I	1032	0	1088	28	0
34	H	1111	0	1148	21	0
35	J	1129	0	1162	22	0
36	K	939	0	1012	17	0
37	L	1045	0	1117	22	0
38	M	1074	0	1157	20	0
39	N	961	0	1000	11	0
40	O	892	0	923	17	0
41	P	917	0	965	25	0
42	Q	947	0	1022	15	0
43	R	816	0	839	14	0
44	S	857	0	922	17	0
45	T	739	0	807	16	0
46	U	780	0	834	19	0
47	V	753	0	780	14	0
48	W	575	0	592	5	0
49	X	625	0	655	12	0
50	Y	509	0	543	6	0
51	Z	449	0	491	10	0
52	0	444	0	461	13	0
53	1	410	0	440	6	0
54	2	377	0	418	4	0
55	3	504	0	574	7	0
56	4	302	0	340	9	0
57	6	523	0	521	10	0
58	w	62	0	34	0	0
59	a	1	0	0	0	0
60	A	111	0	0	0	0
60	B	2	0	0	0	0
60	a	30	0	0	0	0
60	n	1	0	0	0	0
60	v	1	0	0	0	0
60	y	1	0	0	0	0
60	z	1	0	0	0	0
61	v	10	0	10	0	0
62	y	6	0	3	0	0
63	z	32	0	13	0	0
64	4	1	0	0	0	0
64	6	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
65	z	2	0	0	0	0
All	All	153177	0	104137	811	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 811 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
36:K:35:VAL:HG21	36:K:69:VAL:HG12	1.61	0.82
26:A:745:1MG:HO2'	26:A:748:G:HO2'	1.28	0.76
30:E:172:ALA:HB3	30:E:195:GLN:HE21	1.50	0.75
26:A:1597:A:H5''	26:A:1598:A:H5'	1.70	0.74
26:A:329:G:H1	46:U:16:LYS:HZ2	1.35	0.73

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	b	216/218 (99%)	184 (85%)	26 (12%)	6 (3%)	6	41
3	c	204/206 (99%)	191 (94%)	12 (6%)	1 (0%)	34	75
4	d	203/205 (99%)	185 (91%)	13 (6%)	5 (2%)	7	43
5	e	155/157 (99%)	138 (89%)	12 (8%)	5 (3%)	5	38
6	f	98/100 (98%)	81 (83%)	14 (14%)	3 (3%)	5	39
7	g	149/151 (99%)	136 (91%)	11 (7%)	2 (1%)	15	57
8	h	127/129 (98%)	116 (91%)	11 (9%)	0	100	100
9	i	125/127 (98%)	105 (84%)	16 (13%)	4 (3%)	5	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	j	96/98 (98%)	82 (85%)	10 (10%)	4 (4%)	3	29
11	k	114/116 (98%)	105 (92%)	8 (7%)	1 (1%)	21	65
12	l	121/123 (98%)	106 (88%)	12 (10%)	3 (2%)	7	43
13	m	112/114 (98%)	101 (90%)	8 (7%)	3 (3%)	6	41
14	n	98/100 (98%)	86 (88%)	9 (9%)	3 (3%)	5	39
15	o	86/88 (98%)	71 (83%)	12 (14%)	3 (4%)	4	35
16	p	80/82 (98%)	74 (92%)	5 (6%)	1 (1%)	15	57
17	q	78/80 (98%)	68 (87%)	7 (9%)	3 (4%)	4	32
18	r	63/65 (97%)	55 (87%)	6 (10%)	2 (3%)	5	38
19	s	84/86 (98%)	74 (88%)	5 (6%)	5 (6%)	2	19
20	t	83/85 (98%)	76 (92%)	7 (8%)	0	100	100
21	u	63/65 (97%)	51 (81%)	9 (14%)	3 (5%)	3	25
25	z	612/614 (100%)	581 (95%)	24 (4%)	7 (1%)	17	61
28	C	269/271 (99%)	247 (92%)	20 (7%)	2 (1%)	26	70
29	D	207/209 (99%)	193 (93%)	14 (7%)	0	100	100
30	E	199/201 (99%)	186 (94%)	12 (6%)	1 (0%)	34	75
31	F	175/177 (99%)	162 (93%)	10 (6%)	3 (2%)	11	51
32	G	174/176 (99%)	159 (91%)	13 (8%)	2 (1%)	17	61
33	I	139/141 (99%)	122 (88%)	16 (12%)	1 (1%)	26	70
34	H	147/149 (99%)	129 (88%)	15 (10%)	3 (2%)	9	48
35	J	140/142 (99%)	134 (96%)	5 (4%)	1 (1%)	26	70
36	K	120/122 (98%)	113 (94%)	6 (5%)	1 (1%)	24	67
37	L	141/143 (99%)	128 (91%)	11 (8%)	2 (1%)	14	55
38	M	134/136 (98%)	119 (89%)	13 (10%)	2 (2%)	13	54
39	N	118/120 (98%)	112 (95%)	6 (5%)	0	100	100
40	O	114/116 (98%)	103 (90%)	11 (10%)	0	100	100
41	P	112/114 (98%)	106 (95%)	6 (5%)	0	100	100
42	Q	115/117 (98%)	110 (96%)	5 (4%)	0	100	100
43	R	101/103 (98%)	92 (91%)	8 (8%)	1 (1%)	19	63
44	S	108/110 (98%)	101 (94%)	6 (6%)	1 (1%)	21	65
45	T	91/93 (98%)	80 (88%)	11 (12%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
46	U	100/102 (98%)	88 (88%)	10 (10%)	2 (2%)	9	48
47	V	92/94 (98%)	87 (95%)	5 (5%)	0	100	100
48	W	73/75 (97%)	69 (94%)	4 (6%)	0	100	100
49	X	75/77 (97%)	71 (95%)	4 (5%)	0	100	100
50	Y	61/63 (97%)	55 (90%)	5 (8%)	1 (2%)	12	53
51	Z	56/58 (97%)	55 (98%)	1 (2%)	0	100	100
52	0	54/56 (96%)	48 (89%)	5 (9%)	1 (2%)	10	49
53	1	48/50 (96%)	46 (96%)	1 (2%)	1 (2%)	9	47
54	2	44/46 (96%)	40 (91%)	4 (9%)	0	100	100
55	3	62/64 (97%)	55 (89%)	6 (10%)	1 (2%)	12	53
56	4	36/38 (95%)	32 (89%)	4 (11%)	0	100	100
57	6	64/66 (97%)	55 (86%)	8 (12%)	1 (2%)	12	53
All	All	6336/6438 (98%)	5763 (91%)	482 (8%)	91 (1%)	19	55

5 of 91 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	b	18	GLN
2	b	73	ARG
5	e	93	VAL
6	f	94	HIS
6	f	98	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	b	180/180 (100%)	179 (99%)	1 (1%)	90	96
3	c	170/170 (100%)	170 (100%)	0	100	100
4	d	172/172 (100%)	170 (99%)	2 (1%)	78	91
5	e	119/119 (100%)	119 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	f	87/87 (100%)	86 (99%)	1 (1%)	80	92
7	g	124/124 (100%)	124 (100%)	0	100	100
8	h	104/104 (100%)	102 (98%)	2 (2%)	65	87
9	i	105/105 (100%)	104 (99%)	1 (1%)	82	93
10	j	86/86 (100%)	86 (100%)	0	100	100
11	k	89/89 (100%)	88 (99%)	1 (1%)	80	92
12	l	103/103 (100%)	102 (99%)	1 (1%)	82	93
13	m	92/92 (100%)	91 (99%)	1 (1%)	80	92
14	n	79/83 (95%)	79 (100%)	0	100	100
15	o	76/76 (100%)	76 (100%)	0	100	100
16	p	65/65 (100%)	65 (100%)	0	100	100
17	q	74/74 (100%)	73 (99%)	1 (1%)	74	90
18	r	48/56 (86%)	48 (100%)	0	100	100
19	s	74/74 (100%)	74 (100%)	0	100	100
20	t	65/65 (100%)	65 (100%)	0	100	100
21	u	44/55 (80%)	43 (98%)	1 (2%)	58	85
25	z	501/501 (100%)	498 (99%)	3 (1%)	90	96
28	C	216/216 (100%)	215 (100%)	1 (0%)	92	96
29	D	164/164 (100%)	163 (99%)	1 (1%)	90	96
30	E	165/165 (100%)	165 (100%)	0	100	100
31	F	148/148 (100%)	147 (99%)	1 (1%)	88	95
32	G	137/137 (100%)	136 (99%)	1 (1%)	88	95
33	I	109/109 (100%)	109 (100%)	0	100	100
34	H	114/114 (100%)	114 (100%)	0	100	100
35	J	116/116 (100%)	116 (100%)	0	100	100
36	K	103/103 (100%)	102 (99%)	1 (1%)	82	93
37	L	102/102 (100%)	101 (99%)	1 (1%)	82	93
38	M	109/109 (100%)	109 (100%)	0	100	100
39	N	100/100 (100%)	98 (98%)	2 (2%)	63	87
40	O	86/86 (100%)	86 (100%)	0	100	100
41	P	99/99 (100%)	99 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
42	Q	89/89 (100%)	89 (100%)	0	100	100
43	R	84/84 (100%)	84 (100%)	0	100	100
44	S	93/93 (100%)	93 (100%)	0	100	100
45	T	80/80 (100%)	79 (99%)	1 (1%)	76	91
46	U	83/83 (100%)	81 (98%)	2 (2%)	57	85
47	V	78/78 (100%)	78 (100%)	0	100	100
48	W	57/57 (100%)	57 (100%)	0	100	100
49	X	67/67 (100%)	67 (100%)	0	100	100
50	Y	55/55 (100%)	54 (98%)	1 (2%)	66	88
51	Z	48/48 (100%)	48 (100%)	0	100	100
52	0	47/47 (100%)	47 (100%)	0	100	100
53	1	45/45 (100%)	45 (100%)	0	100	100
54	2	38/38 (100%)	38 (100%)	0	100	100
55	3	51/51 (100%)	51 (100%)	0	100	100
56	4	34/34 (100%)	34 (100%)	0	100	100
57	6	59/59 (100%)	59 (100%)	0	100	100
All	All	5233/5256 (100%)	5206 (100%)	27 (0%)	92	96

5 of 27 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
25	z	26	ASP
28	C	187	CYS
46	U	40	LEU
25	z	27	ARG
8	h	15	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 44 such sidechains are listed below:

Mol	Chain	Res	Type
20	t	60	GLN
25	z	100	GLN
52	0	5	ASN
25	z	11	HIS
25	z	61	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	a	1535/1539 (99%)	187 (12%)	0
22	v	76/77 (98%)	8 (10%)	0
23	x	47/48 (97%)	23 (48%)	0
24	y	93/95 (97%)	12 (12%)	0
26	A	2898/2903 (99%)	411 (14%)	8 (0%)
27	B	119/120 (99%)	17 (14%)	0
58	w	2/3 (66%)	0	0
All	All	4770/4785 (99%)	658 (13%)	8 (0%)

5 of 658 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	a	7	A
1	a	9	G
1	a	22	G
1	a	32	A
1	a	39	G

5 of 8 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
26	A	960	A
26	A	2430	A
26	A	2211	A
26	A	890	C
26	A	1536	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

43 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
26	6MZ	A	1618	26	17,25,26	1.06	1 (5%)	15,36,39	2.61	2 (13%)
26	2MG	A	1835	26	18,26,27	1.07	2 (11%)	21,38,41	2.32	6 (28%)
26	PSU	A	1911	26	15,21,22	1.25	3 (20%)	16,30,33	2.02	3 (18%)
26	3TD	A	1915	26	15,22,23	3.18	5 (33%)	17,32,35	1.97	3 (17%)
26	PSU	A	1917	26	15,21,22	1.30	3 (20%)	16,30,33	2.55	2 (12%)
26	5MU	A	1939	26	13,22,23	0.74	1 (7%)	16,32,35	2.26	2 (12%)
26	5MC	A	1962	26	14,22,23	1.05	1 (7%)	17,32,35	2.05	5 (29%)
26	6MZ	A	2030	26	17,25,26	1.11	1 (5%)	15,36,39	1.69	3 (20%)
26	G7M	A	2069	26	18,26,27	1.16	2 (11%)	21,39,42	2.69	9 (42%)
26	OMG	A	2251	26,22	18,26,27	1.07	2 (11%)	21,38,41	1.82	4 (19%)
26	2MG	A	2445	26	18,26,27	1.06	2 (11%)	21,38,41	2.25	5 (23%)
26	H2U	A	2449	26	17,21,22	1.30	4 (23%)	23,30,33	2.10	2 (8%)
26	PSU	A	2457	26	15,21,22	1.58	2 (13%)	16,30,33	2.32	4 (25%)
26	OMC	A	2498	26	15,22,23	0.74	0	20,31,34	1.31	2 (10%)
26	2MA	A	2503	26	17,25,26	1.55	3 (17%)	18,37,40	3.59	3 (16%)
26	PSU	A	2504	26	15,21,22	1.23	2 (13%)	16,30,33	2.55	3 (18%)
26	OMU	A	2552	26	14,22,23	0.71	0	19,31,34	1.74	1 (5%)
26	PSU	A	2580	26	15,21,22	1.50	3 (20%)	16,30,33	2.55	5 (31%)
26	PSU	A	2604	26	15,21,22	1.29	2 (13%)	16,30,33	2.42	4 (25%)
26	PSU	A	2605	26	15,21,22	1.20	2 (13%)	16,30,33	2.24	4 (25%)
26	1MG	A	745	26	17,26,27	1.51	2 (11%)	19,39,42	1.41	2 (10%)
26	PSU	A	746	26	15,21,22	1.61	3 (20%)	16,30,33	2.17	3 (18%)
26	5MU	A	747	26	13,22,23	0.67	1 (7%)	16,32,35	2.74	2 (12%)
26	PSU	A	955	26	15,21,22	1.47	4 (26%)	16,30,33	2.47	4 (25%)
1	2MG	a	1207	1	18,26,27	1.13	2 (11%)	21,38,41	2.22	7 (33%)
1	4OC	a	1402	1	15,23,24	0.67	0	21,32,35	1.96	4 (19%)
1	5MC	a	1407	1	14,22,23	1.18	1 (7%)	17,32,35	0.97	1 (5%)
1	UR3	a	1498	1	13,22,23	0.62	0	18,32,35	0.91	1 (5%)
1	2MG	a	1516	1	18,26,27	1.09	2 (11%)	21,38,41	2.27	7 (33%)
1	MA6	a	1518	1	18,26,27	0.96	1 (5%)	15,38,41	2.71	5 (33%)
1	MA6	a	1519	1	18,26,27	0.94	1 (5%)	15,38,41	2.28	3 (20%)
1	PSU	a	516	1	15,21,22	1.38	1 (6%)	16,30,33	2.23	3 (18%)
1	G7M	a	527	1	18,26,27	1.23	2 (11%)	21,39,42	2.71	8 (38%)
1	2MG	a	966	1	18,26,27	1.17	2 (11%)	21,38,41	2.47	5 (23%)
1	5MC	a	967	1	14,22,23	1.45	1 (7%)	17,32,35	1.08	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	H2U	v	20	22	17,21,22	1.08	2 (11%)	23,30,33	1.93	3 (13%)
22	5MU	v	54	22	13,22,23	0.59	0	16,32,35	2.80	2 (12%)
22	PSU	v	55	22	15,21,22	1.17	2 (13%)	16,30,33	2.24	3 (18%)
22	4SU	v	8	22	12,21,22	0.75	0	15,30,33	0.87	1 (6%)
24	H2U	y	19	24	17,21,22	1.07	2 (11%)	23,30,33	2.24	4 (17%)
24	6IA	y	37	24	20,29,30	0.83	1 (5%)	22,41,44	2.42	3 (13%)
24	5MU	y	54	24	13,22,23	0.56	0	16,32,35	2.82	2 (12%)
24	PSU	y	55	24	15,21,22	1.04	2 (13%)	16,30,33	2.27	4 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
26	6MZ	A	1618	26	-	0/5/27/28	0/3/3/3
26	2MG	A	1835	26	-	0/5/27/28	0/3/3/3
26	PSU	A	1911	26	-	0/7/25/26	0/2/2/2
26	3TD	A	1915	26	-	0/7/25/26	0/2/2/2
26	PSU	A	1917	26	-	0/7/25/26	0/2/2/2
26	5MU	A	1939	26	-	0/3/25/26	0/2/2/2
26	5MC	A	1962	26	-	0/3/25/26	0/2/2/2
26	6MZ	A	2030	26	-	0/5/27/28	0/3/3/3
26	G7M	A	2069	26	2/2/5/5	0/3/25/26	0/3/3/3
26	OMG	A	2251	26,22	-	0/5/27/28	0/3/3/3
26	2MG	A	2445	26	-	0/5/27/28	0/3/3/3
26	H2U	A	2449	26	-	0/7/38/39	0/2/2/2
26	PSU	A	2457	26	-	0/7/25/26	0/2/2/2
26	OMC	A	2498	26	-	0/5/27/28	0/2/2/2
26	2MA	A	2503	26	-	0/3/25/26	0/3/3/3
26	PSU	A	2504	26	-	0/7/25/26	0/2/2/2
26	OMU	A	2552	26	-	0/5/27/28	0/2/2/2
26	PSU	A	2580	26	-	0/7/25/26	0/2/2/2
26	PSU	A	2604	26	-	0/7/25/26	0/2/2/2
26	PSU	A	2605	26	-	0/7/25/26	0/2/2/2
26	1MG	A	745	26	-	0/3/25/26	0/3/3/3
26	PSU	A	746	26	-	0/7/25/26	0/2/2/2
26	5MU	A	747	26	-	0/3/25/26	0/2/2/2
26	PSU	A	955	26	-	0/7/25/26	0/2/2/2
1	2MG	a	1207	1	-	0/5/27/28	0/3/3/3
1	4OC	a	1402	1	-	0/7/29/30	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5MC	a	1407	1	-	0/3/25/26	0/2/2/2
1	UR3	a	1498	1	-	0/3/25/26	0/2/2/2
1	2MG	a	1516	1	-	0/5/27/28	0/3/3/3
1	MA6	a	1518	1	-	0/7/29/30	0/3/3/3
1	MA6	a	1519	1	-	0/7/29/30	0/3/3/3
1	PSU	a	516	1	-	0/7/25/26	0/2/2/2
1	G7M	a	527	1	2/2/5/5	0/3/25/26	0/3/3/3
1	2MG	a	966	1	-	0/5/27/28	0/3/3/3
1	5MC	a	967	1	-	0/3/25/26	0/2/2/2
22	H2U	v	20	22	-	0/7/38/39	0/2/2/2
22	5MU	v	54	22	-	0/3/25/26	0/2/2/2
22	PSU	v	55	22	-	0/7/25/26	0/2/2/2
22	4SU	v	8	22	-	0/3/25/26	0/2/2/2
24	H2U	y	19	24	-	0/7/38/39	0/2/2/2
24	6IA	y	37	24	-	0/9/31/32	0/3/3/3
24	5MU	y	54	24	-	0/3/25/26	0/2/2/2
24	PSU	y	55	24	-	0/7/25/26	0/2/2/2

The worst 5 of 73 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	A	746	PSU	C5-C1'	-5.00	1.47	1.52
26	A	2457	PSU	C5-C1'	-4.87	1.48	1.52
26	A	2580	PSU	C5-C1'	-4.32	1.48	1.52
26	A	955	PSU	C5-C1'	-3.97	1.48	1.52
1	a	516	PSU	C5-C1'	-3.66	1.49	1.52

The worst 5 of 150 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	A	2449	H2U	C4-N3-C2	-8.59	117.98	125.77
24	y	54	5MU	C5-C4-N3	-8.12	118.53	125.35
26	A	747	5MU	C5-C4-N3	-8.09	118.56	125.35
22	v	54	5MU	C5-C4-N3	-7.68	118.90	125.35
1	a	1518	MA6	N3-C2-N1	-7.48	123.00	128.87

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
26	A	2069	G7M	C4'
26	A	2069	G7M	C3'
1	a	527	G7M	C4'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
1	a	527	G7M	C3'

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
26	A	1962	5MC	1	0
26	A	2030	6MZ	1	0
26	A	2457	PSU	1	0
26	A	2504	PSU	1	0
26	A	745	1MG	4	0
26	A	746	PSU	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 153 ligands modelled in this entry, 150 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
61	FME	v	101	22	8,9,10	0.86	0	5,9,11	1.78	1 (20%)
62	SEC	y	701	24	1,5,6	0.79	0	1,5,7	2.20	1 (100%)
63	GNP	z	701	60	29,34,34	2.59	7 (24%)	28,54,54	1.55	4 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
61	FME	v	101	22	-	1/6/9/11	0/0/0/0
62	SEC	y	701	24	-	0/0/4/6	0/0/0/0
63	GNP	z	701	60	-	0/16/38/38	0/3/3/3

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
63	z	701	GNP	C4-N9	-10.39	1.33	1.47
63	z	701	GNP	C8-N9	-3.98	1.34	1.47
63	z	701	GNP	C5-C6	-2.81	1.47	1.53
63	z	701	GNP	C2-N1	-2.25	1.34	1.44
63	z	701	GNP	PG-N3B	3.39	1.72	1.63

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
63	z	701	GNP	PA-O3A-PB	-4.93	114.82	132.71
61	v	101	FME	O-C-CA	-3.45	116.26	125.69
63	z	701	GNP	O3G-PG-O1G	-2.31	107.51	113.58
62	y	701	SEC	O-C-CA	-2.20	119.81	125.72
63	z	701	GNP	C8-N9-C4	2.66	107.81	104.78

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
61	v	101	FME	O1-CN-N-CA

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.