



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:34 PM GMT

PDB ID : 4M0V
Title : Crystal structure of E.coli SbcD with Mn²⁺
Authors : Liu, S.; Tian, L.F.; Yan, X.X.; Liang, D.C.
Deposited on : 2013-08-02
Resolution : 1.83 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2634 (1.86-1.82)
Clashscore	102246	2862 (1.86-1.82)
Ramachandran outliers	100387	2831 (1.86-1.82)
Sidechain outliers	100360	2832 (1.86-1.82)
RSRZ outliers	91569	2639 (1.86-1.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	354	<div> <div>10%</div> <div>82%</div> <div>10% • 6%</div> </div>
1	B	354	<div> <div>7%</div> <div>92%</div> <div>5% • •</div> </div>
1	C	354	<div> <div>7%</div> <div>86%</div> <div>9% • •</div> </div>
1	D	354	<div> <div>11%</div> <div>89%</div> <div>8% • •</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	A	401	-	-	-	X
2	GOL	B	401	-	-	-	X
2	GOL	D	401	-	-	-	X
3	MN	A	402	-	-	-	X
3	MN	A	403	-	-	-	X
3	MN	B	402	-	-	-	X
3	MN	B	403	-	-	-	X
3	MN	C	402	-	-	-	X
3	MN	C	403	-	-	-	X
3	MN	D	402	-	-	-	X
3	MN	D	403	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11308 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Exonuclease subunit SbcD.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	332	Total	C	N	O	S	0	5	0
			2509	1593	439	468	9			
1	B	342	Total	C	N	O	S	0	5	0
			2600	1648	455	488	9			
1	C	345	Total	C	N	O	S	0	9	0
			2680	1709	466	494	11			
1	D	345	Total	C	N	O	S	0	7	0
			2651	1689	465	486	11			

There are 56 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	EXPRESSION TAG	UNP E8Y9D8
A	-12	SER	-	EXPRESSION TAG	UNP E8Y9D8
A	-11	HIS	-	EXPRESSION TAG	UNP E8Y9D8
A	-10	HIS	-	EXPRESSION TAG	UNP E8Y9D8
A	-9	HIS	-	EXPRESSION TAG	UNP E8Y9D8
A	-8	HIS	-	EXPRESSION TAG	UNP E8Y9D8
A	-7	HIS	-	EXPRESSION TAG	UNP E8Y9D8
A	-6	HIS	-	EXPRESSION TAG	UNP E8Y9D8
A	-5	SER	-	EXPRESSION TAG	UNP E8Y9D8
A	-4	MET	-	EXPRESSION TAG	UNP E8Y9D8
A	-3	ASP	-	EXPRESSION TAG	UNP E8Y9D8
A	-2	ILE	-	EXPRESSION TAG	UNP E8Y9D8
A	-1	GLU	-	EXPRESSION TAG	UNP E8Y9D8
A	0	PHE	-	EXPRESSION TAG	UNP E8Y9D8
B	-13	MET	-	EXPRESSION TAG	UNP E8Y9D8
B	-12	SER	-	EXPRESSION TAG	UNP E8Y9D8
B	-11	HIS	-	EXPRESSION TAG	UNP E8Y9D8
B	-10	HIS	-	EXPRESSION TAG	UNP E8Y9D8
B	-9	HIS	-	EXPRESSION TAG	UNP E8Y9D8
B	-8	HIS	-	EXPRESSION TAG	UNP E8Y9D8
B	-7	HIS	-	EXPRESSION TAG	UNP E8Y9D8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	HIS	-	EXPRESSION TAG	UNP E8Y9D8
B	-5	SER	-	EXPRESSION TAG	UNP E8Y9D8
B	-4	MET	-	EXPRESSION TAG	UNP E8Y9D8
B	-3	ASP	-	EXPRESSION TAG	UNP E8Y9D8
B	-2	ILE	-	EXPRESSION TAG	UNP E8Y9D8
B	-1	GLU	-	EXPRESSION TAG	UNP E8Y9D8
B	0	PHE	-	EXPRESSION TAG	UNP E8Y9D8
C	-13	MET	-	EXPRESSION TAG	UNP E8Y9D8
C	-12	SER	-	EXPRESSION TAG	UNP E8Y9D8
C	-11	HIS	-	EXPRESSION TAG	UNP E8Y9D8
C	-10	HIS	-	EXPRESSION TAG	UNP E8Y9D8
C	-9	HIS	-	EXPRESSION TAG	UNP E8Y9D8
C	-8	HIS	-	EXPRESSION TAG	UNP E8Y9D8
C	-7	HIS	-	EXPRESSION TAG	UNP E8Y9D8
C	-6	HIS	-	EXPRESSION TAG	UNP E8Y9D8
C	-5	SER	-	EXPRESSION TAG	UNP E8Y9D8
C	-4	MET	-	EXPRESSION TAG	UNP E8Y9D8
C	-3	ASP	-	EXPRESSION TAG	UNP E8Y9D8
C	-2	ILE	-	EXPRESSION TAG	UNP E8Y9D8
C	-1	GLU	-	EXPRESSION TAG	UNP E8Y9D8
C	0	PHE	-	EXPRESSION TAG	UNP E8Y9D8
D	-13	MET	-	EXPRESSION TAG	UNP E8Y9D8
D	-12	SER	-	EXPRESSION TAG	UNP E8Y9D8
D	-11	HIS	-	EXPRESSION TAG	UNP E8Y9D8
D	-10	HIS	-	EXPRESSION TAG	UNP E8Y9D8
D	-9	HIS	-	EXPRESSION TAG	UNP E8Y9D8
D	-8	HIS	-	EXPRESSION TAG	UNP E8Y9D8
D	-7	HIS	-	EXPRESSION TAG	UNP E8Y9D8
D	-6	HIS	-	EXPRESSION TAG	UNP E8Y9D8
D	-5	SER	-	EXPRESSION TAG	UNP E8Y9D8
D	-4	MET	-	EXPRESSION TAG	UNP E8Y9D8
D	-3	ASP	-	EXPRESSION TAG	UNP E8Y9D8
D	-2	ILE	-	EXPRESSION TAG	UNP E8Y9D8
D	-1	GLU	-	EXPRESSION TAG	UNP E8Y9D8
D	0	PHE	-	EXPRESSION TAG	UNP E8Y9D8

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Mn	0	0
			2	2		
3	A	2	Total	Mn	0	0
			2	2		
3	D	2	Total	Mn	0	0
			2	2		
3	C	2	Total	Mn	0	0
			2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	164	Total	O	0	0
			164	164		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	194	Total 194	O 194	0	0
4	C	236	Total 236	O 236	0	0
4	D	242	Total 242	O 242	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Exonuclease subunit SbcD




• Molecule 1: Exonuclease subunit SbcD




• Molecule 1: Exonuclease subunit SbcD



• Molecule 1: Exonuclease subunit SbcD





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	62.16Å 69.23Å 95.19Å 72.24° 84.00° 83.48°	Depositor
Resolution (Å)	19.97 – 1.83 46.93 – 1.83	Depositor EDS
% Data completeness (in resolution range)	97.7 (19.97-1.83) 87.9 (46.93-1.83)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.13 (at 1.83Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.162 , 0.199 0.155 , 0.192	Depositor DCC
R_{free} test set	6332 reflections (4.91%)	DCC
Wilson B-factor (Å ²)	21.6	Xtriage
Anisotropy	0.458	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 56.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 129014 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11308	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/2567	0.55	0/3512
1	B	0.35	0/2662	0.56	1/3646 (0.0%)
1	C	0.40	0/2742	0.59	0/3750
1	D	0.40	0/2714	0.59	0/3713
All	All	0.38	0/10685	0.57	1/14621 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	80	LEU	CA-CB-CG	5.15	127.15	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2509	0	2359	21	0
1	B	2600	0	2461	7	0
1	C	2680	0	2595	22	0
1	D	2651	0	2555	16	0
2	A	6	0	8	0	0
2	B	6	0	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	6	0	8	0	0
2	D	6	0	8	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	164	0	0	0	0
4	B	194	0	0	0	0
4	C	236	0	0	1	0
4	D	242	0	0	1	0
All	All	11308	0	10002	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:332:PRO:O	1:A:333:VAL:HG13	1.55	1.06
1:A:332:PRO:O	1:A:333:VAL:CG1	2.30	0.79
1:C:311:ILE:HD11	1:C:324:ILE:HD11	1.67	0.77
1:A:133[A]:ARG:NH1	1:A:136:ASP:OD2	2.26	0.68
1:D:279[A]:MET:HG2	1:D:306:TRP:HB2	1.78	0.65
1:C:249:CYS:SG	4:C:707:HOH:O	2.55	0.65
1:D:10:HIS:NE2	4:D:742:HOH:O	2.29	0.65
1:C:220:LEU:HD12	1:C:229[A]:ILE:HD13	1.83	0.61
1:D:249:CYS:HB3	1:D:279[B]:MET:HE2	1.83	0.59
1:C:67:VAL:HG11	1:C:97:MET:SD	2.42	0.59
1:C:279[B]:MET:HG2	1:C:306:TRP:HB2	1.86	0.58
1:C:294:GLU:OE1	1:C:297:ARG:NH2	2.34	0.58
1:D:307:LEU:HD23	1:D:333:VAL:HB	1.85	0.58
1:D:315:GLU:O	1:D:316:TYR:CB	2.51	0.58
1:C:299:VAL:HA	1:C:332:PRO:HG3	1.85	0.58
1:D:67:VAL:HG11	1:D:97:MET:SD	2.44	0.58
1:A:220:LEU:HD12	1:A:229:ILE:HD13	1.85	0.58
1:A:283:LYS:HA	1:A:310:GLU:O	2.04	0.58
1:B:67:VAL:HG11	1:B:97:MET:SD	2.45	0.57
1:A:332:PRO:C	1:A:333:VAL:HG13	2.26	0.54
1:D:220:LEU:HD12	1:D:229:ILE:HD13	1.90	0.53
1:C:229[B]:ILE:HD11	1:C:237:TYR:CD2	2.44	0.53
1:A:150:GLN:HA	1:A:203:THR:O	2.09	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:VAL:HG21	1:B:97:MET:SD	2.51	0.51
1:D:337:LEU:HD21	1:D:339:ARG:HD3	1.93	0.51
1:A:161:TYR:HB3	1:A:213:PRO:HD3	1.92	0.50
1:B:80:LEU:HD13	1:B:105:VAL:HB	1.94	0.50
1:A:245:SER:OG	1:A:247:ASP:OD1	2.26	0.50
1:B:67:VAL:HG23	1:B:77:LEU:HD23	1.96	0.48
1:A:196:VAL:HG11	1:A:223:ILE:HD13	1.96	0.48
1:C:161:TYR:HB3	1:C:213:PRO:HD3	1.96	0.47
1:A:309:ILE:HB	1:A:338:VAL:HG12	1.96	0.47
1:B:73:THR:O	1:B:118:ARG:NH1	2.47	0.47
1:C:220:LEU:HD12	1:C:229[A]:ILE:CD1	2.46	0.46
1:A:240:SER:O	1:A:253[A]:LYS:HD3	2.16	0.46
1:C:139:THR:HA	1:C:140:SER:HA	1.65	0.46
1:C:240:SER:O	1:C:253[B]:LYS:HD3	2.16	0.46
1:A:170:LYS:HE3	1:A:170:LYS:HB2	1.69	0.46
1:A:3:ILE:HG13	1:A:258:VAL:HB	1.99	0.45
1:C:296:TRP:NE1	1:C:305:VAL:HG21	2.32	0.45
1:D:229:ILE:HD11	1:D:237:TYR:CD2	2.52	0.45
1:C:307:LEU:HD22	1:C:333:VAL:HB	1.99	0.45
1:C:32:LEU:HA	1:C:32:LEU:HD12	1.82	0.45
1:C:70:LEU:CD2	1:C:77:LEU:HB2	2.47	0.45
1:D:233:GLU:O	1:D:236:ARG:HD3	2.17	0.44
1:A:318:HIS:O	1:A:321:GLN:HB2	2.18	0.44
1:D:67:VAL:HG21	1:D:97:MET:SD	2.58	0.43
1:D:240:SER:O	1:D:253[B]:LYS:HD3	2.18	0.43
1:D:161:TYR:HB3	1:D:213:PRO:HD3	2.00	0.43
1:D:297:ARG:O	1:D:298:ASP:CB	2.67	0.43
1:B:229[B]:ILE:HD11	1:B:237:TYR:CD2	2.53	0.43
1:A:47:GLY:HA2	1:A:80:LEU:O	2.18	0.42
1:A:0:PHE:O	1:A:117:ARG:NH1	2.51	0.42
1:C:253[A]:LYS:HE3	1:C:253[A]:LYS:HA	2.01	0.42
1:A:114:ILE:HD13	1:A:125:VAL:HG22	2.01	0.42
1:A:229:ILE:HD11	1:A:237:TYR:CD2	2.54	0.42
1:C:309[B]:ILE:HG22	1:C:311:ILE:HG12	2.01	0.42
1:A:305:VAL:CG1	1:A:333:VAL:HG11	2.50	0.42
1:C:225:ARG:NH1	1:C:248:GLU:OE1	2.53	0.41
1:C:97:MET:HB3	1:C:102:THR:HB	2.02	0.41
1:A:305:VAL:HG22	1:A:307:LEU:HD22	2.02	0.41
1:C:80:LEU:HD13	1:C:105:VAL:HB	2.03	0.41
1:B:240:SER:O	1:B:253[A]:LYS:HD3	2.20	0.41
1:C:288:SER:O	1:C:292:GLN:HG3	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:32:LEU:HD12	1:D:32:LEU:HA	1.88	0.40
1:D:339:ARG:HB2	1:D:339:ARG:HE	1.63	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	331/354 (94%)	317 (96%)	11 (3%)	3 (1%)	21	7
1	B	345/354 (98%)	334 (97%)	10 (3%)	1 (0%)	46	29
1	C	352/354 (99%)	340 (97%)	10 (3%)	2 (1%)	30	14
1	D	350/354 (99%)	337 (96%)	12 (3%)	1 (0%)	46	29
All	All	1378/1416 (97%)	1328 (96%)	43 (3%)	7 (0%)	34	17

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	311	ILE
1	C	222	HIS
1	D	222	HIS
1	A	222	HIS
1	B	222	HIS
1	C	299	VAL
1	A	333	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	251/303 (83%)	245 (98%)	6 (2%)	57	39
1	B	265/303 (88%)	258 (97%)	7 (3%)	54	35
1	C	278/303 (92%)	264 (95%)	14 (5%)	30	11
1	D	273/303 (90%)	262 (96%)	11 (4%)	38	18
All	All	1067/1212 (88%)	1029 (96%)	38 (4%)	45	21

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	LEU
1	A	101	ASN
1	A	107	SER
1	A	185	LEU
1	A	283	LYS
1	A	338	VAL
1	B	32	LEU
1	B	67	VAL
1	B	101	ASN
1	B	139	THR
1	B	185	LEU
1	B	302	GLU
1	B	337	LEU
1	C	0	PHE
1	C	31[A]	LEU
1	C	31[B]	LEU
1	C	32	LEU
1	C	225	ARG
1	C	253[A]	LYS
1	C	253[B]	LYS
1	C	293	LEU
1	C	294	GLU
1	C	297	ARG
1	C	307	LEU
1	C	311	ILE
1	C	320	ILE
1	C	339	ARG
1	D	0	PHE
1	D	32	LEU
1	D	75[A]	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	75[B]	CYS
1	D	107	SER
1	D	140	SER
1	D	253[A]	LYS
1	D	253[B]	LYS
1	D	293	LEU
1	D	297	ARG
1	D	299	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	A	401	-	5,5,5	0.33	0	5,5,5	0.21	0
2	GOL	B	401	-	5,5,5	0.56	0	5,5,5	1.09	0
2	GOL	C	401	-	5,5,5	0.34	0	5,5,5	0.31	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	D	401	-	5,5,5	0.57	0	5,5,5	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	401	-	-	0/4/4/4	0/0/0/0
2	GOL	B	401	-	-	0/4/4/4	0/0/0/0
2	GOL	C	401	-	-	0/4/4/4	0/0/0/0
2	GOL	D	401	-	-	0/4/4/4	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	332/354 (93%)	0.23	37 (11%) 7 6	15, 33, 74, 89	89 (26%)
1	B	342/354 (96%)	0.04	25 (7%) 18 16	15, 30, 66, 78	79 (23%)
1	C	345/354 (97%)	0.20	26 (7%) 17 15	12, 25, 60, 70	34 (9%)
1	D	345/354 (97%)	0.17	39 (11%) 7 5	10, 25, 71, 89	28 (8%)
All	All	1364/1416 (96%)	0.16	127 (9%) 11 9	10, 28, 69, 89	230 (16%)

All (127) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	316	TYR	10.6
1	B	317	LEU	10.5
1	A	331	LEU	10.2
1	C	143	GLY	7.4
1	D	311	ILE	6.9
1	D	299	VAL	6.9
1	A	313	THR	6.9
1	C	142	ALA	6.9
1	D	317	LEU	6.6
1	A	140	SER	6.4
1	D	312	THR	6.3
1	A	332	PRO	6.0
1	C	144	LEU	5.7
1	A	295	GLN	5.7
1	A	312	THR	5.5
1	B	289	ILE	5.1
1	A	139	THR	4.9
1	D	287	ALA	4.8
1	D	316	TYR	4.7
1	D	289	ILE	4.6
1	B	314	ASP	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	333	VAL	4.3
1	D	286	LEU	4.2
1	A	309	ILE	4.1
1	A	202	GLY	4.1
1	D	320	ILE	4.0
1	B	319	ASP	4.0
1	C	320	ILE	3.9
1	C	287	ALA	3.9
1	B	318	HIS	3.9
1	A	317	LEU	3.8
1	C	284	GLY	3.8
1	C	322	ARG	3.8
1	D	294	GLU	3.7
1	D	318	HIS	3.6
1	C	298	ASP	3.6
1	D	143	GLY	3.6
1	A	141	GLN	3.6
1	A	311	ILE	3.5
1	D	284	GLY	3.5
1	A	330	SER	3.4
1	A	293	LEU	3.4
1	B	301	GLN	3.4
1	B	300	SER	3.4
1	A	327	LEU	3.3
1	C	286	LEU	3.3
1	A	287	ALA	3.3
1	D	144	LEU	3.3
1	A	302	GLU	3.2
1	C	299	VAL	3.2
1	D	322	ARG	3.2
1	A	201	ILE	3.2
1	D	321	GLN	3.1
1	D	285	ASP	3.1
1	B	285	ASP	3.1
1	D	295	GLN	3.1
1	D	293	LEU	3.1
1	C	312	THR	3.1
1	D	291	ALA	3.0
1	C	328	THR	3.0
1	D	338	VAL	3.0
1	D	328	THR	2.9
1	D	301	GLN	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	288	SER	2.9
1	B	311	ILE	2.8
1	C	289	ILE	2.8
1	A	283	LYS	2.8
1	D	324	ILE	2.8
1	C	285	ASP	2.8
1	C	314	ASP	2.8
1	D	290	THR	2.8
1	C	293	LEU	2.7
1	A	281	VAL	2.7
1	C	294	GLU	2.7
1	A	326	ALA	2.7
1	B	147	ILE	2.7
1	D	327	LEU	2.7
1	B	294	GLU	2.7
1	B	324	ILE	2.7
1	D	142	ALA	2.6
1	B	284	GLY	2.6
1	C	288	SER	2.6
1	A	340	ARG	2.6
1	D	331	LEU	2.6
1	B	338	VAL	2.6
1	D	330	SER	2.6
1	A	249	CYS	2.5
1	A	307	LEU	2.5
1	B	288	SER	2.5
1	A	203	THR	2.5
1	A	285	ASP	2.5
1	C	331	LEU	2.5
1	C	313	THR	2.5
1	D	319	ASP	2.4
1	D	313	THR	2.4
1	C	301	GLN	2.4
1	A	194	ASP	2.4
1	A	324	ILE	2.4
1	A	200	TYR	2.4
1	A	195	ALA	2.4
1	B	326	ALA	2.4
1	C	311	ILE	2.3
1	D	296	TRP	2.3
1	A	305	VAL	2.3
1	A	138	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	286	LEU	2.2
1	C	318	HIS	2.2
1	B	293	LEU	2.2
1	B	299	VAL	2.2
1	C	319	ASP	2.2
1	B	315	GLU	2.2
1	D	329	GLU	2.2
1	D	145	ASN	2.1
1	A	250	GLY	2.1
1	A	289	ILE	2.1
1	A	205	ASP	2.1
1	B	322	ARG	2.1
1	C	327	LEU	2.1
1	D	139	THR	2.1
1	B	296	TRP	2.1
1	C	316	TYR	2.1
1	D	314	ASP	2.1
1	D	340	ARG	2.1
1	B	287	ALA	2.1
1	B	292	GLN	2.1
1	A	288	SER	2.0
1	D	298	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	MN	D	402	1/1	0.98	0.32	27.05	57,57,57,57	1
3	MN	C	403	1/1	0.19	0.46	25.84	23,23,23,23	1
3	MN	C	402	1/1	0.93	0.29	22.57	69,69,69,69	1
3	MN	B	403	1/1	0.71	0.26	20.17	82,82,82,82	1
3	MN	D	403	1/1	0.35	0.28	18.20	19,19,19,19	1
3	MN	A	403	1/1	0.91	0.22	14.99	67,67,67,67	1
3	MN	B	402	1/1	0.88	0.18	12.36	67,67,67,67	1
3	MN	A	402	1/1	0.76	0.14	6.98	63,63,63,63	1
2	GOL	A	401	6/6	0.94	0.18	4.25	23,28,29,32	0
2	GOL	B	401	6/6	0.89	0.17	3.96	24,27,29,31	0
2	GOL	D	401	6/6	0.88	0.16	3.83	30,31,32,33	0
2	GOL	C	401	6/6	0.94	0.16	1.31	28,29,31,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.