



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:30 AM GMT

PDB ID : 3M8D
Title : Crystal structure of spin-labeled BtuB V10R1 with bound calcium and cyanocobalamin
Authors : Freed, D.M.; Horanyi, P.S.; Wiener, M.C.; Cafiso, D.S.
Deposited on : 2010-03-17
Resolution : 2.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1003 (2.46-2.42)
Clashscore	102246	1071 (2.46-2.42)
Ramachandran outliers	100387	1065 (2.46-2.42)
Sidechain outliers	100360	1065 (2.46-2.42)
RSRZ outliers	91569	1005 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	594	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	C8E	A	703	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	C8E	A	704	-	-	X	X
3	C8E	A	705	-	-	-	X
3	C8E	A	706	-	-	-	X
3	C8E	A	707	-	-	-	X
4	MTN	A	708	-	-	-	X

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 4862 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Vitamin B12 transporter btuB.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	583	Total	C	N	O	S	0	0	0
			4552	2865	780	904	3			

- Molecule 2 is CO-CYANOCOBALAMIN (three-letter code: CNC) (formula: $C_{63}H_{88}CoN_{14}O_{14}P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Co	N	O	0	0
			93	63	1	14	14		

- Molecule 3 is (HYDROXYETHYLOXY)TRI(ETHYLOXY)OCTANE (three-letter code: C8E) (formula: $C_{16}H_{34}O_5$).

[illegible]

- Molecule 4 is S-[(1-OXYL-2,2,5,5-TETRAMETHYL-2,5-DIHYDRO-1H-PYRROL-3-YL)METHYL] METHANESULFONOTHIOATE (three-letter code: MTN) (formula: C₁₀H₁₈NO₃S₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			12	9	1	1	1		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	3	Total	Ca	0	0
			3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	76	Total	O	0	0
			76	76		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Vitamin B12 transporter *btuB*



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	82.05Å 82.05Å 224.46Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	44.04 – 2.44 44.04 – 2.44	Depositor EDS
% Data completeness (in resolution range)	96.6 (44.04-2.44) 96.6 (44.04-2.44)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.63 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.226 , 0.275 0.227 , 0.279	Depositor DCC
R_{free} test set	1647 reflections (5.37%)	DCC
Wilson B-factor (Å ²)	66.5	Xtriage
Anisotropy	0.022	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 51.2	EDS
Estimated twinning fraction	0.022 for -h,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 32289 reflections (0.003%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4862	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, MTN, C8E, CNC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.98	4/4665 (0.1%)	0.96	10/6353 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	580	GLN	CD-OE1	7.31	1.40	1.24
1	A	473	GLY	N-CA	6.52	1.55	1.46
1	A	498	ARG	CB-CG	5.55	1.67	1.52
1	A	262	LYS	CE-NZ	5.04	1.61	1.49

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	534	TYR	C-N-CD	-9.72	99.21	120.60
1	A	306	VAL	CB-CA-C	-6.46	99.12	111.40
1	A	472	THR	C-N-CA	-6.31	109.05	122.30
1	A	498	ARG	NE-CZ-NH2	-5.89	117.36	120.30
1	A	224	ASP	CB-CA-C	5.45	121.31	110.40
1	A	293	MET	CG-SD-CE	-5.32	91.69	100.20
1	A	254	LEU	CA-CB-CG	5.23	127.32	115.30
1	A	31	ARG	NE-CZ-NH1	5.19	122.90	120.30
1	A	47	ARG	NE-CZ-NH2	-5.07	117.76	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	562	ARG	NE-CZ-NH2	-5.04	117.78	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	534	TYR	Mainchain,Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4552	0	4223	56	0
2	A	93	0	87	16	0
3	A	126	0	204	13	0
4	A	12	0	15	6	0
5	A	3	0	0	0	0
6	A	76	0	0	2	0
All	All	4862	0	4529	80	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:701:CNC:H362	2:A:701:CNC:H351	1.11	1.10
2:A:701:CNC:C36	2:A:701:CNC:H351	1.92	0.93
2:A:701:CNC:H362	2:A:701:CNC:C35	1.97	0.93
3:A:704:C8E:H13	3:A:704:C8E:H52	1.56	0.86
2:A:701:CNC:H531	2:A:701:CNC:H552	1.60	0.83
3:A:704:C8E:H82	3:A:704:C8E:C1	2.12	0.79
3:A:704:C8E:H13	3:A:704:C8E:H82	1.68	0.75
1:A:100:PRO:HG2	1:A:103:LEU:HD22	1.71	0.72
1:A:138:THR:HG22	1:A:156:THR:OG1	1.90	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:ASN:OD1	1:A:498:ARG:NH2	2.24	0.69
1:A:61:GLY:O	1:A:227:THR:HG21	1.92	0.68
1:A:516:TRP:CZ3	1:A:551:VAL:CG1	2.76	0.68
3:A:704:C8E:C5	3:A:704:C8E:H13	2.24	0.67
1:A:516:TRP:CE3	1:A:551:VAL:HG12	2.28	0.67
1:A:81:ASP:CA	4:A:708:MTN:H81	2.25	0.67
1:A:91:SER:HB3	2:A:701:CNC:N45	2.10	0.66
1:A:27:THR:HG21	1:A:49:LEU:HD22	1.78	0.66
3:A:704:C8E:H13	3:A:704:C8E:C8	2.25	0.65
1:A:91:SER:HB3	2:A:701:CNC:H451	1.62	0.65
1:A:293:MET:CE	1:A:320:GLN:HB3	2.28	0.63
1:A:81:ASP:C	4:A:708:MTN:H81	2.19	0.62
1:A:87:LEU:HD12	1:A:87:LEU:O	2.03	0.59
1:A:308:HIS:CD2	6:A:813:HOH:O	2.57	0.58
1:A:429:VAL:HG22	1:A:470:PHE:HB3	1.85	0.57
1:A:516:TRP:CZ3	1:A:551:VAL:HG12	2.38	0.57
1:A:293:MET:CG	1:A:294:LYS:N	2.71	0.54
1:A:70:GLY:O	1:A:498:ARG:NE	2.40	0.53
3:A:704:C8E:H13	3:A:704:C8E:C6	2.40	0.51
1:A:293:MET:HE1	1:A:320:GLN:HB3	1.92	0.51
1:A:132:THR:HG21	6:A:833:HOH:O	2.10	0.51
1:A:572:ASP:OD1	1:A:580:GLN:NE2	2.43	0.51
1:A:63:LEU:HD12	1:A:95:ASP:CG	2.30	0.51
3:A:704:C8E:C1	3:A:704:C8E:H61	2.41	0.51
1:A:21:THR:HG23	1:A:345:LEU:HD21	1.91	0.51
1:A:334:ASP:C	1:A:334:ASP:OD1	2.50	0.51
1:A:429:VAL:HG22	1:A:470:PHE:CB	2.40	0.51
3:A:704:C8E:C5	3:A:704:C8E:C1	2.89	0.50
1:A:66:ILE:HD11	1:A:96:LEU:CD1	2.41	0.50
1:A:466:ALA:HB1	3:A:704:C8E:H112	1.93	0.49
2:A:701:CNC:H262	2:A:701:CNC:H601	1.95	0.49
1:A:21:THR:CG2	1:A:345:LEU:HD21	2.43	0.49
1:A:13:ASN:O	1:A:14:ARG:HB2	2.13	0.49
3:A:704:C8E:H12	3:A:704:C8E:H82	1.92	0.48
1:A:61:GLY:O	1:A:227:THR:CG2	2.60	0.48
1:A:17:GLN:OE1	1:A:21:THR:HG22	2.15	0.46
1:A:81:ASP:HB3	4:A:708:MTN:H81	1.98	0.46
1:A:38:GLN:NE2	1:A:562:ARG:HB3	2.29	0.46
2:A:701:CNC:C36	2:A:701:CNC:C35	2.68	0.46
2:A:701:CNC:H491	2:A:701:CNC:H471	1.97	0.45
1:A:66:ILE:HD11	1:A:96:LEU:HD12	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:293:MET:HE2	1:A:320:GLN:HB3	1.98	0.45
1:A:81:ASP:O	4:A:708:MTN:C8	2.64	0.45
1:A:167:THR:O	1:A:168:LEU:HD23	2.17	0.45
2:A:701:CNC:H301	2:A:701:CNC:H253	1.71	0.45
3:A:704:C8E:H52	3:A:704:C8E:C1	2.31	0.45
1:A:91:SER:CB	2:A:701:CNC:H451	2.29	0.44
3:A:704:C8E:C6	3:A:704:C8E:C1	2.97	0.43
1:A:47:ARG:HG2	1:A:48:ARG:N	2.33	0.43
1:A:63:LEU:H	2:A:701:CNC:H332	1.67	0.43
3:A:704:C8E:H112	3:A:704:C8E:H141	1.87	0.43
1:A:81:ASP:C	4:A:708:MTN:C8	2.86	0.43
1:A:198:LEU:HD23	1:A:198:LEU:C	2.39	0.43
1:A:588:LEU:HD23	1:A:589:SER:N	2.34	0.43
1:A:332:GLY:O	1:A:333:TYR:CB	2.67	0.43
2:A:701:CNC:H491	2:A:701:CNC:C47	2.49	0.42
1:A:332:GLY:O	1:A:333:TYR:HB2	2.19	0.42
1:A:450:THR:HG22	1:A:450:THR:O	2.19	0.42
1:A:543:GLY:C	1:A:544:VAL:HG13	2.39	0.42
1:A:81:ASP:CB	4:A:708:MTN:H81	2.50	0.42
1:A:543:GLY:C	1:A:544:VAL:CG1	2.87	0.42
1:A:541:MET:HB2	1:A:541:MET:HE3	1.87	0.42
1:A:186:THR:OG1	1:A:190:ALA:HA	2.20	0.41
2:A:701:CNC:H301	2:A:701:CNC:H203	2.02	0.41
1:A:114:ARG:O	1:A:114:ARG:HG3	2.21	0.41
2:A:701:CNC:C49	2:A:701:CNC:C47	2.98	0.41
2:A:701:CNC:H202	2:A:701:CNC:N3B	2.36	0.41
1:A:293:MET:HG3	1:A:294:LYS:N	2.36	0.41
1:A:84:ARG:NH1	1:A:318:GLN:OE1	2.53	0.41
1:A:115:SER:O	1:A:358:ARG:HD3	2.20	0.41
1:A:479:VAL:HG13	1:A:479:VAL:O	2.21	0.41

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	579/594 (98%)	554 (96%)	21 (4%)	4 (1%)	26	32

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	90	VAL
1	A	535	PRO
1	A	283	ARG
1	A	333	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	466/495 (94%)	456 (98%)	10 (2%)	61	76

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	THR
1	A	87	LEU
1	A	103	LEU
1	A	114	ARG
1	A	141	SER
1	A	224	ASP
1	A	260	LEU
1	A	526	ARG
1	A	539	VAL
1	A	587	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	151	ASN
1	A	299	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 11 ligands modelled in this entry, 3 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CNC	A	701	-	75,103,103	1.17	4 (5%)	107,171,171	1.86	16 (14%)
3	C8E	A	702	-	20,20,20	0.60	0	19,19,19	0.80	0
3	C8E	A	703	-	20,20,20	0.46	0	19,19,19	0.41	0
3	C8E	A	704	-	20,20,20	0.55	0	19,19,19	0.82	0
3	C8E	A	705	-	20,20,20	0.55	0	19,19,19	0.68	0
3	C8E	A	706	-	20,20,20	0.47	0	19,19,19	0.44	0
3	C8E	A	707	-	20,20,20	0.55	0	19,19,19	0.60	0
4	MTN	A	708	1	10,12,16	0.88	0	13,20,27	5.76	10 (76%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CNC	A	701	-	-	0/51/235/235	0/3/11/11
3	C8E	A	702	-	-	0/18/18/18	0/0/0/0
3	C8E	A	703	-	-	0/18/18/18	0/0/0/0
3	C8E	A	704	-	-	0/18/18/18	0/0/0/0
3	C8E	A	705	-	-	0/18/18/18	0/0/0/0
3	C8E	A	706	-	-	0/18/18/18	0/0/0/0
3	C8E	A	707	-	-	0/18/18/18	0/0/0/0
4	MTN	A	708	1	-	0/0/25/29	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	CNC	C11-C10	-4.58	1.32	1.41
2	A	701	CNC	C1-N21	-3.22	1.44	1.50
2	A	701	CNC	C8B-N1B	-3.04	1.34	1.38
2	A	701	CNC	O6R-C1R	2.77	1.44	1.41

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	CNC	C2R-C1R-N1B	-8.92	100.67	114.29
4	A	708	MTN	C1-C2-C3	-7.68	108.51	113.69
4	A	708	MTN	C6-C5-C3	-4.84	107.15	113.23
4	A	708	MTN	C8-C1-N1	-4.62	103.71	110.07
2	A	701	CNC	C18-C19-N24	-4.19	99.92	109.30
2	A	701	CNC	C25-C2-C3	-3.39	109.83	115.56
2	A	701	CNC	C9-C10-C11	-3.30	124.00	132.28
2	A	701	CNC	C13-C14-C15	-3.30	120.73	131.88
4	A	708	MTN	C8-C1-C2	-3.25	109.31	112.69
2	A	701	CNC	O7R-C2R-C3R	-3.15	102.05	111.16
4	A	708	MTN	C7-C5-C3	-3.11	109.32	113.23
2	A	701	CNC	C2P-C1P-N59	-3.01	108.47	112.92
2	A	701	CNC	C55-C56-C57	-2.65	105.69	111.06
2	A	701	CNC	O5-P-O2	-2.58	101.57	109.36
2	A	701	CNC	C48-C49-C50	-2.47	104.69	112.53
4	A	708	MTN	C9-C1-C2	-2.18	110.42	112.69
2	A	701	CNC	C7B-C8B-C9B	-2.13	118.44	120.54
2	A	701	CNC	C3R-C2R-C1R	2.20	105.27	99.98
2	A	701	CNC	C20-C1-C19	2.37	111.71	109.56
4	A	708	MTN	C9-C1-C8	2.54	114.36	110.70
2	A	701	CNC	O6R-C4R-C5R	3.66	117.11	109.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	708	MTN	O1-N1-C5	4.07	126.76	110.84
2	A	701	CNC	O6R-C1R-N1B	6.90	122.55	108.10
2	A	701	CNC	O2-P-O3	7.07	106.79	100.07
4	A	708	MTN	C3-C5-N1	11.09	104.40	99.29
4	A	708	MTN	C2-C1-N1	12.29	106.48	99.36

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 35 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	CNC	16	0
3	A	704	C8E	13	0
4	A	708	MTN	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	583/594 (98%)	0.13	20 (3%)	49 47	22, 34, 51, 81	2 (0%)

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	332	GLY	9.0
1	A	331	ASP	7.1
1	A	162	ASP	4.0
1	A	161	GLY	3.8
1	A	594	PHE	3.7
1	A	330	GLU	3.6
1	A	514	PHE	3.5
1	A	512	TYR	3.2
1	A	281	TYR	3.1
1	A	324	PRO	3.0
1	A	144	TRP	2.9
1	A	190	ALA	2.7
1	A	210	PHE	2.7
1	A	79	LEU	2.3
1	A	160	LEU	2.3
1	A	446	TYR	2.2
1	A	323	THR	2.2
1	A	448	ASP	2.2
1	A	172	TYR	2.2
1	A	236	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	C8E	A	705	21/21	0.58	0.44	10.66	89,97,107,108	0
3	C8E	A	707	21/21	0.48	0.48	8.62	74,101,120,120	0
3	C8E	A	703	21/21	0.62	0.42	7.25	108,112,123,123	0
4	MTN	A	708	12/16	0.70	0.42	5.81	57,71,74,75	12
3	C8E	A	706	21/21	0.77	0.28	3.93	70,78,82,85	0
3	C8E	A	704	21/21	0.92	0.22	2.06	47,55,75,78	0
3	C8E	A	702	21/21	0.90	0.17	0.90	56,59,67,69	0
5	CA	A	710	1/1	0.97	0.12	0.02	82,82,82,82	0
2	CNC	A	701	93/93	0.97	0.14	-0.63	51,61,70,79	0
5	CA	A	709	1/1	0.96	0.06	-2.96	75,75,75,75	0
5	CA	A	711	1/1	0.94	0.06	-	88,88,88,88	0

6.5 Other polymers [i](#)

There are no such residues in this entry.