



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:38 PM GMT

PDB ID : 4M9R
Title : Crystal structure of CED-3
Authors : Xu, Y.; Jeffrey, P.D.; Shi, Y.G.
Deposited on : 2013-08-15
Resolution : 2.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3152 (2.70-2.62)
Clashscore	102246	3524 (2.70-2.62)
Ramachandran outliers	100387	3469 (2.70-2.62)
Sidechain outliers	100360	3469 (2.70-2.62)
RSRZ outliers	91569	3161 (2.70-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	306	<div> <div>8%</div> <div>51%</div> <div>31%</div> <div>16%</div> </div>
1	B	306	<div> <div>7%</div> <div>43%</div> <div>29%</div> <div>27%</div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3821 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cell death protein 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	256	Total	C	N	O	S	0	0	0
			2041	1287	359	381	14			
1	B	223	Total	C	N	O	S	0	0	0
			1773	1123	305	331	14			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	358	SER	CYS	CONFLICT	UNP P42573
B	358	SER	CYS	CONFLICT	UNP P42573

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	O	0	0
			2	2		
2	B	5	Total	O	0	0
			5	5		

4 Data and refinement statistics

Property	Value	Source
Space group	I 41	Depositor
Cell constants a, b, c, α , β , γ	121.07Å 121.07Å 58.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.18 – 2.66 20.18 – 2.66	Depositor EDS
% Data completeness (in resolution range)	97.2 (20.18-2.66) 97.2 (20.18-2.66)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 2.67Å)	Xtriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, R_{free}	0.206 , 0.260 0.203 , 0.253	Depositor DCC
R_{free} test set	575 reflections (4.79%)	DCC
Wilson B-factor (Å ²)	65.5	Xtriage
Anisotropy	0.344	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 70.5	EDS
Estimated twinning fraction	0.037 for -k,-h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 11997 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3821	wwPDB-VP
Average B, all atoms (Å ²)	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/2083	0.47	0/2814
1	B	0.29	0/1807	0.46	0/2439
All	All	0.29	0/3890	0.46	0/5253

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2041	0	2008	88	0
1	B	1773	0	1751	73	0
2	A	2	0	0	0	0
2	B	5	0	0	0	0
All	All	3821	0	3759	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:465:VAL:HG21	1:A:482:PRO:HG2	1.43	0.99

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:455:VAL:HG11	1:B:455:VAL:HG11	1.47	0.95
1:A:465:VAL:HG21	1:A:482:PRO:CG	2.02	0.88
1:B:240:SER:O	1:B:499:ARG:HD3	1.85	0.77
1:B:266:LYS:HE2	1:B:282:CYS:SG	2.26	0.75
1:A:423:ALA:O	1:A:424:GLN:HG2	1.87	0.74
1:B:238:PHE:HA	1:B:242:ARG:HH21	1.53	0.72
1:A:351:LYS:HD2	1:A:415:ILE:HG12	1.71	0.72
1:B:252:HIS:O	1:B:324:VAL:HG23	1.90	0.71
1:A:362:ARG:HD3	1:A:424:GLN:HG3	1.70	0.71
1:A:331:THR:O	1:A:334:ILE:HG12	1.91	0.69
1:A:410:PRO:HB2	1:B:481:MET:HB2	1.75	0.68
1:B:316:GLY:O	1:B:359:ARG:HG3	1.93	0.68
1:B:331:THR:O	1:B:334:ILE:HG12	1.94	0.67
1:B:455:VAL:HG13	1:B:484:MET:SD	2.34	0.67
1:B:221:ASP:HB2	1:B:223:PRO:HD2	1.77	0.65
1:B:300:LYS:HA	1:B:345:ARG:HH11	1.60	0.65
1:B:240:SER:HB2	1:B:241:PRO:HD3	1.77	0.65
1:A:477:ILE:HB	1:B:408:LYS:NZ	2.13	0.64
1:A:481:MET:HE2	1:B:410:PRO:HG2	1.79	0.64
1:B:409:LYS:HE2	1:B:489:LEU:HD22	1.79	0.64
1:A:312:ILE:HG21	1:A:321:ILE:HD13	1.79	0.64
1:A:252:HIS:O	1:A:324:VAL:HG23	1.98	0.64
1:B:244:MET:HE3	1:B:279:THR:HB	1.79	0.63
1:A:221:ASP:HB2	1:A:223:PRO:HD2	1.80	0.62
1:A:497:GLU:HG2	1:A:498:ALA:H	1.66	0.61
1:B:230:ASP:HB3	1:B:233:THR:HG22	1.83	0.60
1:B:220:VAL:HG13	1:B:450:LYS:HB2	1.83	0.60
1:B:302:GLU:HG2	1:B:345:ARG:CD	2.31	0.59
1:A:233:THR:HG23	1:A:234:MET:HG2	1.84	0.58
1:B:287:THR:HA	1:B:324:VAL:HG12	1.85	0.58
1:A:481:MET:CE	1:B:413:ALA:HB2	2.33	0.58
1:A:287:THR:HA	1:A:324:VAL:HG12	1.86	0.58
1:B:300:LYS:HG3	1:B:300:LYS:O	2.04	0.57
1:A:479:LYS:HB3	1:B:410:PRO:HG3	1.85	0.57
1:B:273:PHE:O	1:B:278:TYR:HB2	2.06	0.56
1:A:481:MET:HE3	1:B:413:ALA:HB2	1.86	0.56
1:A:455:VAL:HG13	1:A:484:MET:SD	2.45	0.56
1:A:242:ARG:NH2	1:A:499:ARG:NH1	2.55	0.55
1:A:300:LYS:O	1:A:302:GLU:N	2.40	0.54
1:B:301:HIS:C	1:B:303:SER:H	2.11	0.54
1:A:240:SER:HB2	1:A:241:PRO:HD3	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:235:TYR:CG	1:B:350:PRO:HG3	2.43	0.54
1:A:220:VAL:HG13	1:A:450:LYS:HB2	1.90	0.54
1:A:236:ARG:HG3	1:A:238:PHE:CE2	2.43	0.54
1:A:229:PHE:CE2	1:A:231:GLU:HG3	2.42	0.53
1:A:311:VAL:HG22	1:A:354:PHE:HB2	1.90	0.53
1:B:311:VAL:HG22	1:B:354:PHE:HB2	1.91	0.53
1:A:436:TRP:CE3	1:A:469:PHE:HB3	2.43	0.53
1:A:244:MET:CE	1:A:281:ILE:HD11	2.38	0.53
1:A:240:SER:O	1:A:499:ARG:HD3	2.09	0.53
1:A:359:ARG:O	1:A:424:GLN:HA	2.08	0.53
1:A:249:ASN:HD22	1:A:266:LYS:HD2	1.73	0.52
1:A:474:GLY:O	1:A:475:SER:HB2	2.08	0.52
1:B:242:ARG:NH2	1:B:499:ARG:NH1	2.57	0.52
1:A:266:LYS:CE	1:A:282:CYS:HB3	2.38	0.52
1:B:217:MET:HG2	1:B:219:PHE:CE1	2.45	0.52
1:A:320:VAL:HA	1:A:329:ILE:O	2.09	0.52
1:B:462:ASN:OD1	1:B:482:PRO:HB2	2.10	0.52
1:B:240:SER:HB2	1:B:241:PRO:CD	2.39	0.51
1:A:218:ASN:HB3	1:A:450:LYS:HD3	1.91	0.51
1:A:461:VAL:O	1:A:465:VAL:HG22	2.10	0.51
1:B:253:PHE:HB2	1:B:256:MET:O	2.10	0.51
1:A:455:VAL:HG11	1:B:455:VAL:CG1	2.33	0.51
1:B:246:LEU:HD22	1:B:298:PHE:HB2	1.92	0.51
1:A:455:VAL:CG1	1:B:455:VAL:HG11	2.32	0.50
1:B:274:ARG:HG3	1:B:280:VAL:HG23	1.93	0.50
1:A:473:GLN:HA	1:A:473:GLN:OE1	2.11	0.50
1:A:273:PHE:O	1:A:278:TYR:HB2	2.11	0.50
1:B:283:LYS:HG3	1:B:294:THR:HG21	1.92	0.50
1:B:346:LEU:HB3	1:B:351:LYS:HE3	1.94	0.49
1:B:435:SER:HB2	1:B:438:ILE:HG12	1.94	0.49
1:A:236:ARG:HG3	1:A:238:PHE:HE2	1.77	0.49
1:A:275:CYS:HA	1:A:500:ASN:CB	2.42	0.49
1:B:240:SER:CB	1:B:241:PRO:HD3	2.42	0.49
1:B:450:LYS:HG3	1:B:451:ASP:N	2.28	0.48
1:A:298:PHE:O	1:A:304:HIS:HE1	1.96	0.48
1:B:281:ILE:CD1	1:B:301:HIS:HE1	2.25	0.48
1:A:214:GLU:HG2	1:A:275:CYS:SG	2.52	0.48
1:A:298:PHE:O	1:A:304:HIS:CE1	2.67	0.48
1:A:428:TRP:HZ2	1:A:478:LEU:HD13	1.79	0.48
1:A:335:TYR:HH	1:A:419:TYR:HH	1.60	0.48
1:A:244:MET:HE1	1:A:281:ILE:HD11	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:299:ALA:HB1	1:B:343:ALA:HB2	1.95	0.47
1:B:302:GLU:HG2	1:B:345:ARG:HD3	1.95	0.47
1:B:250:ASN:O	1:B:259:ARG:HD3	2.15	0.47
1:A:222:ALA:N	1:A:223:PRO:CD	2.78	0.47
1:A:275:CYS:HA	1:A:500:ASN:HB2	1.97	0.47
1:A:422:THR:HG22	1:A:423:ALA:N	2.31	0.46
1:B:302:GLU:C	1:B:304:HIS:H	2.18	0.46
1:A:409:LYS:HE2	1:A:489:LEU:HD22	1.98	0.46
1:B:233:THR:HG23	1:B:234:MET:HG2	1.96	0.46
1:B:465:VAL:HG23	1:B:466:ALA:N	2.31	0.46
1:A:465:VAL:HG21	1:A:482:PRO:CD	2.46	0.46
1:B:306:ASP:O	1:B:350:PRO:HD2	2.17	0.45
1:B:230:ASP:HB3	1:B:233:THR:CG2	2.47	0.45
1:A:229:PHE:CD1	1:A:238:PHE:HZ	2.34	0.45
1:B:317:GLU:HB3	1:B:359:ARG:HD2	1.99	0.45
1:A:416:LEU:C	1:A:416:LEU:HD23	2.37	0.45
1:A:259:ARG:NH1	1:A:429:ARG:NH1	2.65	0.45
1:B:244:MET:HE2	1:B:281:ILE:HD11	2.00	0.44
1:B:351:LYS:HD2	1:B:415:ILE:HG12	1.98	0.44
1:A:429:ARG:HG2	1:A:435:SER:OG	2.17	0.44
1:B:261:GLY:H	1:B:263:LYS:NZ	2.15	0.44
1:A:489:LEU:N	1:A:489:LEU:HD12	2.32	0.44
1:A:465:VAL:HG23	1:A:466:ALA:N	2.32	0.44
1:B:230:ASP:CB	1:B:233:THR:HG22	2.48	0.44
1:A:297:ASP:O	1:A:300:LYS:HB3	2.18	0.44
1:A:443:GLU:O	1:A:446:SER:HB2	2.18	0.44
1:B:465:VAL:HG21	1:B:482:PRO:HG2	1.99	0.44
1:A:266:LYS:HE2	1:A:282:CYS:SG	2.57	0.43
1:A:246:LEU:HD22	1:A:298:PHE:HB2	2.00	0.43
1:A:428:TRP:CZ2	1:A:478:LEU:HD13	2.52	0.43
1:B:229:PHE:CE2	1:B:231:GLU:HG3	2.53	0.43
1:A:238:PHE:HA	1:A:242:ARG:HH21	1.83	0.43
1:A:302:GLU:HG2	1:A:345:ARG:HD3	1.99	0.43
1:A:335:TYR:CZ	1:A:417:ILE:HG12	2.53	0.43
1:B:298:PHE:HA	1:B:301:HIS:CD2	2.53	0.43
1:A:219:PHE:CD1	1:A:497:GLU:O	2.71	0.43
1:B:242:ARG:NH1	1:B:495:TRP:O	2.51	0.43
1:B:243:GLY:HA3	1:B:307:SER:O	2.19	0.43
1:A:441:VAL:O	1:A:445:PHE:HB2	2.18	0.43
1:A:274:ARG:HG3	1:A:280:VAL:HG23	2.01	0.43
1:A:473:GLN:O	1:A:474:GLY:C	2.58	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:299:ALA:HB1	1:A:343:ALA:HB2	2.01	0.42
1:B:312:ILE:HG21	1:B:321:ILE:HD13	2.01	0.42
1:A:238:PHE:CE1	1:A:495:TRP:CZ3	3.07	0.42
1:A:481:MET:HE1	1:B:413:ALA:HB2	2.02	0.42
1:A:230:ASP:CG	1:A:233:THR:HG22	2.39	0.42
1:A:246:LEU:HD21	1:A:294:THR:HG22	2.02	0.42
1:B:302:GLU:HG2	1:B:345:ARG:NE	2.34	0.42
1:A:436:TRP:HZ2	1:A:471:THR:HB	1.84	0.42
1:A:417:ILE:HG21	1:A:419:TYR:CZ	2.55	0.41
1:B:240:SER:CB	1:B:241:PRO:CD	2.99	0.41
1:A:240:SER:HB2	1:A:241:PRO:CD	2.49	0.41
1:B:358:SER:HA	1:B:422:THR:HB	2.03	0.41
1:A:230:ASP:OD2	1:A:233:THR:HG22	2.21	0.41
1:A:208:THR:C	1:A:209:GLN:HG3	2.41	0.41
1:A:366:GLY:HA2	1:B:409:LYS:O	2.21	0.41
1:A:363:ARG:HB3	1:A:478:LEU:HD22	2.02	0.41
1:B:416:LEU:HD23	1:B:416:LEU:C	2.41	0.41
1:B:335:TYR:CZ	1:B:417:ILE:HG12	2.55	0.41
1:B:314:SER:O	1:B:357:ALA:HA	2.21	0.41
1:B:283:LYS:HB3	1:B:286:LEU:HD11	2.02	0.41
1:A:244:MET:HE2	1:A:281:ILE:HD11	2.02	0.40
1:A:230:ASP:HB3	1:A:233:THR:HG22	2.03	0.40
1:B:452:MET:HB2	1:B:457:LEU:CD2	2.52	0.40
1:A:466:ALA:HB1	1:B:410:PRO:HD2	2.04	0.40
1:A:292:LEU:HD21	1:A:329:ILE:HG23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	252/306 (82%)	230 (91%)	18 (7%)	4 (2%)	12 26

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	215/306 (70%)	199 (93%)	15 (7%)	1 (0%)	34	59
All	All	467/612 (76%)	429 (92%)	33 (7%)	5 (1%)	17	38

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	301	HIS
1	A	474	GLY
1	A	475	SER
1	A	285	ASN
1	B	318	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/267 (84%)	221 (99%)	3 (1%)	76	91
1	B	196/267 (73%)	192 (98%)	4 (2%)	63	86
All	All	420/534 (79%)	413 (98%)	7 (2%)	68	88

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	220	VAL
1	A	473	GLN
1	A	476	ASN
1	B	220	VAL
1	B	221	ASP
1	B	300	LYS
1	B	356	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	218	ASN
1	A	304	HIS
1	A	356	GLN
1	A	500	ASN
1	B	301	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	256/306 (83%)	0.49	25 (9%)	10 7	44, 76, 137, 183	0
1	B	223/306 (72%)	0.40	21 (9%)	11 8	44, 75, 140, 186	0
All	All	479/612 (78%)	0.45	46 (9%)	10 8	44, 76, 140, 186	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	407	ARG	6.5
1	A	408	LYS	6.3
1	A	252	HIS	5.5
1	A	258	THR	5.5
1	B	209	GLN	5.3
1	B	260	ASN	5.1
1	B	359	ARG	4.9
1	A	361	GLU	4.7
1	B	208	THR	4.3
1	B	240	SER	4.3
1	A	253	PHE	4.3
1	B	231	GLU	4.2
1	B	255	GLN	4.2
1	B	436	TRP	4.0
1	B	302	GLU	4.0
1	A	209	GLN	4.0
1	A	263	LYS	4.0
1	A	475	SER	3.9
1	B	317	GLU	3.8
1	A	363	ARG	3.8
1	B	215	GLU	3.7
1	A	433	ARG	3.4
1	A	472	SER	3.3
1	A	260	ASN	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	254	GLU	3.0
1	B	301	HIS	2.9
1	A	498	ALA	2.9
1	B	232	LYS	2.9
1	A	476	ASN	2.8
1	B	500	ASN	2.8
1	A	255	GLN	2.7
1	B	434	GLY	2.7
1	B	214	GLU	2.7
1	A	302	GLU	2.6
1	B	236	ARG	2.6
1	B	296	ARG	2.6
1	A	473	GLN	2.5
1	B	422	THR	2.4
1	A	240	SER	2.3
1	B	259	ARG	2.3
1	A	215	GLU	2.3
1	A	494	PHE	2.2
1	A	474	GLY	2.2
1	A	424	GLN	2.2
1	A	214	GLU	2.1
1	A	213	HIS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.