



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:54 PM GMT

PDB ID : 1MKX
Title : THE CO-CRYSTAL STRUCTURE OF UNLIGANDED BOVINE ALPHA-THROMBIN AND PRETHROMBIN-2: MOVEMENT OF THE YPPW SEGMENT AND ACTIVE SITE RESIDUES UPON LIGAND BINDING
Authors : Malkowski, M.G.; Edwards, B.F.P.
Deposited on : 1997-03-13
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	49	
2	H	259	
3	K	308	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5012 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA-THROMBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	29	Total	C	N	O	S	0	0	0
			243	153	38	51	1			

- Molecule 2 is a protein called ALPHA-THROMBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	255	Total	C	N	O	S	0	0	0
			2064	1320	369	363	12			

- Molecule 3 is a protein called PRETHROMBIN-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	K	287	Total	C	N	O	S	0	0	0
			2326	1483	413	417	13			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	H	205	Total	O	0	0
			205	205		
4	K	142	Total	O	0	0
			142	142		
4	L	32	Total	O	0	0
			32	32		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ALPHA-THROMBIN

Chain L: 




• Molecule 2: ALPHA-THROMBIN

Chain H: 



• Molecule 3: PRETHROMBIN-2

Chain K: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	87.52Å 87.99Å 101.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	7.00 – 2.20 18.76 – 1.92	Depositor EDS
% Data completeness (in resolution range)	(Not available) (7.00-2.20) 78.0 (18.76-1.92)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.73 (at 1.93Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, R_{free}	0.187 , 0.255 0.211 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	21.6	Xtriage
Anisotropy	0.065	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.22 , 107.4	EDS
Estimated twinning fraction	0.054 for k,h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 47040 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5012	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L	0.96	0/246	0.96	0/328
2	H	0.86	1/2118 (0.0%)	1.02	3/2867 (0.1%)
3	K	0.80	0/2384	0.97	4/3222 (0.1%)
All	All	0.84	1/4748 (0.0%)	0.99	7/6417 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	K	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	192	GLU	CG-CD	5.73	1.60	1.51

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	K	17	VAL	N-CA-C	8.99	135.28	111.00
2	H	157	VAL	CB-CA-C	-7.40	97.33	111.40
3	K	16	ILE	N-CA-C	6.83	129.44	111.00
2	H	147	THR	N-CA-C	6.75	129.23	111.00
3	K	101	ARG	NE-CZ-NH1	-5.36	117.62	120.30
2	H	243	ASP	CB-CG-OD1	5.12	122.91	118.30
3	K	199	PHE	N-CA-C	-5.11	97.20	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	K	225	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	243	0	233	6	0
2	H	2064	0	2065	76	0
3	K	2326	0	2318	75	0
4	H	205	0	0	7	0
4	K	142	0	0	7	0
4	L	32	0	0	0	0
All	All	5012	0	4616	152	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:K:129(B):LYS:NZ	3:K:204(A):TYR:HB2	1.75	1.02
3:K:1(C):GLU:HG3	3:K:1:CYS:HB3	1.42	1.01
3:K:14(B):THR:HG22	3:K:137:ARG:NH2	1.78	0.99
2:H:145:ARG:NH1	2:H:150:VAL:HG13	1.81	0.95
3:K:129(B):LYS:HZ3	3:K:204(A):TYR:HB2	1.43	0.84
3:K:216:GLY:HA2	3:K:226:GLY:HA2	1.60	0.84
3:K:14(B):THR:HG22	3:K:137:ARG:HH21	1.45	0.80
3:K:141:TRP:CZ3	3:K:155:LEU:HD13	2.18	0.79
3:K:129(B):LYS:HZ2	3:K:204(A):TYR:HB2	1.48	0.78
3:K:14(C):GLU:HA	3:K:14(F):LEU:HD13	1.66	0.75
2:H:145:ARG:HB3	2:H:150:VAL:CG1	2.18	0.73
3:K:14(F):LEU:HD23	4:K:296:HOH:O	1.90	0.71
2:H:36:LYS:HE3	2:H:65:LEU:HG	1.72	0.71
2:H:123:LEU:HB2	4:H:395:HOH:O	1.92	0.70
2:H:60(A):TYR:CE2	2:H:60(C):PRO:HB2	2.27	0.70
3:K:7:PHE:HA	3:K:12:VAL:HG13	1.73	0.70
2:H:144:ARG:NH2	2:H:152:PRO:HA	2.08	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:K:65:LEU:HD23	4:K:339:HOH:O	1.93	0.67
2:H:32:MET:CE	2:H:70:LYS:HE2	2.25	0.67
2:H:87:LYS:HD2	2:H:107:LYS:NZ	2.12	0.65
3:K:32:MET:HG2	4:K:284:HOH:O	1.95	0.65
2:H:70:LYS:HB3	4:H:316:HOH:O	1.98	0.64
3:K:141:TRP:CH2	3:K:155:LEU:HD13	2.33	0.63
1:L:10:LYS:O	1:L:12:VAL:HG23	1.98	0.63
2:H:95:ASN:ND2	2:H:97(A):GLU:HG2	2.14	0.63
3:K:50:ARG:HA	3:K:108:LEU:HD12	1.80	0.62
3:K:128:THR:HG22	3:K:129(C):LEU:HD12	1.81	0.62
2:H:144:ARG:NH1	2:H:151:GLN:H	1.97	0.62
3:K:46:LEU:HD22	3:K:48:SER:O	1.99	0.61
1:L:3:LEU:HD12	2:H:206:ARG:HG2	1.80	0.61
3:K:216:GLY:HA2	3:K:227:PHE:H	1.66	0.61
2:H:213:VAL:HG13	4:H:263:HOH:O	2.01	0.61
2:H:27:SER:O	2:H:71:HIS:HE1	1.84	0.61
2:H:175:ARG:NH1	4:H:321:HOH:O	2.34	0.61
3:K:204(B):ASN:ND2	3:K:206:ARG:H	1.98	0.60
2:H:32:MET:HE1	2:H:70:LYS:HE2	1.83	0.60
3:K:14(B):THR:HG23	3:K:159:ASN:HD21	1.67	0.59
2:H:242:ILE:HG22	2:H:242:ILE:O	2.01	0.59
3:K:86:ASP:HB2	3:K:109:LYS:HA	1.85	0.58
2:H:35:ARG:HD2	2:H:39:GLU:HG2	1.85	0.58
2:H:46:LEU:HD13	2:H:120:PRO:HB3	1.86	0.58
3:K:38:GLN:HG3	4:K:277:HOH:O	2.03	0.58
2:H:145:ARG:HH11	2:H:150:VAL:HG13	1.68	0.58
3:K:34:PHE:CE2	3:K:67:ARG:HD2	2.39	0.57
3:K:139:THR:HG22	3:K:156:GLN:O	2.03	0.57
2:H:35:ARG:HB3	2:H:39:GLU:HG2	1.86	0.57
3:K:67:ARG:NH1	4:K:344:HOH:O	2.38	0.56
2:H:36:LYS:HE2	4:H:319:HOH:O	2.04	0.56
2:H:25:GLY:H	2:H:71:HIS:CD2	2.22	0.56
2:H:129(B):LYS:O	2:H:131:HIS:CD2	2.59	0.56
3:K:216:GLY:CA	3:K:226:GLY:HA2	2.33	0.56
3:K:7:PHE:HZ	3:K:23:GLU:HG3	1.70	0.56
3:K:97:LYS:HB2	4:K:258:HOH:O	2.05	0.56
2:H:221(A):ARG:HG2	3:K:173:ARG:CZ	2.36	0.55
3:K:105:LEU:HD11	3:K:238:ILE:HG23	1.89	0.54
3:K:141:TRP:CE3	3:K:155:LEU:HD13	2.42	0.54
3:K:14(B):THR:CG2	3:K:137:ARG:HH21	2.17	0.54
3:K:233:ARG:HD3	4:K:273:HOH:O	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:29:TRP:O	2:H:45:SER:HA	2.07	0.54
3:K:216:GLY:HA2	3:K:226:GLY:CA	2.34	0.53
2:H:87:LYS:HD2	2:H:107:LYS:HZ3	1.72	0.53
3:K:163:VAL:HG21	3:K:225:TYR:CD2	2.44	0.53
3:K:7:PHE:CZ	3:K:23:GLU:HG3	2.44	0.53
3:K:49:ASP:O	3:K:112:ILE:HG12	2.09	0.52
2:H:148:TRP:CZ3	3:K:175:ARG:HG3	2.45	0.52
3:K:123:LEU:HD13	3:K:235:LYS:HD3	1.92	0.52
2:H:46:LEU:CD1	2:H:120:PRO:HB3	2.39	0.52
1:L:4:ARG:HG2	2:H:28:PRO:HG3	1.91	0.51
2:H:35:ARG:HH11	2:H:39:GLU:CD	2.14	0.51
2:H:17:VAL:HG23	2:H:191:CYS:HB2	1.93	0.51
1:L:14(G):PHE:HA	1:L:14(J):TYR:CD2	2.46	0.51
2:H:145:ARG:HB3	2:H:150:VAL:HG12	1.92	0.51
2:H:95:ASN:HD21	2:H:97(A):GLU:HG2	1.76	0.51
3:K:35:ARG:O	3:K:38:GLN:HA	2.11	0.51
2:H:35:ARG:O	2:H:38:GLN:HA	2.10	0.51
2:H:16:ILE:O	2:H:144:ARG:HA	2.11	0.50
3:K:9:LYS:C	3:K:11:GLN:H	2.15	0.50
3:K:14(B):THR:CG2	3:K:159:ASN:HD21	2.25	0.50
3:K:23:GLU:HG2	3:K:26:LEU:HD13	1.92	0.50
2:H:71:HIS:CE1	4:H:314:HOH:O	2.64	0.50
3:K:31:VAL:HG13	3:K:68:ILE:HG12	1.93	0.50
2:H:79:VAL:HB	2:H:117:TYR:CD2	2.47	0.49
2:H:129(B):LYS:HD3	2:H:204(A):TYR:CZ	2.48	0.49
2:H:95:ASN:O	2:H:99:LEU:HA	2.13	0.49
2:H:217:GLU:O	2:H:221(A):ARG:HD2	2.13	0.48
2:H:99:LEU:O	2:H:102:ASP:HB2	2.13	0.48
2:H:213:VAL:HG22	2:H:228:TYR:HE2	1.79	0.48
2:H:17:VAL:HG11	2:H:221:ASP:HB2	1.95	0.48
3:K:45:SER:OG	3:K:198:PRO:HB3	2.13	0.48
2:H:17:VAL:HG21	2:H:220:CYS:HB3	1.95	0.48
2:H:105:LEU:CD1	2:H:241:VAL:HG22	2.43	0.48
3:K:204(B):ASN:HD22	3:K:204(B):ASN:C	2.17	0.48
2:H:29:TRP:CG	2:H:121:VAL:HB	2.49	0.47
3:K:3:LEU:O	3:K:9:LYS:NZ	2.46	0.47
2:H:32:MET:HE1	2:H:70:LYS:HB3	1.96	0.47
3:K:60(B):PRO:O	3:K:60(E):ASP:N	2.40	0.47
2:H:136:GLY:HA3	2:H:199:PHE:CZ	2.50	0.47
3:K:59:LEU:HD11	3:K:106:LEU:HD21	1.98	0.46
3:K:32:MET:O	3:K:66:VAL:HA	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:K:139:THR:HA	3:K:156:GLN:O	2.16	0.46
3:K:203:SER:HB3	3:K:204(B):ASN:ND2	2.31	0.46
2:H:105:LEU:HD13	2:H:241:VAL:HG22	1.98	0.46
2:H:137:ARG:HB2	2:H:159:ASN:OD1	2.15	0.46
1:L:4:ARG:HA	1:L:5:PRO:HD3	1.78	0.45
3:K:138:VAL:HG23	3:K:158:VAL:HG13	1.98	0.45
3:K:182:CYS:HA	3:K:226:GLY:O	2.16	0.45
2:H:143:ASN:OD1	2:H:192:GLU:CG	2.65	0.45
2:H:87:LYS:HB2	2:H:107:LYS:HZ3	1.82	0.45
2:H:211:GLY:HA2	2:H:229:THR:O	2.17	0.45
2:H:29:TRP:CD2	2:H:121:VAL:HB	2.52	0.45
2:H:17:VAL:HG11	2:H:221:ASP:CB	2.46	0.45
2:H:70:LYS:HD3	2:H:80:GLU:OE1	2.17	0.44
2:H:81:LYS:HD3	2:H:112:ILE:CG2	2.48	0.44
3:K:140:GLY:HA3	3:K:193:GLY:HA2	1.99	0.44
3:K:57:HIS:ND1	3:K:102:ASP:OD2	2.51	0.44
2:H:27:SER:O	2:H:71:HIS:CE1	2.68	0.44
3:K:33:LEU:O	3:K:40:LEU:HD12	2.17	0.44
1:L:1:CYS:O	2:H:122:CYS:SG	2.75	0.44
2:H:152:PRO:HB2	2:H:154:VAL:O	2.18	0.44
3:K:46:LEU:HA	3:K:46:LEU:HD23	1.88	0.44
2:H:179:ASN:OD1	2:H:233:ARG:HD2	2.18	0.44
3:K:23:GLU:O	3:K:26:LEU:HB2	2.17	0.44
3:K:87:LYS:HD2	3:K:87:LYS:HA	1.77	0.43
3:K:203:SER:HB3	3:K:204(B):ASN:HD21	1.83	0.43
2:H:61:VAL:HG22	4:H:295:HOH:O	2.17	0.43
2:H:146:GLU:HB2	2:H:220:CYS:HB2	1.99	0.43
3:K:45:SER:O	3:K:52:VAL:HA	2.18	0.43
2:H:25:GLY:H	2:H:71:HIS:HD2	1.65	0.43
2:H:145:ARG:HB3	2:H:150:VAL:HG11	1.98	0.43
2:H:242:ILE:O	2:H:242:ILE:CG2	2.66	0.43
2:H:67:ARG:HD2	2:H:82:ILE:HG12	2.01	0.43
3:K:101:ARG:HH11	3:K:101:ARG:HD3	1.68	0.42
2:H:175:ARG:NH1	2:H:177:THR:HG22	2.35	0.42
2:H:35:ARG:NH1	2:H:41:LEU:HD21	2.35	0.42
2:H:87:LYS:HD2	2:H:107:LYS:HZ1	1.81	0.42
3:K:31:VAL:HB	3:K:44:ALA:HB3	2.01	0.42
3:K:60:LEU:HG	3:K:60(B):PRO:HD3	2.02	0.42
3:K:35:ARG:HD2	3:K:39:GLU:OE2	2.19	0.42
3:K:5:PRO:HA	3:K:9:LYS:HB2	2.00	0.42
3:K:41:LEU:HD12	3:K:41:LEU:HA	1.89	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:K:216:GLY:HA2	3:K:227:PHE:N	2.32	0.41
3:K:4:ARG:HA	3:K:5:PRO:HD2	1.79	0.41
2:H:97(A):GLU:CD	2:H:175:ARG:HH21	2.24	0.41
3:K:98:ASN:O	3:K:99:LEU:HB2	2.20	0.41
2:H:59:LEU:HD11	2:H:106:LEU:HD11	2.02	0.41
3:K:29:TRP:O	3:K:45:SER:HA	2.20	0.40
3:K:185:LYS:O	3:K:186:PRO:C	2.59	0.40
3:K:165:ARG:NH2	3:K:180:MET:O	2.54	0.40
2:H:129(B):LYS:O	2:H:131:HIS:NE2	2.55	0.40
2:H:101:ARG:HG2	2:H:234:LEU:HD11	2.03	0.40
3:K:126:LYS:HG2	3:K:127:GLN:H	1.87	0.40
2:H:200:VAL:HG12	2:H:209:GLN:HA	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	27/49 (55%)	23 (85%)	4 (15%)	0	100	100
2	H	253/259 (98%)	233 (92%)	14 (6%)	6 (2%)	7	4
3	K	285/308 (92%)	237 (83%)	33 (12%)	15 (5%)	2	1
All	All	565/616 (92%)	493 (87%)	51 (9%)	21 (4%)	4	1

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	77(A)	ARG
2	H	149	THR
3	K	14(L)	GLU
3	K	17	VAL
3	K	149(C)	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	K	150	VAL
3	K	216	GLY
3	K	221(A)	ARG
2	H	148	TRP
2	H	150	VAL
3	K	1(B)	ALA
3	K	16	ILE
3	K	149(E)	GLU
3	K	77	GLU
3	K	152	PRO
3	K	217	GLU
3	K	223	GLY
2	H	146	GLU
3	K	18	GLU
2	H	77	GLU
3	K	186	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	27/43 (63%)	22 (82%)	5 (18%)	2	1
2	H	223/226 (99%)	200 (90%)	23 (10%)	9	8
3	K	251/269 (93%)	217 (86%)	34 (14%)	5	3
All	All	501/538 (93%)	439 (88%)	62 (12%)	6	5

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	1(C)	GLU
1	L	3	LEU
1	L	14	ASP
1	L	14(D)	LYS
1	L	14(L)	GLU
2	H	20	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	33	LEU
2	H	48	SER
2	H	60(C)	PRO
2	H	63	ASP
2	H	66	VAL
2	H	67	ARG
2	H	75	ARG
2	H	76	TYR
2	H	78	LYS
2	H	79	VAL
2	H	123	LEU
2	H	125	ASP
2	H	127	GLN
2	H	129(C)	LEU
2	H	141	TRP
2	H	148	TRP
2	H	151	GLN
2	H	153	SER
2	H	157	VAL
2	H	180	MET
2	H	192	GLU
2	H	233	ARG
3	K	1(A)	ASP
3	K	6	LEU
3	K	11	GLN
3	K	12	VAL
3	K	14(B)	THR
3	K	20	GLN
3	K	29	TRP
3	K	33	LEU
3	K	41	LEU
3	K	46	LEU
3	K	71	HIS
3	K	79	VAL
3	K	85	LEU
3	K	87	LYS
3	K	109	LYS
3	K	110	ARG
3	K	111	PRO
3	K	127	GLN
3	K	145	ARG
3	K	148	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	K	149	THR
3	K	149(C)	VAL
3	K	160	LEU
3	K	180	MET
3	K	186	PRO
3	K	186(B)	GLU
3	K	187	ARG
3	K	189	ASP
3	K	204(B)	ASN
3	K	221	ASP
3	K	224	LYS
3	K	235	LYS
3	K	241	VAL
3	K	243	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	14(A)	GLN
2	H	127	GLN
3	K	11	GLN
3	K	14(A)	GLN
3	K	127	GLN
3	K	204(B)	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	L	29/49 (59%)	-0.27	0 100 100	15, 28, 50, 56	0
2	H	255/259 (98%)	0.44	18 (7%) 19 18	4, 19, 68, 88	14 (5%)
3	K	287/308 (93%)	2.54	62 (21%) 1 1	6, 29, 64, 79	53 (18%)
All	All	571/616 (92%)	1.46	80 (14%) 4 3	4, 23, 66, 88	67 (11%)

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	K	190	ALA	33.1
3	K	76	TYR	27.2
3	K	154	VAL	26.0
3	K	189	ASP	23.5
3	K	220	CYS	22.3
3	K	188	GLY	19.7
2	H	149(B)	SER	19.4
3	K	153	SER	19.3
3	K	152	PRO	19.0
2	H	149(D)	ALA	18.8
3	K	191	CYS	18.1
2	H	149(A)	THR	17.9
3	K	144	ARG	17.6
3	K	148	TRP	17.6
2	H	77	GLU	17.3
3	K	74	THR	17.3
3	K	20	GLN	17.3
2	H	149(C)	VAL	17.3
3	K	71	HIS	17.2
3	K	149	THR	16.9
2	H	77(A)	ARG	15.5
3	K	150	VAL	15.4
2	H	74	THR	15.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	76	TYR	15.0
3	K	149(D)	ALA	14.3
3	K	186(C)	GLY	14.3
3	K	149(A)	THR	14.2
3	K	192	GLU	14.2
3	K	149(B)	SER	14.1
3	K	17	VAL	14.0
3	K	75	ARG	14.0
3	K	143	ASN	13.9
3	K	221	ASP	13.7
3	K	149(C)	VAL	13.5
3	K	77(A)	ARG	13.2
3	K	222	ASP	13.0
2	H	72	SER	13.0
3	K	223	GLY	12.9
3	K	79	VAL	12.9
3	K	19	GLY	12.8
3	K	147	THR	12.8
3	K	77	GLU	12.6
2	H	73	ARG	12.4
3	K	221(A)	ARG	11.9
3	K	78	LYS	11.9
3	K	186(B)	GLU	11.8
3	K	187	ARG	11.7
3	K	146	GLU	11.6
3	K	15	ARG	11.6
3	K	16	ILE	11.6
3	K	14(M)	GLY	11.4
3	K	73	ARG	11.3
3	K	186(D)	LYS	11.1
3	K	149(E)	GLU	10.9
3	K	151	GLN	10.7
2	H	149(E)	GLU	10.5
2	H	75	ARG	10.4
3	K	145	ARG	10.1
3	K	14(L)	GLU	10.0
2	H	78	LYS	9.5
3	K	142	GLY	9.2
3	K	72	SER	8.6
2	H	148	TRP	7.9
3	K	186(A)	GLY	7.3
3	K	18	GLU	7.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	71	HIS	6.7
3	K	219	GLY	6.5
2	H	149	THR	6.4
3	K	141	TRP	5.6
3	K	217	GLU	5.4
3	K	1(D)	GLY	3.3
3	K	216	GLY	2.8
3	K	243	ASP	2.7
3	K	110	ARG	2.6
2	H	150	VAL	2.6
3	K	127	GLN	2.2
2	H	147	THR	2.2
3	K	60(D)	TRP	2.1
3	K	80	GLU	2.0
3	K	204(A)	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.