



wwPDB NMR Structure Validation Summary Report ⓘ

Apr 27, 2016 – 06:53 AM BST

PDB ID : 2MLS
Title : Membrane Bilayer complex with Matrix Metalloproteinase-12 at its Beta-face
Authors : Koppiseti, R.K.; Fulcher, Y.G.; Prior, S.H.; Lenoir, M.; Overduin, M.; Van Doren, S.R.
Deposited on : 2014-03-04

This is a wwPDB NMR Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 83%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	164	 81% 16% ..

2 Ensemble composition and analysis

This entry contains 14 models. Model 8 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:101-A:262 (162)	0.40	8

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 5 single-model clusters were found.

Cluster number	Models
1	5, 8, 10, 13
2	11, 12, 14
3	1, 2
Single-model clusters	3; 4; 6; 7; 9

3 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8263 atoms, of which 1221 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Macrophage metalloelastase.

Mol	Chain	Residues	Atoms						Trace
1	A	164	Total	C	H	N	O	S	0
			2508	824	1221	225	234	4	

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	219	ALA	GLU	ENGINEERED MUTATION	UNP P39900


- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	
2	A	2	Total	Zn
			2	2

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	
3	A	3	Total	Ca
			3	3

- Molecule 4 is 1,2-DIMYRISTOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PX4) (formula: C₃₆H₇₃NO₈P).



Mol	Chain	Residues	Atoms				
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1

Continued on next page...

Continued from previous page...

[illegible]

Continued on next page...

[illegible]

Continued from previous page...

[illegible]

Continued on next page...

[illegible]

Continued from previous page...

[illegible]

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1
4	A	1	Total	C	N	O	P
			46	36	1	8	1

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: Macrophage metalloelastase



4.2 Residue scores for the representative (medoid) model from the NMR ensemble

The representative model is number 8. Colouring as in section 4.1 above.

- Molecule 1: Macrophage metalloelastase



5 Refinement protocol and experimental data overview

The models were refined using the following method: *molecular dynamics*.

Of the 14 calculated structures, 14 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
GROMACS	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	2mls_cs.str
Number of chemical shift lists	1
Total number of shifts	1762
Number of shifts mapped to atoms	1762
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	83%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality

6.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CA, PX4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.57±0.00	0±0/1311 (0.0±0.0%)	2.03±0.06	38±6/1779 (2.2±0.4%)
All	All	0.57	0/18354 (0.0%)	2.03	537/24906 (2.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	4.9±2.3
All	All	0	68

There are no bond-length outliers.

5 of 232 unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	110	ARG	NE-CZ-NH1	19.82	130.21	120.30	10	5
1	A	170	ASP	CB-CG-OD1	16.29	132.96	118.30	7	14
1	A	256	ARG	NE-CZ-NH1	16.04	128.32	120.30	5	9
1	A	101	ARG	NE-CZ-NH1	-15.89	112.36	120.30	6	7
1	A	197	PHE	CB-CG-CD1	15.56	131.69	120.80	5	3

There are no chirality outliers.

5 of 31 unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	174	PHE	Peptide,Sidechain	11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group	Models (Total)
1	A	121	TYR	Sidechain	6
1	A	262	TYR	Sidechain	5
1	A	171	PHE	Sidechain	4
1	A	132	TYR	Sidechain,Mainchain	4

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1271	1207	1207	2±1
4	A	5750	0	9000	132±12
All	All	98364	16898	142898	1849

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

5 of 1768 unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
4:A:423:PX4:H16	4:A:424:PX4:H24	1.02	1.23	7	1
4:A:347:PX4:H56	4:A:355:PX4:H25	0.99	1.33	11	1
4:A:321:PX4:H51	4:A:354:PX4:H34	0.93	1.41	10	1
4:A:306:PX4:H23	4:A:360:PX4:H44	0.91	1.42	1	1
4:A:408:PX4:H15	4:A:409:PX4:H2	0.90	1.44	10	2

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	162/164 (99%)	151±2 (93±1%)	10±2 (6±1%)	2±1 (1±1%)	24	71

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	2268/2296 (99%)	2109 (93%)	136 (6%)	23 (1%)	24 71

5 of 8 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	173	ALA	11
1	A	179	GLY	4
1	A	172	HIS	2
1	A	170	ASP	2
1	A	171	PHE	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	130/131 (99%)	123±1 (95±1%)	7±1 (5±1%)	34 78
All	All	1820/1834 (99%)	1728 (95%)	92 (5%)	34 78

5 of 26 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	199	GLU	14
1	A	165	ARG	14
1	A	170	ASP	12
1	A	172	HIS	11
1	A	244	ASP	6

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

Of 130 ligands modelled in this entry, 5 are monoatomic - leaving 125 for Mogul analysis.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
4	PX4	A	306	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	307	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	308	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	309	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	310	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	311	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	312	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	313	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	314	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	315	-	45,45,45	0.66±0.02	0±0 (0±0%)
4	PX4	A	316	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	317	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	318	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	319	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	320	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	321	-	45,45,45	0.64±0.01	0±0 (0±0%)
4	PX4	A	322	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	323	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	324	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	325	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	326	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	327	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	328	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	329	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	330	-	45,45,45	0.64±0.01	0±0 (0±0%)
4	PX4	A	331	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	332	-	45,45,45	0.64±0.02	0±0 (0±0%)

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
4	PX4	A	333	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	334	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	335	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	336	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	337	-	45,45,45	0.64±0.01	0±0 (0±0%)
4	PX4	A	338	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	339	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	340	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	341	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	342	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	343	-	45,45,45	0.64±0.01	0±0 (0±0%)
4	PX4	A	344	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	345	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	346	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	347	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	348	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	349	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	350	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	351	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	352	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	353	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	354	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	355	-	45,45,45	0.64±0.01	0±0 (0±0%)
4	PX4	A	356	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	357	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	358	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	359	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	360	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	361	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	362	-	45,45,45	0.64±0.01	0±0 (0±0%)
4	PX4	A	363	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	364	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	365	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	366	-	45,45,45	0.64±0.01	0±0 (0±0%)
4	PX4	A	367	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	368	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	369	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	370	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	371	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	372	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	373	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	374	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	375	-	45,45,45	0.65±0.03	0±0 (0±0%)

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
4	PX4	A	376	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	377	-	45,45,45	0.64±0.01	0±0 (0±0%)
4	PX4	A	378	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	379	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	380	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	381	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	382	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	383	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	384	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	385	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	386	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	387	-	45,45,45	0.64±0.01	0±0 (0±0%)
4	PX4	A	388	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	389	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	390	-	45,45,45	0.64±0.01	0±0 (0±0%)
4	PX4	A	391	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	392	-	45,45,45	0.66±0.02	0±0 (0±0%)
4	PX4	A	393	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	394	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	395	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	396	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	397	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	398	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	399	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	400	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	401	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	402	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	403	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	404	-	45,45,45	0.66±0.01	0±0 (0±0%)
4	PX4	A	405	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	406	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	407	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	408	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	409	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	410	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	411	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	412	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	413	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	414	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	415	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	416	-	45,45,45	0.64±0.01	0±0 (0±0%)
4	PX4	A	417	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	418	-	45,45,45	0.65±0.01	0±0 (0±0%)

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
4	PX4	A	419	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	420	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	421	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	422	-	45,45,45	0.65±0.02	0±0 (0±0%)
4	PX4	A	423	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	424	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	425	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	426	-	45,45,45	0.64±0.01	0±0 (0±0%)
4	PX4	A	427	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	428	-	45,45,45	0.65±0.01	0±0 (0±0%)
4	PX4	A	429	-	45,45,45	0.64±0.02	0±0 (0±0%)
4	PX4	A	430	-	45,45,45	0.66±0.02	0±0 (0±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
4	PX4	A	306	-	49,53,53	1.38±0.12	0±0 (0±0%)
4	PX4	A	307	-	49,53,53	1.42±0.19	0±0 (0±0%)
4	PX4	A	308	-	49,53,53	1.50±0.12	0±0 (0±0%)
4	PX4	A	309	-	49,53,53	1.51±0.14	0±0 (0±0%)
4	PX4	A	310	-	49,53,53	1.45±0.14	0±0 (0±0%)
4	PX4	A	311	-	49,53,53	1.50±0.14	0±0 (0±0%)
4	PX4	A	312	-	49,53,53	1.46±0.13	0±0 (0±0%)
4	PX4	A	313	-	49,53,53	1.45±0.15	0±0 (0±0%)
4	PX4	A	314	-	49,53,53	1.52±0.13	0±0 (0±0%)
4	PX4	A	315	-	49,53,53	1.38±0.10	0±0 (0±0%)
4	PX4	A	316	-	49,53,53	1.35±0.12	0±0 (0±0%)
4	PX4	A	317	-	49,53,53	1.44±0.11	0±0 (0±0%)
4	PX4	A	318	-	49,53,53	1.41±0.15	0±0 (0±0%)
4	PX4	A	319	-	49,53,53	1.39±0.11	0±0 (0±0%)
4	PX4	A	320	-	49,53,53	1.48±0.12	0±0 (0±0%)
4	PX4	A	321	-	49,53,53	1.53±0.15	0±0 (0±0%)
4	PX4	A	322	-	49,53,53	1.44±0.12	0±0 (0±0%)

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
4	PX4	A	323	-	49,53,53	1.46±0.14	0±0 (0±0%)
4	PX4	A	324	-	49,53,53	1.38±0.12	0±1 (0±1%)
4	PX4	A	325	-	49,53,53	1.45±0.14	0±0 (0±0%)
4	PX4	A	326	-	49,53,53	1.42±0.14	0±0 (0±0%)
4	PX4	A	327	-	49,53,53	1.45±0.16	0±0 (0±0%)
4	PX4	A	328	-	49,53,53	1.45±0.14	0±0 (0±0%)
4	PX4	A	329	-	49,53,53	1.44±0.15	0±0 (0±0%)
4	PX4	A	330	-	49,53,53	1.40±0.16	0±0 (0±0%)
4	PX4	A	331	-	49,53,53	1.43±0.14	0±0 (0±0%)
4	PX4	A	332	-	49,53,53	1.47±0.14	0±0 (0±0%)
4	PX4	A	333	-	49,53,53	1.45±0.17	0±0 (0±0%)
4	PX4	A	334	-	49,53,53	1.43±0.13	0±0 (0±0%)
4	PX4	A	335	-	49,53,53	1.50±0.16	0±1 (0±1%)
4	PX4	A	336	-	49,53,53	1.37±0.10	0±0 (0±0%)
4	PX4	A	337	-	49,53,53	1.40±0.14	0±0 (0±0%)
4	PX4	A	338	-	49,53,53	1.44±0.12	0±0 (0±0%)
4	PX4	A	339	-	49,53,53	1.51±0.16	0±0 (0±0%)
4	PX4	A	340	-	49,53,53	1.41±0.14	0±0 (0±0%)
4	PX4	A	341	-	49,53,53	1.41±0.11	0±0 (0±0%)
4	PX4	A	342	-	49,53,53	1.44±0.14	0±0 (0±0%)
4	PX4	A	343	-	49,53,53	1.46±0.15	0±0 (0±0%)
4	PX4	A	344	-	49,53,53	1.51±0.13	0±0 (0±0%)
4	PX4	A	345	-	49,53,53	1.31±0.10	0±0 (0±0%)
4	PX4	A	346	-	49,53,53	1.42±0.14	0±0 (0±0%)
4	PX4	A	347	-	49,53,53	1.48±0.20	0±1 (0±1%)
4	PX4	A	348	-	49,53,53	1.40±0.17	0±0 (0±0%)
4	PX4	A	349	-	49,53,53	1.47±0.12	0±0 (0±0%)
4	PX4	A	350	-	49,53,53	1.42±0.13	0±0 (0±0%)
4	PX4	A	351	-	49,53,53	1.41±0.13	0±0 (0±0%)
4	PX4	A	352	-	49,53,53	1.47±0.16	0±0 (0±0%)
4	PX4	A	353	-	49,53,53	1.47±0.13	0±1 (0±1%)
4	PX4	A	354	-	49,53,53	1.57±0.12	0±0 (0±0%)
4	PX4	A	355	-	49,53,53	1.45±0.19	0±0 (0±0%)
4	PX4	A	356	-	49,53,53	1.42±0.14	0±0 (0±0%)
4	PX4	A	357	-	49,53,53	1.49±0.09	0±0 (0±0%)

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
4	PX4	A	358	-	49,53,53	1.33±0.10	0±0 (0±0%)
4	PX4	A	359	-	49,53,53	1.45±0.13	0±0 (0±0%)
4	PX4	A	360	-	49,53,53	1.48±0.13	0±0 (0±0%)
4	PX4	A	361	-	49,53,53	1.56±0.14	0±0 (0±0%)
4	PX4	A	362	-	49,53,53	1.45±0.13	0±0 (0±0%)
4	PX4	A	363	-	49,53,53	1.53±0.08	0±0 (0±0%)
4	PX4	A	364	-	49,53,53	1.45±0.12	0±0 (0±0%)
4	PX4	A	365	-	49,53,53	1.36±0.09	0±0 (0±0%)
4	PX4	A	366	-	49,53,53	1.54±0.16	0±1 (0±1%)
4	PX4	A	367	-	49,53,53	1.45±0.12	0±0 (0±0%)
4	PX4	A	368	-	49,53,53	1.45±0.15	0±0 (0±0%)
4	PX4	A	369	-	49,53,53	1.49±0.10	0±0 (0±0%)
4	PX4	A	370	-	49,53,53	1.49±0.17	0±0 (0±0%)
4	PX4	A	371	-	49,53,53	1.48±0.15	0±0 (0±0%)
4	PX4	A	372	-	49,53,53	1.41±0.20	0±0 (0±0%)
4	PX4	A	373	-	49,53,53	1.45±0.11	0±0 (0±0%)
4	PX4	A	374	-	49,53,53	1.42±0.14	0±0 (0±0%)
4	PX4	A	375	-	49,53,53	1.50±0.22	0±0 (0±0%)
4	PX4	A	376	-	49,53,53	1.45±0.15	0±0 (0±0%)
4	PX4	A	377	-	49,53,53	1.38±0.15	0±0 (0±0%)
4	PX4	A	378	-	49,53,53	1.52±0.14	0±0 (0±0%)
4	PX4	A	379	-	49,53,53	1.58±0.19	0±0 (0±0%)
4	PX4	A	380	-	49,53,53	1.47±0.17	0±0 (0±0%)
4	PX4	A	381	-	49,53,53	1.47±0.17	0±0 (0±0%)
4	PX4	A	382	-	49,53,53	1.49±0.12	0±0 (0±0%)
4	PX4	A	383	-	49,53,53	1.40±0.13	0±0 (0±0%)
4	PX4	A	384	-	49,53,53	1.42±0.15	0±0 (0±0%)
4	PX4	A	385	-	49,53,53	1.45±0.13	0±0 (0±0%)
4	PX4	A	386	-	49,53,53	1.48±0.14	0±0 (0±0%)
4	PX4	A	387	-	49,53,53	1.42±0.18	0±0 (0±0%)
4	PX4	A	388	-	49,53,53	1.50±0.12	0±0 (0±0%)
4	PX4	A	389	-	49,53,53	1.46±0.09	0±0 (0±0%)
4	PX4	A	390	-	49,53,53	1.43±0.11	0±0 (0±0%)
4	PX4	A	391	-	49,53,53	1.46±0.14	0±0 (0±0%)
4	PX4	A	392	-	49,53,53	1.42±0.10	0±0 (0±0%)
4	PX4	A	393	-	49,53,53	1.40±0.13	0±0 (0±0%)

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
4	PX4	A	394	-	49,53,53	1.38±0.15	0±0 (0±0%)
4	PX4	A	395	-	49,53,53	1.39±0.11	0±0 (0±0%)
4	PX4	A	396	-	49,53,53	1.41±0.15	0±0 (0±0%)
4	PX4	A	397	-	49,53,53	1.43±0.16	0±0 (0±0%)
4	PX4	A	398	-	49,53,53	1.51±0.17	0±0 (0±0%)
4	PX4	A	399	-	49,53,53	1.42±0.11	0±0 (0±0%)
4	PX4	A	400	-	49,53,53	1.43±0.17	0±0 (0±0%)
4	PX4	A	401	-	49,53,53	1.41±0.17	0±0 (0±0%)
4	PX4	A	402	-	49,53,53	1.56±0.17	0±0 (0±1%)
4	PX4	A	403	-	49,53,53	1.46±0.16	0±0 (0±0%)
4	PX4	A	404	-	49,53,53	1.47±0.16	0±0 (0±0%)
4	PX4	A	405	-	49,53,53	1.36±0.16	0±0 (0±0%)
4	PX4	A	406	-	49,53,53	1.42±0.14	0±0 (0±0%)
4	PX4	A	407	-	49,53,53	1.49±0.12	0±0 (0±0%)
4	PX4	A	408	-	49,53,53	1.51±0.15	0±0 (0±0%)
4	PX4	A	409	-	49,53,53	1.41±0.18	0±0 (0±0%)
4	PX4	A	410	-	49,53,53	1.42±0.17	0±0 (0±0%)
4	PX4	A	411	-	49,53,53	1.52±0.24	0±1 (0±1%)
4	PX4	A	412	-	49,53,53	1.51±0.17	0±0 (0±0%)
4	PX4	A	413	-	49,53,53	1.52±0.15	0±0 (0±0%)
4	PX4	A	414	-	49,53,53	1.48±0.17	0±0 (0±0%)
4	PX4	A	415	-	49,53,53	1.49±0.15	0±0 (0±0%)
4	PX4	A	416	-	49,53,53	1.53±0.16	0±0 (0±0%)
4	PX4	A	417	-	49,53,53	1.48±0.16	0±0 (0±0%)
4	PX4	A	418	-	49,53,53	1.44±0.13	0±0 (0±0%)
4	PX4	A	419	-	49,53,53	1.42±0.11	0±0 (0±0%)
4	PX4	A	420	-	49,53,53	1.50±0.17	0±0 (0±0%)
4	PX4	A	421	-	49,53,53	1.47±0.17	0±1 (0±1%)
4	PX4	A	422	-	49,53,53	1.47±0.15	0±0 (0±0%)
4	PX4	A	423	-	49,53,53	1.48±0.10	0±0 (0±0%)
4	PX4	A	424	-	49,53,53	1.43±0.16	0±0 (0±0%)
4	PX4	A	425	-	49,53,53	1.43±0.16	0±0 (0±0%)
4	PX4	A	426	-	49,53,53	1.45±0.16	0±0 (0±0%)
4	PX4	A	427	-	49,53,53	1.53±0.15	0±0 (0±0%)
4	PX4	A	428	-	49,53,53	1.46±0.16	0±0 (0±0%)

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
4	PX4	A	429	-	49,53,53	1.43±0.15	0±0 (0±0%)
4	PX4	A	430	-	49,53,53	1.46±0.11	0±0 (0±0%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PX4	A	306	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	307	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	308	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	309	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	310	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	311	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	312	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	313	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	314	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	315	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	316	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	317	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	318	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	319	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	320	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	321	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	322	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	323	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	324	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	325	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	326	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	327	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	328	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	329	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	330	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	331	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	332	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	333	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	334	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	335	-	-	1±0,49,49,49	0±0,0,0,0
4	PX4	A	336	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	337	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	338	-	-	0±0,49,49,49	0±0,0,0,0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PX4	A	339	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	340	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	341	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	342	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	343	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	344	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	345	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	346	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	347	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	348	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	349	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	350	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	351	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	352	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	353	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	354	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	355	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	356	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	357	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	358	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	359	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	360	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	361	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	362	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	363	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	364	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	365	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	366	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	367	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	368	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	369	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	370	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	371	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	372	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	373	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	374	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	375	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	376	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	377	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	378	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	379	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	380	-	-	0±0,49,49,49	0±0,0,0,0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PX4	A	381	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	382	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	383	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	384	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	385	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	386	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	387	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	388	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	389	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	390	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	391	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	392	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	393	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	394	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	395	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	396	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	397	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	398	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	399	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	400	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	401	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	402	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	403	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	404	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	405	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	406	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	407	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	408	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	409	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	410	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	411	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	412	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	413	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	414	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	415	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	416	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	417	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	418	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	419	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	420	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	421	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	422	-	-	0±0,49,49,49	0±0,0,0,0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PX4	A	423	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	424	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	425	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	426	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	427	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	428	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	429	-	-	0±0,49,49,49	0±0,0,0,0
4	PX4	A	430	-	-	0±0,49,49,49	0±0,0,0,0

There are no bond-length outliers.

5 of 188 unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
4	A	307	PX4	C8-C7-C6	7.98	93.49	112.08	5	1
4	A	314	PX4	C8-C7-C6	7.78	93.95	112.08	11	4
4	A	378	PX4	C8-C7-C6	7.73	94.07	112.08	2	2
4	A	371	PX4	C8-C7-C6	7.58	94.42	112.08	3	2
4	A	416	PX4	C8-C7-C6	7.57	94.43	112.08	6	2

There are no chirality outliers.

All unique torsion outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Models (Total)
4	A	335	PX4	C7-O7-C23-C24	6
4	A	335	PX4	C7-O7-C23-O8	4

There are no ring outliers.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 83% for the well-defined parts and 83% for the entire structure.

7.1 Chemical shift list 1

File name: 2mls_cs.str

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1762
Number of shifts mapped to atoms	1762
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	2

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	160	-0.25 ± 0.11	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	138	0.11 ± 0.14	None needed (< 0.5 ppm)
$^{13}\text{C}'$	129	-0.17 ± 0.15	None needed (< 0.5 ppm)
^{15}N	154	-0.70 ± 0.49	None needed (imprecise)

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 83%, i.e. 1624 atoms were assigned a chemical shift out of a possible 1946. 15 out of 18 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	752/796 (94%)	312/317 (98%)	287/324 (89%)	153/155 (99%)
Sidechain	724/896 (81%)	450/526 (86%)	265/330 (80%)	9/40 (22%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	148/254 (58%)	79/137 (58%)	66/105 (63%)	3/12 (25%)
Overall	1624/1946 (83%)	841/980 (86%)	618/759 (81%)	165/207 (80%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	226	LEU	CG	33.00	32.55 – 21.05	5.4
1	A	214	LEU	CG	33.00	32.55 – 21.05	5.4

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

