



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:54 PM GMT

PDB ID : 1MMV  
Title : Rat neuronal NOS heme domain with NG-propyl-L-arginine bound  
Authors : Bretscher, L.E.; Li, H.; Poulos, T.L.; Griffith, O.W.  
Deposited on : 2002-09-04  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	419	
1	B	419	

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 7255 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called nitric-oxide synthase, brain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	407	Total	C	N	O	S	0	0	0
			3313	2121	566	605	21			
1	B	409	Total	C	N	O	S	0	0	0
			3334	2133	572	608	21			

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Zn 1 1	0	0

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 5 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula:  $\text{C}_9\text{H}_{15}\text{N}_5\text{O}_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total 17	C 9	N 5	O 3	0	0
5	B	1	Total 17	C 9	N 5	O 3	0	0

- Molecule 6 is N-OMEGA-PROPYL-L-ARGININE (three-letter code: 3AR) (formula:  $\text{C}_9\text{H}_{21}\text{N}_4\text{O}_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			15	9	4	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	N	O	0	0
			15	9	4	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	209	Total	O	0	0
			209	209		
7	B	240	Total	O	0	0
			240	240		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: nitric-oxide synthase, brain



- Molecule 1: nitric-oxide synthase, brain



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	51.59Å 110.36Å 164.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.91 – 2.00 30.91 – 2.00	Depositor EDS
% Data completeness (in resolution range)	96.7 (30.91-2.00) 96.9 (30.91-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.43 (at 2.00Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.225 , 0.256 0.218 , 0.248	Depositor DCC
$R_{free}$ test set	3121 reflections (5.26%)	DCC
Wilson B-factor (Å <sup>2</sup> )	28.5	Xtriage
Anisotropy	0.662	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 55.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 62499 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7255	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.24% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 3AR, HEM, ZN, H4B, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.33	0/3406	0.57	1/4621 (0.0%)
1	B	0.34	0/3427	0.60	2/4646 (0.0%)
All	All	0.34	0/6833	0.59	3/9267 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	589	MET	N-CA-C	-5.84	95.24	111.00
1	A	589	MET	N-CA-C	-5.65	95.75	111.00
1	B	326	CYS	CA-CB-SG	5.07	123.13	114.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3313	0	3221	97	0
1	B	3334	0	3247	62	0
2	A	4	0	3	0	0
2	B	4	0	3	0	0
3	A	1	0	0	0	0
4	A	43	0	30	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	43	0	30	5	0
5	A	17	0	15	0	0
5	B	17	0	15	2	0
6	A	15	0	20	2	0
6	B	15	0	20	2	0
7	A	209	0	0	8	0
7	B	240	0	0	3	0
All	All	7255	0	6604	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:523:LEU:HD22	1:A:531:PRO:HB2	1.35	1.07
1:B:373:GLY:H	1:B:377:HIS:HD2	1.03	1.00
1:B:523:LEU:HD22	1:B:531:PRO:HB2	1.47	0.94
1:B:373:GLY:H	1:B:377:HIS:CD2	1.93	0.85
1:A:350:THR:HB	1:A:353:GLN:HG3	1.66	0.77
4:A:1750:HEM:HBA2	6:A:1785:3AR:HD2	1.66	0.77
4:B:2750:HEM:HBD1	7:B:3067:HOH:O	1.83	0.76
1:B:549:PRO:HG3	1:B:639:TYR:CG	2.28	0.68
1:A:596:ARG:O	1:A:600:ASP:HB2	1.94	0.68
1:A:595:VAL:HG23	1:A:634:ASN:HD21	1.58	0.68
1:B:499:VAL:O	1:B:503:GLU:HG3	1.93	0.67
1:A:478:GLN:HB2	1:A:481:ARG:HG3	1.76	0.66
1:B:659:ILE:O	1:B:663:GLU:HG3	1.96	0.65
1:A:616:LEU:HD13	1:A:625:TRP:HB2	1.77	0.65
1:B:470:HIS:HB3	1:B:527:ASN:ND2	2.12	0.64
1:A:316:LEU:HD11	1:A:669:ARG:HD3	1.80	0.64
1:A:330:ILE:HD11	1:B:696:LEU:HD22	1.80	0.63
4:A:1750:HEM:HBC2	4:A:1750:HEM:HMC2	1.81	0.63
1:A:350:THR:HG22	1:A:352:ASP:H	1.65	0.62
1:B:664:ASN:O	1:B:667:ARG:HG2	2.00	0.62
1:B:684:SER:HB3	1:B:687:ILE:HD11	1.82	0.61
1:A:475:TRP:HB2	1:A:523:LEU:HB3	1.82	0.61
1:B:587:TRP:H	4:B:2750:HEM:HAB	1.66	0.61
1:A:304:LYS:O	1:A:694:GLU:HG3	2.01	0.60
1:A:321:THR:HG23	1:A:322:LEU:N	2.16	0.60
1:A:351:LYS:HE2	1:A:392:SER:HB3	1.83	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:675:ASP:O	1:A:679:ILE:HG12	2.02	0.60
1:A:467:ASP:OD2	1:A:469:LYS:HB2	2.01	0.60
1:B:373:GLY:N	1:B:377:HIS:HD2	1.88	0.59
4:A:1750:HEM:HBD1	7:A:2039:HOH:O	2.02	0.59
1:A:303:VAL:HG13	1:A:694:GLU:HB2	1.85	0.59
1:A:620:LYS:HE3	1:A:622:SER:OG	2.03	0.59
1:A:682:PRO:HG3	7:A:1862:HOH:O	2.02	0.59
1:B:323:GLU:O	1:B:699:ARG:HD3	2.03	0.58
1:A:473:ARG:NH2	1:A:710:PRO:HD3	2.19	0.58
1:A:455:LEU:HD12	1:A:587:TRP:HB3	1.86	0.58
1:B:391:THR:O	1:B:392:SER:HB2	2.04	0.58
1:A:696:LEU:HD22	1:B:330:ILE:HD11	1.86	0.58
1:A:516:ARG:HG3	1:A:516:ARG:HH11	1.69	0.57
1:A:350:THR:HB	1:A:353:GLN:CG	2.34	0.57
1:A:684:SER:HB3	1:A:687:ILE:HD11	1.86	0.57
1:B:337:LEU:N	1:B:337:LEU:HD23	2.20	0.57
1:A:491:SER:HB2	7:A:2055:HOH:O	2.05	0.56
1:B:350:THR:HG22	1:B:352:ASP:H	1.70	0.56
1:B:355:PHE:CE1	1:B:385:ASN:HB2	2.40	0.56
1:A:524:LEU:O	1:A:531:PRO:HA	2.06	0.55
1:A:659:ILE:O	1:A:663:GLU:HG3	2.07	0.55
1:A:595:VAL:HG11	1:A:682:PRO:HB2	1.89	0.54
1:B:299:ARG:HB3	1:B:299:ARG:NH1	2.22	0.54
1:A:436:HIS:HB2	7:A:1955:HOH:O	2.08	0.54
1:A:335:ILE:HD13	1:B:694:GLU:HB3	1.89	0.54
1:A:684:SER:HB3	1:A:687:ILE:CG1	2.37	0.53
1:A:307:GLU:HG3	7:B:2905:HOH:O	2.08	0.53
1:B:546:ILE:HG12	1:B:560:LYS:HA	1.89	0.53
1:A:351:LYS:HE2	1:A:392:SER:CB	2.38	0.53
7:A:1898:HOH:O	1:B:337:LEU:HD23	2.09	0.52
1:B:304:LYS:O	1:B:694:GLU:HG3	2.09	0.52
1:B:595:VAL:HG23	1:B:634:ASN:HD21	1.73	0.52
1:A:551:PHE:HE1	1:A:614:MET:HE3	1.75	0.52
4:B:2750:HEM:HBA2	6:B:2785:3AR:HD2	1.92	0.52
1:B:684:SER:HB3	1:B:687:ILE:CD1	2.39	0.52
1:B:336:MET:HE2	5:B:2760:H4B:H9	1.91	0.51
1:A:545:PRO:HG2	1:A:547:ARG:NH1	2.24	0.51
1:A:361:PHE:O	1:A:364:GLN:HG2	2.09	0.51
1:A:353:GLN:O	1:A:356:PRO:HD2	2.11	0.51
1:B:684:SER:HB3	1:B:687:ILE:CG1	2.40	0.51
1:B:414:ARG:NH1	1:B:706:TYR:OH	2.44	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:378:MET:CE	1:A:378:MET:HA	2.41	0.50
1:B:701:THR:HA	1:B:702:PRO:C	2.31	0.50
1:A:684:SER:HB3	1:A:687:ILE:HG12	1.93	0.50
1:B:332:MET:HB3	1:B:335:ILE:HG13	1.94	0.50
1:A:610:VAL:O	1:A:614:MET:HG3	2.11	0.50
1:A:715:VAL:HG23	1:A:715:VAL:O	2.12	0.50
1:A:300:PHE:CD2	1:A:315:THR:HG22	2.46	0.50
1:A:595:VAL:HG23	1:A:634:ASN:ND2	2.26	0.49
1:A:504:ILE:O	1:A:508:GLN:HB2	2.12	0.49
1:A:321:THR:HG23	1:A:322:LEU:H	1.76	0.49
1:A:614:MET:HE3	1:A:632:GLU:HG3	1.95	0.49
1:A:684:SER:HB3	1:A:687:ILE:CD1	2.42	0.49
1:A:501:PHE:HD2	1:A:520:LEU:HD13	1.75	0.49
1:A:551:PHE:HB3	1:A:553:TRP:NE1	2.28	0.49
1:A:617:ASP:OD1	1:A:619:ARG:NE	2.42	0.49
1:B:299:ARG:HB3	1:B:299:ARG:HH11	1.77	0.49
1:B:475:TRP:HB2	1:B:523:LEU:HB3	1.95	0.48
1:A:337:LEU:O	1:A:337:LEU:HD12	2.13	0.48
1:B:675:ASP:O	1:B:679:ILE:HG12	2.13	0.48
1:B:638:LEU:O	1:B:642:GLN:HG3	2.13	0.48
1:A:455:LEU:HD12	1:A:587:TRP:CB	2.44	0.48
1:A:330:ILE:CD1	1:B:696:LEU:HD22	2.42	0.48
1:B:485:TYR:CZ	1:B:514:ARG:HA	2.49	0.47
1:A:485:TYR:CE2	1:A:512:ALA:HB1	2.49	0.47
1:A:414:ARG:HD3	1:A:678:TRP:CD2	2.49	0.47
1:A:631:VAL:HG11	1:B:628:GLN:HG2	1.96	0.47
1:A:366:TYR:HA	1:A:369:ILE:HG12	1.97	0.47
1:B:684:SER:HB3	1:B:687:ILE:HG12	1.96	0.47
1:A:483:ALA:HB1	1:A:502:THR:CG2	2.45	0.47
1:B:316:LEU:HB3	1:B:698:TYR:OH	2.15	0.46
1:A:535:GLN:NE2	7:A:2020:HOH:O	2.49	0.46
1:A:553:TRP:CE3	1:A:613:LYS:HD3	2.50	0.46
1:A:449:ALA:O	1:A:455:LEU:HA	2.15	0.46
1:A:614:MET:CE	1:A:632:GLU:HG3	2.46	0.46
1:B:364:GLN:NE2	7:B:3043:HOH:O	2.48	0.45
1:A:516:ARG:HG3	1:A:516:ARG:NH1	2.31	0.45
1:A:611:ALA:HA	1:A:616:LEU:HD11	1.98	0.45
1:A:316:LEU:HD11	1:A:669:ARG:CD	2.44	0.45
1:A:387:GLU:OE2	1:A:394:TYR:HA	2.15	0.45
1:A:303:VAL:CG1	1:A:694:GLU:O	2.65	0.45
1:A:629:ALA:O	1:A:633:ILE:HG13	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:507:GLN:O	1:A:507:GLN:HG2	2.16	0.45
1:A:567:VAL:HG23	6:A:1785:3AR:H32	1.99	0.44
1:B:308:THR:O	1:B:309:ASP:HB2	2.16	0.44
1:B:336:MET:CE	5:B:2760:H4B:H9	2.47	0.44
1:A:701:THR:HA	1:A:702:PRO:C	2.38	0.44
1:A:551:PHE:HB3	1:A:553:TRP:CE2	2.53	0.44
1:A:316:LEU:HD22	1:A:700:LEU:HD11	1.99	0.44
1:A:451:ASN:HB3	1:A:454:ASN:O	2.17	0.44
1:B:525:GLN:HG3	1:B:529:ASN:O	2.17	0.43
1:B:445:HIS:C	1:B:445:HIS:CD2	2.92	0.43
1:A:502:THR:O	1:A:506:ILE:HG13	2.18	0.43
1:B:571:LEU:HD11	1:B:578:GLU:HB3	2.01	0.43
1:B:496:PRO:HB2	1:B:602:SER:O	2.18	0.43
1:A:321:THR:CG2	1:A:322:LEU:N	2.82	0.43
1:A:638:LEU:O	1:A:642:GLN:HG3	2.18	0.43
1:B:485:TYR:CE1	1:B:514:ARG:HA	2.53	0.43
1:A:355:PHE:HD1	1:A:388:ILE:HD12	1.83	0.43
1:A:606:ILE:HA	7:A:1948:HOH:O	2.18	0.42
1:B:513:PRO:HG2	1:B:518:ASP:CG	2.39	0.42
1:A:386:LYS:HA	1:A:386:LYS:HD3	1.87	0.42
1:B:327:THR:OG1	1:B:330:ILE:HG22	2.19	0.42
1:B:350:THR:HB	1:B:353:GLN:CD	2.39	0.42
1:A:551:PHE:N	1:A:551:PHE:CD2	2.86	0.42
1:B:680:VAL:HA	1:B:681:PRO:HD3	1.90	0.42
1:A:503:GLU:HG3	7:A:2054:HOH:O	2.19	0.42
1:B:571:LEU:HD12	1:B:579:PHE:C	2.40	0.42
1:B:362:LEU:HD11	1:B:384:VAL:HG21	2.01	0.42
1:A:682:PRO:HB3	1:B:686:SER:HB3	2.02	0.42
1:A:300:PHE:HD2	1:A:315:THR:HG22	1.84	0.42
4:A:1750:HEM:HBC2	4:A:1750:HEM:CMC	2.49	0.41
1:A:694:GLU:HB3	1:B:335:ILE:HD13	2.02	0.41
1:A:501:PHE:CD2	1:A:520:LEU:HD13	2.53	0.41
1:A:681:PRO:HA	1:A:682:PRO:HD3	1.77	0.41
1:B:481:ARG:HD3	1:B:498:ASN:ND2	2.36	0.41
1:A:353:GLN:C	1:A:356:PRO:HD2	2.40	0.41
1:A:301:LEU:CD1	1:B:330:ILE:HD13	2.50	0.41
1:B:397:LYS:HB2	1:B:400:GLU:HG3	2.02	0.41
4:B:2750:HEM:CBA	6:B:2785:3AR:HD2	2.50	0.41
1:A:384:VAL:O	1:A:388:ILE:HG13	2.21	0.41
1:A:303:VAL:HG11	1:A:694:GLU:O	2.21	0.41
1:A:419:ILE:HB	1:A:661:HIS:HB2	2.03	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:2750:HEM:HBC2	4:B:2750:HEM:HMC1	2.02	0.41
1:B:548:HIS:ND1	1:B:549:PRO:HD2	2.36	0.41
1:B:571:LEU:HD12	1:B:579:PHE:O	2.21	0.41
1:A:465:ARG:NE	1:A:471:ASP:OD2	2.47	0.41
1:B:595:VAL:O	1:B:599:CYS:HB2	2.21	0.40
1:A:604:TYR:O	1:A:605:ASN:C	2.59	0.40
1:A:350:THR:HG22	1:A:352:ASP:N	2.35	0.40
1:A:554:PHE:O	1:A:557:LEU:HD12	2.20	0.40
1:B:317:HIS:HB3	1:B:698:TYR:CE2	2.56	0.40
1:A:608:GLU:HA	1:A:618:MET:HE3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	403/419 (96%)	378 (94%)	25 (6%)	0	100	100
1	B	405/419 (97%)	389 (96%)	15 (4%)	1 (0%)	52	48
All	All	808/838 (96%)	767 (95%)	40 (5%)	1 (0%)	56	53

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	350	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	363/375 (97%)	350 (96%)	13 (4%)	42	39
1	B	365/375 (97%)	360 (99%)	5 (1%)	74	77
All	All	728/750 (97%)	710 (98%)	18 (2%)	55	55

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	316	LEU
1	A	336	MET
1	A	337	LEU
1	A	454	ASN
1	A	485	TYR
1	A	493	LEU
1	A	523	LEU
1	A	547	ARG
1	A	552	ASP
1	A	555	LYS
1	A	616	LEU
1	A	662	MET
1	A	667	ARG
1	B	316	LEU
1	B	337	LEU
1	B	423	LYS
1	B	523	LEU
1	B	547	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	353	GLN
1	A	407	HIS
1	A	425	GLN
1	A	451	ASN
1	A	454	ASN
1	A	500	GLN
1	A	634	ASN
1	A	697	ASN
1	B	364	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	377	HIS
1	B	425	GLN
1	B	451	ASN
1	B	454	ASN
1	B	507	GLN
1	B	508	GLN
1	B	527	ASN
1	B	535	GLN
1	B	634	ASN
1	B	664	ASN
1	B	697	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	HEM	A	1750	1	30,50,50	2.75	9 (30%)	24,82,82	2.45	8 (33%)
5	H4B	A	1760	-	13,18,18	2.21	4 (30%)	11,26,26	4.03	6 (54%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	3AR	A	1785	-	11,14,14	0.83	0	8,16,16	1.82	2 (25%)
2	ACT	A	1860	-	1,3,3	2.58	1 (100%)	0,3,3	0.00	-
4	HEM	B	2750	1	30,50,50	2.68	10 (33%)	24,82,82	2.56	7 (29%)
5	H4B	B	2760	-	13,18,18	2.28	4 (30%)	11,26,26	4.07	6 (54%)
6	3AR	B	2785	-	11,14,14	0.85	0	8,16,16	1.89	2 (25%)
2	ACT	B	2860	-	1,3,3	3.09	1 (100%)	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HEM	A	1750	1	-	0/10/54/54	0/0/8/8
5	H4B	A	1760	-	-	0/8/17/17	0/2/2/2
6	3AR	A	1785	-	-	0/11/15/15	0/0/0/0
2	ACT	A	1860	-	-	0/0/0/0	0/0/0/0
4	HEM	B	2750	1	-	0/10/54/54	0/0/8/8
5	H4B	B	2760	-	-	0/8/17/17	0/2/2/2
6	3AR	B	2785	-	-	0/11/15/15	0/0/0/0
2	ACT	B	2860	-	-	0/0/0/0	0/0/0/0

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	2750	HEM	C2D-C3D	-6.73	1.34	1.54
4	A	1750	HEM	C2D-C3D	-6.58	1.34	1.54
4	B	2750	HEM	C3B-CAB	-6.31	1.39	1.51
4	A	1750	HEM	C3D-C4D	-6.04	1.43	1.51
4	A	1750	HEM	C3B-CAB	-5.78	1.40	1.51
4	A	1750	HEM	C3C-CAC	-5.50	1.41	1.51
4	B	2750	HEM	C3D-C4D	-5.29	1.44	1.51
4	A	1750	HEM	C3B-C4B	-5.02	1.47	1.51
4	B	2750	HEM	C3B-C4B	-4.88	1.47	1.51
4	B	2750	HEM	C3C-CAC	-4.42	1.43	1.51
4	B	2750	HEM	C2C-C1C	-4.01	1.45	1.52
4	A	1750	HEM	C2C-C1C	-3.54	1.45	1.52
4	A	1750	HEM	C2D-C1D	-2.46	1.43	1.51
4	B	2750	HEM	C2D-C1D	-2.26	1.44	1.51
4	B	2750	HEM	C2B-C1B	-2.08	1.45	1.51
5	A	1760	H4B	C8A-N1	2.09	1.38	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	2760	H4B	C8A-N1	2.15	1.38	1.34
2	A	1860	ACT	CH3-C	2.58	1.52	1.48
4	B	2750	HEM	C4C-NC	2.78	1.39	1.36
4	A	1750	HEM	C1C-NC	3.06	1.39	1.36
2	B	2860	ACT	CH3-C	3.09	1.53	1.48
4	A	1750	HEM	C4C-NC	3.37	1.40	1.36
4	B	2750	HEM	C1C-NC	3.42	1.40	1.36
5	B	2760	H4B	C4A-N5	3.71	1.46	1.38
5	A	1760	H4B	C6-N5	3.86	1.53	1.45
5	A	1760	H4B	C4A-N5	4.05	1.47	1.38
5	B	2760	H4B	C6-N5	4.06	1.53	1.45
5	A	1760	H4B	C4-N3	4.88	1.42	1.33
5	B	2760	H4B	C4-N3	5.08	1.42	1.33

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	2750	HEM	CBA-CAA-C2A	-6.02	101.73	112.53
4	A	1750	HEM	CBA-CAA-C2A	-5.55	102.58	112.53
5	A	1760	H4B	N3-C2-N1	-4.58	118.03	125.53
5	B	2760	H4B	N3-C2-N1	-4.54	118.08	125.53
6	B	2785	3AR	C1-NH1-CZ	-2.59	118.73	123.43
6	A	1785	3AR	C1-NH1-CZ	-2.38	119.11	123.43
4	A	1750	HEM	C3B-C4B-CHC	2.33	126.44	123.16
4	A	1750	HEM	CMD-C2D-C3D	2.74	126.46	114.35
4	B	2750	HEM	CMD-C2D-C3D	2.95	127.40	114.35
4	B	2750	HEM	C2D-C3D-C4D	3.09	106.73	101.50
5	B	2760	H4B	N2-C2-N1	3.13	122.38	117.20
4	A	1750	HEM	CAD-C3D-C4D	3.18	123.70	112.47
5	A	1760	H4B	N2-C2-N1	3.22	122.53	117.20
4	B	2750	HEM	CAD-C3D-C4D	3.22	123.84	112.47
5	B	2760	H4B	C2-N1-C8A	3.50	122.42	114.54
5	A	1760	H4B	C2-N1-C8A	3.63	122.70	114.54
5	B	2760	H4B	C4A-C8A-N8	3.66	122.74	118.43
5	A	1760	H4B	C4A-C8A-N8	3.71	122.80	118.43
4	A	1750	HEM	C2D-C3D-C4D	3.79	107.92	101.50
4	A	1750	HEM	CMB-C2B-C3B	3.87	126.19	116.53
6	A	1785	3AR	NH1-CZ-NE	4.09	123.95	119.28
6	B	2785	3AR	NH1-CZ-NE	4.16	124.04	119.28
4	B	2750	HEM	CMC-C2C-C3C	4.46	127.67	116.53
4	B	2750	HEM	CMB-C2B-C3B	4.74	128.35	116.53
4	A	1750	HEM	CMC-C2C-C3C	4.83	128.58	116.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
4	A	1750	HEM	CAD-C3D-C2D	5.26	128.33	113.22
4	B	2750	HEM	CAD-C3D-C2D	5.63	129.40	113.22
5	B	2760	H4B	C4-N3-C2	6.24	124.60	115.94
5	A	1760	H4B	C4-N3-C2	6.36	124.77	115.94
5	A	1760	H4B	C4-C4A-C8A	8.72	122.45	114.56
5	B	2760	H4B	C4-C4A-C8A	9.11	122.81	114.56

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1750	HEM	4	0
6	A	1785	3AR	2	0
4	B	2750	HEM	5	0
5	B	2760	H4B	2	0
6	B	2785	3AR	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	407/419 (97%)	0.84	56 (13%) <b>4</b> <b>4</b>	20, 40, 71, 87	0
1	B	409/419 (97%)	0.38	22 (5%) 29 31	18, 32, 60, 89	0
All	All	816/838 (97%)	0.61	78 (9%) <b>10</b> <b>11</b>	18, 36, 64, 89	0

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	715	VAL	6.5
1	B	300	PHE	6.4
1	B	321	THR	5.6
1	B	352	ASP	5.5
1	A	488	PRO	5.5
1	A	716	TRP	5.1
1	A	299	ARG	4.9
1	A	489	ASP	4.9
1	A	322	LEU	4.9
1	B	619	ARG	4.5
1	A	486	LYS	4.4
1	A	713	THR	4.3
1	A	300	PHE	4.3
1	A	321	THR	4.3
1	A	352	ASP	4.3
1	B	350	THR	4.0
1	A	490	GLY	3.9
1	A	351	LYS	3.7
1	A	355	PHE	3.6
1	B	322	LEU	3.5
1	A	552	ASP	3.5
1	B	392	SER	3.4
1	A	503	GLU	3.4
1	A	389	GLU	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	324	THR	3.1
1	A	390	SER	3.1
1	A	712	ASN	3.1
1	A	567	VAL	3.0
1	A	350	THR	3.0
1	A	714	HIS	3.0
1	A	491	SER	3.0
1	A	487	GLN	2.9
1	A	619	ARG	2.9
1	A	469	LYS	2.9
1	B	328	GLU	2.8
1	B	416	VAL	2.8
1	A	370	LYS	2.8
1	A	385	ASN	2.8
1	A	371	ARG	2.8
1	A	493	LEU	2.8
1	A	507	GLN	2.7
1	A	311	VAL	2.7
1	B	667	ARG	2.7
1	A	392	SER	2.6
1	B	351	LYS	2.6
1	A	388	ILE	2.6
1	B	323	GLU	2.6
1	A	391	THR	2.5
1	B	715	VAL	2.5
1	A	309	ASP	2.5
1	B	615	ASP	2.5
1	A	584	PHE	2.5
1	B	337	LEU	2.5
1	B	327	THR	2.5
1	A	667	ARG	2.4
1	A	617	ASP	2.4
1	B	329	HIS	2.4
1	A	618	MET	2.4
1	A	369	ILE	2.3
1	A	328	GLU	2.3
1	A	327	THR	2.3
1	B	310	VAL	2.3
1	B	567	VAL	2.3
1	A	302	LYS	2.2
1	A	608	GLU	2.2
1	A	611	ALA	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	470	HIS	2.1
1	A	325	GLY	2.1
1	B	591	THR	2.1
1	B	353	GLN	2.1
1	A	512	ALA	2.1
1	A	645	LYS	2.1
1	A	415	CYS	2.1
1	A	393	THR	2.0
1	A	373	GLY	2.0
1	A	338	PRO	2.0
1	B	338	PRO	2.0
1	A	511	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	ACT	A	1860	4/4	0.94	0.15	1.35	40,43,44,44	0
6	3AR	A	1785	15/15	0.95	0.22	1.20	22,25,27,30	0
6	3AR	B	2785	15/15	0.95	0.21	1.18	17,23,28,28	0
5	H4B	A	1760	17/17	0.95	0.16	0.80	26,29,33,34	0
4	HEM	A	1750	43/43	0.97	0.19	0.80	23,27,34,39	0
4	HEM	B	2750	43/43	0.98	0.18	0.52	20,23,34,42	0
2	ACT	B	2860	4/4	0.95	0.13	0.21	33,33,35,37	0
5	H4B	B	2760	17/17	0.97	0.12	-0.03	23,26,33,34	0
3	ZN	A	900	1/1	1.00	0.03	-2.28	34,34,34,34	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.